

No.	Time	Source	Destination	Protocol	Length	Info
1854	64.992113700	2409:40f4:101e:e35e...	2404:6800:4007:83d:...	QUIC	99	Protected Payload (KP0), DCID=e4023547f63e4988
1855	64.992661500	2404:6800:4007:83d:...	2409:40f4:101e:e35e...	QUIC	111	Protected Payload (KP0)
1856	64.993631100	2409:40f4:101e:e35e...	2404:6800:4007:83d:...	QUIC	95	Protected Payload (KP0), DCID=e4023547f63e4988
1857	65.073871700	2404:6800:4007:83d:...	2409:40f4:101e:e35e...	QUIC	86	Protected Payload (KP0)
1858	65.267989800	2409:40f4:101e:e35e...	2404:6800:4000:1025...	TCP	75	[TCP Keep-Alive] 29284 → 443 [ACK] Seq=1 Ack=1 Win=255 Len=1
1859	65.318476300	2409:40f4:1014:f552...	2409:40f4:101e:e35e...	ICMPv6	134	Destination Unreachable (Address unreachable)
1860	65.318477000	2409:40f4:1014:f552...	2409:40f4:101e:e35e...	ICMPv6	134	Destination Unreachable (Address unreachable)
1861	65.318477300	2409:40f4:1014:f552...	2409:40f4:101e:e35e...	ICMPv6	134	Destination Unreachable (Address unreachable)
1862	65.318477700	2409:40f4:1014:f552...	2409:40f4:101e:e35e...	ICMPv6	134	Destination Unreachable (Address unreachable)
1863	65.318478000	2409:40f4:1014:f552...	2409:40f4:101e:e35e...	ICMPv6	134	Destination Unreachable (Address unreachable)
1864	65.318478400	2409:40f4:1014:f552...	2409:40f4:101e:e35e...	ICMPv6	134	Destination Unreachable (Address unreachable)
1865	65.331011300	2409:40f4:101e:e35e...	2001:4860:482d:7700...	TCP	75	[TCP Keep-Alive] 61553 → 443 [ACK] Seq=1868 Ack=4043 Win=65280 Len=1
1866	65.345675400	2404:6800:4000:1025...	2409:40f4:101e:e35e...	TCP	86	[TCP Keep-Alive ACK] 443 → 29284 [ACK] Seq=1 Ack=2 Win=1042 Len=0 SLE=1 SRE=2
1867	65.401825500	2001:4860:482d:7700...	2409:40f4:101e:e35e...	TCP	74	443 → 61553 [RST] Seq=4043 Win=0 Len=0
1868	65.982797600	2409:40f4:101e:e35e...	2404:6800:4007:837:...	TCP	75	[TCP Keep-Alive] 8111 → 443 [ACK] Seq=1 Ack=1 Win=252 Len=1
1869	66.059390300	2404:6800:4007:837:...	2409:40f4:101e:e35e...	TCP	86	[TCP Keep-Alive ACK] 443 → 8111 [ACK] Seq=1 Ack=2 Win=1003 Len=0 SLE=1 SRE=2
1870	66.094283100	2409:40f4:101e:e35e...	2a04:4e42:25::347	TCP	75	[TCP Keep-Alive] 27782 → 443 [ACK] Seq=420 Ack=483 Win=252 Len=1
1871	66.168822900	2a04:4e42:25::347	2409:40f4:101e:e35e...	TCP	86	[TCP Keep-Alive ACK] 443 → 27782 [ACK] Seq=483 Ack=421 Win=424 Len=0 SLE=420 SRE=421

Frame 1: Packet, 75 bytes on wire (600 bits), 75 bytes captured (600 bits) on interf...
 Ethernet II, Src: AzureWaveTec_97:56:fe (f8:3d:c6:97:56:fe), Dst: 42:de:0f:34:93:78...
 Internet Protocol Version 6, Src: 2409:40f4:101e:e35e:b54d:4942:22b8:866b, Dst: 64:f...
 Transmission Control Protocol, Src Port: 55689, Dst Port: 80, Seq: 1, Ack: 1, Len: 1...

New Tab
DF P2BL Te
Digital-For
GitHub - n
Sample La
Ex.No.3 Wi
acuforum
Ask Gemini

Not secure
http://testasp.vulnweb.com/Login.asp?RetURL=/Default.asp?

TEST and Demonstration site for Acunetix Web Vulnerability Scanner

about - forums - search - login - register - SQL scanner - SQL vuln help

Username:

Password:

Login

Copyright 2019 Acunetix Ltd.

Warning: This forum is deliberately vulnerable to SQL Injections, directory traversal, and other web-based attacks. It is built using ASP and it is here to help you test Acunetix. The entire content of the forum is erased daily. All the posts are real-life examples of how attackers are trying to break into insecure web applications. Please be careful and do not follow links that are posted by malicious parties.

Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No.	Time	Source	Destination	Protocol	Length	Info
http2	1.101459000	2409:40f4:101e:e35e...	64:ff9b::2cee:1df4	HTTP	75	Continuation
http3	16.405524800	2409:40f4:101e:e35e...	64:ff9b::2cee:1df4	HTTP	840	POST /Login.asp?RetURL=%2FDefault%2Easp%3F HTTP/1.1 (application/x-www-form-urlencoded)
434	16.758924400	64:ff9b::2cee:1df4	2409:40f4:101e:e35e...	HTTP	910	[TCP Previous segment not captured] Continuation
547	20.858148500	2409:40f4:101e:e35e...	64:ff9b::2cee:1df4	HTTP	676	GET /Register.asp?RetURL=%2FDefault%2Easp%3F HTTP/1.1
606	21.358068700	64:ff9b::2cee:1df4	2409:40f4:101e:e35e...	HTTP	1306	HTTP/1.1 200 OK (text/html)
1056	49.688328300	2409:40f4:101e:e35e...	64:ff9b::2cee:1df4	HTTP	896	POST /Register.asp?RetURL=%2FDefault%2Easp%3F HTTP/1.1 (application/x-www-form-urlencoded)
1089	49.914528500	2409:40f4:101e:e35e...	2a04:4e42:fe7::684	HTTP	356	GET /msdownload/update/v3/static/trustedr/en/pinrulesstl.cab?455361c596266447 HTTP/1.1
1094	49.953221400	2a04:4e42:fe7::684	2409:40f4:101e:e35e...	HTTP	277	HTTP/1.1 304 Not Modified
1103	50.077285100	64:ff9b::2cee:1df4	2409:40f4:101e:e35e...	HTTP	453	HTTP/1.1 302 Object moved (text/html)
1112	50.084759700	2409:40f4:101e:e35e...	64:ff9b::2cee:1df4	HTTP	696	GET /Login.asp?RetURL=/Default.asp? HTTP/1.1
1115	50.160134500	2409:40f4:101e:e35e...	2404:6800:4007:837::...	HTTP	276	GET /r/gsr1.cr1 HTTP/1.1
1118	50.241564300	2404:6800:4007:837::...	2409:40f4:101e:e35e...	HTTP	297	HTTP/1.1 304 Not Modified
1119	50.253230200	2409:40f4:101e:e35e...	2404:6800:4007:837::...	HTTP	274	GET /r/r4.cr1 HTTP/1.1
1121	50.321277100	2404:6800:4007:837::...	2409:40f4:101e:e35e...	HTTP	296	HTTP/1.1 304 Not Modified
1125	50.438524500	64:ff9b::2cee:1df4	2409:40f4:101e:e35e...	HTTP	889	HTTP/1.1 200 OK (text/html)

Frame 76: Packet, 75 bytes on wire (600 bits), 75 bytes captured (600 bits) on interface 0
Ethernet II, Src: AzureWaveTec_97:56:fe (f8:3d:c6:97:56:fe), Dst: 42:de:0f:34:93:78
Internet Protocol Version 6, Src: 2409:40f4:101e:e35e:b54d:4942:22b8:866b, Dst: 64:ff9b::2cee:1df4
Transmission Control Protocol, Src Port: 17351, Dst Port: 80, Seq: 1, Ack: 1, Len: 1
Hypertext Transfer Protocol

Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request.method == "GET"

No.	Time	Source	Destination	Protocol	Length	Info
547	20.858148500	2409:40f4:101e:e35e...	64:ff9b::2cee:1df4	HTTP	676	GET /Register.asp?RetURL=%2FDefault%2Easp%3F HTTP/1.1
1089	49.914528500	2409:40f4:101e:e35e...	2a04:4e42:fe7::684	HTTP	356	GET /msdownload/update/v3/static/trustedr/en/pinrulesstl.cab?455361c596266447 HTTP/1.1
1112	50.084759700	2409:40f4:101e:e35e...	64:ff9b::2cee:1df4	HTTP	696	GET /Login.asp?RetURL=/Default.asp? HTTP/1.1
1115	50.160134500	2409:40f4:101e:e35e...	2404:6800:4007:837::...	HTTP	276	GET /r/gsr1.cr1 HTTP/1.1
1119	50.253230200	2409:40f4:101e:e35e...	2404:6800:4007:837::...	HTTP	274	GET /r/r4.cr1 HTTP/1.1

Frame 547: Packet, 676 bytes on wire (5408 bits), 676 bytes captured (5408 bits) on interface 0
Ethernet II, Src: AzureWaveTec_97:56:fe (f8:3d:c6:97:56:fe), Dst: 42:de:0f:34:93:78
Internet Protocol Version 6, Src: 2409:40f4:101e:e35e:b54d:4942:22b8:866b, Dst: 64:ff9b::2cee:1df4
Transmission Control Protocol, Src Port: 17351, Dst Port: 80, Seq: 768, Ack: 3397, Len: 676
Hypertext Transfer Protocol

Capturing from Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Wireshark · Packet 817 · Wi-Fi

http.request.method

No. Time

817 47.419

Accept-Encoding: gzip, deflate\r\n
Accept-Language: en-US,en;q=0.9\r\n\r\n
Cookie: ASPSESSIONIDAAAQTB5B=EAEIIFJDBLAIIELPKBPIHNL\r\n\r\n
[Response in frame: 818]
[Full request URI: http://testasp.vulnweb.com/Login.asp?RetURL=%2FDefault%2Easp%3F]
File Data: 34 bytes
- HTML Form URL Encoded: application/x-www-form-urlencoded
 Form item: "tfUName" = "nikhil"
 Key: tfUName
 Value: nikhil
 Form item: "tfUPass" = "Nikki@222"
 Key: tfUPass
 Value: Nikki@222

0260 0a 52 65 66 65 72 65 72 3a 20 68 74 74 70 3a 2f Referer : http://
0270 2f 74 65 73 74 61 73 70 2e 76 75 6c 6e 77 65 62 /testasp.vulnweb
0280 2e 63 6f 6d 2f 4c 6f 67 69 6e 2e 61 73 70 3f 52 .com/Login.asp?R
0290 65 74 55 52 4c 3d 25 32 46 44 65 66 61 75 6c 74 etURL=%2FDefault
02a0 25 32 45 61 73 70 25 33 46 0d 0a 41 63 63 65 70 %2Easp%3F
02b0 74 2d 45 6e 63 6f 64 69 6e 67 3a 20 67 7a 69 70 t-Encodi ng: gzip
02c0 2c 20 64 65 66 6c 61 74 65 0d 0a 41 63 63 65 70 , deflat e· Accep
02d0 74 2d 4c 61 6e 67 75 61 67 65 3a 20 65 6e 2d 55 t-Langua ge: en-U
02e0 53 2c 65 6e 3b 71 3d 30 2e 39 0d 0a 43 6f 6f 6b S,en;q=0 .9 ·Cook
02f0 69 65 3a 20 41 53 50 53 45 53 53 49 4f 4e 49 44 ie: ASPS ESSIONID
0300 41 41 41 51 54 42 53 42 3d 45 41 45 4c 49 46 4a AAAQTB5B =EAEIIFJ
0310 44 42 4c 41 49 49 45 4c 50 4b 42 50 49 48 4e 4c DBLAIIELP KBPIHNL
0320 45 0d 0a 0d 0a 74 66 55 4e 61 6d 65 3d 6e 69 6b E ··· tfu Name=nik
0330 68 69 6c 26 74 66 55 50 61 73 73 3d 4e 69 6b 6b hil&tfUP ass=Nikk
0340 69 25 34 30 32 32 32 i%40222

Value (urlencoded-form.value), 11 bytes

Show packet bytes Layout: Vertical (Stacked)

Close Help

0100 6e 74 65 6e 74 2d 54 79 70 65 3a 20 61 70 70 6c tent-Ty pe: appl
0110 69 63 61 74 69 65 6a 26 70 3d 77 77 3d 66 66 tent-Ty pe: appl