

Constructor in Java


✚ What is Constructor :-

- It is a special method executed when objects are created or initialized.

✚ Rules of Constructor :-

- Constructor name should be same as classname.
- Constructor can have access specifier.
- Constructor doesn't have return type.

✚ Types of Constructor :-



Constructor Chaining in Java

```
public class MyClass{
    ...
    MyClass() { ←
        this("Techvidvan.com");
    }
    MyClass(String s) { ←
        this(s, 6);
    }
    MyClass(String s, int age) { ←
        this.name = s;
        this.age = age;
    }
    public static void main(String args[]) {
        MyClass obj = new MyClass(); ←
    }
    ...
}
```


Advantages of Constructor :-

- They **automatically initialize objects** when created.
- They **set default or custom values** at the time of object creation.
- They make code **clean and readable**.
- They support **constructor overloading** for flexible initialization.
- They **reduce code duplication** in object setup.

✚ Default Constructor :-

- A default constructor is a constructor that is **automatically provided by the Java compiler**.
- This implicit constructor is a **no-argument constructor**, meaning **it takes no parameters**.

✚ Working of Default Constructor :-



✚ Characteristics of default constructor :-

- It is **provided by the compiler automatically** if no constructor is defined.
- It has **no parameters** and **no arguments**.
- It **initializes object variables with default values**.
- Its **name is the same as the class name**.
- It is **invoked automatically** when an object is created.

Implementation of Default Constructor :-

Input :-

```
1 package constructor;
2
3 public class default_constructor {
4
5     default_constructor() //creating the constructor
6     {
7         System.out.println("Hello Default Constructor.....!");
8     }
9
10
11     public static void main(String[] args) {
12
13         //creation of object(calling default constructor)
14         default_constructor obj=new default_constructor();
15     }
16 }
17
```

Output :-

Hello Default Constructor.....!