

EXP_01 Order Basic Payment Bundle - Experience MS

Public Digital PSO Solution Architect

Exported on 07/07/2025

Table of Contents

1	Introduction	6
1.1	Purpose and Scope.....	6
1.2	Business Needs	7
1.3	Assumptions	7
1.4	Terms & Definitions	8
2	High Level Solution	10
2.1	Commerce (D1) Overview	10
2.2	Order Basic Payment Bundle - Flow Diagram	10
2.2.1	Flow Diagram	10
2.2.2	Flow Description	11
2.3	Business Use Case	12
3	Solution Details	14
3.1	EXP Flow Diagram	14
3.2	EXP Microservices and Operations	14
3.2.1	Enterprise-product-catalogue.....	15
3.2.2	Enterprise-products-orders	17
3.3	UI_01 Apply New Package.....	22
3.3.1	Screenshot	22
3.3.2	Description	22
3.3.3	Screen Elements	23
3.3.4	Screen Actions	23
3.3.5	Integration Points.....	23
3.3.6	Error Handling	24
3.3.7	Technical Description	25
3.4	UI_02 Order Summary.....	25
3.4.1	Screenshot	25
3.4.1.1	Summary	26

3.4.1.2 Summary - No DC View	27
3.4.1.3 Cancel Pop-Up.....	27
3.4.2 Description	28
3.4.2.1 Contract, Term & Conditions	28
3.4.2.2 Submission.....	28
3.4.3 Screen Elements	29
3.4.3.1 Summary	30
3.4.3.2 Cancel Pop-Up.....	35
3.4.4 Screen Actions	36
3.4.4.1 Summary & Confirmation	36
3.4.4.2 Cancel Pop-Up.....	38
3.4.5 Integration Points.....	39
3.4.6 Error Handling	40
3.4.7 Technical Description	44
3.4.7.1 Load Order Summary.....	44
3.4.7.2 No debit card	44
3.4.7.3 Static Documents	44
3.5 UI_03 Change Debit Card (Optional).....	45
3.5.1 Screenshot	45
3.5.2 Description	45
3.5.3 Screen Elements	46
3.5.4 Screen Actions	52
3.5.5 Integration Points.....	53
3.5.6 Error Handling	53
3.5.7 Technical Description	53
3.5.7.1 Load Configuration Operation.....	53
3.5.7.2 No debit card	55
3.5.7.3 Change Configuration Item	56
4 Cross Domain Functionalities	58

4.1	Multi-Language Support (Localization)	58
4.1.1	Introduction	58
4.1.1.1	Purpose and Scope	58
4.1.1.2	Business Needs	58
4.1.1.3	Assumptions	58
4.1.2	High Level Solution	59
4.2	Security & User Authentication	60
4.2.1	Introduction	60
4.2.1.1	Purpose and Scope	60
4.2.1.2	Business Needs	60
4.2.1.3	Assumptions	61
4.2.2	High Level Solution	61
5	Product Catalog	63
5.1	DRAFT Diagram	63
5.2	Description	63
5.2.1	Bundle Product Offer (BPO): "Basic Payment Package"	63
5.2.2	Simple Product Offer (SPO): "Payment Account"	64
5.2.3	Debit Card Options (Selection Group)	64
5.2.4	Static Documents	65
6	Appendix - Signing Process Enhancement	67
6.1	Business Needs	67
6.2	Generic Signing System	67
6.3	Catalog One	67
6.4	Digital ONE - Submit for Signing	67
6.5	Customer Signs (outside D1)	67
6.6	Digital ONE - Signing Callback Operation	68
7	Release Notes	69

ID	EXP_01
Document Name	Order Basic Payment Bundle - Experience MS for ABN AMRO UI
Document Version	Version 1
Document Date	12 May 2025
HL Journey	I Order Basic Payment Bundle

1 Introduction

1.1 Purpose and Scope

This Epic provides the information necessary for designing and implementing **Experience APIs** in accordance with ABN AMRO (AAB) UX Design.

This Epic includes the following sections:

- **Overview of D1 sub-domains** to establish contextual understanding of the functional areas involved.
- **Illustrate UI Flow** to understand integration points on a high level.
- **Business Use Cases** to understand the user journeys in scope, as part of the MVP
- **Detailed mapping of screen elements**, with a focus on identifying UI components that will consume data from D1 backend systems via Experience APIs.
- **Sequence of API calls** in accordance with the AAB UX design, ensuring alignment between API and user journey flow.
- **Cross Domain functionalities**
 - **Implementation Guidelines for Localization** which will be used during development of Experience APIs.
 - **Security & User Authentication Mechanism** which will be used for interactions between AMRO UI/ Services and Experience APIs
- **C1 Draft Catalog Model**

The primary goal of the Experience API is to simplify client-side integration by aggregating, orchestrating, and transforming data from multiple sources into a format optimized for frontend consumption.

The Experience API enables,

- **Orchestration of Backend APIs:** Orchestrates and sequence calls to Amdocs and ABN AMRO APIs to deliver a single, cohesive response for the UI.
- **Optimized Payload:** Delivers what's necessary to improve performance — reduced, aggregated, or transformed data to minimize over-fetching or under-fetching.
- **Simplified Interface:** Abstracts backend complexity and presents a clean, UI-friendly API to consumers.
- **Exposure via API Gateway:** Accessible through the API Gateway.

Line Of Business

Payment Account & Debit Card products

Customer Segment

B2C (Business-to-Consumer) Banking Customer

Channels

Internet Banking (Self-Service)

1.2 Business Needs

As an existing customer, I want to apply for a new **Basic Payment Package**, specify who the package is for, optionally select a debit card, review the order summary, confirm the details, and then review the terms and conditions along with the contractual agreement, so that I can successfully submit my order.

In the current MVP scope, the receiver (Whom) is always assumed to be the requestor (Who).

1.3 Assumptions

ID	Item	Description
01	Screenshot	The screenshot in the document is a draft version of the UX and is subject to change. Assuming those changes can be done if does not impact the backend operation and Experience operation
02	EXP API	The Experience API is designed to support the specific UX design provided by AAB, focusing on user interfaces tailored for the Internet Banking frontend. It delivers only the relevant data needed to align with these interfaces. Change in the UX may lead to modifications in the EXP API.
03	WHOM	Order creation follows the selection of both the offering and the receiver. In the current MVP scope, the receiver is always the requestor. As a result, the WHOM Selection page can be skipped, and the Create Order operation is expected to be triggered immediately after the product offering is selected, with the logged-in customer set as the WHOM.
04	EXP Attributes	D1 EXP fields mentioned in this document serve as logical placeholders to illustrate the expected outputs of Experience layer operations. The final field names will be determined during Swagger definition.
05	Performance	The overall performance of the solution is partially dependent on the performance of the AAB operations, which operate outside the D1 platform. Consequently, in those cases involving AAB Operation, D1 cannot control the e2e performance, but its own operations

ID	Item	Description
07	Error Message	D1 will return an error code corresponding to the source of the validation failure (e.g., C1 Rules, CEaaS, or Internal D1 logic). It is the responsibility of the frontend to interpret and display the appropriate error message to the customer.
08	Change Order	Adding or removing the debit card is allowed before order confirmation (before contract is generated)
09	Customer ID	It is assumed that the Customer ID provided for both the requestor and the receiver represents the Agreement Party Cluster ID
10	1 Step Flow	The 1-step flow simplifies the submission process by executing all validations and integrations in a single action, offering a faster and more seamless user experience compared to the 2-step flow (confirmation followed by submission). However, this approach may carry increased performance risks. The design choice and its potential impacts are outside the scope of responsibility for the EXP Submit Operation.

1.4 Terms & Definitions

Term	Definition
OC	Amdocs D1 Order Capture (OC) solution consists of a set of functional capabilities used to handle the negotiation of the order before submission
AOM	The Amdocs Order Management (AOM) solution consists of a set of functional capabilities used to handle the order after submission and for Amdocs Order Fulfillment.
C1	Amdocs Catalog is an online product catalog. It enables the management of commercial offerings and product definitions.
D1	Amdocs commerce consists of a set of functional capabilities used to handle the ordering flow, including order capture and fulfillment.
MVP	Minimal Viable Product

Term	Definition
Product Offer or Product Offering (PO)	It defines the commercial aspects of the orderable entity in CatalogONE which include product specifications, prices, discounts, terms, and qualification rules. It can be simple (includes single product specification) or a bundle (of other product offers).
Product Offer Type/ Product Offering Type (POT)	Includes a set of parameters that pertain to all product offers of a given type. It is used for the following purposes: • Template for instantiation of new product offers of this. • Validation of a new or updated product offers as per the type settings. • Persist data that is relevant for the whole type and is not instantiated on each individual product specification. It can be simple (includes product specification types) or a bundle (of other product offer types).
Product Offer Price (POP)	Represents a single concrete charge that can be a recurring charge (RC), a one-time charge (OC), or a usage charge (UC) price, as indicated by the price type.
Qualification Rule	It supports definitions of business criteria that helps service providers to target their product offers to specific customers based on sales channels, customer parameters, such as customer type and product parameters define the criteria to sell the product offers.


2 High Level Solution

2.1 Commerce (D1) Overview

D1 (amdocs Commerce) delivers an Omnichannel Shopping Experience powered by a suite of Commerce Microservices, enabling innovative bundles and marketing offers. It supports both new and existing customers—across consumer and enterprise segments—for purchase and change-related activities. The Commerce Microservices provide a set of value-based, self-contained business functions.

In ABN AMRO Project, care entities are maintained by ABN AMRO, thus D1 will integrate to **AAB Customer Management** system for customer retrieval.

The following diagram illustrates D1 Subdomains that will be used for **ABN AMRO Project**.




2.2 Order Basic Payment Bundle - Flow Diagram

The following diagram describes the order capture flow including the frontend screens, and the integration points to the Amdocs Experience Microservices & ABN AMRO Systems.

2.2.1 Flow Diagram

Order Capture - Order Basic Payment Bundle



EXP MS	FE Responsibility	Enterprise Product Order	Enterprise Product Order	Enterprise Product Order	Enterprise Product Order
EXP Operations		POST /enterprise-products-orders/v1/	GET /enterprise-products-orders/v1/{id} DELETE /enterprise-products-orders/v1/{id}	GET /enterprise-products-orders/v1/{id}/configuration PUT /enterprise-products-orders/v1/{id}/orderitems/{id}	POST /enterprise-products-orders/v1/{id}/submit
D1 Sub Domain		Product Order Management	Product Order Management	Product Configurator	Product Order Management
ABN AMRO Systems		BCDB P&C CEaaS		BCDB	P&C - Inventory CRC - Reserve IBAN DDE - Create Dossier ECM - Contract Generation GS- Generic Signing (Phase 2)

2.2.2 Flow Description

The Order Capture process solution consists of the following frontend pages.

UI Screen	Screen Description	EXP Domain	ABN AMRO Integration
Offering Details	<i>Per ask, this screen will not fetch data from D1/C1</i> Displays comprehensive information about the selected product offering, including marketing descriptions and key attributes. This page allows the customer to review the offering and continue with the ordering process.	N/A	N/A

UI Screen	Screen Description	EXP Domain	ABN AMRO Integration
Apply New	The customer request to apply for the new Basic Payment Package , which will trigger the D1 Create Order operation	Enterprise Product Order	BCDB P&C CEaaS
Summary (Load Page)	The page displays all order items with their prices for customer review and confirmation.	Enterprise Product Order	
Debit Card Selection	The Select Debit Card page lets the customer optionally choose a debit card. Standard clients can select the ABN AMRO Debit Card, while PWN clients may choose the MeesPierson Card. If no card is selected, only the Payment Account is included in the order.	Enterprise Product Order	BCDB
Summary (Submission)	The page allow the customer to submit the request. Once submitted, the system reserves an IBAN, creates a Sales Dossier to store related documents, and generates the contractual document. The system then validates product concurrency, order state, and duplicate orders.	Enterprise Product Order	P&C CRC DDE ECM

2.3 Business Use Case


The **Basic Payment Package** order flow supports several key business scenarios that enable ABN AMRO customers to apply for a new payment account.

The table below outlines the main **business use cases** supported within the current scope of the MVP . Best Effort indicates that D1 can support the use cases but it is subject to overall program scope approval and timelines.

Use Case ID	Use Journey Title	User Journey Description
UC_01	Non-PWN Client	As an existing Natural Person Client, which is a Non-PWN, logging in via Internet Banking (IB) the customer wishes to apply for the Basic Payment Bundle for himself which includes: • A Mandatory Payment Account • Optional selected by default Regular Debit Card
UC_02	PWN Client	As an existing PWN Natural Person Client logging in via Internet Banking (IB), the customer wishes to apply for the Basic Payment Bundle for themselves, which includes: • A Mandatory Payment Account • Optional selected by default MeesPierson Debit Card. The MeesPierson Debit Card will be shown to the PWN customer only based on C1 Qualification Criteria: • Client Group code within range of 400 to 499
UC_03	Client - No DC	As an existing Natural Person Client (PWN or Non-PWN) logging in via Internet Banking (IB), the customer wishes to apply for the Basic Payment Bundle for themselves, without selecting a Debit Card.
UC_04	Edit Draft Order	An existing Natural Person Client applies for a Basic Payment Bundle, reviews the product summary, and chooses to change the Debit Card selection before order submission & contract generation.
UC_05	Cancel Draft Order	An existing Natural Person Client applies for a Basic Payment Bundle, reviews the product summary, and decides to cancel the draft order.
UC_06	Eligibility Check Failure	An existing Natural Person Client attempts to apply for a Basic Payment Package for themselves but fails the eligibility check when the order is created, due to one or more of the following reasons: • Regulatory checks Check (CEaaS) - validated during <u>order creation</u> when adding the Basic Payment Bundle to the order. • Product Eligibility (BCDB) – Product Rules validated during <u>order creation</u>. • Product Concurrency (P&C) – The customer must not have already Basic Package (1347, 4417) or a Student Package (1346). Validated during both <u>order creation and submission</u>. • Process Concurrency – The customer must not have an existing submitted/in-progress order in D1 for the Basic Payment Package (4417). Validated during <u>order submission</u>.

3 Solution Details

3.1 EXP Flow Diagram



3.2 EXP Microservices and Operations

To facilitate the end-to-end ordering flow for the Basic Payment Bundle, a new set of Enterprise Experience APIs has been introduced. These APIs ensure seamless integration with backend systems while supporting ABN's product and order management requirements. They offer unified access to product data, customer context, business rules, and ordering functionality.

3.2.1 Enterprise-product-catalogue

Retrieves product offering data, including configurations and marketing content.

ID	Activity	FE Logical Step	Endpoint	Description	AMDOCS Domain	Amdocs Capabilities MS	Additional Information
DISCOVER Y_01	Offering Details	N/A	GET /enterprise-productcatalogue/products/v1/{globalProductId}	Retrieve details of a product offering from the enterprise product catalogue.	Product Offering Discovery AABNL Product Offering Discovery	GET catalogManagement/v1/catalogExternalId GET /productOffering/{id} (when returnDetails=TRUE) GET /productOffering/{id}/documents (when returnDocFlag=TRUE)	<i>Per business preferences- The offer details page is the entry point for both Package order (in D1 scope) and Payment Account standalone offer (Current/AAB UI, not D1 scope). As such, per requested, D1 operation will not be used to fetch C1 offer data. D1 Operation available and may be provided in case of change in decision.</i>

ID	Activity	FE Logical Step	Endpoint	Description	AMDOCS Domain	Amdocs Capabilities MS	Additional Information
DISCOVER Y_02	Search Offering	N/A	GET /enterprise-productcatalogue/products/v1	Search for one or more product offering recorded in the enterprise product catalogue .	Product Offering Discovery	GET / productOffering	<i>This operation is not used in the MVP flow. It will be defined in the Swagger specification but not implemented; any call to it will return an error.</i>
DISCOVER Y_03	Eligibility Check	N/A	GET /enterprise-productcatalogue/products/v1/{globalProductId}/eligibilitycheck	Verifies if customer is eligible for the given product. Validate Product Offering may be used solely to enable or disable the receiver in the WHOM List, as a disclaimer in product details screen, etc. and not as part of the order process.	AABNL Product Offering Discovery	These validations will be executed using parallel calls to optimize performance and reduce processing time: • POST /product Configuration / {id}/validate (BCDB Rules) • CEaaS New Validator • P&C New Validator	<i>This operation is not used in the MVP flow. It will be defined in the Swagger specification but not implemented; any call to it will return an error.</i> It is recommended not to call 'Product Offering eligibility Checks' and 'Create Order' sequentially, as the 'Create Order' operation already performs the validation logic internally.

3.2.2 Enterprise-products-orders

Handles product order creation and management based on catalog-defined offerings and customer context.

ID	Activity	FE Logical Step	Endpoint	Description	AMDOCS Domain	Amdocs Capabilities MS	Additional Information
ORDER_01	Create Order	Configure Order	POST /enterprise-products-orders/v1/	Creates a product order in the enterprise order management.	Product Order Management	POST /productOrder	When an order is created <u>and an item is added to the order</u> - validation is performed: BCDB Rules, CEaaS, Product Concurrency

ID	Activity	FE Logical Step	Endpoint	Description	AMDOCS Domain	Amdocs Capabilities MS	Additional Information
ORDER_02	GET Order Details	Configure Order	GET /enterprise-products-orders/v1/{productId}	Retrieve details of a product order from the enterprise order management. Operation support flag to return the required details per flow: - includeDocuments the general and term & condition document of the top item - includeContract return the contract brief name, ECM doc Id (if it was generated and failure flag)	Product Order Management AABNL Product Offering Discovery	- GET /productOrder/{id} - GET /productOrder/{id}/documents	Main Input: Order ID (M)

ID	Activity	FE Logical Step	Endpoint	Description	AMDOCS Domain	Amdocs Capabilities MS	Additional Information
ORDER_03	GET Order Configuration	Configure Order	GET /enterprise-products-orders/v1/{productOrderId}/configuration	Retrieve a product configuration	Product Configurator	POST /productConfiguration/retrieveConfiguration	Main Input: Order ID (M)
ORDER_04	Replace Item	Configure Order	PUT /enterprise-products-orders/v1/{productOrderId}/orderitems/{productOrderItemId}	Add/Remove a product order item associated with a product order from the enterprise order management.	Product Order Management	DELETE /productOrder/{id}/productOrderItem/{id} POST /productOrder/{id}/productOrderItem	It will be used to remove/add the debit card within a bundle.
ORDER_05	Confirm Order	Check & confirm	POST /enterprise-products-orders/v1/{productOrderId}/confirm	Reserve an IBAN and associate it with the corresponding product in the order Create a Sales Dossier	AABNL Product Order Management MS	POST /productOrder/{id}/confirm	

ID	Activity	FE Logical Step	Endpoint	Description	AMDOCS Domain	Amdocs Capabilities MS	Additional Information
ORDER_06	Submit Order	Application Sent [before signing]	POST /enterprise-products-orders/v1/{productOrderId}/ submit	Submit the order to fulfillment.	Product Order Management	POST /productOrder/{id}/submit	
ORDER_07	Cancel Order	Application Sent [before signing]	DELETE /enterprise-products-orders/v1/{productOrderId}	Cancels a draft product order in the enterprise order management.	Product Order Management	POST /productOrder/{id}/cancel	Error will be returned if the order is not a draft order.
ORDER_08	Add Item	N/A	POST /enterprise-products-orders/v1/{productOrderId}/orderitems/	Add a product order item associated with a product order from the enterprise order management.	Product Order Management	POST /productOrder/{id}/productOrderItem	<i>This operation is not used in the MVP flow. It will be defined in the Swagger specification but not implemented; any call to it will return an error.</i>

ID	Activity	FE Logical Step	Endpoint	Description	AMDOCS Domain	Amdocs Capabilities MS	Additional Information
ORDER_09	Remove Item	N/A	DELETE /enterprise-products-orders/v1/{productOrderId}/orderitems/{productOrderItemId}	Delete a product order item associated with a product order from the enterprise order management.	Product Order Management	DELETE /productOrder/{id}/productOrderItem/{id}	<i>This operation is not used in the MVP flow. It will be defined in the Swagger specification but not implemented; any call to it will return an error.</i>
ORDER_10	Search Orders	N/A	GET /enterprise-products-orders/v1	Search for one or more products orders in the enterprise order management.	Product Order Management	GET /productOrder	<i>This operation is not used in the MVP flow. It will be defined in the Swagger specification but not implemented; any call to it will return an error.</i> Main Input: • Receiver Customer ID (Mandatory) • accept language (Optional, default: NL)

3.3 UI_01 Apply New Package


3.3.1 Screenshot

These screenshots are based on the draft version of the UX and are subject to change.

This page is under Frontend Responsibility.

*[Per business preferences- The offer details page is the entry point for **both** Package order (in D1 scope) and Payment Account standalone offer (Current/AAB UI, not D1 scope).*

As such, per requested, D1 operation will not be used to fetch C1 offer data]



3.3.2 Description

The customer (requestor) can initiate a new **Basic Payment Package** application, which triggers the D1 Create Order operation

This operation generates a new order that includes the selected **Basic Payment Package**, associates it with the receiver, and also links the requestor to the order.

Before the order is created and the item is added to the order, the system performs a series of **validations** on the receiver to ensure eligibility and compliance:

- **Product Eligibility:** validated via C1 rules based on BCDB data
 - Relation Category: 20 (Private Persons) - Classification of clients in internal relation groups.
 - Appearance Type: 1 (Natural Person)
 - Client Group Code: Not 270–283, not 299 - Classification of client groups into economic sectors according to the guidelines of the Dutch Bank (DNB) and the Central Bureau of Statistiek (CBS).

- Country of Residence: NL
- Registration Status: 4 - the onboarding process is succeeded.
- Age ≥ 25
- Status: Alive
- Sales Channel: Self-Service
- **Product Concurrence:** The customer must not already have an active Basic Payment Package (IDs 1347, 4417) or a Student Package (ID 1346). Check is verified using Customer Agreement (P&C)
- **Regulatory Compliance:** Verified through CEaaS checks.

If all conditions are met, the order is created, and a unique **Product Order ID** is returned to be used in all subsequent steps of the process.

3.3.3 Screen Elements

Frontend Responsibility (Not part of D1 Scope)

3.3.4 Screen Actions

Element Name	Type	Description	Responsibility	D1 EXP MS	Page
Apply now	Add icon	Customer wants to apply for the Basic Payment Package for himself	D1	POST /enterprise-products-orders/v1/productOrder	UI_02 Order Summary (see page 25)

3.3.5 Integration Points

Functionality	D1 EXP MS	Description	Provider	Consumer	Interface Type	Mode	Integration Direction
Create Order	POST /enterprise-products-orders/v1	Create a product order in Digital One after successfully passing the client eligibility, product eligibility, and product concurrency checks.	Amdocs	FE	REST	Syn c	Inbound

3.3.6 Error Handling

Upon creating a product order, the following main validations will be performed:

Item	Source	Description	Error Codes
Customer Check	D1	Customer was not found in BCDB	Status: 400 Code: CUSTOMER_UNKNOWN
Product Checks	C1	Ensure Customer is eligible to order the product offering according to BCDB party details. Several Product Rules will be implemented in C1 for the Basic Payment Package, for each check, with the relevant error code & messages: • Relation categories (20-Private Persons) - • Appearance Type(s) (1-Natural Person) • Client Group Code (NOT 270-283, NOT 299) • Country of Residence (NL) • Registration Status – 4 • Age >= 25 • Alive • Sale Channel (Self-Service)	Status: 400 Code: • NOT_ELIGIBLE_DUE_TO_RELATION_CATEGORY • NOT_ELIGIBLE_DUE_TO_APPEARANCE_TYPE • NOT_ELIGIBLE_DUE_TO_CLIENT_GROUP_CODE • NOT_ELIGIBLE_DUE_TO_COUNTRY_OF_RESIDENCE • NOT_ELIGIBLE_DUE_TO_CUSTOMER_STATUS • NOT_ELIGIBLE_DUE_TO_AGE • NOT_ELIGIBLE_DUE_TO_LIFE_STATE • NOT_ELIGIBLE_DUE_TO_SALE_CHANNEL
Product Concurrency	D1 & C1	The customer must not have already Basic Payment Package (1347, 4417) or a Student Package (1346).	Status: 400 • Code: NOT_ELIGIBLE_DUE_TO_MANY_PRODUCTS
Regulation Checks	CEaaS	Allows verification of a customer's eligibility to ensure ABN AMRO remains compliant with all regulations using CEaaS Integration. D1 will return the error has defined by CEaaS operation	Status: 400 • Code: Refer to CEaaS codes.

3.3.7 Technical Description

To create a product order in **Digital One**, the frontend should invoke **POST /enterprise-products-orders/v1** and supply the following inputs:

- **Receiver Customer ID** (*mandatory*) -
Represents the end customer who will own the product. The *AGREEMENT PARTY CLUSTER ID* should be sent.
 - *customer.customerId*
- **Requestor Customer ID** (*mandatory*) -
The logged-in user initiating the order.
 - *requestingCustomer.customerId*
- **Product Offering ID** (*mandatory*) should be provided to resolve the corresponding product offering in Catalog One.
 - *orderItems.activity="ACTIVATE"*
 - *orderItems.productOffering.productOfferingId=4417*
 - *orderItems.productOffering.productOfferingIdType="DAILY_BANKING"*

Note, the *customerIdType* will be set as default - the "AGREEMENT_PARTY_CLUSTER".

The operation will return a **Product Order ID (location)**, which will serve as the unique identifier for all subsequent product order operations (e.g., Add/Remove Order Item, Retrieve Order Details, etc.).

If the frontend requires the updated product details along with pricing as part of the operation, the following query parameters should be sent:

- *includeOrderDetails (query) =true* - Indicates that the operation should return the full order details.
- *includeTariff (query) =true* - Specifies that pricing information should be included within the returned order details.

3.4 UI_02 Order Summary

3.4.1 Screenshot

These screenshots are based on the draft version of the UX and are subject to change.

3.4.1.1 Summary

✕ Cancel request



Your new account



Personal payment account

As part of a Basic Payment Package

€ 3,70 per month



ABN AMRO debit card

Free

Requesting for
Evelien Rozenhart


Card to be delivered to
Hoofdstraat 1
1025 AB Amsterdam

Contract Payment Account

By continuing, you agree to the
General conditions and the Privacy statement.


Proceed to sign

3.4.1.2 Summary - No DC View



The screenshot shows a summary screen titled "Your new account". At the top is an illustration of a hand holding a green card. Below the title, there are two main sections. The left section, titled "Personal payment account", includes a small icon of a wallet, a checkbox, and text stating "As part of a Basic Payment Package" and "€ 3,70 per month". The right section, titled "No debit card", includes a small icon of a card and a pencil icon. Below these sections, there is a field "Requesting for Evelien Rozenhart" with a pencil icon. Further down is a field "Contract Payment Account" with a document icon. At the bottom, there is a line of text: "By continuing, you agree to the General conditions and the Privacy statement." and a large green button labeled "Proceed to sign".

3.4.1.3 Cancel Pop-Up



The screenshot shows a "Your new account" screen with a modal dialog box overlaid. The dialog box has a white background and a dark border. It contains the text "Do you want to cancel your application?" followed by "Your application will be removed. Start a new application if you want to." At the bottom of the dialog are two buttons: "Back" in green and "Cancel application" in red. The background screen is dimmed and shows the same "Your new account" title and fields as the previous screenshot, including "Requesting for Evelien Rozenhart" and "Card to be delivered to".

3.4.2 Description

The **Order Summary** page provides customers with a clear and comprehensive overview of their order, ensuring full transparency before they proceed with submission. It includes:

- **Basic Payment Package** – Display name and pricing
- **Payment Account** – Display name
- **Debit Card** – Display name and free indicator (either selected by the customer or defaulted via C1)

Additionally, the page displays the receiver's name, the customer to whom the product will belong and the delivery address, if a debit card has been selected.

3.4.2.1 Contract, Term & Conditions

The frontend displays the localized display names of the following Static Documents as defined in Catalog ONE (C1):

- Contract Payment Account
- General conditions
- Privacy statement

Customers can view each document via the URL defined by C1.

For customers using a non-Dutch language, both the requested language version and the Dutch version of each document are made available.

3.4.2.2 Submission

Submission marks the final step of the order capture process and triggers the fulfillment flow.

Upon submission, the product order **goes through a validation process**. If any check fails, the submission is blocked and the customer receives a clear error message.

Key validation checks include:

- **Order Status:** The order must be in *Draft* status.
- **Product Concurrency:** The customer must not already hold a Basic Package (IDs: 1347, 4417) or a Student Package (ID: 1346).
- **Order Limit:** The customer must not have another submitted or in-progress order for the same product offering (4417) in Digital One.

If all validations pass, the **submit operation** performs the following (if not yet performed):

- **IBAN Reservation**
- **Sales Dossier Creation**
 - A **Sales Dossier** is created to store commerce-related documents generated during the order process.
 - The **Sales Dossier** is associated with both the customer and the reserved IBAN.
- **Contract Generation via ECM**

- A contractual document for the Basic Payment Package is generated through ECM (Enterprise Content Management) using a predefined template via D1 integration.
- This document is linked to the **Sales Dossier** for traceability.
- The **IBAN**, **Sales Dossier ID**, and **ECM Document ID** are all stored in the **product order**.

Fulfillment - After submission, the order is handed over to **Amdocs Order Management**, which:

- Initiates system calls (CRC, PIM, APA),
- Orchestrates the process,
- And monitors the fulfillment flow across ABN AMRO systems.

Note: In Phase 2, the signing process will be incorporated into this flow.

3.4.3 Screen Elements

The GET /enterprise-products-orders/v1/{productId} operation will be used to retrieve the order summary, including pricing and static documents, when the screen is initially loaded.

Mapping using from Order Object result:

- **Basic Payment Package** Order Item:
 - Top-Level Order Items - Represents the **Basic Payment Package** that the customer is receiving.
 - Can be accessed by *order.orderItems[0]*
 - The **Basic Payment Package** will include both the **Payment Account** and the **Debit Card**, including the selection of the 'No Debit Card'.
 - The **Payment Account** will be returned first in the *order.orderItems[0].bundledOrderItems[]* List according to C1 Definition.
- **Payment Account** Order Item:
 - *order.orderItems[0].bundledOrderItems[]*
- **Debit Card** Order Item:
 - *order.orderItems[0].bundledOrderItems[]*
- **Static Documents**
 - *order.documents[]*

3.4.3.1 Summary

Element Name	Type	Responsibility	Source	Example	D1 EXP Attributes	Additional Information
"Your new account"	Label	FE	FE		N/A	N/A
Payment Account - <i>order.orderItems[0].bundledOrderItems[]</i> <i>where bundledOrderItems.itemType = "AccountOrderItem"</i>						
Image URL	Image	D1	C1		<i>order.orderItems[0].bundledOrderItems[].productOffering.attachments[].url with type="Small"</i> <i>Pending Decision - how UI will identify and use the attachment</i>	The image of the PA will be defined as Attachment with URL to the actual image FE should display a default image if not returned by C1
Payment Account Name	String	D1	C1	"Personal payment account"	<i>order.orderItems[0].bundledOrderItems[].productOffering.displayName</i>	The name of the payment account is displayed as defined in C1.

Element Name	Type	Responsibility	Source	Example	D1 EXP Attributes	Additional Information
Header + Package Name	String	FE+D1	C1	"As part of Basic payment package"	<i>order.orderItems[0].productOffering.displayName</i>	It is the Frontend's responsibility to display the sentence starting with "As part of" It is the Frontend's responsibility to display the package name in lowercase (if required)
Bundle Price	Price	FE+D1	C1	€ 3,70	<i>order.orderItems[0].recurringTotalPrice.finalPrice:</i> <i>amountIncludingTax</i> <i>currencyCode="EUR"</i>	The frontend will be responsible for price formatting, including the XX,XX format and the Euro (€) sign.
"per month"	String	FE+D1	C1	"per month"	<i>order.orderItems[0].recurringTotalPrice</i> <i>recurringChargePeriod="MONTHLY"</i> <i>recurringChargePeriodLength = 1</i>	The frontend will be responsible to display the label "per month" (localized) according to the RC charge and period information.
Debit Card - <i>order.orderItems[0].bundledOrderItems[]</i> <i>where bundledOrderItems.itemType = "PaymentInstrumentOrderItem"</i>						

Element Name	Type	Responsibility	Source	Example	D1 EXP Attributes	Additional Information
Image URL	Image	D1	C1		<i>order.orderItems[0].bundledOrderItems[].productOffering.attachments[].url with type="Small"</i> <i>Pending Decision - how UI will identify and use the attachment</i>	The image of the DC will be defined as Attachment with URL to the actual image FE should display a default image if not returned by C1
DC Name	String	D1	C1	"MeesPierson debit card"	<i>order.orderItems[0].bundledOrderItems[].productOffering.displayName</i>	Frontend can use the Technician Indication to hide the "no Debit Card" product, if required.
Free text	String	D1 + FE	C1	"Free"	<i>order.orderItems[0].bundledOrderItems[]:</i> • <i>FreeOffering indicator for the "PaymentInstrumentOrderItem"</i>	D1 will return the Free Ind Value. It is FE Responsibility to show the Free text per local when the flag is TRUE, and hide it, if FALSE.
Whom						
"Requesting for"	Label	FE	N/A	"Requesting for"		

Element Name	Type	Responsibility	Source	Example	D1 EXP Attributes	Additional Information
Name	String	FE, D1	D1, BCDB		<i>order.customer.customerId</i>	D1 operation will return the receiver Customer ID. FE will be responsible to trigger BCDB to show the receiver Name.
Address The frontend should display the address if one of the OrderItem has a deliveryMethod equal to "POST_PARCEL"						
Label	Label	FE	FE	"card to be delivered to"		
Address	String	FE	FE		N/A	FE will be responsible to trigger BCDB to show the default address (outside D1 Scope)
Static Documents For the MVP, static documents will be defined on the Basic Payment Package product offering. The documents will be returned in the order defined by C1 specifications. <i>order.documents[]</i>						

Element Name	Type	Responsibility	Source	Example	D1 EXP Attributes	Additional Information
Contract Brief Name	String	D1	C1	"Contract Payment Account"	<i>order.documents[].brief</i> <i>where purpose="CONTRACT"</i>	
Term & Conditions Text	String	FE+D1	FE	"General conditions"	<i>order.documents[].brief</i> <i>where purpose="TERMS_AND_CONDITONS"</i> The list is returned in the order defined by C1. The first document in the list should be used.	FE responsibility to display the full text "By continuing, you agree..."
Privacy statement	String	FE+D1	FE	"Privacy statement"	<i>order.documents[].brief</i> <i>where purpose="PRIVACY_STATEMENT"</i> The list is returned in the order defined by C1. The second document in the list should be used.	FE responsibility to display the full text "By continuing, you agree..."

3.4.3.2 Cancel Pop-Up

Element Name	Type	Responsibility	Source	Example	D1 EXP Attributes	Additional Information
Pop-up Title	Label	FE	FE	"Do you want to cancel your application"	N/A	N/A
Information Text	String	FE	FE	"Your application will be removed. Start a new application if you want to."	N/A	N/A

3.4.4 Screen Actions

3.4.4.1 Summary & Confirmation

Element Name	Type	Description	Responsibility	D1 EXP MS	Page
Load Page	N/A	Load the order summary.	D1	GET /enterprise-products-orders/v1/{productId}	Load page
Proceed to sign	Button	Submit the order to fulfillment.	D1	POST /enterprise-products-orders/v1/{productId}/submit	<i>Signing Page (Phase 2)</i>
Edit Whom	Edit Icon	Ability to change the Whom	FE		<i>Not Part of MVP Scope</i>

Element Name	Type	Description	Responsibility	D1 EXP MS	Page
Edit Debit Card	Edit Icon	Ability to change the debit card selection.	D1	N/A	Redirect User to Select Debit Card Page. <i>Pending Discussion - who is responsible to show the edit action</i>
Edit Address	Edit Icon	Ability to change the Address the debit card will be delivered.	FE	N/A	Redirect User to UI_04 Delivery Address ¹
View Contract	Icon	View Term & Conditional document	FE	N/A	View Static PDF using URL from get operation <i>order.documents[] where purpose="CONTRACT"</i> <i>documentURL</i> <i>officialDocumentURL</i>
Term & Conditional	Hyperlink	View Term & Conditional document	FE	N/A	View Static PDF using URL from get operation <i>order.documents[] where purpose="TERMS_AND_CONDITONS"</i> <i>documentURL</i> <i>officialDocumentURL</i>

¹ https://confluence/display/PublicDigPSOArch/UI_04+Delivery+Address

Element Name	Type	Description	Responsibility	D1 EXP MS	Page
Privacy Statement	Hyperlink	View Privacy Statement document	FE	N/A	View Static PDF using URL from get operation <i>order.documents[] where purpose="PRIVACY_STATEMENT"</i> • <i>documentURL</i> • <i>officialDocumentURL</i>
Cancel request	Hyperlink	Option to abort/cancel the request	FE	N/A	Cancel Pop-up page

3.4.4.2 Cancel Pop-Up

Element Name	Type	Description	Responsibility	D1 EXP MS	Page
Back	Button	Allows user to not proceed with the cancel application	FE	N/A	Summary Page
Cross Symbol	Icon	Allows user to not proceed with the cancel application	FE	N/A	Summary Page

Element Name	Type	Description	Responsibility	D1 EXP MS	Page
Cancel Application	Button	Allows user to cancel the draft product order. Cancel operation removes the BE draft order.	D1	The cancel call is optional and can be skipped. If skipped, it results with 'Abort' which keeps the draft order in the system. DELETE /enterprise-products-orders/v1/{productId}	Upon success cancelation, the TBD Page is shown.

3.4.5 Integration Points

Functionality	D1 EXP MS	Description	Provider	Consumer	Interface Type	Mode	Integration Direction
Retrieve Order Summary	GET /enterprise-products-orders/v1/{productId}	Retrieve the order details by order id including items and its prices Operation support flag to return the required details. <i>includeDocuments=TRUE</i> <i>includeTariff=TRUE</i>	Amdocs	FE	REST	Sync	Inbound

Functionality	D1 EXP MS	Description	Provider	Consumer	Interface Type	Mode	Integration Direction
Submit Order	POST /enterprise-products-orders/v1/ {productId}/ submit	This capability enables the submission of a product order after it successfully passes validation,	Amdocs	FE	REST	Sync	Inbound
Cancel a Product Order	DELETE /enterprise-products-orders/v1/ {productId}	-OPTIONAL ONLY- Cancels a draft product order in the enterprise order management. The call is optional and can be skipped; it is not mandatory. The draft order can remain in the system.	Amdocs	FE	REST	Sync	Inbound

3.4.6 Error Handling

Upon product order submission, the following main validations will be performed:

Item	Source	Description	Error Codes	Additional Information
Order State	D1	The order is not in draft order state (may be canceled or already submitted)	Status: 400 Code: ORDER_STATE_INVALID	Step 1: The user submits Order A → the order A is successfully submitted. Step 2: The user clicks the "Back" button and attempts to resubmit the same Order A → an error is returned. Once an order is submitted, its status changes and it is no longer considered a draft. Any attempt to resubmit the same order will be rejected by the system.
Product Concurrency	D1&C1	The customer must not have already Basic Package (1347, 4417) or a Student Package (1346).	Status: 400 Code: NOT_ELIGIBLE_DUE_TO_MANY_PRODUCTS	Step 1: Order A is created by the user for themselves with a Basic Package → <i>no error</i>. Step 2: A Student Package is created via another channel. Step 3: The user submits Order A → an <i>error is returned: Duplicated Package</i>. The system detects that the user already has another active package after the order A was created. As a result, submitting Order A will fail due to a package duplication conflict.

Item	Source	Description	Error Codes	Additional Information
Order Limit Rule	C1	The customer must not have an existing submitted/in-progress order in D1 for the product offering (4417).	Status: 400 Code: NOT_ELIGIBLE_DUE_TO_EXISTING_INFLIGHT_ORDER	Step 1: Order A is created by the user for themselves with a Basic Package → <i>no error</i>. Step 2: Different Browser, Order B is created by the user for themselves with a Basic Package → <i>no error</i>. Step 3: The user submits Order A → the order A is successfully submitted. Step 4: The user try to submit Order B → an <i>error is returned</i>: There is already an order in progress After Order A is submitted, it becomes the order in-progress for the receiver. Submitting Order B fails because the system does not allow multiple active in-progress for the same package and receiver. This ensures data consistency and prevents conflicts in the fulfillment process.

Item	Source	Description	Error Codes	Additional Information
Submission failure due to Integration failure	D1	The process may fail due to a resource reservation issue or a dossier creation error. If for any reason, one of these activities fails, the customer will be informed and advised to try again later (click the submit button again). If the issue continues, the customer should contact customer service for further assistance.	Status: 500 Code: INTERNAL_SERVER_ERROR	

3.4.7 Technical Description

3.4.7.1 Load Order Summary

The **GET /enterprise-products-orders/v1/{productOrderId}** operation can be used to return the order summary, including pricing. This information will be used to display the selected items and their prices.

The Order output object - Includes the general information about the order such as state, dates, dossier, etc. and the **Top-Level Order Items**:

Top-Level Order Items - Represents the **Basic Payment Package** that the customer is receiving. (`order.orderItems[0]`).

The **Basic Payment Package** will include both the Payment Account and the Debit Card.

- **Payment Account** - `order.orderItems[0].bundledOrderItems[]` where
 - `bundledOrderItems.itemType` = "AccountOrderItem"
- **Debit Card** - `order.orderItems[0].bundledOrderItems[]` where
 - `bundledOrderItems.itemType` = "PaymentInstrumentOrderItem"

3.4.7.2 No debit card

No Debit Card - "No debit card" is a technical debit card item used solely for presentation purposes and will be returned as part of the get **order details** operation. "No Debit Card" offering will be removed upon submission.

For the "No Debit Card" offering, a technical indicator will be included for the Payment Instrument Objects. This indicator specifies whether a product offering is a technical product. (*technicalOffering* indicator will be defined as part of the "*PaymentInstrumentOrderItem*")

The frontend can use this technical indicator to apply specific presentation logic or behavior when rendering such items:

- Different presentation template
- Avoid presenting pricing.

3.4.7.3 Static Documents

The attributes related to the Contract and Terms & Conditions documents will be obtained via the GET / enterprise-products-orders/v1/{productOrderId} operation, with the includeDocuments flag set to TRUE.

The documents will be returned in the order defined by C1 specifications.

The response includes the following key details:


- Brief Name: `order.documents[].brief`
- Domain: `order.documents[].domain` - possible values: "GENERAL", "PRODUCT"
- Purpose: `order.documents[].purpose` - possible values: "CONTRACT", "TERMS_AND_CONDITIONS", "PRIVACY_STATEMENT"
- PDF URL: `order.documents[].documentUrl`

- Official PDF URL: [order.documents\[.officialDocumentUrl](#)

3.5 UI_03 Change Debit Card (Optional)

3.5.1 Screenshot

These screenshots are based on the draft version of the UX and are subject to change.



3.5.2 Description

The **Select Debit Card** page allows the customer to choose an optional debit card as part of their **Basic Payment Package**.

The page displays the available product configurations for the selected **Basic Payment Package**, including any optional products.

These configurations include:

- **Selection Group:** The optional products are organized within a **Selection Group**.
 - It defines the grouping and selection logic, including rules such as the user **is not required** to select an option (minimum 0) and may **select only one** (maximum 1).
 - It also includes a user-facing description, for example: *"Do you want a debit card with your payment account?"*

- **Optional Products:**

- Represents additional products that can be optionally selected as part of the main offering.
- In the MVP, this refers to the **Debit Card** product offering, which the user may choose to include.
- The debit card list will be sorted according to a presentation priority defined in C1, with the **MeesPierson debit card** appearing first, if available.
- The top-priority debit card in the list will be set as the default selection in C1.

If the customer is classified as **Private Wealth Nederland (PWN)**, they are eligible to choose between the standard **ABN AMRO debit card** and the **MeesPierson debit card**. Otherwise, only the **ABN AMRO debit card** is available.

Qualification rules for the **MeesPierson debit card** will be defined in Catalog One (C1) and used to filter the available debit card options:

- Only customers classified as PWN will be able to view and select the **MeesPierson debit card**.
- A customer is considered PWN if their Client Group Code (CGC) falls within the range of 400 to 499.

The debit card offering displays information as defined by C1 and includes the following details:

- **Debit Card Name:** The product offering name is presented in the local language.
- **Pricing:** Information about costs of the debit card in the package.
- **Description Characteristics:** A collection of descriptive attributes that provide detailed information about the key features of the debit card, such as Pay with Pin.

If a debit card is selected, the **Basic Payment Package** will include both the **Payment Account** and the **Debit Card**. If no card is selected, the package will include only the **Payment Account**.

After the customer selects or deselects an item, the order and pricing panel is updated to reflect the selected configuration and corresponding pricing.

3.5.3 Screen Elements

Mapping using GET /enterprise-products-orders/v1/{productOrderId}/configuration operation result:

- Package Order Item: *configurationItems*
- Payment Account Order Item: *configurationItems.bundledConfigurationItems[0]*
- Debit Card Order Items in the Selection Groups -
configurationItems.selectionGroups.configurationItems[]

The **type** of the item can be used by the frontend to determine the appropriate presentation template, in case different templates are required for each offering type:

- each item in the Group is of object type
 - *itemType="PaymentInstrumentConfigurationItem".*
 - *bundledOrderItems.productOffering.productOfferingTypeGroup = "Payment Instrument"*

For more information refer to the **Technical Description - load Debit Card** Page Section

Element Name	Type	Responsibility	Source	Example	D1 EXP Attributes	Additional Information
Grouping Selection - Description (Localized)	String	D1	C1	"Do you want a debit card with your payment account?"	<i>configurationItems. selectionGroups.description</i>	
Debit Card - List of Order Items in the Selection Group - <i>configurationItems.selectionGroups.configurationItems[]</i>						

Element Name	Type	Responsibility	Source	Example	D1 EXP Attributes	Additional Information
Grouping Selection Option	Radio Button	FE+D1	C1		- Selection Options <i>configurationItems. selectionGroups. configurationSettings. upperLimit</i> - Selected Order Item <i>configurationItems.selectionGroup S. configurationItems[].configured</i>	Radio Button D1 will return the grouping selection option. For the MVP, the value will be upperLimit equal to 1 <i>A radio button selection may be displayed when the selection option has a upperLimit of 1. In all other cases, multi-selection should be used (e.g., button, toggle, etc.). Note: this logic does not apply to the current MVP.</i> Selected In addition, for each Debit Card - an indication if it is already selected (configured=TRUE) or optional (Not Configured - configured=FALSE). For the selected item, the radio button should be marked as selected.
Debit Card - Name (Localized)	String	D1	C1	"MeesPierson debit card"	<i>configurationItems.selectionGroup S. configurationItems[]. productOfferring.displayName</i>	

Element Name	Type	Responsibility	Source	Example	D1 EXP Attributes	Additional Information
Image URL	Image	D1	C1		<i>configurationItems.selectionGroups.configurationItems[].productOffering.attachments[].url with type="Small"</i>	The image of the DC will be defined as Attachment with URL to the actual image FE should display a default image if not returned by C1
RC - Final Price	Price	FE+D1	C1	"€ +0,00 per month"	<i>configurationItems.selectionGroups.configurationItems[].</i> <i>recurringTotalPrice.finalPrice:</i> <i>amountIncludingTax</i> <i>currencyCode="EUR"</i> <i>recurringTotalPrice:</i> <i>recurringChargePeriod = "MONTHLY"</i> <i>recurringChargePeriodLength = 1</i>	The frontend will be responsible for price formatting and colors, including the XX,XX format, the Euro (€) sign, the plus sign "+", and the "per month" text
RC - Text (Localized)	String	D1	C1	"Free card when opening a first account"	<i>configurationItems.selectionGroups.configurationItems[].recurringItemPrices[].description</i>	Note - recurringItemPrice is an array, in the MVP, only one RC will be defined.

Element Name	Type	Responsibility	Source	Example	D1 EXP Attributes	Additional Information
Marketing Text	Text	FE+D1	C1	✓ Pay with PIN ✓ Withdraw cash ✓ Pay with Apple Pay, Google Pay and OVPay	<i>configurationItem.selectionGroups.configurationItem[]</i> <i>descriptiveCharacteristics[]</i> <i>where visibleInHighlights=TRUE</i> For each Characteristic, the following will be returned: • <i>value.value="INCLUDED"</i> • <i>value.displayValue=e.g: "Pay with Apple Pay, Google Pay and OVPay"</i>	FE will display the included icon according to the value defined in C1 Supported Values: Included and Excluded. displayValue - (Localized)
No debit cart No Debit Card - is the last Order Item in the Selection Group. <i>configurationItems.selectionGroups.configurationItems[]</i> Cards defined as "No Debit Card" will include a special flag in the data. The frontend can use this flag to alter the presentation - <i>configurationItems[].technicalOffering=TRUE</i>						
Technical Item Name (Localized)	Text	FE+D1	C1	"No debit card"	<i>configurationItems.selectionGroups.configurationItems[]</i> <i>productOffering.displayName</i>	

Element Name	Type	Responsibility	Source	Example	D1 EXP Attributes	Additional Information
Marketing Text	Text	FE+D1	C1	✗ You cannot pay with pin ✗ You cannot withdraw cash ✗ You can not pay with Apple Pay, Google Pay and OVPay ✓ Can also be requested after opening the new account without additional cost	<i>configurationItems.selectionGroups.configurationItems[] descriptiveCharacteristics[] where visibleInHighlights=TRUE</i> According to C1 definition, D1 will return 4 visible characteristics. For each Characteristic, the following will be returned: Example 1 <i>value.value="EXCLUDED"</i> <i>value.displayValue=e.g: "You cannot pay with Apple Pay, Google Pay and OVPay"</i> Example 2 <i>value.value="INCLUDED"</i> <i>value.displayValue=e.g: "Can also be requested after opening the new account without additional cost"</i>	FE will display the included icon according to the value defined in C1 Supported Values: Included and Excluded. displayValue - (Localized)

3.5.4 Screen Actions

For more information on how to invoke Experience operations, refer to the **Technical Description** section.

Element Name	Type	Description	Responsibility	D1 EXP MS	Page
Load Configuration Page	N/A	Load the order summary.	D1	GET /enterprise-products-orders/v1/{productOrderId}/ configuration	Load Configuration page
Radio Button	N/A	change customer selection	FE	PUT /enterprise-products-orders/v1/{productOrderId}/orderitems/{productOrderItemId}	Refresh Price Panel & Configuration frontend context
Continue	Button	Add/Remove an item in the order	D1	N/A	UI_02 Order Summary (see page 25)
Cancel Request	Hyperlink	Cancel the order	D1	Cancel button in confirmation pop-up: POST /enterprise-products-orders/v1/{productOrderId}/ cancel	Upon success cancelation, the TBD Page is shown.

3.5.5 Integration Points

Functionality	D1 EXP MS	Description	Provider	Consumer	Interface Type	Mode	Integration Direction
Retrieve Product Configuration	GET /enterprise-products-orders/v1/{productOrderId}/configuration	Retrieve the configuration of an order.	Amdocs	FE	REST	Sync	Inbound
Change Item	PUT /enterprise-products-orders/v1/{productOrderId}/orderitems/{productOrderItemId}	Change the product order item.	Amdocs	FE	REST	Sync	Inbound
Cancel a Product Order	POST /enterprise-products-orders/v1/{productOrderId}/cancel	Cancels a draft product order in the enterprise order management.	Amdocs	FE	REST	Sync	Inbound

3.5.6 Error Handling

N/A

3.5.7 Technical Description

3.5.7.1 Load Configuration Operation

The *Get Product Order Configuration* - GET /enterprise-products-orders/v1/{productOrderId}/configuration, operation will be used to retrieve the product configuration.

Frontend will supply the following inputs:

- *productOrderId (path)* - The unique identifier of the Product Order as return by the Create Product Order Operation
- *includeTariff (query) =true* - Flag to determine, if the operation will return back the the pricing.

For the MVP, the operation will return the Payment Account and the list of available debit card products for the **Basic Payment Package**.

The Configurator Object contains the following key components:

- **Basic Payment Package**
 - **Top-Level Configurator Items**
Represents the Basic Payment Package that the customer is receiving, accessible via: *configurationItems*
 - **Product Offering Details**
The (*configurationItems.productOffering*) - contains the product definition as defined in **C1**, including the **localized display name** of the **Basic Payment Package**.
This information can be used by the frontend to display the package name in the header.
- **Debit Card Selection Selection Group**
A structure used to present and manage optional product selections, accessible via *configurationItems.selectionGroups*
 - **Selection Group Details**
Defines the rules and display properties for the optional product group.
This includes:
 - **Selection Settings:** Specifies the **lower and upper limits** of selection. In this case, selection is **optional** (lower limit: 0) and **only one item** can be selected (upper limit: 1).
 - **Description:** Text shown in the user interface, such as: *"Do you want a debit card with your payment account?"*
 - In the **MVP** setup, the selection options is set to **0–1**, allowing the user to select at most **one optional debit card**.
 - **Order Item List**
 - Contains the **available product offerings** within the selection group.
 - Each product item in the group is defined with relevant information (e.g., ID, display name, pricing, descriptive characteristics for presentation purpose).
 - Accessible via *configurationItems.selectionGroups.configurationItems[]*

Each **order item** within the **Selection Group** includes the following key components:

- **Product Offering ID:**
 - A **unique identifier** for the debit card product offering.
 - Used to specify the **catalog ID** of the **debit card** item to be added to the order. For more information, refer to *Change Configuration Item* Section.
 - Path:
configurationItems.selectionGroups.configurationItems[].productOffering.productOfferingId

- **Order Item ID**

- The **unique identifier** for the configured order item instance (e.g., the selected debit card).
- **Empty** if the item has not yet been added to the order.
- Used to specify the **Order Item ID** of the **debit card** that should be removed from the order. For more information, refer to *Change Configuration Item* Section.
- Path: `configurationItems.selectionGroups.configurationItems[].orderId`

- **Display Name:**

- The **localized name** of the product offering, e.g., (e.g., "MeesPierson debit card")

- **Configuration Status:**

- Indicates whether the item is **configured** or **not configured**.
- Used by the frontend to determine which radio button should be selected.
- The **default selection** is defined by **C1**.

- **RC Final Price:**

- The price of the offering as part of the package.
- For the MVP scenario, the price is set to **zero** using a C1 override definition.

- **Descriptive Characteristics List:**

A collection of descriptive attributes that provide detailed information about the key features of the debit card.

Attributes with `visibleInHighlights = TRUE` should be presented by the frontend as **highlight information** for the debit card.

Examples

ABN AMRO Debit Card Offering

- value: "Included"
- displayValue: "Pay with Apple Pay, Google Pay and OVPay"
- visibleInHighlights: TRUE

"No Debit Card" Offering

- value: "Excluded"
- displayValue: "You cannot pay with Apple Pay, Google Pay and OVPay"
- visibleInHighlights: TRUE

3.5.7.2 No debit card

No Debit Card - "No debit card" is a technical debit card item used solely for presentation purposes and will be returned as part of the debit card selection groups in the get **order configuration** operation

For the "No Debit Card" offering, a technical indicator will be included for the Payment Instrument Objects. This indicator specifies whether a product offering is a technical product. (*technicalOffering* indicator will be defined as part of the following objects).

- *"PaymentInstrumentConfigurationItem"*
- *"PaymentInstrumentOrderItem"*

The frontend can use this technical indicator to apply specific presentation logic or behavior when rendering such items:

- Different presentation template
- Avoid presenting pricing.

3.5.7.3 Change Configuration Item

In the case of item replacement, switching from one item to another, the frontend will trigger **PUT / enterprise-products-orders/v1/{productOrderId}/orderitems/{productOrderItemId}** operation

Frontend will supply the following inputs:

Path & Query

- *productOrderId (path)* - The unique identifier of the Product Order as return by the Create Product Order Operation
- *productOrderItemId (path)* - The unique identifier of the Debit Card Product Order Item to be removed.
 - From the **GET /enterprise-products-orders/v1/{productOrderId}/configuration** call - *configurationItems.selectionGroups.configurationItems[].orderId*
- *includeOrderDetails (query) =true* - Indicates that the operation should return the full order details
- *includeTariff (query) =true* - Specifies that pricing information should be included within the returned order details

Order Item Request

- *orderItemRequest.productOffering*
 - *productOfferingIdType = "CATALOG_ONE"*
 - *productOfferingId =*
 - The **Product Offering ID** of the **Debit Card** to be added
 - From the **GET /enterprise-products-orders/v1/{productOrderId}/configuration** call - *configurationItems.selectionGroups.configurationItems[].productOffering.productOfferingReference.productOfferingId*
- The new debit card will be added in the same location as the removed debit card – specifically, within the same group selection and under the same parent order item. There is **no need** to pass the package OrderItemId explicitly for this operation.

Operation Result & Frontend actions:

- The operation will return the updated order details, which can be used to refresh Price Panel (if required)

- After the new Debit Card offering is successfully added, the frontend should use the corresponding **Order Item ID** that was generated and returned as part of the PUT operation (location). This **Order Item ID** uniquely identifies the newly added debit card within the order structure and is required for any further actions, such as change debit card option.
- After the Debit Card Order Item is successfully removed, the frontend should remove the corresponding **Order Item ID** from the context that is maintained in Frontend, as it is no longer relevant or valid within the current order context. This ensures that the UI accurately reflects the updated state of the order and prevents any unintended references to a deleted item.

4 Cross Domain Functionalities

4.1 Multi-Language Support (Localization)

4.1.1 Introduction

4.1.1.1 Purpose and Scope

The purpose of this chapter is to outline patterns that can be implemented by Experience layer to support Localization (Multi-Language Support) for ABN Amro Internet Banking Application.

The languages to be supported are Dutch and English.

Line Of Business

Payment Account & Debit Card products

Customer Segment

B2C (Business-to-Consumer) Banking Customer

Channels

Internet Banking (Self-Service)

4.1.1.2 Business Needs

As an existing customer, I would like the option to view the information on the Internet Banking application in my preferred language, either English or Dutch.

4.1.1.3 Assumptions

ID	Item	
01	FE Ownership	It is FE responsibility to pass correct locale to the Downstream/ Backend APIs. However documents & messages (ie Bankmail) coming from ECM (or other sources) could be set by the BC's language preferences in BCDB which are not controlled by the frontend or by D1

ID	Item	
02	Default Locale	If no language is specified by FE while calling the APIs, then the data will be returned in the default locale, i.e., Dutch
03	BCDB Independent	As per the business requirement, locale will be set based on the user selected language on the UI and not based on the user preferred language in BCDB.
04	Currency Support	Only one currency support is provided for the prices in C1. Meaning it will not change per locale.
05	Logs, Reports & Exceptions	System logs, reports and exceptions will be in English language only.
06	Contract & Customer Notifications	As per the business requirement, ECM will fetch customer preferred language from BCDB and generate contract accordingly. The same approach applies to customer notifications .
07	Data Persistence	Data persistence in D1 will only be in English, i.e, product order and inventory operation will always return results in English. Experience Layer will call catalog operations to fetch localized data, where applicable and return consolidated response to FE.
08	Time Zone Handling	BE works only in UTC timezone. Date conversion and display logic as per locale will be handled by FE.

4.1.2 High Level Solution

FE will set locale as per the language selected by the logged in user.

In case FE fails to send locale while invoking the downstream APIs, then EXP APIs should set the locale as "nl-NL".

D1 will provide localization support exclusively for catalog-driven data that accommodates multiple locales. The elements within the FOCUS scope include,

- **Product Offer name**
- **Product Offer description**
- **Product characteristics and their values**
- **Static PDF Document Brief Text & URL**
- **Contract Document Brief Text**
- **Price Descriptions**

Following high-level patterns will be used by Experience API to support Localization:

- **API Definition** - Experience MS will expose input header parameter - "Accept-Language", as business parameter, in all its operations.
 - This header is used to determine the language and regional settings for the content returned by the API. API is supposed to return localization supported data as per the locale provided in this header.
 - In case, FE fails to send locale while invoking the Experience APIs, then EXP APIs should set the locale as "nl-NL". This will enable backend to return locale supported data in Dutch.
 - EXP API implementation should be case agnostic and generic w.r.t the locale value. Example - It should consider all the three values - "nl", "NL" or "nl-NL" as valid.
- **Configuration** - List of support locales and default locale, should be configurable in Experience MS.
- **Customization** - The Experience MS will be responsible for retrieving localized data via Catalog APIs, using the IDs provided by D1 capability APIs, and delivering a consolidated response with localized data to the UI

4.2 Security & User Authentication

4.2.1 Introduction

4.2.1.1 Purpose and Scope

This document describes the process of Self Service user authentication & authorization upon Experience/ D1 capability services.

Line Of Business

Payment Account , Debit Card

Customer Segment

B2C (Business-to-Consumer) Banking Customer

Channels

Self Service - Internet Banking (IB) - the channel in POV scope.

4.2.1.2 Business Needs

Enable existing customers to apply for a new Basic Payment Account Bundle and debit card through the Internet Banking platform, ensuring a seamless and secure application process that complies with all security protocols.

4.2.1.3 Assumptions

ID	Item	
01	User Interface	The UI is fully managed by ABN AMRO applications
02	Data Fencing	EXP MS/D1 will not perform data fencing validations for POV FOCUS.
03	Azure Active Directory	Access control is based on Azure Active Directory
04	AMRO Azure Internal API Gateway	Azure Internal API Gateway will be the Gateway for API calls from AMRO UI.
05	TTL of the tokens	TTL (Time to Live) of the access and customer tokens are assumed to be valid throughout the session.
06	Trusted External token received from AMRO	External token received from AMRO is considered trusted token D1 API Gateway.
07	User and level of Authorization	OOS from the POV.
08	User Roles	All users will have the same roles.

4.2.2 High Level Solution

Below are the high-level steps followed when AMRO UI invokes Experience MS:

- **AMRO UI** will invoke Experience API using **Customer token** generated by CH-ASM Gateway and **Access token** generated by Azure Internal API Gateway.
- The Call will be received by **D1 API Gateway**, which will trust the access token received and forward the request to **D1 Federation layer**.
- The afore-mentioned tokens will be **federated** by **D1 federation layer**.
- The D1 operations will be processed using **D1 federated tokens**.


Below are the high-level steps followed when Experience MS calls AMRO API:

- When Experience MS call AMRO API, it will be routed through a new **D1 library** for secure integration and communication.
- The library will call **AMRO Federated API** in order to **collect a system token**, by passing operation (scope) and authentication details (client id/secret).
- Experience MS will pass the **new system token** to **AMRO APIs via AMRO API Gateway**.

5 Product Catalog

5.1 DRAFT Diagram

Product Model for POV



5.2 Description

The following components will be defined in the **C1 Product Model** for the **POV**:

5.2.1 Bundle Product Offer (BPO): "Basic Payment Package"

- **External ID:** 4417 (Daily Banking ID)
- **Product Offering Type Group:** Identify the group type of product offering, value: "Basic Payment Bundle"
- **Characteristics** (among others):
 - **Name:** Product Group ID
 - **Value:** 92
- **Bundle Pricing:** 3.7 Euro

5.2.2 Simple Product Offer (SPO): "Payment Account"

- **Parent:** Included under the "Basic Payment Package" BPO
- **External ID:** 437 (Daily Banking ID)
- **Product Offering Type Group:** "Payment Account"
- **Characteristics** (among others):
 - **Name:** Product Group ID
 - **Value:** 93

5.2.3 Debit Card Options (Selection Group)

A **Selection Group** will be defined under the "**Basic Payment Package**" BPO, allowing the optional selection of **one** of the following SPOs:

- **SPO: "ABN AMRO debit card"**
 - **External ID:** 3510 (Daily Banking ID)
 - **Product Offering Type Group:** "Payment Instrument"
 - **Pricing:** RC Price overridden to zero
 - **Free Indicator** - characteristic set as TRUE
The Free Indicator characteristic is set to TRUE when an item is added to the order as part of the Basic Payment Package.
The frontend can use this indicator to display a "For free" label when the final price returned is zero.
 - **Delivery Method** - characteristic set as "POST_PARCEL "
- **SPO: "Wealth Management debit card"**
 - **External ID:** 3515 (Daily Banking ID)
 - **Product Offering Type Group:** "Payment Instrument"
 - **Pricing:** RC Price overridden to zero
 - The **Free Indicator** - characteristic set as TRUE (same as above)
 - **Delivery Method** - characteristic set as "POST_PARCEL " (same as above)
- **SPO: "No debit card" - "No debit card" is a technical debit card item used for presentation purposes**
 - **External ID:** N/A
 - **Product Offering Type Group:** "Payment Instrument"
 - **Pricing:** N/A
 - **Technical Indicator** - characteristic set as TRUE
The **Technical Indicator** characteristic is set to TRUE for product offerings identified as technical products for presentation purpose.
This indicator may allow the frontend to apply specific presentation logic.

Selection Group Information defines the **rules and display properties** for an optional product group.

It includes the following key components:

- Name: "Debit Card"
- Description: "Do you want a debit card with your payment account?"
- Cardinality:
 - Min: 0 (selection is optional)
 - Max: 1 (only one item can be selected)

Following are the debit card characteristics defined for the **Discovery Metadata** with visibleInHighlights=TRUE, property.

Shared Characteristics for the Debit Cards except "No debit card":

Characteristics Name	Value	Display Value (localized)
Pay with PIN	Included	Pay with PIN
Withdraw Cash	Included	Withdraw cash
Pay with External System	Included	Pay with Apple Pay, Google Pay, OVPay

Characteristics for the "No debit card"

Characteristics Name	Value	Display Value (localized)
Pay with PIN	Excluded	You cannot pay with pin
Withdraw Cash	Excluded	You cannot withdraw cash
Pay with External System	Excluded	You can not pay with Apple Pay, Google Pay and OVPay
Additional Info	Included	Can also be requested after opening the new account without additional costs

Enablement Relation

An **enablement relation** will be defined between the **Debit Card** product specification and the **Payment Account** product specification. This enablement is used to create a dependency between the Products, in such a way that a Debit Card cannot be purchased without a Payment Account.

5.2.4 Static Documents

Following are the documents which will be related to the **Basic Payment Package** Product Offering

Static Doc ID (Key)	Domain	Purpose	Brief	DOC URL	official DOC URL
contract-payment-account	CONTRACT	CONTRACT	EN - Contract Payment Account NL - Contract Betalingsrekening	<i>Pending Data Gathering</i>	<i>Pending Data Gathering</i>
general-conditions	GENERAL	TERMS_AND_CONDITIONS	EN - General conditions NL - Algemene Voorwaarden	EN - https://www.abnamro.nl/en/media/General%20Banking%20Conditions_20170301_final_tcm18-41694.pdf ² NL - https://www.abnamro.nl/nl/media/AV%20AAB%2020170301_final_tcm16-32999.pdf ³	same as NL
general-privacy-statement	GENERAL	PRIVACY_STATEMENT	EN - Privacy statement NL - Privacyverklaring	EN - https://www.abnamro.nl/en/media/Privacy_Statement_AAV_ENG_tcm18-47606.pdf ⁴ NL - https://assets.abnamro.com/api/public/content/voorbeeldprofielen-pensioenbeleggen.pdf ⁵	same as NL

2https://eur01.safelinks.protection.outlook.com/?url=https%3A%2F%2Fwww.abnamro.nl%2Fen%2Fmedia%2FGeneral%2520Banking%2520Conditions_20170301_final_tcm18-41694.pdf&data=05%7C02%7CDANAR%40Amdocs.com%7Ceed638030a064a4218dd08ddb4ab8e8e%7Cc8eca3ca127646d59d9da0f2a028920f%7C0%7C0%7C638865371140783481%7CUnknown%7CTWFpbGZsb3d8eyJFbXB0eU1hcGkiOnRydWUsIlYiOiIwLjAuMDAwMCIsIlAiOiJXaW4zMlslkFoljoiTWFPbCIsIldUljoyfQ%3D%3D%7C0%7C%7C%7C&sdata=APjxLkMwf5PBcwbRov0EaMal81IPrvyUdKxriQdCNU%3D&reserved=0

3https://eur01.safelinks.protection.outlook.com/?url=https%3A%2F%2Fwww.abnamro.nl%2Fnl%2Fmedia%2FAV%2520AAB%252020170301_final_tcm16-32999.pdf&data=05%7C02%7CDANAR%40Amdocs.com%7Ceed638030a064a4218dd08ddb4ab8e8e%7Cc8eca3ca127646d59d9da0f2a028920f%7C0%7C0%7C638865371140823978%7CUnknown%7CTWFpbGZsb3d8eyJFbXB0eU1hcGkiOnRydWUsIlYiOiIwLjAuMDAwMCIsIlAiOiJXaW4zMlslkFoljoiTWFPbCIsIldUljoyfQ%3D%3D%7C0%7C%7C%7C&sdata=aM3F6bJYlwd4eb9QsY6qW0mYpUdVXGCYtC6nOYQR8mg%3D&reserved=0

4https://eur01.safelinks.protection.outlook.com/?url=https%3A%2F%2Fwww.abnamro.nl%2Fen%2Fmedia%2FPrivacy_Statement_AAV_ENG_tcm18-47606.pdf&data=05%7C02%7CDANAR%40Amdocs.com%7Ceed638030a064a4218dd08ddb4ab8e8e%7Cc8eca3ca127646d59d9da0f2a028920f%7C0%7C0%7C638865371140957861%7CUnknown%7CTWFpbGZsb3d8eyJFbXB0eU1hcGkiOnRydWUsIlYiOiIwLjAuMDAwMCIsIlAiOiJXaW4zMlslkFoljoiTWFPbCIsIldUljoyfQ%3D%3D%7C0%7C%7C%7C&sdata=QcTPZQpLeWEOtDsqZPrDahTFBSINWxpY1SJl8ogzyEQ%3D&reserved=0

5<https://eur01.safelinks.protection.outlook.com/?url=https%3A%2F%2Fassets.abnamro.com%2Fapi%2Fpublic%2Fcontent%2Fvoorbeeldprofielen-pensioenbeleggen.pdf&data=05%7C02%7CDANAR%40Amdocs.com%7Ceed638030a064a4218dd08ddb4ab8e8e%7Cc8eca3ca127646d59d9da0f2a028920f%7C0%7C0%7C638865371140972932%7CUnknown%7CTWFpbGZsb3d8eyJFbXB0eU1hcGkiOnRydWUsIlYiOiIwLjAuMDAwMCIsIlAiOiJXaW4zMlslkFoljoiTWFPbCIsIldUljoyfQ%3D%3D%7C0%7C%7C%7C&sdata=Rj2HWS5AOZtf4nWi%2F6Gwl8KdYkiQA9vfrCUCssgCF6c%3D&reserved=0>

6 Appendix - Signing Process Enhancement

This appendix summarizes the enhancements to the "Apply for a New Basic Payment Package" flow to enable digital customer signing.

Customers can now complete the application by digitally signing the contractual documents after confirming their intent to proceed.

6.1 Business Needs

As an existing customer, I want to apply for a new Basic Payment Package and complete the process by digitally signing the contractual documents once I confirm my intent to proceed.

6.2 Generic Signing System

The Generic Signing System (GS) is used to manage the electronic signing process. It enables the creation of signing requests, tracks their status, and informs Digital ONE (D1) when the signing is completed, rejected, or expired.

6.3 Catalog One

In Catalog One, the Basic Payment Package is configured with two new characteristics.

- **Signature Required Type** - Defines the supported signing methods (e.g., EDENTIFIER, MSEC_MB, WET_SIGNATURE), with EDENTIFIER selected as the method for the Basic Payment Package.
- **Signature Expiration Days** - Defines the number of days the customer has to complete the signing process before it expires.

6.4 Digital ONE - Submit for Signing

The **D1 submit** operation as described in the **Order Summary** section will be enhanced as following:

Once all validations are complete and the contract is generated, D1 initiates the signing process by creating a **Signing Object** in the GS system. This object is linked to the **Sales Dossier** and the relevant order item. It is then passed along with the **C1 Signature Required Type** to the frontend, allowing the frontend to retrieve the contractual document.

6.5 Customer Signs (outside D1)

The customer reviews the final contractual agreement via the secure signing platform and then proceeds to digitally sign or reject the document.

Based on the outcome, Generic Signing System will trigger the D1 callback, based on the customer's action:

- **FULLY_SIGNED** – Signing completed successfully
- **DELETED** – Customer rejected the signing
- **EXPIRED** – Signing period lapsed without completion

6.6 Digital ONE - Signing Callback Operation

D1 will expose a new callback operation to the Generic Signing System, following the existing callback standards.

The callback will perform the following logic:

- If the signing (**FULLY_SIGNED**) is successful, D1 updates the order with the signing date and triggers order fulfillment, ensuring the process continues smoothly and is properly communicated to ABN AMRO systems.
- If the signing is rejected (**DELETED**) or expires (**EXPIRED**), D1 records the cancellation and the order is canceled accordingly.

7 Release Notes

Version	Author	Date	Description
V1	Dana Roffe Priyanka Upadhye	13 May 2025	First Release
V2	Dana Roffe	14 May 2025	Select Debit Card Section - Rephrase checkbox to multi selection, change not included to Excluded. Product Catalog Section - change not included to Excluded.
V3	Dana Roffe	29 May 2025	Updated the UI Screens, Added mapping operations fields (in brown color), add new operation Get product Configuration, updated flow diagram & List of operations
V4	Dana Roffe	2 June 2025	Select DC Page - - Rename - <i>configurationOptions</i> to <i>configurationSettings</i> - Added - <i>description</i> for the Free Debit Card price - Added - <i>technicalOffering</i> and <i>freeOffering</i> flags
V5	Dana Roffe	24 June 2025	Updates assumptions and Term&Definitions as per Robin's suggestions. UI_02 - Summary - Add the debit card, delivery method - Add Additional Information column, in the error table.
V6	Dana Roffe	26 June 2025	UI_02 - Summary - Updated the cancel operation to: DELETE /enterprise-products-orders/v1/{productId}. - Based on Nicole's suggestion, the contract displayed on the page now reflects a static contract document. The approve operation has been removed, and the mapping has been updated accordingly. - Product Catalog - update Static Document section.

Version	Author	Date	Description
V7	Dana Roffe	30 June 2025	• Change the PATCH operation to PUT operation • Correct typo in UI_02 - Summary > Technical Description > Static Documents