

THE FOUNDATION GUIDE

SAP

Master Notes

From what even is SAP to ECC, HANA, S/4HANA, Fiori, BTP, CAP, RAP, OData, RISE, Joule and the Autonomous Enterprise — the whole SAP universe, explained simply and connected end to end

"Fiori/UI5 taught you the screen. This guide teaches you the whole world behind the screen: the company, the database, the modules, the platform and the AI — and exactly how S/4HANA, Fiori, BTP, CAP, RAP and OData click together into one machine. Learn the map first, and every SAP job posting suddenly reads like a sentence you understand."

22

PARTS

90

TOPICS

25

DIAGRAMS

99

TELUGU

Table of Contents

- Part A — What SAP Actually Is
 - A1. SAP the Company & the Product · A2. What is ERP · A3. Why Companies Pay For SAP · A4. The 30,000-Foot Map
- Part B — The History & Evolution
 - B1. The Timeline (R/1 to Autonomous) · B2. R/1, R/2, R/3 — the Founding Era · B3. mySAP & the Business Suite · B4. Why Everything Had to Change
- Part C — ERP Modules & How They Connect
 - C1. What a Module Is · C2. The Core Modules · C3. The Golden Thread — One Business Process Across Modules · C4. Master Data vs Transactional Data
- Part D — SAP ECC & the ABAP World
 - D1. What is ECC · D2. The 3-Tier Architecture · D3. ABAP — the Classic Language · D4. Clients, Transports & System Landscape
- Part E — SAP HANA (the Engine That Changed Everything)
 - E1. What is HANA · E2. In-Memory & Columnar — Why It's Fast · E3. HANA vs a Normal Database
- Part F — SAP S/4HANA (Modern ERP)
 - F1. What is S/4HANA · F2. What Actually Changed vs ECC · F3. Deployment Options · F4. Migration — Greenfield, Brownfield, Bluefield
- Part G — SAP Fiori (the Face)
 - G1. Where Fiori Fits in the Big Picture · G2. The Launchpad as the Front Door
- Part H — OData (the Language Between Front and Back)
 - H1. What is OData · H2. V2 vs V4 · H3. OData as the Universal Connector
- Part I — SAP BTP (the Platform)
 - I1. What is BTP · I2. The Four Pillars · I3. Cloud Foundry vs ABAP vs Kyma
- Part J — CAP (Cloud Application Programming Model)
 - J1. What is CAP · J2. CDS — the Heart of CAP · J3. A Minimal CAP App · J4. CAP vs Node/Express
- Part K — RAP (ABAP RESTful Application Programming Model)
 - K1. What is RAP · K2. The RAP Building Blocks · K3. CAP vs RAP — When to Use Which
- Part L — The Connected Picture
 - L1. How S/4HANA + Fiori + OData + BTP + CAP + RAP Click Together · L2. The Extension Story — Clean Core · L3. One Request, End to End
- Part M — Modern SAP: Cloud ERP, RISE & GROW
 - M1. RISE with SAP · M2. GROW with SAP · M3. RISE vs GROW
- Part N — SAP Business AI & Joule
 - N1. SAP Business AI — the Three Layers · N2. What is Joule · N3. How Joule Works Under the Hood · N4. The AI Foundation & Generative AI Hub

- **Part O — Agentic SAP & the Autonomous Enterprise**
 - O1. Copilot vs Agent — the Big Shift · O2. Joule Agents · O3. Joule Studio — Build Your Own Agent · O4. The Autonomous Enterprise
 - **Part P — Workflows & Process Automation**
 - P1. What is a Workflow · P2. SAP Build Process Automation · P3. Workflow vs Agent
 - **Part Q — Project Types & Career Paths**
 - Q1. The Kinds of SAP Projects · Q2. The Developer Career Tracks · Q3. Where Your Roadmap Lands You
 - **Part R — Interview Cheat-Sheet**
 - **Part S — Glossary & Quick Reference**
 - **Part T — The Working Vocabulary**
 - T1. The System You Log Into · T2. Getting Around · T3. Where Code Lives — Repository, Package, Transport · T4. The Data Dictionary (DDIC) · T5. The Three Kinds of Data · T6. Programs and Code · T7. How Work Actually Runs · T8. Talking to Other Systems · T9. Users, Roles and Authorizations · T10. Project Vocabulary · T11. The Twenty Terms to Know Cold · T12. Putting the Vocabulary Together
 - **Part U — The SAP Product Universe**
 - U1. The Frame — "SAP Business Suite" (2025 Onward) · U2. The Core ERP Family · U3. The Bundles — RISE and GROW · U4. The Line-of-Business Cloud Suite · U5. Supply Chain, Manufacturing and the Business Network · U6. SAP BTP — the Platform, Service by Service · U7. Data and Analytics — What Changed in 2026 · U8. Business AI — Joule and the Agents · U9. The Transformation Tools · U10. How They All Integrate · U11. Two Real End-to-End Flows · U12. Where a Developer Actually Touches Each Product
 - **Part V — The Business Documents You Will Meet**
 - V1. The Two Flows That Explain Everything · V2. Where You Are — Client, Company Code, Plant · V3. How You Get There — the T-Code · V4. Buying — the P2P Documents · V5. Selling — the O2C Documents · V6. Order Types — Cash Sale, Rush, Standard, Returns · V7. The Words That Sit Around Them
-

Part A — What SAP Actually Is

Before any acronyms, get the one big idea: SAP is the software that runs the back office of most large companies on Earth. When you buy something and it gets billed, shipped, accounted for and reordered — that whole chain often runs on SAP. This part builds that mental model from zero.

| A1. SAP the Company & the Product

Simple definition: **SAP** is a German software company (founded 1972 in Walldorf) and also the name of its flagship product: the world's most widely used **ERP** system — the giant piece of software that runs a company's core operations (finance, inventory, sales, manufacturing, HR) in **one connected system**. The name stands for **S**ystems, **A**pplications & **P**roducts in data processing.


Telugu: SAP ante rendu vishayalu — okati Germany lo 1972 lo start ayina oka pedda **software company**, rendu adhe company yokka main product: prapanchamlo ekkuva companies vaade **ERP** software. ERP ante oka company yokka anni core operations — money (finance), samanu (inventory), sales, manufacturing, HR — anniti **oke connected system** lo run chese pedda software. Simple ga: "oka company ni nadipe central brain."



The SAP logo. Trademark of SAP SE — shown here for study reference.

The everyday analogy. Think of a huge factory-plus-office. Money flows in and out, trucks bring raw material, machines build products, salespeople sell them, HR pays staff. Without SAP, each department keeps its own spreadsheet and they constantly disagree. SAP is the **single shared notebook** every department writes into and reads from — so finance instantly sees a sale the moment the warehouse ships it. That "one source of truth" is the entire point.


Scale (why this matters for your career): SAP customers generate the majority of the world's transacted commerce (SAP claims ~87% of total global commerce touches an SAP system). Most Fortune 500 companies run SAP. That means SAP skills are **demand ed everywhere and rarely go obsolete** — the systems live for decades.



A2. What is ERP

Simple definition: ERP = Enterprise Resource Planning. It is a category of software that integrates all the core business functions of a company — finance, procurement, manufacturing, supply chain, sales, HR — into **one database and one process flow**, so information entered once is available everywhere instantly. SAP is the biggest ERP vendor; Oracle and Microsoft Dynamics are competitors.

Telugu: ERP ante **Enterprise Resource Planning** — oka company yokka anni pedda panulu (finance, konugolu, tayari, sales, HR) ni **oke database, oke process flow** lo kalipe software category. Oka sari data enter cheste, adi anni departments ki ventane kanipistundi. SAP ee ERP field lo number one. Competitors: Oracle, Microsoft Dynamics.



*A typical ERP: functional modules (finance, HR, manufacturing, supply chain, CRM, inventory...) all plug into **one shared core**. That is exactly what SAP is. Image: Wikimedia Commons (CC).*

The problem ERP solves — "islands of data." Imagine sales uses one app, the warehouse another, accounting a third. A customer orders 100 units. Sales says "sold!", but accounting doesn't know to send a bill and the warehouse doesn't know to ship. People email spreadsheets around; numbers drift; month-end is chaos. ERP kills the islands: **one order record** flows automatically to shipping, billing and the ledger.

Real-world example — buying a laptop online from a big retailer:

1. You order → a **Sales** document is created.
2. Stock is checked and reserved → **Materials/Inventory**.
3. Warehouse ships → **Logistics** posts a goods movement.
4. An invoice is generated → **Billing**.
5. The revenue and the receivable hit the books → **Finance**.
6. Stock drops below reorder point → **Procurement** raises a purchase order to the supplier.

All six steps are **the same ERP system** reacting to one another. That chain is what you'll spend your SAP career building, extending and automating.

A3. Why Companies Pay For SAP

Simple definition: Companies pay enormous sums (licenses, hardware, consultants) for SAP because a **single integrated system** removes errors, enables real-time reporting, enforces legal/audit compliance, and scales across countries and currencies — things a pile of disconnected apps can never do reliably.

Telugu: Companies SAP kosam chala dabbu (license, hardware, consultants) enduku pedataayi? Endukante **oke integrated system** valla — errors thaggutaayi, real-time reports vastaayi, government/audit rules follow avutaayi, mariyu different countries + currencies lo scale avutundi. Ee panulu vidividi apps tho jaraghavu. Adhe SAP value.


Without ERP (islands)	With SAP (one system)
Each dept re-keys data → typos & mismatch	Enter once, reused everywhere
Month-end = manual spreadsheet merge	Real-time financial close
No single audit trail	Every transaction logged & traceable
Hard to expand to a new country	Multi-currency, multi-language, multi-legal built in
Reports are days old	Live dashboards (especially on HANA)

The catch — and your opportunity. SAP is powerful but **complex and expensive to implement and customize**. That complexity is exactly why SAP developers, functional consultants and (now) AI/agent builders are paid well and always in demand.

A4. The 30,000-Foot Map

Simple definition: Everything in the rest of this guide fits into **five layers**: the **database** (HANA), the **ERP core** (ECC → S/4HANA) with its **modules**, the **UX** (Fiori/UI5), the **platform for extensions and integration** (BTP, with CAP/RAP/OData), and the **AI layer** (Business AI, Joule, Agents) sitting across all of it.

Telugu: Migta document anta ee **5 layers** lo padutundi — gurthupettuko: (1) **Database** = HANA, (2) **ERP core + modules** = ECC/S4HANA, (3) **UX** = Fiori/UI5, (4) **Platform (extensions + integration)** = BTP tho CAP/RAP/OData, (5) **AI layer** = Business AI, Joule, Agents. Ee 5 layers artham ayite SAP prapancham anta artham avutundi.



Keep this picture in your head. Every acronym you meet from here on is one box (or the wiring between two boxes) in this diagram.


Part B — The History & Evolution

You cannot understand S/4HANA without knowing what came before it and why it hurt. SAP's whole modern story is "we spent 40 years building a system for slow disk databases, then in-memory computing arrived and we rebuilt everything." This part is that story.

| B1. The Timeline (R/1 to Autonomous)

Simple definition: SAP evolved through clear eras: **R/1** (1973), **R/2** (1979, mainframe), **R/3** (1992, client-server, the classic), **mySAP / ECC** (2004, the Business Suite), **S/4HANA** (2015, in-memory ERP), and now the **Cloud + AI + Agentic** era (2023 onward: Joule, Business AI, Autonomous Enterprise).

Telugu: SAP konni eras lo perigindi: **R/1** (1973), **R/2** (1979 mainframe), **R/3** (1992 client-server, classic version), **ECC** (2004 Business Suite), **S/4HANA** (2015 in-memory), ippudu **Cloud + AI + Agentic** era (2023 nundi Joule, Agents). "R" ante *Realtime*, number ante architecture generation.




B2. R/1, R/2, R/3 — the Founding Era

Simple definition: The "R" stands for **Real-time** data processing (revolutionary in the 1970s, when most processing was overnight batch). Each number is a new **architecture generation**. **R/3** (1992) is the legendary one: it moved SAP to **three-tier client-server** and introduced the **ABAP** language — the foundation everything sat on for 20+ years.

Telugu: **R = Real-time** — aa rojullo chala computers ratri anta batch lo process chesevi, SAP ventane (real-time) chesindi, adhe pedda innovation. **R/3** (1992) legend — idi **three-tier client-server** ki move ayindi mariyu **ABAP** aane language ni techindi. Ee ABAP meeda 20+ years SAP anta nilichindi.

Version	Year	Architecture	Why it mattered
R/1	1973	One tier (all on one machine)	First real-time financial accounting
R/2	1979	Mainframe (two-tier)	Ran big corporations' back offices
R/3	1992	Three-tier client-server	The breakthrough; ABAP; ran on many databases; global standard

The everyday analogy. R/2 was a giant single mainframe everyone dialed into (like one huge shared calculator). R/3 split the work into three cooperating tiers — presentation (your screen), application (the logic), database (the storage) — the same shape web apps use today. That flexibility (run on Oracle, DB2, SQL Server, any hardware) made SAP the world standard.



The classic **SAP GUI** (R/3 era, still in ECC): powerful but gray, dense and code-driven — the exact look that **SAP Fiori** (Part G) was created to replace. Image: Wikimedia Commons.

B3. mySAP & the Business Suite

Simple definition: In the 2000s SAP bundled R/3's successor and its sibling products into the **SAP Business Suite**, whose ERP core was **SAP ERP Central Component — "ECC"** (also called ECC 6.0 / SAP ERP). Around it sat **CRM** (customers), **SRM** (suppliers), **SCM** (supply chain) and **PLM** (product lifecycle). This is the system most companies still run today (support extended to **2027, with an option to 2030**).


Telugu: 2000s lo SAP anni products ni kalipi **Business Suite** chesindi, dani heart **ECC** (ECC 6.0). Chuttu **CRM** (customers), **SRM** (suppliers), **SCM** (supply chain), **PLM** (products) unnayi. Ee ECC ni ippatiki chala companies vaadutunnayi — kaani SAP support **2027 (extended 2030)** tho aagipotundi, adhe andaru S/4HANA ki move avvadaniki reason.

Why "2027" is the single most important date in SAP right now. SAP announced it will **stop mainstream support for ECC/Business Suite 7 by end of 2027** (extended maintenance to 2030). Thousands of companies *must* migrate to **S/4HANA** before then. That deadline is fueling a global wave of S/4HANA migration projects — a huge chunk of today's SAP jobs. **Your timing is good.**

B4. Why Everything Had to Change

Simple definition: ECC was designed for **slow spinning-disk databases**, so decades of clever-but-complex workarounds (aggregate tables, indexes, batch jobs) existed just to make reports fast. When **in-memory computing (HANA)** made data 1000× faster to read, most of that complexity became unnecessary — so SAP rebuilt the ERP core from scratch as **S/4HANA**.

Telugu: ECC ni **slow disk databases** kosam design chesaru. Reports fast raavadaniki chala extra tables, indexes, night batch jobs pettaru — chala complex. Taruvata **HANA (in-memory)** vachi data ni 1000x fast chesindi, aa complex workarounds anta avasaram lekunda poyayi. Anduke SAP ERP core ni kottaga **S/4HANA** ga rebuild chesindi.



The one-line summary of SAP's modern era: *hardware got radically faster, so the software got radically simpler.* Everything — S/4HANA, Fiori, the cloud pivot, even the AI story — flows from that single change.

Part C — ERP Modules & How They Connect

This is the part most beginners skip and later regret. SAP's power isn't any single module — it's how the modules automatically talk to each other. Learn the modules as characters in one story, not as a list to memorize.

C1. What a Module Is

Simple definition: A **module** is a functional area of the business that SAP packages as a set of related features, tables and transactions — e.g. **FI** for financial accounting, **MM** for materials/purchasing, **SD** for sales. Modules aren't separate programs; they're **views into the same shared database**, tightly wired together.

Telugu: **Module** ante business lo oka functional area ni SAP oka package ga chesindi — FI (finance), MM (materials), SD (sales) lantivi. Ivi separate programs kaadu; anni **oke shared database ni chuse veru veru kitikilu (views)**, wire tho kalipi unnayi. Oka module lo change cheste, related modules ki ventane telustundi.

React parallel (for you): think of modules like **feature folders** in a big app (`/finance` , `/sales` , `/inventory`) that all read and write the same central store. Changing a record in one folder instantly updates every screen that reads it — because there's one store, not five.

C2. The Core Modules

Simple definition: SAP has dozens of modules, but a handful cover most business processes. Learn these names — they appear in every SAP job description.

Telugu: SAP lo chala modules unnayi, kaani konni core modules anni processes cover chestaayi. Kinda table lo unna peru — **FI, CO, MM, SD, PP, QM, PM, HCM, WM/EWM** — prati SAP job description lo kanipistaayi, anduke baaga gurthupettuko.

Module	Full name	What it handles	Everyday example
FI	Financial Accounting	External books: ledger, payables, receivables	The company's official financial statements
CO	Controlling	Internal costs & profitability	"Which product line actually makes money?"

Module	Full name	What it handles	Everyday example
MM	Materials Management	Purchasing, inventory, stock	Reordering raw material, receiving goods
SD	Sales & Distribution	Orders, deliveries, billing, pricing	Selling to a customer and invoicing them
PP	Production Planning	Manufacturing, bills of material	Scheduling the factory to build 10,000 units
QM	Quality Management	Inspections, quality checks	Rejecting a defective batch
PM	Plant Maintenance	Equipment upkeep	Scheduling a machine service
HCM	Human Capital Mgmt	Employees, payroll, org	Paying salaries, leave requests
WM / EWM	(Extended) Warehouse Mgmt	Bin-level warehouse ops	Where exactly in the warehouse a pallet sits

Modern note. In S/4HANA the boundaries between FI and CO merged into the **Universal Journal** (one table, **ACDOCA**, holding all finance+controlling line items). Also, **HCM** is largely replaced by the cloud product **SAP SuccessFactors**, and procurement by **SAP Ariba**. So "modules" today spans both the ERP core and cloud line-of-business (LoB) products.

C3. The Golden Thread — One Business Process Across Modules

Simple definition: The classic way to *feel* how modules connect is the **Order-to-Cash** process: a single customer order flows through **SD → MM → FI/CO**, with each module handing off to the next automatically. Its mirror image is **Procure-to-Pay** (buying), flowing **MM → FI**.

Telugu: Modules ela connect avutaayo feel avadaniki best example: **Order-to-Cash**. Oka customer order **SD → MM → FI/CO** gunda automatic ga flow avutundi. Ide reverse ga konugolu anedi **Procure-to-Pay (MM → FI)**. Ee "golden thread" artham ayite ERP integration anta artham avutundi.



Why interviewers love this. If you can narrate Order-to-Cash and Procure-to-Pay across modules, you've proven you understand *integration* — the thing that separates someone who "knows SAP screens" from someone who understands SAP. Memorize the two threads.

Picture it: one customer order is a **baton** passed hand-to-hand — Sales → Materials → Delivery → Billing → Finance — and every department holds the *same* baton, so nobody re-types anything and finance sees the sale the instant it ships.

Real example — Procure-to-Pay (buying raw material):

1. **MM** — Purchase Requisition → Purchase Order to a vendor.

2. **MM** — Goods Receipt when the truck arrives (stock goes up).
3. **FI** — Invoice Receipt creates a payable to the vendor.
4. **FI** — Payment run pays the vendor; cash goes down. Each step posts to the same ledger, so finance always knows the live cash position.

C4. Master Data vs Transactional Data

Simple definition: SAP data splits into **master data** (the relatively stable "nouns" — customers, vendors, materials, employees) and **transactional data** (the "verbs/events" — orders, invoices, goods movements that reference the master data). Getting master data right is 80% of a clean SAP system.

Telugu: SAP data rendu rakalu: (1) **Master data** = sthiranga unde "nouns" — customers, vendors, materials, employees (oksari setup cheste chala kaalam undevi). (2) **Transactional data** = jarige "events" — orders, invoices, goods movements (ivi master data ni reference chestaayi). Master data clean ga unte ne system anta clean.

	Master Data	Transactional Data
Nature	Stable "who/what"	Event "what happened"
Examples	Customer, Vendor, Material, GL account	Sales order, Invoice, Goods movement
Changes	Rarely	Constantly
Analogy	Contacts in your phone	Your call history

Why you'll care as a developer. Almost every app, OData service, CAP entity or Fiori list you build reads master data to fill dropdowns/valid values and writes transactional data as the user's action. The distinction shapes your data model.

Part D — SAP ECC & the ABAP World

ECC is the system you'll still meet at most clients (until 2027). Even in a modern S/4HANA/BTP job you must understand the classic backbone: the three-tier architecture, ABAP, and the transport/landscape system that governs how changes move to production.

D1. What is ECC

Simple definition: **SAP ECC (ERP Central Component)** is the traditional on-premise ERP core (part of the SAP Business Suite, latest version ECC 6.0). It runs the same modules (FI, MM, SD...), is written mostly in **ABAP**, and traditionally ran on **any database** (Oracle, DB2, SQL Server, and later HANA). It's the predecessor S/4HANA replaces.


Telugu: **ECC** (ERP Central Component) ante SAP yokka traditional on-premise ERP core — Business Suite lo part, latest ECC 6.0. Adhe modules (FI, MM, SD...) run chestundi, mostly **ABAP** lo raasaru, mariyu edi database meedanna (Oracle, DB2, SQL Server) padedi. S/4HANA ide replace chestundi.

One-line contrast to remember: *ECC* = classic ERP that runs on any database; *S/4HANA* = next-gen ERP that runs only on HANA. Everything else (simpler data model, Fiori-first UX) flows from that.

D2. The 3-Tier Architecture

Simple definition: Classic SAP (R/3 through ECC and still S/4HANA on-prem) uses a **three-tier architecture**: **Presentation** (the UI — SAP GUI or now Fiori in the browser), **Application** (the server that runs ABAP business logic, called the *NetWeaver AS ABAP*), and **Database** (where data lives). Scaling means adding more application servers.

Telugu: Classic SAP **3-tier architecture** vaadutundi: (1) **Presentation** = screen (paata SAP GUI, ippudu browser lo Fiori), (2) **Application** = ABAP logic run chese server (NetWeaver AS ABAP), (3) **Database** = data store. Load ekkuvaithe marenni application servers add chestaaru. Ee 3 layers — React lo frontend / backend / DB laaganE.



Web-dev parallel: presentation = frontend, application server = your Node/Java backend, database = your DB. SAP formalized this split decades before "3-tier web app" was a phrase.

D3. ABAP — the Classic Language

Simple definition: **ABAP (Advanced Business Application Programming)** is SAP's own programming language — the language ECC and much of S/4HANA's backend logic is written in. It's a strongly-typed, database-centric language (built-in SQL called *Open SQL*), runs inside the SAP application server, and is the classic SAP developer's core skill.

Telugu: **ABAP** ante SAP sontha programming language — ECC mariyu S/4HANA backend logic ide lo raasaru. Idi strongly-typed, database-centric (built-in SQL = *Open SQL*), SAP application server lopala run avutundi. Classic SAP developer ki ABAP core skill — kaani ippudu modern side lo CAP (Node/Java) kooda vachindi.

```
" A tiny ABAP snippet: read customers into a table and loop
DATA lt_customers TYPE TABLE OF kna1.

SELECT kunnr, name1
  FROM kna1
 INTO CORRESPONDING FIELDS OF TABLE @lt_customers
 WHERE land1 = 'IN'.           " customers in India


LOOP AT lt_customers INTO DATA(ls_cust).
  WRITE: / ls_cust-kunnr, ls_cust-name1.
ENDLOOP.
```

JS parallel: ABAP is verbose and enterprise-flavored (think old-school Java-meets-SQL), but the ideas map: variables, loops, functions (*forms/methods*), and inline SQL. Modern ABAP even added [@](#) inline declarations and objects, and the **RAP** model (Part K) makes ABAP produce OData services and Fiori apps — so ABAP is very much alive in S/4HANA.

D4. Clients, Transports & System Landscape

Simple definition: Two SAP-specific concepts every developer must know. A **client** is an isolated tenant *inside* one SAP system (identified by a 3-digit number like [100](#)) with its own data. A **transport** is the packaged unit of changes that moves your development from the **DEV** → **QA** → **PROD** systems (the "system landscape") in a controlled, auditable way.

Telugu: Rendu SAP-special concepts: (1) **Client** = oke SAP system lopala isolated tenant (3-digit number, e.g. 100), sontha data tho. (2) **Transport** = nee code/config changes ni oka package ga **DEV** → **QA** → **PROD** systems gunda move chese controlled unit. Git lo commit/PR/deploy laaga — kaani SAP style lo, full audit trail tho.



Git parallel: a transport is roughly a **commit + PR that promotes across environments**. DEV→QA→PROD is your dev→staging→production pipeline, but SAP enforces it at the system level with change records and approvals. Never edit PROD directly — the same rule you already live by.

Part E — SAP HANA (the Engine That Changed Everything)

HANA is the hinge the whole modern SAP story turns on. It's not a module or an app — it's a database that is so much faster than the old ones that SAP could rebuild its entire ERP around it. Understand HANA and you

understand why S/4HANA exists.

E1. What is HANA

Simple definition: **SAP HANA (High-performance ANalytic Appliance)** is SAP's **in-memory, columnar database**. It keeps the whole dataset in **RAM** (not on slow disk) and stores data by **columns** (not rows), which together make analytical reads staggeringly fast — and let one system do both transactions and analytics at once (**HTAP**).


Telugu: **SAP HANA** ante SAP yokka **in-memory, columnar database**. Data anta **RAM** lo unchutundi (slow disk lo kaadu) mariyu **columns** ga store chestundi (rows kaadu). Ee rendu kalisi reports ni chala fast chestaayi — mariyu oke system lo transactions + analytics rendu okesari cheyochu (HTAP). Ide modern SAP ki foundation.

Name note. People say "HANA" for the database, "S/4HANA" for the ERP that runs on it. Don't mix them: **HANA = the database engine; S/4HANA = the application that sits on HANA.**

E2. In-Memory & Columnar — Why It's Fast

Simple definition: Two ideas stacked. **In-memory:** RAM is $\sim 10,000\times$ faster to access than a spinning disk, so keeping data in RAM removes the biggest bottleneck. **Columnar:** storing each column together means a query that sums one column (e.g. total sales) reads only that column, not every full row — and columns compress extremely well, so more fits in RAM.

Telugu: Rendu ideas: (1) **In-memory** — RAM disk kante chala ($\sim 10,000\times$) fast, anduke data anta RAM lo pedite speed peragutundi. (2) **Columnar** — data ni column-wise store cheste, "total sales" lanti query oke column ni chaduvutundi, prati full row kaadu; mariyu columns baaga compress avutaayi, ekkuva data RAM lo padutundi.



Everyday analogy. Row storage is a filing cabinet where each folder holds one customer's *entire* record; to total everyone's sales you open every folder. Column storage keeps all the "sales" numbers on one single sheet — you read one sheet and you're done.

E3. HANA vs a Normal Database

Simple definition: Compared to a traditional row-based disk database (Oracle, MySQL, SQL Server), HANA trades cheap disk for expensive RAM to gain enormous speed, merges the separate "operational DB + reporting warehouse" into **one** system, and pushes calculations *into* the database (so the app server does less).

Telugu: Normal database (Oracle, MySQL) tho compare cheste — HANA cheap disk badulu costly RAM vaadi pedda speed sampadistundi, "operational DB + separate reporting warehouse" ni **oke system** lo kalupyundi, mariyu calculations ni database *lopaE* chestundi (app server load thaggutundi). Cost ekkuva kaani speed + simplicity chala ekkuva.

	Traditional DB (row, disk)	SAP HANA (column, in-memory)
Storage	Disk	RAM (with disk persistence for safety)
Layout	Row-based	Columnar (+ optional row)
Analytics	Needs a separate data warehouse	Same system does OLTP + OLAP (HTAP)
Aggregate tables	Many, to fake speed	Mostly gone — compute live
Cost	Cheaper hardware	Pricier RAM, but far faster

The payoff that created S/4HANA. Because HANA computes totals live, SAP could **delete thousands of pre-aggregated tables and indexes** from the ERP. That radical simplification of the data model *is* the technical core of S/4HANA (next part).

Part F — SAP S/4HANA (Modern ERP)

This is the product at the center of your career target. S/4HANA is the modern re-write of SAP's ERP: same business purpose as ECC, but a simplified data model, a Fiori-first UX, and built exclusively for HANA. Most SAP jobs 2025–2030 revolve around it.

F1. What is S/4HANA

Simple definition: **SAP S/4HANA** is SAP's current-generation ERP suite — "**SAP Business Suite 4 SAP HANA**." It runs *only* on the HANA database, has a dramatically **simplified data model** (e.g. the Universal Journal), a **Fiori-first** user experience, and is delivered both **on-premise/private cloud** and as a **public-cloud SaaS**.

Telugu: **S/4HANA** ante SAP yokka ippati-generation ERP — "SAP Business Suite 4 HANA." Idi **only HANA** meeda run avutundi, chala **simplified data model** (e.g. Universal Journal — finance anta oke table), **Fiori-first** UX, mariyu **on-premise/private cloud** + **public cloud SaaS** rendu ga vastundi. ECC yokka modern rebuild ani gurthupettuko.

Reading the name aloud once fixes it: *S(uite) 4(for) HANA*. The "4" is the version-and-pun; it is not "S-slash-4."

F2. What Actually Changed vs ECC

Simple definition: S/4HANA keeps the business processes but overhauls the plumbing: **simplified tables** (thousands of aggregate/index tables removed), the **Universal Journal** (**ACDOCA** merges FI+CO), **Fiori** as the primary UX (SAP GUI becomes secondary), embedded **analytics** on live data, and readiness for **cloud + AI**.

Telugu: S/4HANA business processes ni unchutundi kaani lopala plumbing anta marustundi: (1) **simplified tables** (chala aggregate/index tables teesesaru), (2) **Universal Journal** (ACDOCA — FI+CO oke table lo), (3) **Fiori** primary UX (SAP GUI secondary), (4) live data meeda **embedded analytics**, (5) **cloud + AI** ready. Business same, insides kotta.

Aspect	ECC	S/4HANA
Database	Any (Oracle, DB2, HANA...)	HANA only
Finance data	FI tables + CO tables + aggregates	Universal Journal (ACDOCA , one line-item table)
UX	SAP GUI (transaction codes)	Fiori apps first
Analytics	Separate BW warehouse	Embedded , on live data
Custom code	Free-for-all modifications	Clean core — extend on the side (Part L)
Data footprint	Large, redundant	Much smaller, simplified

ECC — classic

- Runs on any database
- 1000s of aggregate/index tables
- SAP GUI + transaction codes
- Separate BW system for analytics
- Core modified freely (hard upgrades)

S/4HANA — modern


- HANA only, in-memory
- Simplified: Universal Journal (ACDOCA)
- Fiori apps first
- Embedded analytics on live data
- Clean core — extend on the side

Concrete example. In ECC, checking a customer's total open balance might read several aggregate tables kept in sync by batch jobs. In S/4HANA, HANA sums the raw **ACDOCA** line items **live** — the aggregate tables simply don't exist anymore. Faster, simpler, always current.

F3. Deployment Options

Simple definition: S/4HANA comes in three main flavors: **On-Premise** (you run it in your own data center, full control, you patch it), **Private Cloud** (SAP-managed single-tenant, highly customizable — sold as **RISE with SAP**), and **Public Cloud** (multi-tenant SaaS, standardized, auto-updated — sold as **GROW with SAP**).

Telugu: S/4HANA moodu flavors lo vastundi: (1) **On-Premise** — nee sontha data center, full control, nuve maintain chestaavu. (2) **Private Cloud** — SAP manage chestundi, single-tenant, ekkuva customization (ide **RISE with SAP**). (3) **Public Cloud** — multi-tenant SaaS, standardized, auto-update (ide **GROW with SAP**). Part M lo RISE vs GROW detail lo undi.



The trend to know for interviews. SAP is pushing hard toward the **cloud** (private and public). New innovations, and especially the **AI/Joule** features, land in the cloud editions first. "Cloud ERP" is the direction of the entire company.

F4. Migration — Greenfield, Brownfield, Bluefield

Simple definition: Moving from ECC to S/4HANA happens three ways: **Greenfield** (brand-new clean implementation, redesign processes), **Brownfield** (technical system conversion — bring the existing system and its history across), and **Bluefield/selective** (a hybrid — new system but migrate selected data/processes).

Telugu: ECC nundi S/4HANA ki move moodu vidhaalaga: (1) **Greenfield** — kottaga, fresh ga, processes redesign chesi (clean start). (2) **Brownfield** — unna system ne technical ga convert cheyadam (history tho saha). (3) **Bluefield/selective** — rendinti mix (kotta system kaani select chesina data/processes migrate). Migration projects ippudu pedda demand — 2027 deadline valla.

Approach	What it is	Best when
Greenfield	New build, redesign processes	Old system is messy; want a fresh, clean-core start
Brownfield	Convert existing system in place	Processes are fine; want to preserve history & customizations
Bluefield	Selective/hybrid data transformation	Want a new model but keep chosen data

Why this is a jobs goldmine. With ECC support ending 2027, thousands of companies are running exactly these projects right now. "S/4HANA migration/conversion" experience is one of the most bankable lines on an SAP résumé.


Part G — SAP Fiori (the Face)

You have a full separate guide on Fiori & UI5. This part places it in the big picture — how the pretty screen relates to everything underneath — so the two documents lock together.

G1. Where Fiori Fits in the Big Picture

Simple definition: Fiori is the **UX layer** — the design language, and **SAPUI5** the JavaScript framework, that produce the modern browser-based apps sitting on top of S/4HANA. Fiori is the *face*; S/4HANA is the *brain*; OData is the *nervous system* carrying data between them.

Telugu: Fiori ante **UX layer** — design language, mariyu **SAPUI5** aa JavaScript framework — S/4HANA meeda koorchune modern browser apps ni tayararu chestaayi. Fiori = *mokham* (face), S/4HANA = *medadu* (brain), OData = *madhya data mose naralu* (nerves). Detail Fiori/UI5 notes lo undi — ikkada just big picture lo place chestunnam.



Before — old SAP GUI

- Gray, dense forms
- Cryptic codes (VA01, ME21N)
- Needs a training course
- Desktop only

After — SAP Fiori

- Clean, role-based tiles
- One task, done well
- Usable with no training
- Phone → tablet → desktop


Cross-reference. Everything about views, controllers, models, binding, routing and Fiori Elements lives in your **SAP Fiori & UI5 — Basics to Advanced** notes. This guide only needs you to remember: *Fiori is one layer of five, and it talks to the backend through OData.*

G2. The Launchpad as the Front Door

Simple definition: The **SAP Fiori Launchpad (FLP)** is the single web home screen — a grid of **tiles** — that an employee logs into. Each tile launches a Fiori app. Which tiles you see depends on your **role**. It's the "desktop"

that unifies dozens of apps behind one login, one theme, one search.

Telugu: **Fiori Launchpad (FLP)** ante employee login ayye single web home screen — **tiles** grid. Prati tile oka Fiori app open chestundi. Nee **role** batti edi tiles kanipistaayo decide avutundi (role-based). Anni apps ni oke login, oke theme, oke search kinda teesukoche "desktop." Ide employees ki SAP yokka front door.



*The **SAP Fiori Launchpad** — a role-based grid of tiles is the employee's home screen (custom mockup in Fiori's colours). This is the "after" to the old SAP GUI shown in Part B.*

Real-world feel. Log into a modern SAP company and you don't type transaction codes — you see a phone-like grid of tiles: "My Leave Requests," "Approve Purchase Orders," "Sales Pipeline." That's the Launchpad, and increasingly it also hosts the **Joule** assistant button (Part N) so you can just *ask* instead of hunting for a tile.

Part H — OData (the Language Between Front and Back)

OData is the single most important integration concept to carry between your Fiori notes and this one. It is the standard way SAP frontends, extensions and external systems read and write ERP data. Everything connected in Part L is connected by OData.

H1. What is OData

Simple definition: OData (Open Data Protocol) is a REST-based standard for building and consuming data APIs. An OData **service** exposes business data (entities like Products, Orders) over HTTP with a **self-describing metadata document**, so any client can discover what's available and do CRUD with predictable URLs and query options (`$filter` , `$expand` , `$select`).

Telugu: **OData** (Open Data Protocol) ante REST meeda built oka standard — data APIs kattadaniki + vaadadaniki. OData **service** business data ni (Products, Orders lanti **entities**) HTTP meeda expose chestundi, mariyu oka **self-describing metadata** istundi — client "edi data undi, edi fields unnayi" telusukoni predictable URLs tho CRUD cheyochu. REST + built-in query language ani anuko.

```
GET /sap/opu/odata/sap/ZPRODUCTS_SRV/Products?$filter=Price gt 100&$select=Name,Price
→ JSON list of products over 100, only Name + Price fields

POST /sap/opu/odata/sap/ZPRODUCTS_SRV/Products { "Name":"Widget", "Price":50 }
→ creates a new product
```

Why SAP standardized on it. One protocol lets Fiori apps, Excel, mobile apps, external partners and AI agents all talk to SAP the same way — with querying, paging and metadata built in, so you don't reinvent an API style per app.

H2. V2 vs V4

Simple definition: Two versions coexist. **OData V2** is older, still everywhere in existing Fiori apps and ECC/Gateway services. **OData V4** is the modern, leaner, more powerful version (better performance, richer queries) and is the standard for **new** S/4HANA, CAP and RAP development.


Telugu: Rendu versions unnayi: **OData V2** — paatadi, ippatiki chala Fiori apps + ECC lo undi. **OData V4** — modern, leaner, ekkuva powerful (better performance, richer queries) — kotta S/4HANA, CAP, RAP development ki ide standard. Interview lo: "kotta projects V4, legacy V2" ani cheppu.

	OData V2	OData V4
Age	Older, ubiquitous	Modern standard
Used by	Many existing Fiori apps, ECC Gateway	New S/4HANA, CAP, RAP
Performance	Chattier	Leaner, batched, faster
Direction	Legacy/maintenance	What you build new in

H3. OData as the Universal Connector

Simple definition: OData is the **contract** in the middle of SAP's architecture. The backend (S/4HANA via RAP, or BTP via CAP) **produces** OData services; the frontend (Fiori/UI5) and other consumers (mobile, agents, integrations) **consume** them. Learn OData well and you understand how every layer talks.

Telugu: OData anedi SAP architecture madhya lo unde **contract**. Backend (S/4HANA lo RAP, leda BTP lo CAP) OData services ni **produce** chestundi; frontend (Fiori/UI5) mariyu migta consumers (mobile, agents, integrations) vaatini **consume** chestaayi. OData baaga nerchukunte prati layer ela maatladukuntundo artham avutundi. Ide glue.



Part I — SAP BTP (the Platform)

BTP is where all the "new SAP" happens: custom apps, integrations, analytics and AI — built beside the ERP without touching it. If S/4HANA is the engine, BTP is the workshop next door where you build add-ons and wire systems together.

I1. What is BTP

Simple definition: SAP BTP (Business Technology Platform) is SAP's cloud **Platform-as-a-Service** — a single environment bringing together **application development, integration, data & analytics**, and **AI** services. It's where you build **extensions** and **side-by-side apps** that work *with* S/4HANA without modifying the core.


Telugu: SAP BTP (Business Technology Platform) ante SAP yokka cloud **Platform-as-a-Service** — **app development, integration, data & analytics, AI** — anni oke chota. Ikkade nuvvu **extensions + side-by-side apps** kattutaavu, S/4HANA core ni taakakunda. S/4HANA = engine ayite, BTP = pakkana workshop.

The mindset shift — "keep the core clean." Old SAP: developers modified the ERP directly (risky, breaks upgrades). Modern SAP: you build on **BTP** and connect via OData/APIs, so upgrades stay painless. This is the **clean core** philosophy (Part L2) and BTP is the place it happens.

12. The Four Pillars

Simple definition: BTP is usually described as four capability areas: **Application Development & Automation** (build apps, workflows — CAP, SAP Build), **Integration** (connect systems — Integration Suite), **Data & Analytics** (SAP Datasphere, SAC), and **Artificial Intelligence** (AI Foundation, Generative AI Hub, Joule).

Telugu: BTP ni **4 pillars** ga cheptaru: (1) **App Dev & Automation** — apps + workflows kattadam (CAP, SAP Build), (2) **Integration** — systems ni connect cheyadam (Integration Suite), (3) **Data & Analytics** — Datasphere, SAC, (4) **AI** — AI Foundation, Generative AI Hub, Joule. Ee 4 nee SAP developer toolbox.



13. Cloud Foundry vs ABAP vs Kyma

Simple definition: BTP offers three **runtime environments** to run your code: **Cloud Foundry** (the main one — run Node.js/Java/Python apps, where CAP typically lives), **ABAP Environment** ("Steampunk" — run ABAP/RAP in the cloud), and **Kyma** (a managed Kubernetes for containerized/microservice workloads).

Telugu: BTP lo nee code run cheyadaniki moodu **runtimes**: (1) **Cloud Foundry** — main one, Node/Java/Python apps (CAP ikkade undi), (2) **ABAP Environment** ("Steampunk") — cloud lo ABAP/RAP run cheyadam, (3) **Kyma** — managed Kubernetes, containers/microservices ki. Nee background (JS/Node) valla **Cloud Foundry + CAP** neeku most natural.

Runtime	Run what	Your fit
Cloud Foundry	Node.js / Java / Python — CAP apps	✅ Best match for your JS/Node roadmap
ABAP Environment ("Steampunk")	Cloud ABAP + RAP	For classic ABAP devs going cloud
Kyma	Containers / Kubernetes / microservices	For container-native teams

Your path. Because your roadmap is Web Dev → JS/Node → React, the **Cloud Foundry + CAP (Node.js)** lane on BTP is your natural entry into SAP backend development — you'll write JavaScript, not ABAP, to build OData services.

Part J — CAP (Cloud Application Programming Model)

This is likely YOUR backend home in SAP — CAP lets you build enterprise OData services in Node.js (or Java). It's the SAP-flavored equivalent of Express + an ORM + auto-generated APIs, and it's where your JavaScript skills convert directly into SAP employability.

J1. What is CAP

Simple definition: CAP (SAP Cloud Application Programming Model) is a framework for building business services and apps on BTP. You describe your data and services declaratively in **CDS**, and CAP **auto-generates** a full **OData** service (with database, CRUD handlers, validation) — in **Node.js** or **Java**. You only write custom logic where needed.

Telugu: CAP ante BTP meeda business services + apps katte framework. Nuvvu data + services ni **CDS** lo declaratively cheptaavu, CAP dani nundi full **OData** service ni **auto-generate** chestundi (database, CRUD, validation anta) — **Node.js** leda **Java** lo. Custom logic avasaramaina chote raastaavu. Nee JS skills ikkade directly SAP job ga marutaayi.

Why this is your golden door. Everything you learn in Phases 4–7 (JavaScript, Node) plugs straight into CAP. You define a schema, run one command, and you have a production-style OData API a Fiori app can consume — no ABAP required. CAP is SAP saying "web developers, come build on us in the language you already know."

J2. CDS — the Heart of CAP

Simple definition: CDS (Core Data Services) is a declarative language to define your **data model** (entities, fields, associations) and **service interfaces** in compact `.cds` files. From one CDS definition, CAP generates database tables *and* the OData service. CDS is used in both CAP and (a variant of) RAP — so it's a concept worth owning.

Telugu: CDS (Core Data Services) ante nee **data model** (entities, fields, associations) mariyu **service interfaces** ni compact `.cds` files lo declaratively raase language. Oke CDS definition nundi CAP database tables + OData service rendu generate chestundi. CDS ni CAP mariyu RAP rendintilo vaadataaru — anduke idi own cheyaalsina concept.


```
// db/schema.cds – define the data model once
namespace my.bookshop;

entity Books {
  key ID      : Integer;
  title       : String(111);
  stock       : Integer;
  author      : Association to Authors; // relationship
}

entity Authors {
  key ID : Integer;
  name   : String(111);
  books  : Association to many Books on books.author = $self;
}
```

```
// srv/cat-service.cds – expose them as an OData service
using my.bookshop from '../db/schema';

service CatalogService {
  entity Books as projection on bookshop.Books;
  entity Authors as projection on bookshop.Authors;
}
```

What you get for free. From those two tiny files, CAP gives you a running OData V4 service with full CRUD, `$filter` / `$expand`, pagination and a database schema. That is the productivity leap that makes CAP attractive — and it maps directly onto the "define a model, get an API" instinct you already have from web dev.

J3. A Minimal CAP App

Simple definition: A CAP project is a Node.js app with `db/` (CDS data model), `srv/` (CDS services + optional JS handlers), and a `package.json`. You scaffold with the `cds` CLI, add custom logic in a `.js` file next to the service, and run it locally — exactly the mental model of an Express project with superpowers.

Telugu: CAP project oka Node.js app: `db/` (CDS model), `srv/` (CDS services + optional JS handlers), `package.json`. `cds` CLI tho scaffold chestaavu, custom logic ni service pakkana `.js` file lo raastaavu, local ga run chestaavu. Express project laaganE — kaani built-in OData + DB superpowers tho.

```
// srv/cat-service.js - custom logic, just like an Express route handler
module.exports = (srv) => {
  // run extra logic before a Book is created
  srv.before('CREATE', 'Books', (req) => {
    if (req.data.stock < 0) {
      req.error(400, 'Stock cannot be negative'); // validation
    }
  });

  // a custom action
  srv.on('READ', 'Books', async (req, next) => {
    const books = await next(); // default read
    return books; // could enrich here
  });
};
```

```
npm install -g @sap/cds-dk # the CAP CLI
cds init bookshop          # scaffold
cds watch                  # run locally, live-reload, OData at /odata/v4/...
```

JS parallel. `srv.before('CREATE', ...)` is a middleware/hook; `cds watch` is your `nodemon`. If you're comfortable with Express middleware and an ORM, CAP will feel like home within a day.

J4. CAP vs Node/Express

Simple definition: CAP is Node/Express-shaped but opinionated for enterprise: you get **OData, a data model layer, database portability, auth, and draft handling out of the box**, whereas with Express you assemble those from libraries yourself. CAP trades some freedom for a huge amount of built-in business-app plumbing.

Telugu: CAP anedi Node/Express laaganE kaani enterprise kosam opinionated: **OData, data model layer, database portability, auth, draft handling** — anni built-in vastaayi. Express lo ivi nuvve libraries tho kalupukovali. CAP konta freedom vadili, chala business-app plumbing ni free ga istundi. Enterprise ki ide win.

	Express (plain Node)	SAP CAP
API style	You design it	OData by default (standard)
Data layer	Pick an ORM	CDS built in
Validation/auth	Add libraries	Declarative, built in
Database	You wire it	Portable (SQLite dev → HANA prod)
Best for	Anything	Enterprise business services on SAP

Takeaway. Keep your Express/Node skills sharp — CAP is those skills, aimed at SAP. This is the single most direct bridge from your web-dev background into a paid SAP role.

Part K — RAP (ABAP RESTful Application Programming Model)

RAP is CAP's twin on the ABAP side. Where CAP builds OData services in Node/Java on BTP, RAP builds them in modern ABAP right inside S/4HANA. You should recognize it and know when each is used — even if CAP is your day-to-day.

K1. What is RAP

Simple definition: **RAP (ABAP RESTful Application Programming Model)** is the modern way to build **OData services and Fiori apps in ABAP**, running inside S/4HANA (or the BTP ABAP Environment). It's SAP's answer to "how do classic ABAP developers build clean, cloud-ready, Fiori-first apps" — the successor to older ABAP UI programming.


Telugu: **RAP** (ABAP RESTful Application Programming Model) ante modern ABAP lo **OData services + Fiori apps** katte vidhaanam, S/4HANA lopala (leda BTP ABAP Environment lo) run avutundi. Classic ABAP developers ki "clean, cloud-ready, Fiori-first apps ela kattaali" ane daaniki SAP answer. CAP yokka ABAP twin ani anuko.

One clean sentence for interviews: *CAP builds OData services in Node/Java on BTP; RAP builds OData services in ABAP inside S/4HANA. Both output OData V4 that Fiori consumes. Same destination, different language and location.*

K2. The RAP Building Blocks

Simple definition: A RAP service is built in layers: a **CDS data model** (the tables/views), a **behavior definition** (what CRUD/actions are allowed and their logic), a **service definition** (what to expose), and a **service binding** (publish it as OData V2/V4). Fiori Elements then renders a UI from it — often with almost no UI code.

Telugu: RAP service layers lo untundi: (1) **CDS data model** — tables/views, (2) **behavior definition** — edi CRUD/actions allowed + logic, (3) **service definition** — edi expose cheyaali, (4) **service binding** — OData V2/V4 ga publish. Taruvata **Fiori Elements** dani nundi UI generate chestundi — chala takkuva UI code tho.



Notice the shared vocabulary. Both CAP and RAP start from a **CDS** model and end in an **OData** service consumed by **Fiori**. That shared spine — CDS → OData → Fiori — is the unifying idea of modern SAP development, whichever language you pick.

| K3. CAP vs RAP — When to Use Which

Simple definition: Use **RAP** when you're extending S/4HANA *in the core* with ABAP skills and the data lives in S/4HANA. Use **CAP** when you're building *side-by-side* apps on BTP, especially with Node.js/Java skills, or integrating multiple systems. Many landscapes use both.

Telugu: **RAP** — S/4HANA ni *core lo* ABAP tho extend chestunnappudu, data S/4HANA lo unnappudu. **CAP** — BTP meeda *side-by-side* apps kattetappudu, mukhyanga Node/Java tho, leda chala systems integrate chestunnappudu. Chala companies rendu vaadataayi. Neeku Node background valla **CAP** entry point.

	RAP	CAP
Language	ABAP	Node.js / Java
Runs in	S/4HANA / BTP ABAP env	BTP (Cloud Foundry / Kyma)

	RAP	CAP
Best for	In-core S/4HANA extensions	Side-by-side apps, integrations, greenfield cloud
Output	OData → Fiori	OData → Fiori
Your fit	Later, if you learn ABAP	✅ Now, via your JS/Node skills


Part L — The Connected Picture

This is the payoff part — the reason the request said "S/4HANA, Fiori, BTP, CAP, RAP, OData connected." Individually they're acronyms; together they're one coherent machine. Here's the wiring diagram of modern SAP, followed by a single request traced end to end.

L1. How S/4HANA + Fiori + OData + BTP + CAP + RAP Click Together

Simple definition: They form a stack. **HANA** stores data. **S/4HANA** runs business logic on it and exposes data via **RAP** → **OData**. **Fiori/UI5** apps consume that OData to render screens. **BTP** sits beside S/4HANA hosting **CAP** apps (also exposing OData) and integrations — so custom features live outside the core. **OData** is the shared contract linking every arrow.

Telugu: Ivi anni oka **stack**. **HANA** data store chestundi. **S/4HANA** dani meeda business logic run chesi **RAP** → **OData** ga data expose chestundi. **Fiori/UI5** aa OData ni consume chesi screens choopistundi. **BTP** pakkana undi **CAP** apps + integrations host chestundi (avi kooda OData istaayi) — custom features core bayata untaayi. Prati arrow ni kalipedi **OData**. Ide full picture.




Read the diagram as one sentence. *Users open Fiori apps → which call OData services → produced by RAP inside S/4HANA (on HANA) or by CAP on BTP → and BTP's integration and AI services enrich it all — every connection speaking OData.*

L2. The Extension Story — Clean Core

Simple definition: Clean core is the modern rule: **don't modify the S/4HANA core**; instead extend it in released, upgrade-safe ways — small **in-app** extensions (key user tools) for simple needs, and **side-by-side** extensions on **BTP** (via CAP) for bigger custom apps, all connected through released **OData/APIs**. This keeps upgrades cheap and the system cloud-ready.

Telugu: Clean core ante modern rule: **S/4HANA core ni modify cheyoddu**; badulu upgrade-safe methods lo extend cheyi — chinna avasaraalaku **in-app** extensions (key user tools), pedda custom apps ki **BTP meeda side-by-side** (CAP tho), anni released **OData/APIs** gunda connect. Idi upgrades ni cheap + system ni cloud-ready ga unchutundi. "Core ni taakaku, pakkana kattu."




Why this matters for the whole industry (and your job). The old habit of hacking the ERP directly made upgrades a nightmare and blocked the move to cloud. Clean core + BTP is how SAP frees customers to take continuous updates (and AI features) — which is exactly why **BTP/CAP developer** roles are booming. You'd be building the side-by-side layer.

L3. One Request, End to End

Simple definition: To cement it, trace a single user action — *"approve this purchase order"* — through every layer, so the acronyms become one continuous motion instead of separate words.

Telugu: Anta oke chota kalapadaniki, oka user action — *"ee purchase order ni approve cheyi"* — ni prati layer gunda trace cheddaam. Appudu acronyms anni separate padalu kaakunda oke continuous flow ga kanipistaayi. Kinda steps chaduvu.



1. **User** taps *Approve* in a **Fiori** app on the Launchpad.
2. UI5 sends an **OData PATCH** to the service.
3. The **RAP** behavior (in **S/4HANA**) validates the user's authorization and business rules.
4. It writes to the simplified tables on **HANA**; the **Universal Journal** reflects any financial effect instantly.

5. OData returns the updated entity; the Fiori screen re-renders — and any **BTP** integration (e.g. notify the vendor) or **Joule** agent watching the process can react.

That single flow is modern SAP. Everything in this guide is one box in that motion. If you can narrate it, you can hold your own in an SAP architecture conversation.

Part M — Modern SAP: Cloud ERP, RISE & GROW

SAP's business model has shifted from selling licenses to selling cloud subscriptions. Two brand names — RISE and GROW — package that, and they come up constantly in 2025–2026 SAP conversations. Know what each bundles.

M1. RISE with SAP

Simple definition: **RISE with SAP** is a bundled subscription that moves a company to **S/4HANA Cloud, Private Edition** as a **fully-managed service** — SAP orchestrates the software, the HANA database, infrastructure (on a hyperscaler you choose: AWS/Azure/GCP), tools and migration services, in one contract. It targets **existing SAP customers** who need customization and control while moving to cloud.

Telugu: **RISE with SAP** ante oka bundled subscription — company ni **S/4HANA Cloud, Private Edition** ki move chestundi, **fully-managed service** ga. SAP software + HANA + infrastructure (nuvvu choose chese AWS/Azure/GCP) + tools + migration anta oke contract lo manage chestundi. Ekkuva customization + control kaavaalanukune **existing SAP customers** kosam. "Cloud ki move, kaani nee own processes unchukuntu."

Mnemonic. *RISE = existing customers RISE up to cloud, keeping their customizations.* Private edition = single tenant, brownfield or greenfield, more control.

M2. GROW with SAP

Simple definition: **GROW with SAP** is the equivalent bundle for **S/4HANA Cloud, Public Edition** — a true multi-tenant **SaaS** with standardized best-practice processes, fast (greenfield-only) implementation, and automatic quarterly updates. It targets **new / mid-market customers** who want speed and standard processes over deep customization.

Telugu: **GROW with SAP** ante **S/4HANA Cloud, Public Edition** kosam bundle — nijamaina multi-tenant **SaaS**, standardized best-practice processes, fast (greenfield only) implementation, automatic quarterly updates. Deep customization kante speed + standard processes kaavaalanukune **kotta / mid-market customers** kosam. "Fresh ga, fast ga, standard ga."

Mnemonic. *GROW = new/growing companies, standardized public cloud, always up to date.* Public edition = multi-tenant, greenfield, less custom, latest innovations first.

M3. RISE vs GROW

Simple definition: Same core product (S/4HANA Cloud) in two editions: **RISE = Private Edition** (customizable, existing customers, single-tenant), **GROW = Public Edition** (standardized SaaS, new customers, multi-tenant).

Both follow **clean core** and get **Business AI / Joule**.

Telugu: Oke core product (S/4HANA Cloud), rendu editions: **RISE = Private Edition** (customizable, existing customers, single-tenant), **GROW = Public Edition** (standardized SaaS, new customers, multi-tenant). Rendu **clean core** follow chestaayi mariyu **Business AI / Joule** pondutaayi. Interview lo ee table gurthupettuko.

	RISE with SAP	GROW with SAP
Edition	S/4HANA Cloud Private	S/4HANA Cloud Public
Tenancy	Single-tenant	Multi-tenant SaaS
Customization	High (RAP + BTP)	Standard + side-by-side (BTP)
Implementation	Greenfield or brownfield	Greenfield only
Target	Existing/large enterprises	New/mid-market
Updates	Scheduled	Automatic quarterly


Part N — SAP Business AI & Joule

Now the layer that's reshaping SAP in 2025–2026. SAP's pitch is "AI built into the processes, grounded in your business data." Joule is the face of that. This part explains Business AI, what Joule is, and — importantly — how it actually works, so you're not hand-waving in an interview.

N1. SAP Business AI — the Three Layers

Simple definition: **SAP Business AI** is SAP's umbrella strategy for AI that is **relevant** (built into business processes), **reliable** (grounded in real business data, not hallucinated), and **responsible** (governed, ethical). It shows up in three layers: **embedded AI** inside apps, the **Joule** copilot/agents across apps, and the **AI Foundation** on BTP for building custom AI.

Telugu: **SAP Business AI** ante SAP yokka AI strategy — **relevant** (business processes lo built-in), **reliable** (nijamaina business data meeda grounded, hallucination kaadu), **responsible** (governed, ethical). Idi moodu layers lo kanipistundi: (1) apps lo **embedded AI**, (2) apps anta **Joule** copilot/agents, (3) BTP meeda custom AI kattadaniki **AI Foundation**.



Grounding is the whole pitch. Generic chatbots make things up. SAP's edge is that its AI answers from **your actual ERP data and SAP's business knowledge** (via retrieval), so an answer about "open invoices for vendor X" is real, permission-checked, and actionable — not a guess.


N2. What is Joule

Simple definition: **Joule** is SAP's **generative-AI copilot** — a natural-language assistant embedded across SAP applications (S/4HANA, SuccessFactors, Ariba, Concur, BTP). You type or speak a request in plain language; Joule understands your context and either answers with grounded information or **performs the action** in the underlying app.

Telugu: **Joule** ante SAP yokka **generative-AI copilot** — anni SAP apps lo (S/4HANA, SuccessFactors, Ariba, Concur, BTP) embed ayina natural-language assistant. Nuvvu plain language lo adugu, Joule nee context artham chesukoni leda grounded answer istundi leda aa app lo **action chestundi**. Simple chatbot kaadu — idi nijanga pani chese assistant. Launchpad lo button ga untundi.

Real examples of a Joule request:

- "Show me overdue invoices for customer Acme and their total." → grounded answer from live FI data.
- "Create a leave request for next Monday to Wednesday." → Joule fills and submits the SuccessFactors form.
- "Why did gross margin drop in Q2?" → analytical explanation over your data.




Joule, SAP's AI copilot — ask in plain language; it answers from real ERP data or performs the action (custom mockup).

Scale note (2025–2026). SAP has expanded Joule massively — thousands of **Joule Skills** and dozens of specialized **agents** — turning it from a Q&A box into an action-taking layer over the whole suite (next part).

N3. How Joule Works Under the Hood

Simple definition: Joule pipelines a request through: **understand context** (which app, your role/permissions, history) → **plan** (match the request to available **skills/functions/scenarios** via a catalog) → **ground** (retrieve facts from SAP + your data using **RAG for enterprise, "RAGe"**) → **reason** (an LLM from the Generative AI Hub decides the answer or which function to call) → **act** (call the SAP backend to execute), always inside your **permissions**.

Telugu: Joule request ni ila pipeline chestundi: (1) **context artham** (edi app, nee role/permissions, history), (2) **plan** (request ni available **skills/functions** tho match — catalog nundi), (3) **ground** (SAP + nee data nundi facts retrieve — **RAGe**), (4) **reason** (Gen AI Hub lo LLM decide chestundi), (5) **act** (SAP backend call chesi execute). Anta nee **permissions** lopale. Grounding valla hallucination takkuva.



Why a developer should know this. It's exactly the pattern from your Phase-1 prompt-engineering and Claude Code work: context + tools/functions + retrieval + an LLM that decides whether to answer or call a function. Joule is that architecture, wired into enterprise data and guarded by SAP's authorization model. Your AI-engineering track and your SAP track **converge here**.

N4. The AI Foundation & Generative AI Hub

Simple definition: The **AI Foundation** is the set of BTP services for building AI into your own apps: access to multiple **LLMs** (SAP's and partners') through the **Generative AI Hub**, plus vector/embedding storage (**HANA Vector Engine**), grounding tools, and the ability to build custom **Joule agents/skills**. It's how *you*, the developer, add AI — governed and grounded — to a side-by-side app.

Telugu: **AI Foundation** ante BTP lo AI kattadaniki unde services set: **Generative AI Hub** gunda konni **LLMs** (SAP + partners) access, **HANA Vector Engine** (embeddings/vector store), grounding tools, mariyu custom **Joule agents/skills** build cheye ability. Ide nuvvu — developer — governed + grounded AI ni nee side-by-side app lo add chese chotu. Nee Gen-AI skills ki SAP home.

The one-line link to your career. Generative AI Hub is SAP's "call an LLM safely, with enterprise data and governance" service. If you know how to build AI apps (prompts, RAG, tool-calling), the AI Foundation is where you do it inside SAP — a rare and rising skill combining your two tracks.



Part O — Agentic SAP & the Autonomous Enterprise

The frontier, and the exact terms the request highlighted. 2025–2026 SAP is shifting from "AI that answers" (copilot) to "AI that acts on its own" (agents) — and stringing agents together into processes that run with little human input: the Autonomous Enterprise. Here's what those words actually mean.

O1. Copilot vs Agent — the Big Shift

Simple definition: A **copilot** waits for you and helps with one step (you stay in the loop each time). An **agent** is **goal-driven and autonomous**: give it an objective and it can **plan, reason across multiple steps, call tools, and complete a whole task** with minimal supervision — even handing off to other agents. Joule is evolving from copilot toward a network of agents.

Telugu: Copilot — nuvvu adiginappudu oka step help chestundi (prati saari nuvvu loop lo untaavu). **Agent** — **goal-driven + autonomous**: oka goal iste, adi **plan chesi, multiple steps reason chesi, tools call chesi, full task complete** chestundi — konnisaarlu vere agents ki handoff kooda. Joule copilot nundi agents network vaipu marutondi. "Help chesedi vs sontanga pani chesedi."



Why this is the industry's big bet. Surveys of enterprise buyers now cite **agentic AI** as a top purchase criterion. The promise: not "a faster form," but "a task that completes itself." SAP's advantage is that agents act on **real, permissioned ERP data and processes** — where autonomous action has real business value (and real risk, hence governance).


O2. Joule Agents

Simple definition: **Joule Agents** are specialized, autonomous AI agents built into SAP that handle specific business jobs end-to-end — e.g. a **dispute-resolution agent**, a **cash-collection agent**, a **sourcing agent**. They collaborate: one agent's output triggers another, chaining across processes. SAP ships a growing library of them (dozens, across finance, supply chain, HR, service, sales) plus thousands of underlying skills.

Telugu: **Joule Agents** ante SAP lo built specialized autonomous agents — oka specific business pani ni end-to-end chestaayi. Example: **dispute-resolution agent**, **cash-collection agent**, **sourcing agent**. Ivi kalisi pani chestaayi — oka agent output vere agent ni trigger chestundi, process anta chain avutundi. SAP finance, supply chain, HR, service, sales anta konni dozens agents + velaadi skills ship chestondi.

Concrete multi-agent example (real SAP scenario).

1. A **case-classification agent** reads an incoming customer complaint and identifies it as a **billing dispute**.
2. It routes it to the **cash-collection / dispute-resolution agent**, which pulls the invoice, checks the contract, and proposes (or applies) a resolution.
3. Finance is updated automatically — a process that used to take days resolves in seconds, with humans only approving exceptions.



O3. Joule Studio — Build Your Own Agent

Simple definition: **Joule Studio** (part of the AI Foundation on BTP) is the **low-code/pro-code builder** where you create **custom Joule agents and skills** — defining the agent's goal, the tools/OData services it may call, the data it grounds on, and its guardrails. This is where an SAP+AI developer actually builds agentic solutions.

Telugu: **Joule Studio** (BTP AI Foundation lo part) ante **custom Joule agents + skills** katte **low-code/pro-code builder** — agent goal, adi call cheyagala tools/OData services, ground ayye data, mariyu guardrails define chestaavu. Ide SAP+AI developer nijanga agentic solutions katte chotu. Nee prompt-engineering + tool-calling knowledge ikkade pani chestundi.


Direct line to your dual roadmap. Building a Joule agent = defining a goal + tools + grounding + guardrails. That is *precisely* the agent-building mental model from your Claude Code / prompt-engineering phases, now expressed in SAP's platform. Someone who can do both — SAP data model **and** agent design — is exactly the profile SAP customers are scrambling to hire in 2026.

O4. The Autonomous Enterprise

Simple definition: The **Autonomous Enterprise** is the end-state vision: a business where **networks of AI agents run end-to-end processes** (order-to-cash, procure-to-pay, hire-to-retire) largely on their own — sensing

events, deciding, and acting across systems — while humans set goals, handle exceptions, and govern. It's the destination all the previous layers (S/4HANA + BTP + Joule + agents) are building toward.

Telugu: Autonomous Enterprise ante final vision: **AI agents networks end-to-end processes** (order-to-cash, procure-to-pay lantivi) ni chala varaku sontanga nadipe business — events sense chesi, decide chesi, systems anta act chestaayi — humans just goals petti, exceptions handle chesi, govern chestaaru. Migta layers (S/4HANA + BTP + Joule + agents) ee destination vaipe build avutunnayi. "Processes tamu sontanga nadustaayi, manushulu direct chestaaru."



The honest framing (say this in interviews). The Autonomous Enterprise is a **direction, not a finished product** — today's reality is *many processes partly automated by agents, with humans in the loop for judgment and governance*. The value is real and growing; the mature end-state is still being built. Showing you understand both the promise **and** the "human-in-the-loop, governed, grounded" caveats marks you as someone who actually gets it.

Part P — Workflows & Process Automation

Agents are the new frontier, but a huge amount of enterprise automation is still deterministic workflows — defined steps, approvals and rules. Know the difference, because real projects mix both, and "workflow" is in the original request.

P1. What is a Workflow

Simple definition: A **workflow** is an automated sequence of **defined steps** that routes work between people and systems according to **fixed rules** — e.g. a leave request goes to your manager, then (if > 5 days) to HR, then updates the record. It's deterministic: same input, same path. Contrast with an agent, which decides its own path.

Telugu: **Workflow** ante **defined steps** yokka automated sequence — **fixed rules** batti people + systems madhya work ni route chestundi. Example: leave request → manager → (5 rojula kante ekkuvaithe) HR → record update. Idi deterministic — same input, same path. Agent decide chesukuntundi; workflow munde raasina path follow chestundi.

Everyday example — expense approval. You submit a \$2,000 expense. The workflow: under \$1,000 → auto-approved; \$1,000–5,000 → manager approves; over \$5,000 → manager + finance. Fixed, auditable, predictable. Most approval and routing logic in an enterprise is exactly this.

P2. SAP Build Process Automation

Simple definition: **SAP Build Process Automation (SBPA)** is the BTP low-code tool to design and run these workflows and **business rules**, plus **RPA bots** (robotic process automation — software that clicks through legacy UIs). It's part of the broader **SAP Build** family (Build Apps, Build Process Automation, Build Work Zone) for citizen and pro developers.

Telugu: **SAP Build Process Automation** (SBPA) ante BTP lo workflows + **business rules** ni design/run chese low-code tool, mariyu **RPA bots** (legacy UIs lo automatic ga click chese software) kooda. Idi pedda **SAP Build** family lo part — Build Apps (apps), Build Process Automation (workflows), Build Work Zone (portals). Low-code + pro-code rendintiki.

SAP Build product	What it builds
Build Apps	Low-code UI apps (drag-and-drop)
Build Process Automation	Workflows, business rules, RPA bots
Build Work Zone	Launchpad/portal experiences

Where AI meets it. SBPA now blends with agents: a workflow can call an AI skill (e.g. "extract data from this invoice PDF") mid-process, and Joule agents can trigger or be triggered by workflows. The future is **workflows + agents together** — deterministic where you need control, autonomous where you need judgment.

P3. Workflow vs Agent

Simple definition: Use a **workflow** when the process is well-defined and you want predictable, auditable, rule-based routing. Use an **agent** when the task needs reasoning, adapts to messy inputs, or has too many branches to script. Mature automation combines them: agents for judgment, workflows for the deterministic rails.

Telugu: **Workflow** — process clear ga define ayinappudu, predictable + auditable + rule-based routing kaavaalannappudu. **Agent** — task ki reasoning kaavaali, messy inputs ki adapt kaavaali, leda chala branches script cheyaleninappudu. Best automation rendu kalupytundi: judgment ki agents, deterministic rails ki workflows.

	Workflow	Agent
Path	Fixed, pre-designed	Decided at runtime
Best for	Rules, approvals, routing	Reasoning, messy/varied tasks
Predictability	High (auditable)	Lower (goal-driven)
Control	You script every branch	You set a goal + guardrails
SAP tool	SAP Build Process Automation	Joule Agents / Joule Studio

Part Q — Project Types & Career Paths

Finally, the practical map: what kinds of SAP projects exist, which developer roles they need, and where your specific Web-Dev → JS → React → SAP → AI roadmap lands you. This is the "so what do I actually do for a job" section.

Q1. The Kinds of SAP Projects

Simple definition: SAP work falls into recognizable project types. Knowing them helps you read job descriptions and pick a lane.

Telugu: SAP pani konni recognizable **project types** lo padutundi. Ivi teliste job descriptions artham avutaayi, mariyu neeku edi lane kaavaalo decide chesukovachu. Kinda table chaduvu.


Project type	What happens	Roles in demand
S/4HANA Implementation	Set up S/4HANA for a company (config + build)	Functional consultants, developers
S/4HANA Migration	Convert ECC → S/4HANA (green/brown/bluefield)	Migration specialists, ABAP/RAP devs
Fiori/UI5 Development	Build custom Fiori apps	UI5 developers (your Fiori notes)
BTP Extension	Side-by-side apps, integrations (CAP)	BTP/CAP (Node/Java) developers
Integration	Connect SAP ↔ other systems	Integration Suite specialists
Analytics	Dashboards, reporting (SAC, Datasphere)	Analytics consultants

Project type	What happens	Roles in demand
AI / Agentic	Joule agents, Gen AI apps on BTP	AI + SAP developers (rare, rising)
Support / AMS	Run & maintain live systems	Support consultants

Q2. The Developer Career Tracks

Simple definition: For a *developer* (not a functional consultant), three main tracks exist, roughly: **ABAP/RAP** (classic, in-core, S/4HANA), **Fiori/UI5** (frontend), and **BTP/CAP** (cloud full-stack, JS/Java). Increasingly a fourth: **SAP AI / agentic** developer, spanning BTP + AI Foundation + Joule Studio.

Telugu: **Developer** ki (functional consultant kaadu) moodu main tracks: (1) **ABAP/RAP** — classic, in-core, S/4HANA, (2) **Fiori/UI5** — frontend, (3) **BTP/CAP** — cloud full-stack (JS/Java). Ippudu nemmadiga naalgavadi peragutondi: **SAP AI / agentic** developer — BTP + AI Foundation + Joule Studio. Nee path ee chivari rendinti vaipu.



Q3. Where Your Roadmap Lands You

Simple definition: Your roadmap (Web Dev → JavaScript → React → SAP Fiori/UI5 → Node → BTP/CAP → AI) is deliberately aimed at the **modern, cloud, JS-based** side of SAP — **Fiori/UI5 + BTP/CAP + SAP AI** — the fastest-growing and least-crowded lane, and the one where your existing skills transfer with almost no waste.

Telugu: Nee roadmap (Web Dev → JS → React → Fiori/UI5 → Node → BTP/CAP → AI) kaavaalane **modern, cloud, JS-based** SAP vaipu pettaru — **Fiori/UI5 + BTP/CAP + SAP AI**. Ide fastest-growing, takkuva crowded lane, mariyu nee ippati skills waste kaakunda directly transfer ave lane. Nuvvu correct direction lo unnaavu.

Your concrete assembly (how the pieces you're learning stack into one profile):

- **React (Phase 6)** → **Fiori/UI5** frontend apps (your Fiori notes).
- **JavaScript + Node (Phases 4–5, 7)** → **CAP** backend OData services on **BTP**.
- **OData** → the contract joining your frontend and backend.
- **Prompt engineering + Claude Code (Phases 1–2)** → **Joule Studio agents** + **AI Foundation** apps.
- Together = a **full-stack SAP BTP developer who can also build AI agents** — a genuinely rare, well-paid 2026 profile.

One last mental hook. Everything in this document is one machine: *HANA remembers, S/4HANA decides, OData carries, Fiori shows, BTP extends, CAP/RAP build, Joule assists, agents act*. Learn the machine, and each new SAP acronym is just a part you already know where to bolt on.

Part R — Interview Cheat-Sheet

Fast, quotable one-liners. If you can say these cleanly, you sound like someone who understands SAP as a system, not a list of buzzwords.

Telugu: Kinda unnavi **interview lo direct ga cheppe one-liners**. Ivi clean ga cheppagaligite, "SAP ni system ga artham chesukunna vyakti" ani anipistundi. Table baaga practice cheyi.

Question	Crisp answer
What is SAP?	The world's leading ERP — one integrated system running a company's finance, supply chain, sales, HR, etc.
ECC vs S/4HANA?	ECC = classic ERP on any DB; S/4HANA = next-gen ERP, HANA-only , simplified data model, Fiori-first.
Why is HANA special?	In-memory + columnar → 1000× faster reads; runs transactions and analytics in one system (HTAP).
What's the Universal Journal?	ACDOCA — one table merging FI + CO line items in S/4HANA; single source of financial truth.
Fiori vs UI5?	Fiori = design language ; SAPUI5 = the JS framework that implements it.
What is OData?	REST-based protocol with self-describing metadata; the contract between SAP frontends and backends (V2 legacy, V4 modern).
What is BTP?	SAP's cloud PaaS for extensions, integration, analytics and AI — where clean-core side-by-side apps live.
CAP vs RAP?	Both produce OData → Fiori . CAP = Node/Java on BTP; RAP = ABAP in S/4HANA.
What is clean core?	Don't modify the core; extend via released APIs (in-app or side-by-side on BTP) so upgrades stay easy.
RISE vs GROW?	RISE = S/4HANA Cloud Private (existing, customizable); GROW = Public SaaS (new, standardized).
What is Joule?	SAP's grounded generative-AI copilot across apps — answers from real data and takes actions .
Copilot vs agent?	Copilot helps one step (you in the loop); agent is goal-driven, plans multi-step and acts autonomously.
Autonomous Enterprise?	Vision of agent networks running end-to-end processes with humans setting goals & handling exceptions.
Workflow vs agent?	Workflow = fixed, rule-based, auditable; agent = reasons and decides its own path. Mature systems use both.

Question	Crisp answer
Why 2027 matters?	ECC mainstream support ends 2027 (extended 2030) → industry-wide S/4HANA migration wave = jobs.

Part S — Glossary & Quick Reference

Every acronym in this guide in one place, so you can look up anything fast.

Telugu: Ee guide lo vachina **prati acronym** ikkada oke chota — edaina quick ga look up chesukovadaniki. Bookmark ee section.

Term	Full form / meaning
SAP	Systems, Applications & Products in data processing (the company & ERP)
ERP	Enterprise Resource Planning — integrated core-business software
R/1, R/2, R/3	SAP's early architecture generations (R = Real-time)
ECC	ERP Central Component — classic on-prem ERP (Business Suite)
S/4HANA	SAP Business Suite 4 HANA — modern ERP, HANA-only
HANA	High-performance ANalytic Appliance — in-memory columnar DB
HTAP	Hybrid Transactional/Analytical Processing (one system does both)
ACDOCA	The Universal Journal table (FI + CO line items)
ABAP	Advanced Business Application Programming — SAP's classic language
Fiori	SAP's UX design language
SAPUI5 / UI5	The JavaScript framework implementing Fiori
FLP	Fiori Launchpad — the tile-based home screen
OData	Open Data Protocol — REST-based data API standard (V2 / V4)
BTP	Business Technology Platform — SAP's cloud PaaS
CAP	Cloud Application Programming Model (Node/Java on BTP)
CDS	Core Data Services — declarative data-model language
RAP	ABAP RESTful Application Programming Model (ABAP in S/4HANA)
Clean core	Keep the ERP core unmodified; extend on the side
RISE with SAP	Managed S/4HANA Cloud Private Edition bundle

Term	Full form / meaning
GROW with SAP	S/4HANA Cloud Public Edition (SaaS) bundle
LoB	Line of Business (e.g. SuccessFactors=HR, Ariba=procurement, Concur=travel)
Business AI	SAP's relevant/reliable/responsible AI strategy
Joule	SAP's generative-AI copilot embedded across apps
Joule Agents	Specialized autonomous AI agents for business tasks
Joule Studio	BTP tool to build custom agents/skills
RAGe	Retrieval-Augmented Generation for enterprise (grounding)
AI Foundation	BTP AI services (Gen AI Hub, vector engine, agents)
Gen AI Hub	BTP service to access LLMs safely with governance
SBPA	SAP Build Process Automation — workflows, rules, RPA
Autonomous Enterprise	Vision: agent networks running end-to-end processes
DEV/QA/PROD	The three-system landscape; changes move via transports

Quick-reference — the modern SAP dev spine (memorize this one line):



Part T — The Working Vocabulary

Part S lists acronyms. **This part is different.** These are the everyday words that get spoken in an SAP room and typed into an SAP screen — client, T-code, DDIC, package, transport, master data, BAPI, LUW. Nobody defines them for you, because everyone assumes you know. Each entry says three things: **what it is**, **why it matters**, and **whether you will actually use it**.

Telugu: Part S lo acronyms unnayi. **Idi veru** — ivi SAP room lo roju maatlade padalu: client, T-code, DDIC, package, transport, master data, BAPI, LUW. Ee padalu evaru neeku explain cheyyaru, endukante "andariki telusu" ani anukuntaru. Prathi padaniki moodu vishayalu cheptunna: **adi emiti, adi enduku mukhyam, nuvvu nijamga vaadutava leda**. Ee section chadivaka, class lo, interview lo, project lo — evaru em maatladutunnaro ardham avutundi.

How to read the "Do you use it?" column:

Mark	Meaning
Daily	You will type or touch this most days
Know it	You must understand it and answer on it, but rarely touch it
Aware	Recognise the word when someone says it; do not study it now

T1. The System You Log Into

Simple definition: the words that describe *where* you are — which machine, which data set, which stage of the pipeline.

Telugu: Nuvvu **ekkada** unnava cheppe padalu. Ivi lo **Client** chala mukhyam — deeni ki web lo equivalent ledu, anduke kotta vaallu ikkade confuse avutaru.

Term	What it is	Why it matters	Use?
Client (German: Mandant)	A completely separate set of business data inside one SAP system. Stored in the MANDT field, the first key of nearly every table	Data in client 100 is invisible in client 200 — same programs, same database. "I can't see your record" is almost always a client mismatch	Daily
Client-dependent	Data that belongs to one client — table <i>rows</i> , config, business documents	This is most business data	Daily
Client-independent	Objects shared by all clients — programs, tables, DDIC objects, classes	Your Z table's definition exists everywhere; its rows do not	Daily
SID	The 3-character System ID, e.g. S4H , DEV	Shown in the status bar; how people name systems in conversation	Daily
Instance / Application server	The middle tier that runs ABAP, between the GUI and the database	Explains why "the server is slow" is not a GUI problem	Know it
Landscape	The chain of systems: DEV → QAS → PRD	Your code is written in DEV and travels. Nothing is written directly in production	Know it
Work process	A server slot that executes one request. Types: dialog, background, update, enqueue, spool	Explains why long-running work must be a background job	Know it
Dialog step	One round trip: you press Enter, the server processes, a screen returns	Dialog steps are time-limited (often ~10 min). Exceed it and you get a TIME_OUT dump	Know it

The one to be sure about: client. A single S/4HANA system can host development (client 100), training (200) and a sandbox (300) at once. Same programs, three separate worlds of data.

Anchor to what you know: one WordPress installation serving several sites from one database, where every table has a `site_id` and every query silently filters on it. In SAP that column is `MANDT`, and the filter is added by the runtime automatically — you never write it in your SELECT.

T2. Getting Around

Simple definition: the words for navigation — how you reach a screen and how many you can have open.

Telugu: Navigation padalu. **T-code** ye anni kanna mukhyam — adi SAP lo URL laantidi. T-codes telisthe nuvvu vegam ga pani chestavu, teliyakapote menu lo vetukutune untavu.

Term	What it is	Why it matters	Use?
Transaction code (T-code)	A short name — <code>SE11</code> , <code>VA03</code> , <code>ME23N</code> — that jumps straight to a program or screen	The single most-used concept in SAP GUI. Typed into the command field. Defined in SE93, stored in table <code>TSTC</code>	Daily
Transaction (business sense)	A complete business action — creating a sales order, posting an invoice	The same word means two different things; context tells you which	Daily
Session	One SAP GUI window. Usually up to six per user	Two sessions side by side — code in one, table data in the other — is the standard developer workflow	Daily
Command field	The white box at the top left where T-codes are typed	<code>/n</code> = same window, <code>/o</code> = new window	Daily
SAP Easy Access	The tree screen you land on after logging in	Its Favorites list is the only part most people use	Daily
SPRO / IMG	The Implementation Guide — the tree where all configuration is done	Where functional consultants live. You will be sent here to check a setting	Know it
Screen / Dynpro	One SAP screen, classical style, identified by a 4-digit number	Legacy UI technology, still everywhere in old code	Aware

Interview relevance: "How do you find a transaction code you don't know?" is a real screening question. The answer: `SEARCH_SAP_MENU`, SE93 with a wildcard, or table `TSTCT` in SE16N.

T3. Where Code Lives — Repository, Package, Transport

Simple definition: the words describing how development objects are stored and how they move between systems.

Telugu: Nee code ekkada untundi, DEV nunchi PROD ki ela veltundi — ee padalu adi cheptayi. **Transport** ante SAP lo deployment. Git lo commit + push laage, kaani ikkada **revert cheyyadam kastam** — anduke prathi company deeni meeda gattiga control pedutundi.

Term	What it is	Why it matters	Use?
Repository	The store of every development object — programs, tables, classes, CDS views	Client-independent. Browsed with SE80 or SE84	Know it
Package (old name: Development class)	A folder for repository objects that also decides transportability	Every object must be in one. Group your work properly and reviewers notice	Daily
\$TMP / Local object	The temporary personal package	Cannot be transported. Fine for scratch work, fatal for anything you need to ship	Daily
Namespace	The name prefix reserved for you: Z and Y are the customer namespace	Guarantees your objects never collide with SAP's. Registered namespaces look like /ABCD/	Daily
Transport request	A numbered container recording your changes so they can move to QAS and PRD	This is deployment in SAP. Created when you save a transportable object	Daily
Task	Your personal slice inside a request	You release your task, then the request is released as a whole	Daily
Workbench request	Holds repository objects — programs, tables, classes	What developers create	Daily
Customizing request	Holds configuration settings, client-specific	What functional consultants create	Know it
TMS	Transport Management System — the basis tool that imports requests into the next system	Explains why you cannot deploy on your own	Know it
Modification	Changing SAP's own standard code	Requires an access key, and breaks or complicates every future upgrade. Avoid — use an enhancement	Know it
Access key (SSCR)	The key SAP issues to permit modifying a standard object	Being asked for one is your signal to stop and find an enhancement instead	Aware

Anchor to what you know: a task is your commit, a request is the pull request, and releasing is the merge. The important difference: SAP transports **objects in their current state**, not diffs, and rollback is genuinely hard. That is why production imports are scheduled, controlled events everywhere.

| T4. The Data Dictionary (DDIC)

Simple definition: DDIC — the ABAP Dictionary — is SAP's central catalogue of every data definition in the system: tables, fields, types, views, help and locks.

Telugu: DDIC ante SAP lo **data yokka master catalogue**. Tables, fields, types — anni ikkade define chestaru. Idi kevalam "database schema" kaadu — deenilo **artham (meaning), labels, help text, validation** anni untayi. Anduke SAP lo oke sari define cheste, system antha aa marpu vastundi.

Term	What it is	Why it matters	Use?
DDIC / ABAP Dictionary	The central metadata store, maintained in SE11	Everything about data starts here. Interviewers open with "what is DDIC?"	Daily
Domain	The technical layer — data type, length, decimals, allowed values	Define once, reuse in hundreds of fields. Fixed values give free F4 help and validation	Daily
Data element	The semantic layer — field labels and the F1 documentation, built on a domain	Change the label here and every screen in the system updates	Daily
Transparent table	A DDIC table with a one-to-one database table behind it	What you create and what almost all business data uses	Daily
Pooled / Cluster table	Several logical tables stored inside one physical table	Legacy. You will read them, not create them	Aware
Structure	A named group of fields with no database table behind it	Used for passing data around in programs	Daily
Table type	A definition of an internal table's shape	Used to type internal tables cleanly	Know it
Internal table	An in-memory table inside a running program	The most-used data structure in all of ABAP	Daily
View (classical)	A join across DDIC tables, defined in SE11	Superseded by CDS views for new work	Know it
CDS view	The modern view — associations, annotations, expressions, HANA-optimised	The foundation of RAP and Fiori Elements. Built in Eclipse, not SE11	Daily (from Oct)
Search help	The definition behind F4 value help	Attach at data-element level and every field using it inherits the help	Know it
Lock object	Generates ENQUEUE_ / DEQUEUE_ function modules to stop two users editing one record	The source of "Object is locked by user X"	Know it
Buffering	Caching table rows on the application server	Speeds up small config tables; causes stale reads if misused on busy tables	Know it
Delivery class	Says what kind of data a table holds — A application, C customizing, L temporary	Set when you create a table; A is your default	Know it

The chain to memorise — it is asked constantly:

Domain	→	Data Element	→	Table Field	→	Table
(type)		(meaning)		(usage)		(storage)
CHAR 1		"PR Status"		STATUS		ZPURCH_REQ

Anchor to what you know: a domain is a TypeScript type; a data element is that type plus i18n labels and documentation; the field is a variable declared with it. You already know why shared types beat repeating `string` everywhere — this is the same argument across 90,000 tables.

T5. The Three Kinds of Data

Simple definition: SAP sorts all data into three buckets, and which bucket something is in decides where it is created, who owns it, and how it moves between systems.

Telugu: SAP lo data **moodu rakalu**. Idi chala mukhyam, endukante prathi rakam **vere vidhanga** create avutundi inka vere vidhanga systems madhya veltundi. Interviews lo "master data vs transaction data teda emiti?" ani **tappaka** adugutaru.

Kind	What it is	Examples	How it moves	Use?
Master data	Relatively stable business entities, reused across many documents	Customer, vendor, material, employee, G/L account	Created by users in each system; migrated at go-live	Know it
Transaction data	Day-to-day business documents, created constantly	Sales order, purchase order, invoice, goods movement	Never transported — created by users	Know it
Configuration (Customizing) data	Settings that make SAP behave the way this company works	Tax rates, document types, plant definitions, number ranges	Transported via customizing requests	Know it

The distinction in one sentence: *master data is who and what, transaction data is what happened, configuration is the rules.*

Organisational structure — the config terms you will meet constantly:

Term	What it is
Client	The top level — the whole company group's data set
Company code	A legal entity that produces its own balance sheet, e.g. "India Ltd" vs "US Inc"
Plant	A physical location — factory, warehouse, branch
Storage location	A place inside a plant where stock sits
Sales organisation	The unit responsible for selling in a market
Purchasing organisation	The unit responsible for buying

Term	What it is
Number range	The scheme that assigns document numbers (maintained in SNRO)

Why an ABAP developer needs these: your SELECT statements will filter on **BUKRS** (company code) and **WERKS** (plant) constantly. When a functional consultant says "only for the Bangalore plant", they mean a **WERKS** value in your WHERE clause.

T6. Programs and Code

Simple definition: the words for the different kinds of ABAP object, and for extending SAP without breaking it.

Telugu: ABAP lo **enni rakala** code objects untayo cheppe padalu. Ikkada chala mukhyamainadi — **Enhancement** inka **Modification** teda. SAP code ni direct ga marchadam (modification) **tappu**; pakkana kalapadam (enhancement) **sari**. Idi interviews lo tappaka vastundi.

Term	What it is	Why it matters	Use?
Report / Executable program	A program you run with F8, often with a selection screen	Your first and most common program type	Daily
Include	A code fragment pulled into another program at compile time	Splits big programs; you will read many	Know it
Subroutine (FORM / PERFORM)	Old-style reusable code block inside a program	Legacy — read it, do not write new ones	Aware
Function module	A reusable procedure living in a function group ; can be made remote-callable	Still everywhere. Built and tested in SE37	Know it
BAPI	A Business API — a standardised, RFC-enabled function module operating on a business object	The supported way to create SAP documents from code or from outside. Its interface is guaranteed stable across upgrades	Know it
Class / Method	Object-oriented ABAP, built in SE24	Mandatory — ABAP Cloud and RAP are 100% OO	Daily
Enhancement	Adding your logic to SAP standard without changing SAP's code	The correct way to customise behaviour	Know it
BAdI	Business Add-In — the modern, object-oriented enhancement mechanism (SE18/SE19)	The one you will most often be asked to implement	Know it
User exit / Customer exit	Older enhancement mechanisms (CMOD/SMOD)	Legacy but still live in older systems	Aware

Term	What it is	Why it matters	Use?
Activation	Compiling a saved object into a runnable version (Ctrl+F3)	Save is not Activate. Forgetting this is the classic beginner time-waster	Daily
Where-used list	Shows everywhere an object is referenced (Ctrl+Shift+F3)	Your impact analysis tool before changing anything	Daily
Short dump	A runtime error with a full call stack and variable state, viewed in ST22	Reading one confidently is a genuine interview differentiator	Know it

The enhancement-vs-modification answer, ready to say out loud: "A *modification* changes SAP's own code — it needs an access key and it makes every future upgrade painful. An *enhancement* adds my logic at a defined point without touching SAP's source, so upgrades stay clean. In S/4HANA this is formalised as *clean core*: extend through released APIs and extension points, never by modifying."

T7. How Work Actually Runs

Simple definition: the words describing execution — interactive versus scheduled, and the transaction model that decides whether your data is really saved.

Telugu: Code **ela run avutundo** cheppe padalu. Ikkada **LUW** inka **COMMIT WORK** chala mukhyam — nuvvu database ki data raasinappudu, adi **nijamga** save avvadam eppudu jarugutundo ee padalu cheptayi. SQL lo transaction telisina neeku idi sulabham.

Term	What it is	Why it matters	Use?
Dialog processing	Interactive execution — a user is waiting	Time-limited. Long work here produces a TIME_OUT dump	Know it
Background job (batch)	Scheduled execution with no user and no time limit (SM36 to create, SM37 to watch)	Where all long-running work belongs — data loads, nightly reports	Know it
LUW (Logical Unit of Work)	A set of database changes that must all succeed or all fail	The SAP equivalent of a database transaction	Know it
COMMIT WORK	Makes the changes permanent and ends the LUW	Without it, your inserts can be silently rolled back	Know it
ROLLBACK WORK	Discards everything since the last commit	Your error path	Know it
Update task	Database updates handed to a separate work process to run asynchronously	Why a user can see "saved" and the data still fail later — visible in SM13	Know it
Enqueue / Dequeue	Setting and releasing an application lock	Prevents two users overwriting one record; current locks shown in SM12	Know it
Spool request	Output queued for printing or download	How reports reach paper or PDF	Aware

Anchor to what you know: the LUW is your SQL `BEGIN ... COMMIT` . The unfamiliar part is the **update task** — SAP often defers the actual database write to a separate process for throughput, which means "the screen said success" and "the row is in the table" are not always the same instant. That is what SM13 exists to investigate.

T8. Talking to Other Systems

Simple definition: the integration vocabulary — how SAP exchanges data with other SAP systems and with the outside world.

Telugu: SAP vere systems tho **ela maatladutundo** cheppe padalu. Purathanam: RFC, IDoc, ALE. Kotta vidhanam: **OData**. Nuvvu OData meeda concentrate cheyyali — adi nee Fiori inka RAP ki base. Kaani IDoc, BAPI, RFC ane padalu prathi project lo vintavu, kabatti avi emito telisi undali.

Term	What it is	Why it matters	Use?
RFC	Remote Function Call — calling a function module in another system	The classic SAP-to-SAP mechanism. Destinations configured in SM59	Know it
BAPI	A stable, RFC-enabled business API	The supported route for external systems to create SAP documents	Know it
IDoc	Intermediate Document — a structured message format for exchanging business documents	The workhorse of SAP EDI. Monitored in WE02/WE05, tested in WE19	Know it
ALE	Application Link Enabling — the framework that distributes data between SAP systems using IDocs	You will hear it alongside IDoc	Aware
OData	SAP's modern REST-style protocol for exposing data and operations	Your track. What Fiori consumes and what RAP produces	Daily (from Oct)
SAP Gateway	The component that exposes ABAP logic as OData services	The bridge between your ABAP and your Fiori app	Daily (from Oct)
Web service / SOAP	XML-based service calls	Older integration style; still present	Aware
CPI / Integration Suite	SAP's cloud middleware on BTP	The modern answer to "how do we connect system A to system B?"	Aware

The one-line comparison worth having ready: "IDoc and RFC are the classic, batch-friendly, SAP-to-SAP mechanisms. OData is the modern, HTTP-based, real-time one — it is what Fiori and any web or mobile client uses. New development goes OData; existing landscapes are full of IDocs."

T9. Users, Roles and Authorizations

Simple definition: how SAP decides who may do what.

Telugu: Evaru em cheyyochu ani SAP ela decide chestundo — ee padalu adi cheptayi. Developer ki idi lothuga avasaram ledi, kaani **SU53** matram telisi undali — "naaku authorization ledi" ani user cheppinappudu modata adi ye teruchali.

Term	What it is	Why it matters	Use?
User master record	The user account itself, maintained in SU01	Holds your ID, roles, defaults and validity	Know it
Role	A bundle of authorizations, built in PFCG	Users get access by being assigned roles, never individually	Know it
Authorization object	A named permission with fields and allowed values, e.g. S_TCODE for transaction access	The actual unit SAP checks in code with AUTHORITY-CHECK	Know it
Profile	The technical object generated from a role and attached to the user	Mostly invisible day to day	Aware
SU53	Shows the last failed authorization check for a user	The first thing to open when someone reports "no authorization"	Know it
Segregation of Duties (SoD)	Rules preventing one person holding conflicting rights (e.g. create a vendor <i>and</i> pay it)	An audit requirement on every real project	Aware

What a developer actually does with this: you write **AUTHORITY-CHECK** in your programs so custom reports respect the same rules as standard SAP. Interviewers ask whether you *know* to do it — omitting it is a common finding in code reviews.

T10. Project Vocabulary

Simple definition: the words spoken in meetings rather than typed into screens. Knowing them is what makes you sound like someone who has been on a project.

Telugu: Ivi screen lo type chese padalu kaadu — **meetings lo maatlade** padalu. Ivi telithe nuvvu "project chusina manishi" laaga anipistavu, "kevalam course chesina manishi" laaga kaadu. Interview lo idi pedda teda.

Term	What it means	Why it matters
Functional consultant	Knows the business process and configures SAP; writes the requirement	The person who will hand you your work
Technical consultant / ABAPer	Writes the code	You
FS — Functional Spec	The business requirement document from the functional consultant	The input to your work
TS — Technical Spec	Your document describing how you will build it	You write this before coding

Term	What it means	Why it matters
Fit-to-standard	Workshops deciding what SAP can do as delivered vs what needs building	Determines how much custom code a project has
Custom code / Z-code	Everything built for this customer, in the Z namespace	Your output
Clean core	The principle of keeping S/4HANA standard and extending via released APIs and side-by-side apps	The defining architectural idea of 2026 SAP — expect a question on it
Sandbox	A throwaway system for experiments	Where you try things without consequence
Golden client	The client holding the master configuration	Config is done here and transported out
Cutover	The switch-over activities at go-live — final data loads, freezes	Intense, planned to the hour
Go-live	The day the system starts running the real business	
Hypercare	The support period straight after go-live	All hands, fast fixes
Ticket / Incident	A reported problem in a running system	Most of a support project's work
Change request (CR)	A request for new or changed functionality	Most of a development project's work
Greenfield / Brownfield / Bluefield	New implementation / system conversion / selective migration	The three ways to get to S/4HANA — see Part F4

Why this table earns its place: in a December interview, "*have you worked on a project?*" is answered honestly with no. But being able to say "*I understand the flow — the functional consultant writes an FS, I write the TS and build it in DEV, it moves by transport to QAS for testing, then to PRD*" demonstrates that you understand how the work happens. That is worth a great deal more than another memorised syntax rule.

T11. The Twenty Terms to Know Cold

Simple definition: if you learn nothing else from this part, learn these — they carry the most weight per word in an interview.

Telugu: Ee **iravai (20) padalu** matram gattiga nerchuko. Interview lo ivi ye ekkuva sarlu vastayi. Prathi dhaaniki **oka vaakyam** lo jawaabu cheppagalagali — pedda explanation avasaram ledu.

#	Term	The one-sentence answer
1	Client	A separate set of business data inside one SAP system, keyed by MANDT
2	T-code	A shortcut name that launches a program or screen

#	Term	The one-sentence answer
3	DDIC	The ABAP Dictionary — SAP's central catalogue of all data definitions
4	Domain vs Data element	Domain = technical type and allowed values; data element = meaning, labels and F1 help
5	Transparent table	A DDIC table with a one-to-one database table behind it
6	Internal table	An in-memory table inside a running ABAP program
7	Package	A folder for repository objects that decides transportability; \$TMP cannot be transported
8	Transport request	The container that moves your changes from DEV to QAS to PRD
9	Master vs Transaction data	Master = stable entities (customer, material); transaction = documents (orders, invoices)
10	Customizing	Configuration done in SPRO, moved by customizing requests
11	Function module vs BAPI	A BAPI is a standardised, RFC-enabled function module on a business object, with a stable interface
12	Enhancement vs Modification	Enhancement adds logic without touching SAP code; modification changes SAP code and breaks upgrades
13	BAdI	The modern object-oriented enhancement mechanism
14	Activation	Compiling a saved object so it actually runs — Save is not Activate
15	LUW / COMMIT WORK	A logical unit of work; all changes succeed or all fail
16	Lock object	Generates enqueue/dequeue modules so two users cannot edit one record
17	CDS view	The modern HANA-optimised view with associations and annotations — the base of RAP
18	OData	The REST-style protocol Fiori uses to talk to the backend
19	RAP	The RESTful Application Programming model — how modern OData services are built in ABAP
20	Clean core	Keep S/4HANA standard; extend through released APIs and side-by-side apps

How to practise these: cover the right column and say each answer out loud. Twenty terms, one sentence each — ten minutes a day for a week and they are permanent. Do this in November, before the December applications go out.

| T12. Putting the Vocabulary Together

Simple definition: one paragraph using the words in context, so you can hear how they sound in a real sentence.

Telugu: Ee padalu anni kalipi oka nija sentence lo ela vinipistayo chuduu. Ee paragraph ni **ardham chesukogalithe**, ee part motham nee ki vachinattu.

"The functional consultant wrote an **FS** for a new purchase-requisition approval report. I wrote the **TS**, then built it in **DEV** client 100. I created a **transparent table** in **DDIC** with a **domain** and **data elements** for the status field, put everything in a **Z package**, and it went onto a **workbench transport request**. The logic reads **master data** for the vendor and **transaction data** for the requisition, respects the **company code** the user is authorised for via an **AUTHORITY-CHECK**, sets an **enqueue lock** before updating, and issues a **COMMIT WORK**. Because the requirement needed extra logic inside standard SAP, I used a **BAdI** rather than a **modification** — **clean core**. Once **activated** and unit-tested, I released the **task** and the **request**, and basis imported it to **QAS**. After testing it goes to **PRD** at the next **cutover**."

Read that paragraph again in a week. If every bolded word is obvious, you have the working vocabulary of an SAP developer — and that is genuinely most of what "sounding experienced" consists of.

Where to go next: for the SAP GUI screens where most of these words appear, use the **SAP GUI — The Complete Tour** guide. For the ABAP syntax behind them, the **ABAP Notes**. For the front end, the **Fiori & UI5 Notes**.

Part U — The SAP Product Universe

*SAP sells hundreds of things. Most people who work with SAP for years still could not name half of them, and job descriptions assume you recognise the names. This part gives you the **map** — what each product is, who uses it, and how they connect. You will not use most of them. You need to **recognise every one** and know where it sits.*


Telugu: SAP vandala products ammutundi. Chala mandi years paatu SAP lo pani chesina kuda sagam perlu cheppaleru — kaani job descriptions lo, meetings lo ee perlu vastune untayi. Ee part neeku **map** istundi: prathi product emiti, evaru vaadutaru, avi ela kalustayi. Nuvvu vaatilo **chala varaku vaadavu** — kaani prathi peru **vinnappudu adi emito telisi undali**. Adi chaalu.

Portfolio facts here were web-verified in August 2026. SAP renames and repackages faster than any other enterprise vendor, so treat product *names* as perishable and the *layers* as stable.

U1. The Frame — "SAP Business Suite" (2025 Onward)

Simple definition: in February 2025 SAP relaunched the name **SAP Business Suite** — not as one product, but as the umbrella architecture tying together three pillars: **Applications**, **Data**, and **AI**.

Telugu: February 2025 lo SAP **"SAP Business Suite"** ane peru malli teesukoccindi. Idi **oka product kaadu** — idi oka **architecture vision**: (1) Applications — S/4HANA inka LoB apps, (2) Data — Business Data Cloud, (3) AI — Joule. Ee moodu kalisi pani cheyyali ani SAP yokka 2026 strategy. Interviews lo idi adigithe, ee moodu pillars cheppu.



Pillar	What it means	The products
1. Applications	The systems that run business processes	S/4HANA, SuccessFactors, Ariba, Concur, Fieldglass, Customer Experience
2. Data	One governed layer so all that data is usable together	SAP Business Data Cloud
3. AI	Intelligence that reads the data and acts inside the apps	Joule , Joule Agents, Joule Studio

A naming warning that trips people up: "SAP Business Suite" was *also* the name of the old ECC-era bundle (2007–2015). If an older colleague says "Business Suite" they may mean the legacy thing. Since 2025 the name means the modern three-pillar architecture. Context tells you which.

Why this frame is worth learning first: every product below fits into one of the three pillars, plus the platform underneath. Once you can place a product in a pillar, you understand roughly what it does even if you have never touched it.

U2. The Core ERP Family

Simple definition: the ERP itself — the system that holds finance, logistics, and the business processes. Everything else orbits this.

Telugu: ERP ye SAP yokka **gundelu (heart)**. Migilnavi anni deeni chuttu tirugutayi. Ikkada mukhyam — **oke S/4HANA ki moodu rakala editions** unnayi, inka avi **chala vere**. Nuvvu e edition meeda pani chestunnavo, adi nee code ni, nee freedom ni decide chestundi.

Product	What it is	Who runs it	Your relevance
SAP S/4HANA (on-premise)	The full ERP, installed in the customer's own data centre	The customer	High — classic ABAP, full freedom, most custom code
S/4HANA Cloud, Private Edition	The same product, single-tenant, hosted and managed by SAP. Sold through RISE	SAP manages infra	High — near on-prem capability, most common target today
S/4HANA Cloud, Public Edition	Multi-tenant SaaS. Standardised, quarterly upgrades. Sold through GROW	SAP	High — ABAP Cloud only , extensions must be clean-core
SAP ECC	The previous-generation ERP	The customer	Know it — mainstream maintenance ends 2027 (extensions to 2030/2033). Most migration projects start here
SAP Business One	A separate, simpler ERP for small businesses	Partner-hosted	Aware — different codebase, no ABAP
SAP Business ByDesign	Older SMB cloud ERP	SAP	Aware — de-emphasised; SAP steers SMB to GROW

The difference that will affect your daily work:

	On-prem / Private (RISE)	Public (GROW)
ABAP you may write	Classic ABAP and ABAP Cloud	ABAP Cloud only
Table access	Any table directly	Only released APIs and CDS views
Upgrades	You choose when	Quarterly, automatic
Modifications	Technically possible	Impossible

	On-prem / Private (RISE)	Public (GROW)
Where extensions live	On-stack or side-by-side	Developer extensibility on-stack, or side-by-side on BTP

Why this matters to you specifically: the ABAP Cloud restrictions your Launch Plan keeps mentioning are not academic. They are what Public Edition *enforces*, and they are increasingly the standard everywhere because of clean core. Learning ABAP Cloud rules now means you can work on any of the three; learning only classic ABAP limits you to the oldest.

U3. The Bundles — RISE and GROW

Simple definition: RISE and GROW are not products. They are **commercial packages** that bundle an S/4HANA edition with infrastructure, tools and services into one contract.

Telugu: RISE inka GROW — ivi **products kaadu**, ivi **packages (contracts)**. Software + infrastructure + tools + services anni kalipi oke contract lo ammutaru. RISE = pedda companies, purathana system nunchi migrate ayyevaallu. GROW = kotta / chinna companies, direct ga cloud lo modalu pettevaallu. Interviews lo "RISE vs GROW teda?" ani **tappaka** adugutaru.

	RISE with SAP	GROW with SAP
Underlying product	S/4HANA Cloud, Private Edition	S/4HANA Cloud, Public Edition
Who it is for	Existing SAP customers migrating from ECC	New or smaller customers starting fresh
Approach	Bring your processes, transform gradually	Adopt SAP standard, "fit-to-standard"
Customisation	Extensive	Deliberately limited
Typically bundles	The ERP, hyperscaler infra, BTP credits, Signavio, LeanIX, Cloud ALM, tools	The ERP, BTP credits, Build, learning, Cloud ALM

The one-line answer for an interview: "RISE is for existing customers moving their own processes to a managed private cloud; GROW is for customers adopting SAP standard in the public cloud. Both bundle S/4HANA with infrastructure and platform services — they are commercial packages, not separate products."

U4. The Line-of-Business Cloud Suite

Simple definition: the specialist cloud applications, almost all acquired, each owning one business function that S/4HANA does not do best itself.

Telugu: Ivi **SAP konna companies** — prathi okkati oka business function ki specialist. HR ki SuccessFactors, procurement ki Ariba, travel expenses ki Concur. Ivi S/4HANA tho **integrate** avutayi, kaani **vere products**, vere technology. Nuvvu vaatilo code raayavu, kaani **perlu, avi em chestayo** telisi undali — meetings lo ivi roju vinipistayi.

Product	Function	Acquired	Integrates with S/4HANA for
SAP SuccessFactors	HR / Human Experience Management — the whole employee lifecycle	2012	Employee master data → payroll and cost centres
SmartRecruiters	AI-powered recruiting, now part of the HCM portfolio	2025	Feeds hires into SuccessFactors
SAP Ariba	Procurement and the supplier network	2012	Purchase requisitions, POs, invoices
SAP Concur	Travel and expense management	2014	Expense reports → financial postings
SAP Fieldglass	External / contingent workforce and services procurement	2014	Contractor costs and time
SAP Customer Experience (CX)	The customer-facing family — see below	various	Orders, customers, pricing
SAP Signavio	Process mining and process management	2021	Analyses how your processes actually run
SAP LeanIX	Enterprise architecture management	2023	Maps the whole application landscape
WalkMe	Digital adoption — in-app guidance overlays	2024	Helps users through any SAP screen

Inside SAP Customer Experience:

	What it does
Sales Cloud	CRM, quotes, sales performance (from CallidusCloud, 2018)
Service Cloud	Customer service and ticketing
Commerce Cloud	E-commerce storefronts (from Hybris, 2013)
Emarsys	Marketing automation and campaigns (2020)
Customer Data Cloud	Consent, identity and profile management (from Gigya, 2017)

One correction worth carrying, because it is commonly got wrong: Qualtrics is no longer an SAP product. SAP acquired it in 2018 and **sold it in 2023** to Silver Lake and CPP Investments. Older blog posts and training decks still list it under SAP. Saying "SAP owns Qualtrics" in an interview dates your knowledge by three years.

| U5. Supply Chain, Manufacturing and the Business Network

Simple definition: the products that plan, move and make physical things — the area where the most ABAP work outside finance happens.

Telugu: Physical vastuvulu — plan cheyyadam, tayararu cheyyadam, taralinchadam. Finance tarvaata **ABAP work ekkuva ee area lo ne** untundi. Anduke ee perlu telisi undadam neeku upayogam.

Product	What it does
SAP Integrated Business Planning (IBP)	Demand, supply and inventory planning in the cloud
SAP Extended Warehouse Management (EWM)	Detailed warehouse operations — putaway, picking, packing
SAP Transportation Management (TM)	Freight planning, carrier selection, freight cost
SAP Digital Manufacturing	Shop-floor execution and machine integration
SAP Asset Performance Management	Predictive maintenance on equipment
SAP Business Network	The supplier/logistics/asset networks where companies transact with each other — Ariba Network is the largest part

Why an ABAP developer meets these: EWM and TM run *inside* or alongside S/4HANA and are heavily extended with custom ABAP. If a job description says "S/4HANA EWM" it is asking for an ABAP developer who knows warehouse processes — a well-paid niche and a reasonable specialisation to grow into later.

U6. SAP BTP — the Platform, Service by Service

Simple definition: **SAP Business Technology Platform** is the cloud platform where everything gets extended, integrated, analysed and automated. It is not one product — it is a catalogue of services you subscribe to individually.

Telugu: BTP ante **oka product kaadu** — adi **services catalogue**. Neeku kavalasina service ni teesukuni vaadutavu. Nee ki mukhyam: **ABAP Environment** (RAP ikkade practice chestavu), **Build Work Zone** (Fiori Launchpad), inka **Integration Suite**. Migilnavi telisthe chaalu.

Group	Service	What it does	Your relevance
App development	ABAP Environment	ABAP Cloud + RAP as a cloud service — the free trial you should be using	Daily from Oct
	Cloud Foundry	Runtime for Node.js, Java, Python apps	Know it
	Kyma	Managed Kubernetes runtime	Aware
	CAP	The Node/Java framework for building services	Know it
	SAP Build Apps	Low-code app builder	Aware
	SAP Build Code	AI-assisted pro-code development	Aware

Group	Service	What it does	Your relevance
	SAP Build Work Zone	The modern Fiori Launchpad / entry portal	Know it
Integration	Integration Suite	The integration hub — see U10	Know it
Data	HANA Cloud	HANA as a managed cloud database	Know it
AI	AI Core / AI Launchpad	Run and manage AI models	Aware
	Generative AI Hub	Governed access to LLMs	Aware
	Joule Studio	Build custom Joule skills and agents	Aware — your 2027 direction
Automation	SAP Build Process Automation	Workflows, business rules, RPA	Know it
Identity	IAS / IPS / XSUAA	Authentication, provisioning, app authorization	Know it

The three you should actually touch: ABAP Environment (where your RAP portfolio app can live), **Build Work Zone** (where a Fiori app gets published), and **Integration Suite** (the word every integration conversation uses).

Anchor to what you know: BTP is SAP's AWS. AWS gives you EC2, S3, RDS, Lambda as separate services on one account; BTP gives you ABAP Environment, HANA Cloud, Integration Suite, AI Core the same way. Your Phase 10 AWS notes map across almost one-to-one.

U7. Data and Analytics — What Changed in 2026

Simple definition: SAP consolidated its data and analytics products into one offering, **SAP Business Data Cloud**. This is the most significant recent rename in the portfolio, and getting it wrong dates you immediately.

Telugu: Idi **2025-26 lo jarigina pedda marpu**. Mundu Datasphere inka SAC ani rendu vere products undevi. Ippudu avi rendu **SAP Business Data Cloud (BDC)** lopala kalisipoyayi — viderigga ammadam ledu. Interview lo "Datasphere teesukondi" ani cheppadam ippudu **purathanam**. BDC ani cheppu.

Product	What it is	Status in 2026
SAP Business Data Cloud (BDC)	The unified data foundation — combines Datasphere, SAP Analytics Cloud and curated SAP business data products, with Databricks built in	The current answer. Launched Feb 2025
SAP Datasphere	Data warehousing, virtualisation, modelling — keeps SAP business semantics intact	Now delivered through BDC. Removed from eligible cloud services for new BTP subscriptions from 1 Jan 2026
SAP Analytics Cloud (SAC)	Dashboards, reporting, and planning	Same — delivered through BDC
SAP BW/4HANA	The classic on-premise data warehouse	Legacy; still widely running

Product	What it is	Status in 2026
Intelligent Applications	Prebuilt analytical apps on BDC (formerly called <i>Insight Apps</i>)	Renamed — AI-powered, Joule-integrated

Why SAP did this: AI needs one governed, semantically-rich data layer. Three separate products with three data models could not give Joule a reliable view of the business. BDC is the answer to "*where does the AI get trustworthy data?*" — which is the question that decides whether enterprise AI works at all.

Your one-line version: "*SAP Business Data Cloud is the unified data layer — it brought Datasphere and Analytics Cloud together with Databricks so that Business AI has one governed source of business data.*"

U8. Business AI — Joule and the Agents

Simple definition: SAP's AI layer. **Joule** is the copilot embedded across SAP applications; **Joule Agents** act autonomously on business tasks; **Joule Studio** is where you build your own.

Telugu: Idi **nee long-term thesis** (ABAP → RAP → BTP → Joule → agents) yokka chivari bhagam. **Joule** = copilot, apps lopala untundi. **Joule Agents** = sonthaga pani chese agents. **Joule Studio** = nuvvu sontha agents kattadaniki tool — idi **December 2025 lo GA ayindi**, ippudu vaadochu. 2027-28 lo idi nee direction.

	What it is	Where it lives
Joule	The generative-AI copilot embedded in SAP apps — ask in natural language, it acts	Inside S/4HANA, SuccessFactors, Ariba, Concur
Joule Skills	Individual capabilities Joule can perform — SAP ships 2,400+	Prebuilt
Joule Agents	Autonomous agents that carry out multi-step business tasks; SAP ships 40+ specialised agents across finance, HR, procurement, supply chain	Across the suite
Joule Studio	The tool for building custom skills and agents, grounded in live business data. GA December 2025 , generally accessible from Q1 2026	SAP BTP
Generative AI Hub	Governed access to third-party and SAP models	SAP BTP
AI Core / AI Launchpad	Training, deploying and operating models	SAP BTP
Joule for Developers	AI assistance for ABAP development	ADT / Build Code

On the 2026 roadmap: SAP has announced **Joule Work** and **Joule A2A** (agent-to-agent communication), with general availability targeted for Q4 2026 — agents coordinating with other agents rather than only with people.

Why this section matters more to you than to most readers: your Phase 12 material — tool-calling loops, MCP, RAG, agent design — is the *same engineering* as Joule Studio, in a different wrapper. Once you have studied Phase 12 and built something, this is the part of the SAP portfolio where you have a genuinely uncommon head start. **Not for December** — for 2027 and beyond.

U9. The Transformation Tools

Simple definition: products that help a company decide *what* to change before anyone writes code. You will meet these on projects without ever configuring them.

Telugu: Ivi code raayakamundu, "em marchali?" ani decide cheyyadaniki vaade tools. Nuvvu ivi configure cheyyavu, kaani **project lo ee perlu vintavu** — anduke telisi undali.


Product	What it answers
SAP Signavio	"How do our processes actually run today, and where do they leak time and money?" — process mining and modelling
SAP LeanIX	"What applications do we own, what depends on what, and what should we retire?" — enterprise architecture
WalkMe	"Users can't figure out this screen" — in-app guidance overlaid on any application
SAP Cloud ALM	"How do we run the implementation and then operate it?" — project and operations management
SAP Build Process Automation	"Can we automate this approval chain without a developer?" — workflows, rules, RPA

Signavio and LeanIX are bundled into RISE, which is why they appear on nearly every S/4HANA migration project. If you join a migration in 2027, you will hear both names in your first week.

U10. How They All Integrate

Simple definition: SAP's answer to connecting all of the above is **SAP Integration Suite** on BTP — plus a set of protocols that predate it and still carry most of the traffic.

Telugu: Ee products anni ela kalustayi? Kotta vidhanam — **Integration Suite** (BTP lo). Purathana vidhanalu — **IDoc, RFC, BAPI**. Rendu ippatiki nadustunnayi. Nee ki mukhyam: **OData** — adi Fiori inka RAP vaade daari.



Inside Integration Suite:

Capability	What it does
Cloud Integration (formerly CPI)	The pipeline engine — routes, maps and transforms messages between systems
API Management	Publishes, secures and throttles APIs
Event Mesh	Publish/subscribe eventing so systems react instead of polling
Open Connectors	Prebuilt connectors to hundreds of non-SAP applications
Integration Advisor	AI-assisted mapping between message formats
Trading Partner Management	B2B/EDI relationships

In 2026 SAP positions Integration Suite as the **"AI integration fabric"** — the same pipes that carry business data are what ground Joule agents in real, live data. Recent releases added 15+ third-party adapters including Adobe Sign, Google Suite, Oracle, and Salesforce Service and Marketing Cloud.

The protocols underneath — know which is which:

Protocol	Era	Used for	Your relevance
OData	Modern	Fiori, mobile, any web client, RAP services	Daily
REST / JSON	Modern	Non-SAP integrations	Daily
IDoc	Classic	Bulk business documents, EDI	Know it
RFC / BAPI	Classic	SAP-to-SAP function calls	Know it
SOAP	Older	Enterprise web services	Aware

Protocol	Era	Used for	Your relevance
Events	Modern	Reacting to business events across systems	Know it


Prebuilt content matters more than it sounds: SAP ships thousands of ready-made integration flows on the **SAP Business Accelerator Hub**. On a real project, the first question is never "how do I build this integration?" but "does SAP already ship it?" Saying that in an interview signals practical judgement.

U11. Two Real End-to-End Flows

Simple definition: the products above, shown working together on two processes that exist at almost every SAP customer.

Telugu: Perlu gurthupettukovadam kastam. Kaani **oka process lo avi ela kalisi pani chestayo** chuste, avi gurthu untayi. Ee rendu flows prathi SAP company lo untayi.

Flow 1 — Hire-to-Retire (an employee's whole lifecycle):



Step	Product	What moves
1	SmartRecruiters	Candidate becomes a hire
2	SuccessFactors	Employee master data, org assignment, cost centre
3	S/4HANA	Payroll results post to Finance
4	Concur	Expense claims flow back as financial postings
5	Business Data Cloud	Everything lands for workforce analytics

Flow 2 — Source-to-Pay (buying something):

Step	Product	What happens
1	Ariba	Sourcing event, supplier selected, contract signed
2	S/4HANA (MM)	Purchase requisition → purchase order

Step	Product	What happens
3	Ariba Network / Business Network	PO sent to the supplier; supplier confirms
4	S/4HANA (MM)	Goods receipt posted when materials arrive
5	S/4HANA (FI)	Invoice matched three ways and paid
6	Joule Agent	Flags exceptions and suggests resolutions
7	Signavio	Later shows where the process is slow

Notice where you sit in flow 2: steps 2, 4 and 5 are S/4HANA — that is where custom ABAP reports, enhancements and Fiori apps live. **Your December portfolio app is a purchase requisition approval, which is step 2.** You are not building a toy; you are building the most common object in the most common SAP process.

U12. Where a Developer Actually Touches Each Product

Simple definition: the honest filter — of everything above, what will actually be under your hands in your first two years.

Telugu: Ee anni products lo, nuvvu **nijamga chethulu pettedi enni?** — chala thakkuva. Migilina **perlu telisthe chaalu.** Ee table chusi, ekkada time pettalo decide chesuko. Anni nerchukovaniki try cheyaku.

Product / area	You will	When
S/4HANA (on-stack ABAP)	Build in it daily	Now → forever
ABAP Dictionary, SE11/SE80	Build daily	Now
CDS + RAP	Build daily	From October
SAP Gateway / OData	Build	From October
Fiori / SAPUI5	Build	From October
BTP ABAP Environment	Build — free trial, and the portfolio app	From October
BTP Build Work Zone	Deploy your Fiori app	Occasionally
Integration Suite	Read flows others built; maybe extend one	Year 1–2
SAP Build Process Automation	Maybe build a workflow	Year 1–2
Joule Studio	Your 2027–28 direction	Later
SuccessFactors, Ariba, Concur, Fieldglass, CX	Recognise the names , know what data they exchange	Never configure
Signavio, LeanIX, WalkMe, Cloud ALM	Hear them in meetings	Never configure
Business Data Cloud, SAC	Provide data <i>to</i> them via CDS views	Occasionally

Product / area	You will	When
EWM, TM, IBP	Possible specialisation later	Optional

The honest summary: about **six** of the products in this part will be under your hands. The other forty you need to *recognise*, because job descriptions, meetings and interviewers assume you do. Recognition costs one reading of this part. Mastery of six is what December is for.

The interview version, if someone asks you to describe the SAP landscape: *"S/4HANA is the ERP core. Around it sit the line-of-business clouds — SuccessFactors for HR, Ariba for procurement, Concur for travel — each integrating back through Integration Suite. Underneath is BTP, where extensions, integrations and AI are built, and Business Data Cloud unifies the data so Joule and its agents can act on it. SAP calls that whole architecture the Business Suite."*

Four sentences. That is the map.

You now hold the whole map — the products, the platform, the words, and where you fit. One part remains: the business documents that actually flow through all of it.

Part V — The Business Documents You Will Meet


Parts S and T gave you the technical words. **This part gives you the business words** — the documents that actually move through an SAP system every day: purchase order, sales order, delivery, invoice, cash sale. Kept deliberately short: a one-line definition, the T-code, the table, and the Telugu. For the full story with worked examples, see **The Business Behind SAP**.

Telugu: Part S lo acronyms, Part T lo technical padalu unnayi. **Ee part lo business padalu** — SAP system lo roju kadile documents: purchase order, sales order, delivery, invoice, cash sale. **Kavalane chinnaga** unchanu: okka line definition, T-code, table, mariyu Telugu. Poorti katha, udaharanalu kavalante **"The Business Behind SAP"** doc chudu.

V1. The Two Flows That Explain Everything

Simple definition: Every business document in SAP belongs to one of **two flows**. **P2P (Procure to Pay)** is buying — money goes out. **O2C (Order to Cash)** is selling — money comes in. If you can place a document in one of these two, you understand it.

Telugu: SAP lo prathi business document **rendu flows lo** okka daaniki chendinadi. **P2P (Procure to Pay)** = **konadam**, dabbu **bayataki**. **O2C (Order to Cash)** = **ammadam**, dabbu **lopaliki**. Oka document ee rendintlo ekkada padutundo cheppagalige, adi neeku ardham ayinatte.



The two flows. Buying fills the warehouse, selling empties it, and both post to finance automatically at every step.

The other names you will hear for the same idea:

Short form	Full name	What it adds
P2P	Procure to Pay	Buying — the core one
S2P	Source to Pay	P2P plus finding and negotiating with the supplier first
O2C	Order to Cash	Selling — the core one
Q2C	Quote to Cash	O2C plus the enquiry and quotation stage

Short form	Full name	What it adds
Plan to Produce	<i>(also abbreviated P2P)</i>	Making the product — sits between the two
R2R	Record to Report	Every posting → month-end close → financial statements
H2R	Hire to Retire	HR: hire → pay → promote → exit

Careful: P2P means two different things. In a purchasing conversation it is *Procure to Pay*; in a manufacturing conversation it is *Plan to Produce*. Say the full words the first time you use it.

V2. Where You Are — Client, Company Code, Plant

Simple definition: Before any document can exist, SAP must know **which company and which location** it belongs to. These are the organisational units, and every document carries them.

Telugu: E document create cheyyalante mundu, adi **ye company di, ye chota di** ani SAP ki telisi undali. Vaatinne **organisational units** antaru, mariyu **prathi document** vaatini motukuni untundi.

Term	One-line meaning	Field	Example
Client	A separate company inside the same SAP system — own data, own users, own config. It is not a user role	MANDT	100
Company Code	The legal entity that files a balance sheet . The most important org unit in SAP	BUKRS	1000
Plant	A place where you make or store goods	WERKS	1000 factory · 1100 depot
Storage Location	A specific store inside a plant	LGORT	RM01 raw · FG01 finished
Purchasing Org	The team that negotiates with vendors	EKORG	1000
Sales Area	Sales org + distribution channel + division. Every sales order needs one	VKORG/VTWEG/SPART	1000/10/00

Telugu: Ee moodintini eppudu kalapaku:

— **Client** (`MANDT`) = "idi evari system?" Oke system lo unna **vere company**. Idi **role kaadu**. Logon screen lo type chestavu.

— **Company Code** (`BUKRS`) = "ee dabba ye legal company di?" **Balance sheet ee level lo** vastundi.

— **Plant** (`WERKS`) = "samanu ekkada undi?" Stock, production anni ikkade.

Jaagratha: SAP lo **client ante tenant**. Nuvvu amme company ni **customer** (`KUNNR`) antaru. Project lo dabba ichhe company ni kuda "client" antaru — **moodu artalu**, context batti ardham chesuko.

V3. How You Get There — the T-Code

Simple definition: A **transaction code (T-code)** is a short name that points at a program — a **route**. You type it into the command field and SAP runs whatever it points to. SAP ships roughly a hundred thousand of them.

Telugu: **T-code** ante oka **route** — chinna peru, adi oka program ni chupistundi. Nuvvu command field lo type cheste, SAP aa program ni run chestundi. Nee Express app lo `/orders/new` ante oka controller run ayinatte. SAP lo already **laksha routes** unnai.

Type this	It does
<code>/n</code> + code	"Close what I am doing and go there" — <code>/nVA01</code> . Use this always
<code>/o</code> + code	Opens a new session — <code>/oSE16N</code> . Like a browser tab. Up to six
<code>/nex</code>	Log off immediately

The five you need before anything else:

T-code	Gives you	Say it as
<code>SE11</code>	Table definition — the schema	"Show me the structure"
<code>SE16N</code>	Table contents — the rows	"Show me the data"
<code>SE38</code>	Write and run an ABAP program	"Let me code"
<code>SE80</code>	The whole workbench in one tree	"Show me the package"
<code>ST22</code>	Runtime error dumps	"Why did it crash?"

The trick that saves the most time. Click any field on any screen and press **F1**, then **Technical Information**. SAP tells you the exact **table and field name** behind that value. It is the SAP equivalent of Inspect Element, and it works everywhere.

V4. Buying — the P2P Documents

Simple definition: Seven documents, each referencing the one before it. Steps 2 and 3 are skipped for routine repeat purchases.

Telugu: **Edu documents**, prathi okati daani mundu dani **reference chestundi**. Rojuvari repeat purchases ki step 2, 3 ni **vadilesthaaru**.

#	Document	What it actually is	T-code	Table
1	Purchase Requisition (PR)	Internal request: "we need 500 motors". The supplier never sees it. Often created automatically by MRP	<code>ME51N</code>	<code>EBAN</code>

#	Document	What it actually is	T-code	Table
2	RFQ (Request for Quotation)	Our question to suppliers: "what is your price?"	ME41	EKKO / EKPO
3	Quotation	Their answer — price, date, terms. Compare with ME49	ME47	EKKO / EKPO
4	Purchase Order (PO)	The legally binding order to the chosen vendor. The central P2P document	ME21N	EKKO header · EKPO items
5	Goods Receipt (GR)	The truck arrived. Stock goes up . Movement type 101	MIGO	MATDOC
6	Invoice Verification	Check the vendor's bill against the PO and the GR	MIRO	RBKP / RSEG
7	Payment	Money leaves the bank	F110	ACDOCA

The control in the middle — the three-way match. SAP compares the **PO** (what we agreed), the **goods receipt** (what actually arrived) and the **invoice** (what they are charging). If they disagree, the invoice is **blocked automatically**. Interviewers ask about this by name.

Telugu: Chala mukhyamaina vishayam okati:

— **Purchase Requisition** = "maaku kavali" ane **lopali** request. Supplier ki velladu.

— **RFQ** = manam supplier ni adige **prashna**.

— **Quotation** = supplier ichhe **jawab**.

Ivi **moodu veru veru documents** — okate ani anukovaddu.

Three-way match: SAP **PO** (oppukunnadi), **GR** (nijam ga vachindi), **Invoice** (bill vesindi) — ee moodintini compare chestundi. Tedaa unte invoice ni **automatic ga block** chestundi. Company konani samanuki dabbu ivvakunda aape control idi. **Interview lo peru tho ne adugutaru.**

V5. Selling — the O2C Documents

Simple definition: Eight steps, the mirror of P2P. Steps 1 and 2 are skipped when a regular customer simply phones in an order.

Telugu: Enimidi steps, P2P ki **addam**. Regular customer phone chesi order ichhinappudu step 1, 2 ni vadilesthaaru.

#	Document	What it actually is	T-code	Table
1	Inquiry	Customer asks "do you make this, roughly what price?" No commitment	VA11	VBAK / VBAP
2	Quotation	Our formal price offer, valid until a date	VA21	VBAK / VBAP
3	Sales Order	Customer accepts. The central O2C document — everything downstream references it	VA01	VBAK header · VBAP items

#	Document	What it actually is	T-code	Table
4	Delivery	"These 200 fans, from this plant, leaving this gate." Stock reserved , not yet reduced	VL01N	LIKP / LIPS
5	Picking	Physically taking the goods off the shelf	in VL02N	—
6	Post Goods Issue (PGI)	The moment ownership changes. Stock goes down and the cost hits the P&L	button in VL02N	MATDOC
7	Billing / Invoice	The legal invoice. The customer now owes us	VF01	VBRL / VBRP
8	Incoming Payment	The customer pays; the receivable clears	F-28	ACDOCA

Two terms people mix up. The **delivery** is the *document* (VL01N). The **delivery note** is the *printout* of it — the paper that travels with the truck.

And the word "quotation" flips direction between the two flows. In P2P a quotation is the **supplier's** offer to us. In O2C a quotation is **our** offer to a customer. Same word, opposite sides.

Three things happen automatically when you save a sales order — beginners think these are separate steps:

Automatic check	What it does
Availability check (ATP)	Can we deliver 200 by the 12th? Confirms a date
Pricing	Works out the price from the price list, discounts and taxes
Credit check	If the customer already owes too much, the order is blocked

Telugu: Sales Order (`VA01`) = O2C lo **gundekaya**. Migilina anni deenne reference chestai.

PGI (Post Goods Issue) = samanu **legal ga company nunchi bayataki vellina kshanam**. Ikkade stock taggutundi, mariyu cost accounting loki veltundi. Project lo "PGI ayinda?" ane prashna **roju vintavu**.

Delivery vs Delivery Note: Delivery anedi **document** (`VL01N`). **Delivery Note** anedi daani **print** — truck tho paatu velle kaagitam.

Quotation jaagratha: konadam lo quotation ante **supplier istadu**; ammadam lo quotation ante **manam istam**. Okate maata, **rendu vaipulu**.

Sales order save cheyyagane moodu panulu automatic ga: stock unda ani check (ATP), price lekkinchadam, mariyu credit check.

V6. Order Types — Cash Sale, Rush, Standard, Returns

Simple definition: The **sales document type** is one field on the sales order — and it changes how the entire rest of the flow behaves. Same **VA01** screen, same **VBAK** table, one different code.

Telugu: Sales document type anedi sales order meeda unna **okka field** — kani adi **migilina flow antha ela nadavalo** nirnayistundi. **Ade `VA01` screen, ade `VBAK` table**, okka code maare, process poorti ga veru.

Type	Code	What is different
Standard order	OR	The normal flow. Deliver later, invoice later, payment in 30 days
Rush order	RO	Delivery is created automatically on save. Goods go out today, billing later
Cash sale	CS	Delivery and billing happen immediately. The customer pays at the counter and walks out with the goods. Revenue posts to a cash account , not to a customer receivable
Returns	RE	Runs backwards — goods come in, a credit memo goes out

Why this is worth understanding properly. In an application you built yourself, "cash sale" would be a branch in your code — `if (payment === 'cash') { skipInvoicing(); postToCash(); }`. In SAP it is a **row in a configuration table** (`TVAK`), created by a functional consultant in `SPRO`. **No developer is involved.** That is the difference between configuring an ERP and building an app, in one example.

Telugu: Nuvvu "cash order" ani vinnavu — SAP lo sariyaina peru **Cash Sale**. Andulo **delivery mariyu billing rendu ventane** jarugutai: customer counter lo dabbu ichi samanu teesukelipotadu. Dabbu **cash account** loki veltundi, "customer maaku baaki" ane lekka lo padadu.

Mukhyamaina vishayam: nee sontha app lo idi `if (cash) {...}` ani **code** rasevaadivi. SAP lo idi **SPRO lo oka config row** matrame (`TVAK` table) — **developer ye avasaram ledu**. ERP ni configure cheyyadaniki, app build cheyyadaniki madhya tedaa idi.

V7. The Words That Sit Around Them

Simple definition: These are the terms that appear beside the documents in every meeting and every functional specification. One line each is enough.

Telugu: Ee padalu documents pakkana **prathi meeting lo, prathi specification lo** kanipistai. Prathi daaniki **okka line** chaalu.

Term	One-line meaning
Document Flow	The linked chain — order → delivery → invoice → accounting document. Button in <code>VA03</code> , table <code>VBFA</code> . The best five-minute exercise in SAP
Header / Item	Every document is one header row (customer, date, currency) plus many item rows (each line). <code>EKKO</code> / <code>EKPO</code> , <code>VBAP</code> / <code>VBAP</code> , <code>LIKP</code> / <code>LIPS</code>
Master data	The stable nouns — material, customer, vendor. <code>MARA</code> , <code>KNA1</code> , <code>LFA1</code>
Transaction data	The events — orders, deliveries, invoices
Configuration	The rules, set once in <code>SPRO</code> . Moves between systems in a transport, exactly like code
Movement type	A three-digit code for a stock movement: <code>101</code> goods receipt · <code>261</code> issue to production · <code>601</code> goods issue to a customer

Term	One-line meaning
Material Type (MTART)	What kind of thing a material is: ROH raw · HALB semi-finished · FERT finished · HAWA trading goods · VERP packing · DIEN service
GR/IR account	The holding account that sits between the goods receipt and the invoice receipt
BOM (Bill of Material)	The recipe — one fan = one motor + three blades + eight metres of wire. CS01
Routing	The method — which work step takes how long. CA01
MRP	The run that works out what is short and creates purchase requisitions automatically. MD01
Production Order	The firm order to make something. C001 , tables AUFK / AFK0 / AFPO
BAPI	SAP's official API function for creating documents from your code
Vendor / Customer	Who you buy from / sell to. Both are Business Partners (BP) in S/4HANA

The one thing to do this week. Open **VA03** , enter any sales order, and click **Document Flow**. You will see five documents created by five departments across three days, all linked, with nobody having re-typed anything. That single screen is what a company is actually buying when it buys an ERP.

Telugu: Ee vaaram idi okati chey: **VA03** teruchi, e sales order number ayina pettu, taruvata **Document Flow** button nokku. Akkada — sales order, delivery, goods issue, invoice, accounting document — **aidu documents, aidu departments, moodu rojulu**, anni **kalisi link ayi** kanipistai. Evaru dennini malli type cheyyaledu. **Company ERP koneppudu nijam ga konedi ee okka screen ne.**

Now you hold the technical map *and* the business one. Go build.