

BUSINESS FOUNDATION

The Business Behind SAP

One real company followed end to end — every document, every T-code, every table — so SE11, DDIC, MARA and MTART stop sounding like noise

"Your tutor is not teaching badly. He is showing you the filing cabinet before anyone told you what the company does. Learn the business first and the cabinet explains itself."

23

TOPICS

7

PARTS

11

DIAGRAMS

40

TELUGU

Table of Contents

- How to Read This
 - Part A — The Business, Before Any Software
 - A1. Meet Vayu Fans — and what ERP actually means · A2. The seven end-to-end processes every ERP runs · A3. SAP vs WordPress — licensing, and what you are allowed to change · A4. The modules — Vayu Fans' departments, in SAP names
 - Part B — Putting Vayu Fans Inside SAP
 - B1. The organisational structure — client, company code, plant, storage location · B2. What actually happens when a company adopts SAP · B3. Functional vs Technical — who does what · B4. The three kinds of data — master, transaction, configuration
 - Part C — Buying: Procure-to-Pay
 - C1. The chain, and the first three documents · C2. Goods receipt, invoice verification and the three-way match · C3. What you build as an ABAP developer in P2P
 - Part D — Selling: Order-to-Cash
 - D1. The chain, and the first three documents · D2. Delivery, goods issue, billing and payment · D3. Cash sale, rush order, standard order and returns · D4. Document flow — how SAP links them all
 - Part E — Making: Plan-to-Produce
 - E1. How a fan gets built, in six documents
 - Part F — How the Business Becomes Data
 - F1. Every SAP document has the same shape — header and item · F2. MARA, MARC, MTART — decoding what your tutor is saying · F3. From a screen field to a table row · F4. Reports, and the errors you will actually meet
 - Part G — Your Job in All This
 - G1. RICEF, mapped onto Vayu Fans · G2. The words you are saying slightly wrong · G3. Your next week in the 9–11 slot
-

How to Read This

You told me something important: your tutor opens SE11, says "MARA", "DDIC", "MTART", and your mind goes blank. **That is not a learning failure. It is an ordering problem.** He is showing you *where a fan's data is stored* before anyone has told you that the company makes fans, buys steel to make them, and sells them to dealers.

This document fixes the order. It follows **one company** — Vayu Fans — from the day it decides to buy SAP, through buying raw material, making a fan, selling it, and getting paid. At every step you see three things together: **the real-world event, the SAP document and T-code, and the table the data lands in.**

Telugu: Nee tutor tappu cheppatledu — **order tappu undi**. Aayana modata "data ekkada dachutaru" (SE11, MARA, DDIC) ani chupistunnadu. Kani **aa company emi chestundo** ne inka evaru cheppaledu. Anduke blank ga anipistundi. Ee doc adi sari chestundi. Manam **okka company** ni — Vayu Fans — modati nunchi chivari varaku follow avutam: SAP konadam, raw material konadam, fan tayar cheyyadam, ammadam, dabbu raavadam. Prathi step lo **moodu vishayalu kalipi** chupistanu: (1) nijam ga jarigedi, (2) SAP lo aa document mariyu T-code, (3) aa data ye table lo padutundo.

Where this sits next to your other PDFs:

Doc	What it answers	Read it
SAP Master Notes	<i>What is SAP, as a product?</i> — history, modules, HANA, Fiori, BTP, AI	Done
This document	<i>What does a business do, and how does SAP mirror it?</i>	Now — this is Week 1 of your 6-month plan
SAP GUI Complete Tour	<i>How do I drive the window?</i> — toolbars, sessions, the command field	Beside your practice system
T-Codes & Tables	<i>Where is the data?</i> — the reference lists	As a lookup, not front to back
ABAP Essentials	<i>How do I write the code?</i> — syntax, internal tables, ABAP SQL	After this one
SAP Doubts Answered 01	<i>Your own 28 questions</i>	Done

One promise about this document. Every T-code and table name here is real, and every one of them appears in the flow at the moment you would actually use it. Do not try to memorise them. Read the *story*; the names will attach themselves to the story on their own. That is the whole difference between "I know 200 T-codes" and "I understand the business".

Part A — The Business, Before Any Software

A1. Meet Vayu Fans — and what ERP actually means

Simple definition: ERP (Enterprise Resource Planning) is **one system that runs the whole company**, so that every department writes into the *same* set of records instead of keeping its own. The word "planning" is historical and misleading — think of it as **one shared truth for the whole business**.

Telugu: ERP ante **company antha okate system tho nadapadam**. Prathi department (sales, purchase, stores, accounts) **vere vere files** lo kaakunda, **okate chota** raastundi. "Planning" ane maata paatha maata, confuse cheyyakku — ERP ante nijaniki **company antha kalisi vaadukune okka nijam (single truth)**.


The company we will follow for the rest of this document:

Vayu Fans Pvt Ltd, Hyderabad. Makes ceiling fans. **Buys** steel sheet, 48W motors, copper wire and packing boxes. **Makes** fans in a Hyderabad factory. **Sells** to electrical dealers across Telangana and Tamil Nadu, and also runs a small factory outlet where walk-in customers pay cash. About 180 employees, ₹95 crore turnover. Right now it runs on Tally, five Excel files and a lot of WhatsApp.

A normal Tuesday at Vayu Fans, without ERP. Follow the pain, because every SAP concept later exists to remove one of these:

Time	What happens	The problem underneath
9:15	Dealer Balaji Electricals phones: "200 fans, can you deliver Friday?"	Sales has no idea how many fans are in the warehouse. Somebody has to walk to the store and count
10:00	Stores says 140 in stock. Sales promises 200 anyway	The stock number was already wrong — 30 were shipped yesterday and not yet recorded
11:30	Production asks purchase to order 500 motors	Purchase does not know 300 motors arrived last week and are sitting unopened
14:00	Purchase raises an order by email, no reference number	Nobody can later prove what price was agreed
16:00	Accounts receives a supplier invoice for ₹4,52,000	Accounts cannot tell whether the goods actually arrived, or at what price
18:00	Owner asks: "How much profit did we make this month?"	Three people, three spreadsheets, three different answers. It takes four days

What ERP does to that Tuesday. The same events, but every one of them writes into one connected database. Sales sees live stock because Stores' goods issue updated it a second ago. Accounts can pay the supplier invoice because the system already holds the purchase order *and* the goods receipt to check it against. The owner's profit question is a report, not a project.



Every ERP benefit is a consequence of one fact: the departments stopped keeping separate copies. Nothing else about ERP is as important as this.

Your web-dev anchor. You have built sites where the contact form wrote to one table, the shop to another, and analytics to a third service — then spent a day reconciling them. ERP is that problem solved at company scale, by refusing to have a second copy in the first place. **One database, many screens** is the whole idea.

Telugu: ERP raakamundu Vayu Fans lo: sales ki stock enta undo teliyadu, purchase ki already vachina motors gurinchi teliyadu, accounts ki aa invoice nijamena kaada telusukovadaniki dari ledu, owner ki profit teliyadaniki 4 rojulu. **Ee samasyalu anni okate karanam valla** — prathi department **tana sonta file** lo raastondi. ERP chesedi okate pani: **aa separate files ni teesesi, andariki okate database** ivvadam. Sales stock chuste adi live — endukante stores ippude update chesindi. ERP lo migilina anni features ee okka vishayam yokka **parinaamam** matrame.

A2. The seven end-to-end processes every ERP runs

Simple definition: An **end-to-end process** is one complete business story from trigger to money — for example, "*a customer wants fans*" *all the way to* "*the cash is in our bank*". SAP people name these with abbreviations, use them constantly in meetings and interviews, and rarely stop to explain them. Here they all are.

Telugu: End-to-end process ante oka **poorti business katha** — modata trigger nunchi chivari lo dabbu varaku. Uдахarana: "customer ki fans kavali" nunchi "maa bank lo dabbu padindi" varaku. SAP lo veetini **short forms** tho pilustaru (O2C, P2P laaga), meetings lo mariyu interviews lo eppudu ee maatale vaadutaru, kani **evuru vivarincharu**. Ivi anni ikkada unnai.

Short form	Full name	The story in one line	Vayu Fans example	Modules
P2P	Procure to Pay	We need something → we buy it → we pay for it	Buying 500 motors from Sundaram Motors	MM → FI
S2P	Source to Pay	P2P plus finding and negotiating with the supplier first	Running an RFQ to three motor suppliers, then P2P	MM, Ariba
O2C	Order to Cash	A customer orders → we ship → we bill → cash arrives	Balaji Electricals orders 200 fans	SD → MM → FI
Q2C	Quote to Cash	O2C plus the enquiry and quotation stage before the order	Balaji asks for a price, we quote, they order	SD
P2P ²	Plan to Produce	Forecast demand → plan → make the product → put it in stock	Making 1,000 fans for the festival season	PP → MM
R2R	Record to Report	Every posting → month-end close → financial statements	Vayu's monthly P&L and balance sheet	FI, CO
H2R	Hire to Retire	Job opening → hire → pay → promote → exit	Hiring a shift supervisor	HCM, SuccessFactors
A2R	Acquire to Retire	Buy an asset → depreciate it → dispose of it	The ₹40 lakh stamping machine	FI-AA

The one that trips everybody up: P2P means two different things depending on the room. In a purchasing meeting it is **Procure to Pay**. In a manufacturing meeting it is **Plan to Produce**. Listen for the context, and when you use it yourself, say the full words the first time.

The three that matter for you, in order of interview frequency:

1. **O2C** — asked in almost every SAP interview. Learn it cold. Part D.
2. **P2P (Procure to Pay)** — the second most asked. Part C.
3. **Plan to Produce** — asked if the customer manufactures anything. Part E.

R2R, H2R and A2R you only need to *recognise* as a fresher. If someone says "we are automating R2R", you should think "month-end financial close", nod, and move on.

Say this in an interview and you will sound three years older: "The two flows I know end to end are Order-to-Cash and Procure-to-Pay. In O2C the documents chain sales order → delivery → goods issue → billing → incoming payment, and each step posts into FI automatically. In P2P it is purchase requisition → PO → goods receipt → invoice verification → payment, and the invoice is checked by a three-way match." Both sentences are in Parts C and D.

A3. SAP vs WordPress — licensing, and what you are allowed to change

Simple definition: You asked whether SAP works like WordPress — take the default folder and build what the client needs. **The building part is similar. The ownership part is the opposite.** WordPress is free and open-source; you may read, change, fork and redistribute it. SAP is proprietary and paid; you may **read** most of its source code, but you may not change it freely, and doing so costs you your upgrade support.


Telugu: Nuvvu adigina prashna: "WordPress laaga SAP kuda default folder teesukuni, client kosam kavalasindi build cheyyadama?" — **build chese vidhaanam konta varaku okate, kani yajamanyam (ownership) poorti ga vyathireka.** WordPress **free mariyu open-source** — code chadavachu, marchavachu, copy teesi vere chota pettochu. SAP **paid mariyu proprietary** — code **chadavachu** (idi chala unusual), kani **ishtam vachinatlu marchalemu**, marchithe upgrade support poddi.

The licensing comparison, straight:

	WordPress	SAP
Cost of the software	Free (GPL)	Paid licence , often crores for a mid-size company
Can you read the source?	Yes, all of it	Yes, almost all ABAP source in SE38/SE80 — genuinely unusual for paid software
Can you change the source?	Yes, freely	No. Changing an SAP object needs an SSCR access key and is called a <i>modification</i>
Can you copy it to another server?	Yes	No — licensed per system, per user
Who you pay	Hosting, plugins, themes	Licence + ~22% annual maintenance , or a cloud subscription
Priced by	Nothing	Named users (Professional / Limited / Employee / Developer) + engine metrics + Digital Access for documents created by non-SAP systems
Cloud version	wordpress.com	RISE with SAP (private cloud) and GROW with SAP (public cloud), per user per month

Now your second question, which is the more important one: "I have to change or override the default things, right?"

In WordPress, "customising" almost always means **writing code** — a child theme, a hook, a custom plugin. In SAP, most customising means **no code at all**. This is the single biggest difference in how the two jobs feel.



The decision every SAP team makes for every requirement. In WordPress the first box barely exists — you go straight to writing code. In SAP, roughly seven out of ten requirements never reach a developer at all.

	WordPress way	SAP way
"Change the invoice number format"	Write a filter in <code>functions.php</code>	Configuration — a number range in SPRO. No code
"Add a field to the order screen"	Edit the template	Configuration or an append structure — often no code
"Block orders above a credit limit"	Write a hook	Configuration — credit management settings in SPRO
"Print our own invoice layout"	Build a PDF template	Development — a Smart Form / Adobe Form. <i>Now</i> they call you
"Send a nightly file to the bank"	Write a cron script	Development — an interface program. Your job

The mindset shift to make now, because it changes how you listen in class. When a business user describes a requirement, the first SAP question is never "how do I code this?" It is **"does standard SAP already do this, and has someone just not configured it?"** A developer who writes a Z-program for something SPRO already handles has cost the customer money and created a maintenance liability. Your value goes up when you know what *not* to build.

Telugu: Idi chala mukhyamaina tedaa. WordPress lo "customise cheyyadam" ante deadaapu eppudu **code rayadam** — child theme, hook, plugin. SAP lo matram chala varaku **code ye avasaram ledu**. Oka requirement vaste, SAP team ilaa aalochistundi: (1) **SAP standard lo already unda?** — unte SPRO lo **config** chesthe chalu, code avasaram ledu. Idi deadaapu **70%**. (2) Lekapothe, SAP ichina **plug-in point (BApI)** unda? — akkada nee code rayochu, ~20%. (3) Lekapothe **Z object** ga vere ga rayochu, ~10%. (4) Chivari daari — SAP object ne marchadam (modification) — **idi cheyyakudadu**.

Gurthu pettuko: mancha ABAP developer ante ekkuva code rasevadu kaadu — **edi rayakkarledo telisinavadu**.

A4. The modules — Vayu Fans' departments, in SAP names

Simple definition: A **module** is SAP's name for **one department's part of the system**. It is not a separate program or a separate login — it is a group of transactions and tables that serve the same business area, all inside the same system (you saw this in Doubts A7). Learning the module names is really learning **which department owns which document**.

Telugu: **Module** ante SAP lo **okka department ki sambandhinchina bhagam**. Adi veru program kaadu, veru login kaadu — **ide system lo**, okate business area ki sambandhinchina T-codes mariyu tables kalipi "module" antaru. Module perlu nerchukovadam ante nijaniki **ye document ki ye department yajamani** ani nerchukovadam.

Vayu Fans' real departments, and what SAP calls them:

Vayu Fans department	SAP module	Full name	Owens these documents	Will you touch it?
Accounts	FI	Financial Accounting	Journal entries, customer/vendor invoices, payments, balance sheet	Yes — constantly. Every flow ends in FI
Costing / management	CO	Controlling	Cost centres, internal orders, product cost, profitability	Sometimes
Purchase	MM	Materials Management	Purchase requisition, PO, goods receipt, stock, material master	Yes — a lot
Sales & marketing	SD	Sales & Distribution	Inquiry, quotation, sales order, delivery, invoice	Yes — a lot
Factory / production	PP	Production Planning	BOM, routing, MRP, production order	Sometimes
Quality lab	QM	Quality Management	Inspection lots, quality certificates	Rarely
Maintenance	PM / EAM	Plant Maintenance	Equipment, maintenance orders, breakdowns	Rarely
Stores / warehouse	WM / EWM	Warehouse Management	Bins, transfer orders, putaway, picking	Sometimes
HR / payroll	HCM (or SuccessFactors)	Human Capital Management	Employee master, payroll, leave, appraisals	Rarely — usually a separate team

Vayu Fans department	SAP module	Full name	Owns these documents	Will you touch it?
Projects (if any)	PS	Project System	WBS elements, project costs	Rarely

Two things about this list that beginners get wrong.

First — "procurement" is not a module name. *Procurement* is the **business word** for buying. The **module** that does it is **MM (Materials Management)**, and the **process** is **P2P (Procure to Pay)**. Three words for the neighbourhood of one idea, and people switch between them mid-sentence. In S/4HANA SAP also brands the area as **Sourcing and Procurement** in the Fiori app library, and the cloud product for strategic sourcing is **Ariba**.

Second — HR mostly left the building. Classic **HCM** still exists inside ECC and S/4HANA (the infotype tables **PA0001** , **PA0002** and so on), but SAP's strategic HR product is **SuccessFactors**, a *separate cloud application* with its own login. Same for procurement sourcing (**Ariba**) and travel expenses (**Concur**). So when a project says "HR", ask which one they mean.



The classic modules are neighbourhoods in one city. SuccessFactors, Ariba and Concur are different cities connected by road.

How the modules actually meet. This is the part interviewers test, and it is easier than it sounds — the modules meet **at the moment a document posts**. When Stores issues 200 fans (MM), the stock value drops, so **FI** must post the accounting entry in the same second. Nobody types that FI entry. Configuration decided which G/L account to hit, and SAP posted it automatically.

Telugu: Modules **ekkada kalustayi?** — **document post ayye kshanam lo.** Udaharana: stores 200 fans issue chesindi (MM). Aa kshanam lo stock value taggindi, kabatti **FI lo accounting entry padali.** Aa entry ni **evaru type cheyyaru** — SPRO config lo "ee movement ki ee G/L account" ani mundu ne cheppi unchutaru, SAP **automatic ga** post chestundi. Idi ne "integration" antaru, mariyu interview lo idi kachitanga adugutaru.

What to actually do with this table. Do not memorise all ten. Memorise **four** — **MM, SD, FI, PP** — because Vayu Fans' whole story runs through those, and so does 80% of ABAP work. Recognise the rest when someone says them.

Part B — Putting Vayu Fans Inside SAP

B1. The organisational structure — client, company code, plant, storage location


Simple definition: Before Vayu Fans can create a single purchase order, someone must **describe the company to SAP:** how many legal entities, how many factories, how many warehouses, which sales teams. These descriptions are the **organisational structure**, and every document you ever create must say which parts of it it belongs to.

Telugu: Vayu Fans okka purchase order kuda create cheyyalante, daanikante mundu **SAP ki aa company gurinchi cheppali** — enni legal companies unnai, enni factories, enni godowns, enni sales teams. Deenne **organisational structure** antaru. Taruvata nuvvu create chese **prathi document** "nenu ee company code, ee plant ki chendinavaadini" ani cheppali. Idi lekapothe SAP lo emi cheyyalemu.

Vayu Fans, described to SAP. These are the actual numbers we will use for the rest of the document:

Level	SAP name	Field	Vayu Fans value	What it means in real life
1	Client	MANDT	100	The whole SAP system for Vayu Fans. Top of everything
2	Company Code	BUKRS	1000 — Vayu Fans Pvt Ltd, INR	The legal entity that files a balance sheet. The most important org unit in SAP
3	Plant	WERKS	1000 — Hyderabad Factory 1100 — Chennai Depot	A place where you make or store goods
4	Storage Location	LGORT	RM01 raw material FG01 finished goods	A specific store inside a plant
—	Purchasing Org	EKORG	1000	The team that negotiates with vendors
—	Purchasing Group	EKGRP	P01	The individual buyer or buying desk

Level	SAP name	Field	Vayu Fans value	What it means in real life
—	Sales Organisation	VKORG	1000	The unit legally responsible for selling
—	Distribution Channel	VTWEG	10 Dealer · 20 Factory outlet	How you sell to that customer
—	Division	SPART	00 Fans	What product line
—	Shipping Point	VSTEL	1000	The gate the truck leaves from
—	Controlling Area	KOKRS	1000	The scope for cost and profit reporting (CO)



Vayu Fans described to SAP. Every document created later must name a point on this tree — a purchase order needs a plant and a purchasing org; a sales order needs a sales area.

The three you must never confuse:

	Client	Company Code	Plant
Question it answers	Whose system is this?	Which legal company owns this money?	Where are the goods?
Field	MANDT	BUKRS	WERKS
Table	—	T001	T001W
Vayu value	100	1000	1000 , 1100
Governs	Data separation (Doubts A5)	Finance. Balance sheet, currency	Logistics. Stock, production, MRP

	Client	Company Code	Plant
Analogy	The tenant in a SaaS app	The company on the invoice letterhead	The warehouse address

Telugu: Ee moodintini eppudu kalapaku:

— **Client (100)** = "idi evari system?" Data separation kosam.

— **Company Code (1000)** = "ee dabbu ye legal company di?" **Balance sheet ee level lo ne** vastundi. SAP lo **ati mukhyamaina** org unit idi.

— **Plant (1000)** = "samanu ekkada undi?" Stock, production, MRP anni ee level lo.

Vayu Fans ki: Hyderabad factory = plant 1000, Chennai depot = plant 1100. Rendu **okate company code 1000** kindaki vastai, endukante rendu okate legal company vi.

Why this is the reason half of all SAP errors happen. "Material 100234 not maintained in plant 1100" is the single most common beginner error message in SAP. It means: the fan exists in the system (client level), but nobody told SAP that the **Chennai depot** stocks it. The material master is not one record — it is a record **per organisational level**. That is exactly what F2 explains, and it is why MARA, MARC and MARD are three different tables.

B2. What actually happens when a company adopts SAP


Simple definition: Vayu Fans does not "install SAP and start using it". It runs an **implementation project** — typically six to eighteen months, run in phases, where consultants map the company's real processes onto SAP's standard ones, configure the system, load the data, test it, and go live on a chosen date.

Telugu: Vayu Fans "SAP install chesi vaadatam start chestundi" ani anukovaddu. Adi oka **implementation project** — deadaapu **6 nunchi 18 nelalu**. Andulo consultants: company nijam ga ela pani chestundo telusukuni, danini SAP standard tho match chesi, config chesi, purathana data ni ekkinchu, test chesi, oka rojuna **go-live** chestaru.

SAP's own method is called SAP Activate. Six phases:

Phase	What happens at Vayu Fans	Who is busy
Discover	Vayu evaluates SAP, sees a demo, decides to buy	Management, sales
Prepare	Project team formed, systems provisioned (DEV/QAS/PRD), plan agreed	Basis, project manager
Explore	Fit-to-standard workshops. "Show us how SAP handles a dealer order." Gaps are written down	Functional consultants + Vayu's department heads
Realize	Configuration built in DEV, gaps developed as RICEF objects, data migrated, tested	Functional and technical — you are here
Deploy	Cutover: final data load, users trained, go-live weekend	Everyone
Run	Hypercare (4–8 weeks of intensive support), then normal support	Support team

The single most important idea in that table is **fit-to-standard**. The consultant does *not* ask "how do you work today, and I will build that". They show SAP's standard process and ask "can you work this way?" Every "no" becomes a **gap**, and gaps cost money. A gap that survives becomes a **Functional Specification** — and that document lands on your desk.



How work reaches an ABAP developer. You almost never receive a requirement directly from the business — it arrives as a Functional Specification after a gap was agreed and priced.

The three-system landscape, which is your "staging vs live", formalised:

System	SAP name	What you do there	Your web equivalent
DEV	Development	Write code, configure. Client 100	Local + staging
QAS	Quality Assurance	Testing by users. Nobody codes here	Staging / UAT
PRD	Production	The real business runs here. No development ever	Live

Code moves DEV → QAS → PRD only inside a **transport request** — a numbered package (like `S4DK900123`) released by you and imported by Basis. There is no other route. You cannot edit a program in PRD, and you would not want to.

Telugu: Nee web work lo "local → staging → live" undi kada — SAP lo adi **DEV → QAS → PRD**. **DEV** lo ne code raastavu. **QAS** lo users test chestaru. **PRD** lo nijamaina business nadustundi — akkada **epudu code rayakudadu, edit cheyyakudadu**. Code okka system nunchi inkoti ki vellalante **transport request** (udaharana `S4DK900123`) ane number unna package lo ne vellali. Nuvvu release chestavu, Basis team import chestundi. **Vere daari ledu** — mariyu adi manchidi.

B3. Functional vs Technical — who does what

Simple definition: SAP work splits into two career tracks. A **Functional consultant** knows a business area (SD, MM, FI) and configures SAP without writing code. A **Technical consultant** — that is you, an ABAP developer — writes the code for the gaps that configuration cannot close. **Techno-functional** means someone who can do both, and it is the most valuable and best-paid profile.

Telugu: SAP lo **rendu career tracks** unnai. **Functional consultant** — business telusu (SD, MM, FI), SPRO lo **config chestadu, code rayadu**. **Technical consultant** — ante **nuvvu, ABAP developer** — config tho pani kani chota **code raastavu**. Rendu telisina vaadini **techno-functional** antaru — vaallake **ekkuva jeetam**, endukante vaallu business bhaasha, code bhaasha rendu matladagalaru.

	Functional consultant	Technical consultant (you)
Knows	The business process — how sales/purchase/finance work	ABAP, CDS, RAP, OData, Fiori
Main tool	SPRO (the IMG)	SE80 / SE38 / Eclipse ADT
Writes	The Functional Specification (FS)	The Technical Specification (TS) and the code
Typical day	Workshops, configuration, testing, explaining SAP to users	Reading an FS, building a report/interface/form, debugging
Typical job title	SAP SD Consultant, SAP MM Consultant, SAP FICO Consultant	SAP ABAP Developer, SAP Technical Consultant
Fresher salary band (India, 2026)	Comparable	Comparable
Path upward	Solution Architect, Process Lead	Technical Architect, then RAP/BTP/Fiori specialist

Here is the part that matters for your confusion in class. You are on the **technical** track — so why does this document spend twenty pages on sales orders and goods receipts?

Because a Technical Specification reads like this:

FS-2026-041: "For sales orders of order type **OR** in sales area **1000/10/00** where the delivering plant is **1100**, print a dealer-specific packing list at the time of **PGI**, showing the material, batch and carton count from the delivery, and the dealer's PO reference from **VBKD-BSTKD**."

If "order type", "sales area", "PGI", "delivery" and "VBKD" are noise to you, **you cannot start this task** — you would have to ask five questions and look junior doing it. If you have read Part D of this document, you can read that spec in fifteen seconds and start.

Telugu: Nuvvu **technical** track lo unnavu — appudu ee doc lo sales orders, goods receipts gurinchi enduku itanta? Endukante **nee daggara ki vache pani ee bhaasha lo ne vastundi**. Paina unna FS chudu — andulo "order type", "sales area", "PGI", "VBKD" laanti maatalu unnai. Ivi teliyakapotho **nuvvu aa pani modalu pettalevu**, 5 prashnalu adagali, mariyu junior laaga kanipistavu. Business flow telithe, **ade spec ni 15 seconds lo chadivi pani modalu pettochu**. **Business knowledge anedi functional vaalla kosam matrame kaadu — nee vegam adi.**

B4. The three kinds of data — master, transaction, configuration

Simple definition: Every row in an SAP system is one of three things. **Master data** = the stable nouns (a material, a customer, a vendor). **Transaction data** = the events (a purchase order, a delivery, a payment).

Configuration data = the rules the company set once (which G/L account, which number range, which document type). Knowing which kind you are looking at tells you who owns it and how it gets there.

Telugu: SAP lo prathi row ee moodintlo okati:

— **Master data** = **sthiramaina "nouns"** — fan, dealer, vendor, employee. Oksari create chesthe chala kaalam untundi.

— **Transaction data** = **jarigina "events"** — purchase order, delivery, invoice, payment. Rojuvari puduthai.

— **Configuration data** = company **oksari pettina rules** — ye G/L account, ye number range, ye document type. Idi consultant SPRO lo pedataadu.

	Master data	Transaction data	Configuration data
What it is	The nouns	The events	The rules
Vayu example	Fan FAN-CEIL-1200 , dealer Balaji Electricals, vendor Sundaram Motors	Sales order 5000123, PO 4500456, invoice 9000789	"Order type OR posts to G/L 400000"
Created by	A data team / department user	A business user, every day	A functional consultant , once
Created with	MM01 material, BP customer/vendor	VA01 , ME21N , MIGO	SPRO
Tables	MARA , MARC , KNA1 , LFA1 , BUT000	VBAK , EKKO , ACDOCA , MATDOC	T001 , T001W , TVAK , T156
Volume	Thousands	Millions	Hundreds
Moves between systems by	Data migration / manual entry	Never moved — created fresh	Transport request (like code)
Your web analogy	The products and customers tables	The orders table	Values in wp_options / a config file

The rule that explains a lot of SAP behaviour: *transaction data always references master data, and configuration decides what happens when it does.* A sales order (transaction) points at a material and a customer (master), and configuration for that order type decides which G/L account the revenue lands in.

This is why "master data is 80% of a clean SAP system" is a real saying. If the fan's material master has the wrong unit of measure, every order, delivery, invoice and stock figure that touches it is wrong — thousands of documents, silently. Bad transaction data is one wrong document. **Bad master data is a wrong company.**

Notice the third row from the bottom. Configuration moves between systems in a **transport request** — the same mechanism as your code. That surprises most developers. It means a functional consultant "releases a transport" exactly like you do, and a go-live is code *and* config arriving in PRD together.


Part C — Buying: Procure-to-Pay

C1. The chain, and the first three documents

Simple definition: Procure-to-Pay (P2P) is the complete story of buying something: somebody needs it → we ask suppliers for prices → we place a formal order → the goods arrive → the supplier's bill is checked → we pay. Six documents, each one referencing the one before it.

Telugu: Procure-to-Pay (P2P) ante **konugolu yokka poorti katha**: evarikaina emaina kavali → suppliers ni price adagatam → official order ivvadam → samanu raavadam → supplier bill sari chudadam → dabbu ivvadam. **Aaru documents**, prathi okati daani mundu dani **reference chestundi**. Idi ne SAP lo integration.

The full chain at Vayu Fans. Production needs 500 motors to build fans for the festival season:



P2P at Vayu Fans. Steps 2 and 3 are optional — for a routine repeat purchase, most companies go straight from requisition to purchase order.

Document 1 — Purchase Requisition (PR). An **internal request**: "we need 500 motors". It is not an order and the supplier never sees it. It can be raised by a person or generated automatically by the **MRP run** (Part E).

Detail	
T-code	ME51N create · ME52N change · ME53N display
Table	EBAN (one row per item)
Key field	BANFN — requisition number, e.g. 10000234
Vayu example	Production raises PR 10000234 : 500 × MOTOR-48W , needed 15 Sep, plant 1000
Web analogy	An internal ticket: "please buy this"

Document 2 — RFQ (Request for Quotation). Purchase sends the *same* request to several suppliers asking for their price and delivery date. **RFQ is the question**; the reply is the quotation.

Detail	
T-code	ME41 create · ME47 enter the supplier's reply · ME49 price comparison
Table	EKKO header / EKPO item — the same tables as a purchase order , distinguished by document category
Vayu example	RFQ sent to Sundaram Motors, Kirloskar and Ashok Electricals

Document 3 — Quotation. The supplier's **answer**: price, delivery date, terms. In SAP you record each supplier's reply against its RFQ, then run **ME49** to compare them side by side and pick a winner.

Terminology you asked about, corrected. You wrote "quotation req" as one thing. It is actually **three separate documents**: a **Purchase Requisition** is *our internal* "we need this"; an **RFQ** is *our question to a supplier* "what is your price?"; a **Quotation** is *their answer*. And confusingly, in **sales** (Part D) "quotation" means the opposite direction — *our* price offer to a customer.

Document 4 — Purchase Order (PO). The **legally binding order** sent to the chosen supplier. This is the central document of P2P and the one you will meet most often.

Detail	
T-code	ME21N create · ME22N change · ME23N display
Tables	EKKO header (vendor, date, currency, purchasing org) · EKPO items (material, quantity, price, plant) · EKET schedule lines (delivery dates) · EKBE PO history (what has been received and invoiced)
Key field	EBELN PO number, e.g. 4500000456 ; EBELP item number 00010
Vayu example	PO 4500000456 to vendor Sundaram Motors: 500 × MOTOR-48W @ ₹840, deliver to plant 1000 , storage location RM01 , on 15 Sep
Web analogy	The confirmed order record after checkout — the point where a promise becomes a commitment

Telugu: Modati moodu documents:

- 1. Purchase Requisition (PR) — `ME51N`, table `EBAN`.** Idi **lopali request**: "maaku 500 motors kavali". Idi order kaadu, supplier ki velladu.
- 2. RFQ — `ME41`.** Idi **manam suppliers ni adige prashna**: "mee price enta?"
- 3. Quotation — `ME47`.** Idi **supplier ichhe jawab**. `ME49` tho anni quotations compare chesi okarini enchukuntam.
- 4. Purchase Order (PO) — `ME21N`, tables `EKKO` (header) + `EKPO` (items).** Idi **official order**, supplier ki velutundi, legal ga bind avutundi. P2P lo **ati mukhyamaina document idi**.

C2. Goods receipt, invoice verification and the three-way match

Simple definition: The last three steps are where money actually moves. **Goods Receipt** records that the truck arrived and increases stock. **Invoice Verification** checks the supplier's bill against the order and the receipt.

Payment sends the money. The check in the middle — the **three-way match** — is the single most important control in P2P, and interviewers ask about it by name.

Telugu: Chivari moodu steps lo ne **nijam ga dabbu kadulutundi**. **Goods Receipt** = truck vachindi ani record chesi **stock penchadam**. **Invoice Verification** = supplier pampina bill ni order tho, vachina samanu tho **sari chudadam**. **Payment** = dabbu ivvadam. Madhyalo unna check ni **three-way match** antaru — P2P lo **ati mukhyamaina control** idi, mariyu interview lo peru tho ne adugutaru.

Document 5 — Goods Receipt (GR). The truck arrives at the Hyderabad factory gate with 500 motors. Stores records it.

Detail

T-code **MIGO** (movement type **101** = goods receipt against a PO)

Tables **S/4HANA: MATDOC** . ECC: **MKPF** header + **MSEG** items

What it does Stock of **MOTOR-48W** in plant **1000** , SLoc **RM01** goes **up by 500**. **EKBE** (PO history) records the receipt

And in FI An accounting document posts automatically: **Stock account debit ₹4,20,000 / GR-IR clearing account credit ₹4,20,000**

That FI posting is the module integration from A4, made concrete. Nobody in Accounts typed it. Configuration decided the accounts; MM triggered it; FI recorded it — in the same second, from one MIGO screen.

Document 6 — Invoice Verification (IV). Sundaram Motors' bill arrives for ₹4,20,000. Accounts enters it in **MIRO** , referencing the PO.


Detail

T-code **MIRO**

Tables **RBKP** header · **RSEG** items

And in FI **GR-IR clearing debit ₹4,20,000 / Vendor (accounts payable) credit ₹4,20,000**

The three-way match, which is the whole point:



The three-way match. If the supplier billed for 500 but only 480 arrived, SAP blocks the invoice automatically. This is the control that stops a company paying for goods it never received.

Document 7 — Payment. Accounts pays the vendor and the payable clears.

Detail	
T-code	F-53 manual payment · F110 the automatic payment run (used in practice)
Tables	BKPF header + BSEG items in ECC · ACDOCA in S/4HANA
In FI	Vendor debit ₹4,20,000 / Bank credit ₹4,20,000. The payable is gone; cash is down

The whole P2P money story, in one table. This is worth reading twice — it is how every SAP person thinks about the flow:

Step	Stock	Accounting entry	Net effect
PO created	no change	none — a PO is only a commitment	Nothing has happened financially
Goods receipt	+500 motors	Stock Dr / GR-IR Cr	We own goods; we owe <i>something</i>
Invoice verified	no change	GR-IR Dr / Vendor Cr	We owe <i>Sundaram Motors</i> specifically
Payment	no change	Vendor Dr / Bank Cr	Debt cleared, cash gone

Telugu: 5. Goods Receipt — `MIGO`, movement type 101. Truck vachindi. Stock **500 penchutundi**. Table: S/4HANA lo **`MATDOC`** (ECC lo **`MKPF`/`MSEG`**). Ade kshanam lo **FI lo entry automatic ga** padutundi.

6. Invoice Verification — `MIRO`, tables `RBKP`/`RSEG`. Supplier bill ni **PO tho, GR tho compare** chestundi. Ee moodu match ayithe ne invoice post avutundi — deenne **three-way match** antaru. 500 ki bill vesi 480 ne vasthe, SAP invoice ni **block chestundi**.

7. Payment — `F110`. Dabbu velli, vendor ki manam ichhe baaki teerutundi.

Mukhyamaina vishayam: PO create chesinappudu **accounting entry padadu** — adi kevalam oka promise. Nijamaina entry **goods receipt daggara** modalavutundi.

C3. What you build as an ABAP developer in P2P

Simple definition: Standard SAP already does everything above. Your work sits in the gaps around it — and in P2P those gaps are remarkably predictable. Here is what an ABAP developer at Vayu Fans would actually be asked to build in the first year, mapped onto the **RICEF** categories from your Doubts document.

Telugu: Paina cheppina antha **SAP already chestundi**. Nee pani daani **chuttu unna gaps lo** untundi — mariyu P2P lo aa gaps deadaapu **anni companies lo okelaage** untai. Vayu Fans lo modati samvatsaram lo nuvu build cheyye pani ivi.

RICEF	Real Vayu Fans task	What you touch
R Report	"Show all POs to Sundaram Motors where goods arrived late"	<code>SELECT</code> from <code>EKKO</code> , <code>EKPO</code> , <code>EKBE</code> ; ALV grid — or a CDS view + Fiori list in S/4HANA
R Report	"Pending purchase requisitions older than 15 days, by buyer"	<code>EBAN</code> , ALV, e-mail as spreadsheet
I Interface	"Send the day's POs to Sundaram Motors' system as a file every night"	Background job (<code>SM36</code>), file or IDoc, <code>EKKO</code> / <code>EKPO</code>
I Interface	"Import the bank statement and clear vendor payments automatically"	File read, FI posting via BAPI
C Conversion	"Load 4,200 old vendor records from Tally into SAP at go-live"	<code>BP</code> / vendor creation via LSMW or a BAPI-driven Z-program
E Enhancement	"Block any PO over ₹5 lakh unless the plant head is in the release strategy"	A BAdI on PO save — no standard config covers Vayu's rule
E Enhancement	"Default the storage location to RM01 for all raw-material POs"	A BAdI or a user exit on <code>ME21N</code>
F Form	"Print our own PO layout with the Vayu logo and GST terms"	Smart Form or Adobe Form , printed from <code>ME23N</code>

Notice the pattern. Reports and forms come from "*SAP shows it, but not the way we want*". Interfaces come from "*another system needs this data*". Conversions happen **once**, at go-live. Enhancements come from "*our company has a rule SAP does not know about*".

The most useful thing on this page for your practice slot. Pick the very first row and build it. Open [SE16N](#) , look at [EKKO](#) and [EKPO](#) , find how they join ([EBELN](#)), then write a small report in [SE38](#) that selects POs for one vendor. That single exercise touches a business process, two real tables, a join, and an ALV — and it is a genuine, if small, portfolio item.


Part D — Selling: Order-to-Cash

D1. The chain, and the first three documents

Simple definition: Order-to-Cash (O2C) is the mirror image of P2P: a customer wants something → we quote a price → they order → we ship → we bill → they pay. It is the most-asked flow in SAP interviews, so of everything in this document, learn this one best.

Telugu: Order-to-Cash (O2C) anedi P2P ki **addam (mirror)**: customer ki emaina kavali → manam price cheptam → vaallu order chestaru → manam pampistam → bill vestam → vaallu dabbu istaru. **SAP interviews lo ati ekkuva adige flow idi** — kabatti ee doc lo anni kanna deenne baaga nerchuko.

The full chain at Vayu Fans. Dealer Balaji Electricals wants 200 ceiling fans:



O2C at Vayu Fans. Steps 1 and 2 are optional for a regular dealer who simply phones in an order — most real orders start at step 3.

Document 1 — Inquiry. The customer asks "do you make a 1200mm fan, and roughly what does it cost?" No commitment either side.

Detail	
T-code	VA11 create · VA12 change · VA13 display
Tables	VBAK header · VBAP items — the same tables as a sales order
Web analogy	A "request a quote" form submission

Document 2 — Quotation. Vayu's formal price offer, valid until a date. **This is the opposite direction from the P2P quotation in C1** — here we are the ones quoting.

Detail	
T-code	VA21 create · VA22 change · VA23 display
Tables	VBAK / VBAP
Vayu example	Quotation 20000088 : 200 × FAN-CEIL-1200 @ ₹1,450, valid 30 days

Document 3 — Sales Order. Balaji accepts. This is **the** central document of O2C — everything downstream references it.

Detail	
T-code	VA01 create · VA02 change · VA03 display
Tables	VBAK header (customer, order type, sales area, date) · VBAP items (material, quantity, plant) · VBEP schedule lines (confirmed delivery dates) · VBKD business data (the dealer's own PO reference)
Key field	VBELN order number, e.g. 5000000123 ; item POSNR 000010
Vayu example	Order 5000000123 , order type OR , sales area 1000/10/00 , 200 × FAN-CEIL-1200 , plant 1000 , requested date 12 Sep

Three things happen automatically the moment you save a sales order. Beginners assume these are separate steps; they are not:

Automatic step	What it does	Where it comes from
Availability check (ATP)	Checks whether 200 fans can be ready by 12 Sep, and confirms a date in VBEP	Configuration + live stock
Pricing	Works out ₹1,450 per fan from the price list, dealer discount and taxes, and stores the result in the condition tables	The pricing procedure in config
Credit check	If Balaji already owes too much, the order is blocked for release	Credit management config

Telugu: 1. Inquiry — `VA11`. Customer "ee fan chestara, entha?" ani adagatam. Emi commitment ledu.
2. Quotation — `VA21`. Manam ichhe **official price offer**. (P2P lo quotation supplier istadu; ikkada **manam istam** — direction addam.)
3. Sales Order — `VA01`, tables **`VBAK` (header) + `VBAP` (items)**. Idi O2C lo **gundekaya**. Save chesina kshanam lo **moodu panulu automatic ga** jarugutai: (a) **stock unda ani check** (ATP), (b) **price lekkinchadam** (pricing procedure), (c) **credit check** — dealer already ekkuva baaki unte order **block avutundi**.

D2. Delivery, goods issue, billing and payment

Simple definition: The order is a promise. These four steps turn it into goods leaving the gate, a legal invoice, and money in the bank — and each one posts into stock or finance automatically.

Telugu: Sales order anedi kevalam **oka mata (promise)**. Ee naalugu steps aa mata ni — **samanu bayataki vellatam, legal invoice, bank lo dabbu** — ga marustai. Prathi step lo stock leda finance lo entry **automatic ga** padutundi.

Document 4 — Delivery. Warehouse creates a delivery document against the order: "these 200 fans, from plant 1000, leaving through shipping point 1000".

Detail

T-code [VL01N](#) create · [VL02N](#) change · [VL03N](#) display

Tables [LIKP](#) header · [LIPS](#) items

Key field [VBELN](#) delivery number, e.g. [80000456](#)

Stock effect Stock is **reserved**, not yet reduced

Step 5 — Picking. Physically taking 200 fans off the shelf and recording the picked quantity. In a plain system this is a field in [VL02N](#) ; with **WM/EWM** it becomes a **transfer order** ([LT03](#)) telling a worker which bin to go to.

Document 6 — Post Goods Issue (PGI). The trigger word you will hear constantly. PGI means **the goods have legally left the company**.

Detail

T-code Done inside [VL02N](#) — the **PGI** button

Creates A **material document** ([MATDOC](#) in S/4HANA), movement type **601**

Stock effect Finished-goods stock **-200**

And in FI **Cost of Goods Sold debit / Inventory credit.** Automatic

PGI is the moment ownership changes, and it is why "has it been PGI'd?" is a question you will hear every day on a project. Before PGI: the fans are Vayu's stock. After PGI: they are Balaji's goods in transit, Vayu's stock is down, and the cost has hit the P&L. No invoice yet — that is the next step.

Document 7 — Billing (Invoice). The legal invoice to the customer.

Detail

T-code [VF01](#) create · [VF02](#) change · [VF03](#) display · [VF04](#) billing due list

Tables [VBRK](#) header · [VBRP](#) items

Key field [VBELN](#) billing document, e.g. [90000789](#)

And in FI **Customer (accounts receivable) debit ₹2,90,000 / Revenue credit** (plus GST)

Document 8 — Incoming Payment. Balaji pays. The receivable clears.

Detail

T-code [F-28](#) manual · or automatic clearing from a bank statement

Tables [BKPF](#) / [BSEG](#) in ECC · [ACDOCA](#) in S/4HANA

In FI **Bank debit / Customer credit.** The receivable is gone; cash is up

The whole O2C money story, the mirror of C2:

Step	Stock	Accounting entry	Net effect
Sales order	no change	none — only a promise	Nothing financial yet
Delivery created	reserved	none	Goods earmarked
PGI	-200 fans	COGS Dr / Inventory Cr	Goods gone, cost recognised
Billing	no change	Customer Dr / Revenue Cr	Revenue recognised, they owe us
Payment	no change	Bank Dr / Customer Cr	Cash in

Telugu: 4. Delivery — `VL01N`, tables `LIKP`/`LIPS`. Warehouse "ee 200 fans, ee plant nunchi, ee gate nunchi" ani document creates. Stock inka taggaledu, kevalam **reserve** ayindi.

5. Picking. Shelf nunchi 200 fans teesi record cheyyadam.

6. PGI (Post Goods Issue) — `VL02N` lo button. Idi ati mukhyam: ee kshanam lo samanu **legal ga company nunchi bayataki vellindi**. Stock **-200**, mariyu FI lo **COGS entry** padutundi. Project lo "PGI ayinda?" ane prashna **roju vintavu**.

7. Billing — `VF01`, tables `VBRK`/`VBRP`. Customer ki **legal invoice**. FI lo customer **baaki (receivable)** padutundi.

8. Payment — `F-28`. Dealer dabbu ichhadu, baaki teerindi, bank lo dabbu penchindi.


D3. Cash sale, rush order, standard order and returns

Simple definition: You asked about a "cash order". The correct SAP term is **cash sale**, and it is one of several **sales document types** — a configuration setting on the sales order that changes how the whole rest of the flow behaves. Same **VA01** screen, same **VBAK** table, one different field, a completely different process.

Telugu: Nuvvu "cash order" ani annavu — SAP lo daani **sariyaina peru "Cash Sale"**. Idi **sales document type** anevaatilo okati. Document type ante sales order meeda unna **okka field** — kani adi **migilina flow antha ela nadavalo** nirnayistundi. **Ade `VA01` screen, ade `VBAK` table** — okka field maare, kani process poorti ga veru.

The four types you must know:

Type	Code	What is different	Vayu Fans example
Standard order	OR	The normal flow. Order today, deliver later, invoice later, payment in 30 days	Balaji Electricals orders 200 fans for next week
Rush order	RO / SO	Delivery is created automatically when you save the order. Goods go out today; billing happens later	A dealer's shop burnt stock and needs 20 fans today, on credit
Cash sale	CS / BV	Delivery and billing happen immediately. Customer pays at the counter and walks out with the fan. Revenue posts to a cash account , not to a customer receivable	A walk-in customer buys one fan at Vayu's factory outlet
Returns	RE	Runs backwards — goods come in, a credit memo goes out	Balaji returns 5 fans with a wobbling blade



One field on the sales order changes the entire downstream process. This is configuration doing the work that would be a hundred lines of `if` in a hand-built application.

Why this matters more than it looks. In a system you built yourself, "cash sale" would be a branch in your code — `if (paymentType === 'cash') { skipInvoicing(); postToCashAccount(); }`. In SAP it is a **row in a configuration table** (`TVAK`), created by a functional consultant in SPRO, that tells the system which delivery type, which billing type and which account to use. **No developer was involved.** That is the difference described in A3, shown working.

	Your hand-built app	SAP
Adding a new order behaviour	Write a new branch, test it, deploy	Copy an existing document type in SPRO, change a few settings
Who does it	A developer	A functional consultant
Time	Days	Hours
Risk	New code paths	Configuration, tested but no new code

Telugu: Ee naalugu types gurthu unchuko:

— `OR` **Standard order**: normal — ippudu order, taruvata delivery, taruvata bill, 30 rojulalo dabbu.

— `RO` **Rush order**: order save cheyyagane **delivery automatic ga** tayaruvutundi. Samanu ee roje veltundi, bill taruvata.

— `CS` **Cash Sale**: **delivery mariyu billing rendu ventane** jarugutai. Customer counter lo dabbu ichi fan teesukelipotadu. Dabbu **cash account** loki veltundi, customer baaki lekka lo padadu.

— `RE` **Returns**: **venakki** — samanu tirigi vastundi, credit memo veltundi.

Mukhyamaina point: nee sonta app lo idi `if (cash) {...}` ani **code** rasevaadivi. SAP lo idi **SPRO lo oka config row** (**TVAK** table) matrame — **developer avasaram ledi**.

D4. Document flow — how SAP links them all

Simple definition: Every document in a chain stores a **reference to the one before it**, and SAP keeps a table of those links. The result is that from any document you can see the entire story — forwards and backwards — in one click. That table is **VBFA**, and the button is **Document Flow**.

Telugu: Prathi document **daani mundu dani reference** ni daachukuntundi, mariyu SAP ee links anni oka table lo unchutundi. Anduke **e document nunchi ayina** — sales order nunchi ayina, invoice nunchi ayina — **motham katha** okka click lo chudochu, mundu ki venakki rendu vaipula. Aa table peru **VBFA**, aa button peru **Document Flow**.

Try this in your practice system — it is the single best five-minute exercise in this document:

1. VA03 -> enter a sales order number -> Enter
2. Menu: Environment -> Display Document Flow (or the "Document Flow" button)
3. You will see something like this:

```
Sales order 5000000123 ..... 12.09.2026 Completed
|
+-- Delivery 80000456 ..... 13.09.2026 Completed
|   |
|   +-- WMS transfer order 12345 ..... 13.09.2026 Completed
|   +-- GD goods issue: delvy 4900001 .. 13.09.2026 Completed
|
+-- Invoice 90000789 ..... 14.09.2026 Completed
|
|   +-- Accounting document 1000000456 . 14.09.2026 Cleared
```

4. Double-click ANY line to jump straight into that document.

What you just saw, and why it is the heart of ERP. Five different departments created five different documents across three days — Sales, Warehouse, Stores, Billing, Accounts. Nobody re-typed anything, and every document knows its parents and children. **That single screen is what a company is buying when it buys an ERP.**

Detail	
Table	VBFA — Sales Document Flow
Key fields	VBELV preceding document · VBELN subsequent document · VBTYP_N document category
Where you see it	The Document Flow button in VA03 , VL03N , VF03
Your web analogy	A parent_id / foreign-key chain across orders , shipments , invoices , payments — plus a ready-made UI to walk it

Document categories in **VBFA** — worth recognising:

VBTP	Means
A	Inquiry
B	Quotation
C	Sales order
J	Delivery
M	Invoice
H	Returns

An interview question you can now answer completely: "How would you find out whether a sales order has been invoiced?" — "Open **VA03** and check the document flow, which reads table **VBFA**. Programmatically I would select from **VBFA** where **VBELV** is the order and **VBTP_N** is 'M' for invoice." That answer shows you understand both the screen and the data behind it.

Part E — Making: Plan-to-Produce

E1. How a fan gets built, in six documents


Simple definition: Plan-to-Produce is the manufacturing flow: work out how many fans are needed → check what raw material that requires → order what is missing → issue components to the shop floor → build → put finished fans into stock. It is the flow that connects **P2P** (buying) to **O2C** (selling).

Telugu: Plan-to-Produce ante **tayaru chese flow**: enni fans kavalo lekkinchadam → daaniki enta raw material kavalo choodadam → lenidi konadam → components ni factory ki ivvadam → fan tayaru cheyyadam → tayarayina fans ni stock lo pettadam. Idi **P2P (konadam) ni O2C (ammadam) tho kalipe** madhya flow.

The two master records everything depends on. These come first, before any production:

Master record	What it says	T-code	Tables
BOM (Bill of Material)	The recipe. One FAN-CEIL-1200 = 1 motor + 1.2 kg steel sheet + 8 m copper wire + 3 blades + 1 box	CS01 create · CS03 display	MAST , STKO header, STPO items
Routing	The method. Step 10 stamping (12 min), step 20 winding (18 min), step 30 assembly (9 min), step 40 testing (4 min)	CA01 create · CA03 display	PLK0 header, PLP0 operations

Now the flow. Vayu needs 1,000 fans for the festival season:



Plan-to-Produce. Step 1 is where SAP earns its keep: MRP reads the BOM, compares required against available, and generates every purchase requisition and planned order the factory needs.

Step	What happens at Vayu Fans	T-code	Effect
1. MRP run	SAP reads the BOM, multiplies by 1,000, checks stock, and works out what is short: 1,000 motors needed, 300 in stock → short 700	MD01 / MD02	Creates planned orders for fans and purchase requisitions for missing components
2. Planned order	A proposal, not yet firm: "make 1,000 fans starting 1 Sep"	MD04 to view	Nothing posted yet
3. Production order	The planned order is converted into a firm order with a number, a BOM copy and a routing copy	CO01 / CO40	Tables AUFG header, AFKO , AFPO
4. Goods issue	Components leave the raw-material store for the shop floor	MIGO movement 261	Raw-material stock down ; cost collects on the production order
5. Confirmation	The shop floor reports "step 30 done, 400 fans assembled, 6.4 hours"	CO11N	Actual time and quantity recorded
6. Goods receipt	Finished fans go into the finished-goods store	MIGO movement 101	Finished stock up ; the fans are now sellable in O2C

Notice the join. Step 1 generated **purchase requisitions** — that is **EBAN** , the first document of P2P in C1. And step 6 put fans into stock — which is what a sales order in D1 checks during its availability check. **The three flows are one loop**, which is exactly the thing an ERP exists to close:

The full Vayu Fans loop, in one sentence: MRP says we are short 700 motors → a purchase requisition becomes a PO → the motors arrive and stock rises (**P2P**) → they are issued to a production order and become fans (**Plan-to-Produce**) → a dealer orders 200 and the availability check sees them → they are delivered, invoiced and paid for (**O2C**) → every step posted to the ledger along the way (**R2R**).

Telugu: Modata rendu master records kavali: **BOM** (`CS01`) = fan ki emi emi kavalo ane **recipe**; **Routing** (`CA01`) = ye step enta sepu ane **vidhaanam**.

Taruvata flow: **1. MRP run** (`MD01`) — SAP BOM chusi, 1000 fans ki enta kavalo lekkinchi, stock lo enta undo chusi, **takkuva unnadanni kanipettutundi**. Lenivaatiki **purchase requisitions** automatic ga create chestundi. **2. Planned order** — kevalam proposal. **3. Production order** (`CO01`) — firm order. **4. Goods issue (261)** — components factory ki. **5. Confirmation** (`CO11N`) — "itanta ayindi" ani cheppadam. **6. Goods receipt (101)** — tayarayina fans stock loki.

Mukhyam: step 1 lo puttina purchase requisition ne **P2P start**. Step 6 lo padina stock ne **O2C lo check chestundi**.

Moodu flows kalisi oka loop — ERP unde karanam ide.

Part F — How the Business Becomes Data

F1. Every SAP document has the same shape — header and item

Simple definition: You have now met nine business documents. Almost every one of them is stored the same way: **one header row** holding what is true for the whole document, and **many item rows** holding each line. Once you see this pattern you can guess the table structure of a document you have never met.

Telugu: Ippati varaku nuvvu **9 documents** chusavu. Vaatilo deadaapu anni **okate vidhanga** store avutai: **okka header row** — document motham ki common ga undedi (customer evaru, date, currency) — mariyu **chala item rows** — prathi line ki okati (ye material, enni, entha rate). Ee pattern oksari ardham aithe, **nuvvu eppudu chudani document** yokka tables kuda oohinchagalavu.

Document	Header table	Item table	Key field
Purchase requisition	—	EBAN (item-level only)	BANFN
Purchase order	EKKO	EKPO	EBELN / EBELP
Goods movement	MKPF (ECC)	MSEG (ECC) · MATDOC in S/4HANA	MBLNR
Vendor invoice	RBKP	RSEG	BELNR
Inquiry / quotation / sales order	VBAK	VBAP	VBELN / POSNR
Delivery	LIKP	LIPS	VBELN
Billing document	VBRK	VBRP	VBELN
Accounting document	BKPF	BSEG (ECC) · ACDOCA in S/4HANA	BELNR

Why it is split this way. Balaji's order has one customer, one date and one currency — but three different fan models. Storing the customer three times would be wasteful and would let the three rows disagree. So SAP stores it once in **VBAK** and three times in **VBAP**, joined by **VBELN**.

```
" The join you will write more than any other in your career:
SELECT k~vbeln, k~kunnr, k~erdat,           " header: order no, customer, date
      p~posnr, p~matnr, p~kwmeng, p~netwr " items: line, material, qty, value
FROM vbak AS k
INNER JOIN vbap AS p ON p~vbeln = k~vbeln
WHERE k~vkorg = '1000'                    " Vayu's sales organisation
      AND k~erdat >= '20260901'
INTO TABLE @DATA(lt_orders).
```

The naming logic, so you can guess instead of look up: SAP's German-derived naming is consistent once you see it. **EKKO** = *Einkauf Kopf* (purchasing head), **EKPO** = *Einkauf Position* (purchasing item). **VBAK** = *Verkauf Beleg Auftrag Kopf* (sales document order head), **VBAP** = the item. **K** at the end usually means header (**Kopf**); **P** usually means item (**Position**).

Telugu: Enduku rendu tables? Balaji order lo — customer okkade, date okkate, kani **3 rakala fans** unnai. Customer peru 3 sarlu raasthe waste, mariyu aa 3 rows lo tedaa vachhe pramaadam. Anduke SAP: customer ni **`VBAK` lo oksari**, items ni **`VBAP` lo 3 sarlu** pettindi, rendintini **`VBELN`** tho kaluputundi.

Peru logic (German nunchi vachindi): chivara **`K`** unte deadaapu **header (Kopf)**, chivara **`P`** unte **item (Position)**. **`EKKO`/`EKPO`**, **`VBAK`/`VBAP`**, **`LIKP`/`LIPS`** — anni ee pattern ne.

F2. MARA, MARC, MTART — decoding what your tutor is saying


Simple definition: Your tutor opens SE11 and says "MARA". Here is what that actually means: **MARA is the table where the general information about a material lives**. But a material's data does *not* all live in one table — it is split by **organisational level**, which is why there are several MAR- tables and why you kept losing the thread.

Telugu: Nee tutor SE11 teruchi "MARA" antadu. Daani artham: **`MARA` ante material yokka general information unde table**. Kani **okka material data antha okka table lo undadu** — adi **organisational level batti vidipotundi**. Anduke MAR- tho modalayye tables konni unnai, mariyu nuvvu confuse ayyavu. Idi ardham aithe class antha spashtam avutundi.

Vayu Fans' ceiling fan, **FAN-CEIL-1200 , spread across five tables:**

Table	Level	What it holds	Vayu example
MARA	Client — true everywhere	Material number, material type , base unit, material group, weight	MATNR FAN-CEIL-1200 , MTART FERT , MEINS EA
MAKT	Client + language	The description	"Ceiling Fan 1200mm White"
MARC	Plant	Planning data — MRP controller, procurement type, lot size	In plant 1000 : made in-house. In plant 1100 : not maintained at all
MARD	Storage location	Stock quantity	LABST unrestricted stock in 1000 / FG01 = 340
MBEW	Plant + valuation	Price and value	Standard price ₹1,180

Table	Level	What it holds	Vayu example
MVKE	Sales area	Sales data — sales unit, tax classification	Sold via channel 10 and 20



One material, six tables. The split follows the organisational structure from B1 exactly — which is why B1 had to come first.

Now the error from B1 makes sense. "Material FAN-CEIL-1200 not maintained in plant 1100" means: the MARA row exists, but no MARC row exists for plant 1100. Nobody extended the material to the Chennai depot. The fix is not code — it is MM01 with the plant view. **That is a five-second diagnosis once you know this table split, and a lost afternoon if you do not.**

And MTART — the field you heard as "MTAR". It is the **material type**, a four-character field in MARA that classifies what kind of thing a material is. It controls which screens appear, which number range is used, and how it is valued.

MTART	Means	Vayu Fans example
ROH	Raw material (bought, consumed in production)	STEEL-SHT-01 , MOTOR-48W , CU-WIRE-22
HALB	Semi-finished (made in-house, used in-house)	MOTOR-ASSY — a wound motor assembly
FERT	Finished product (made in-house, sold)	FAN-CEIL-1200
HAWA	Trading goods (bought and resold, no production)	Imported remote-control kits
VERP	Packaging	BOX-FAN-STD
DIEN	Service (no stock)	Installation service

Say the field names out loud once, because your tutor will not slow down for them. MATNR = material number · MTART = material type · MEINS = base unit of measure · MATKL = material group · WERKS = plant · LGORT = storage location · LABST = unrestricted stock. Seven names. They come from German words, they never change, and they appear in almost every ABAP program you will ever read.

Telugu: Okka fan data **aaru tables lo** undi, endukante adi **organisational level** batti vidipotundi:

- **`MARA`** = client level. Company antha ki common — material number, **material type**, unit.
- **`MARC`** = **plant level**. Plant 1000 lo maintained, plant 1100 lo **ledu**.
- **`MARD`** = storage location level. **Stock enta undo** ikkade.
- **`MBEW`** = **price**. **`MVKE`** = sales data. **`MAKT`** = description.

Anduke "Material not maintained in plant 1100" ane error vastundi — **`MARA`** row undi kani **`MARC`** row **ledu**. Fix code kaadu, **`MM01` lo plant view create cheyyadam**.

`MTART` (nuvvu "MTAR" annavu) = **material type**. **`ROH`** = raw material, **`HALB`** = semi-finished, **`FERT`** = **finished product**, **`HAWA`** = trading goods, **`VERP`** = packing, **`DIEN`** = service.

F3. From a screen field to a table row

Simple definition: This is the single most useful skill in your first month, and it answers your question "how do I see data in tables". You are looking at a value on an SAP screen and you need to know **which table and field it came from**. SAP tells you, in three clicks, on any field, on any screen.

Telugu: Idi nee modati nela lo **ati upayogakaramaina skill**, mariyu "table lo data ela chudali" ane nee prashnaki jawab idi. Screen meeda oka value kanipistondi — adi **ye table, ye field nunchi vachindo** teluskovali. SAP ne cheputundi, **moodu clicks lo**, e field meeda ayina, e screen lo ayina.

The technique. Do this in your practice system today:

STEP 1 – FIND THE FIELD

VA03 -> open any sales order -> click ONCE inside the "Sold-to party" field

Press F1

-> a help window opens

STEP 2 – GET THE TECHNICAL NAME

In that help window, click the "Technical Information" button (the spanner/wrench icon)

-> you see:

Table Name : VBAK

Field Name : KUNNR

Data Element: KUNAG

Screen field: VBAK-KUNNR

THAT IS THE ANSWER. The customer on this screen lives in VBAK-KUNNR.

STEP 3 – LOOK AT THE DEFINITION (optional)

SE11 -> Database table: VBAK -> Display

-> every field, its data element, its domain, its length

STEP 4 – LOOK AT THE ACTUAL ROWS

SE16N -> Table: VBAK -> Enter

-> put 5000000123 in VBELN -> Execute

-> you see the real row behind the screen you were just looking at

Do that once and something clicks permanently: the SAP screen is a *view*; SE16N shows you the *data*; SE11 shows you the *schema*. Three windows onto the same thing.

Tool	Shows you	Your web equivalent
The transaction (VA03)	The business view, formatted for a user	Your rendered page
F1 → Technical Information	Which table and field this value comes from	DevTools → Inspect Element
SE11	The table <i>definition</i> — fields, types, keys	The schema / migration file
SE16N	The actual <i>rows</i>	SELECT * FROM x in a SQL client

A few things about SE16N that will save you time:

Thing	Why it matters
Enter selection criteria before executing	VBAK has millions of rows. Always filter — by VBELN , ERDAT or KUNNR
Set Number of hits	Default is often 500. Raise it deliberately, never to "all" on a production table

Thing	Why it matters
Tick Check maximum number of hits off with care	An unbounded read on <code>ACDOCA</code> can hurt a production system
Use the layout / field selection button	Choose which columns show — <code>VBAK</code> has over 100
<code>SE16N</code> vs <code>SE16</code> vs <code>SE17</code>	<code>SE16N</code> is the modern one. Use it

And the last piece — writing code against what you just found. You asked "how do I write code". The full answer is your **ABAP Essentials** PDF; here is the bridge, using the exact table you just inspected:

```
*&--- Your first genuinely useful program: Vayu Fans open sales orders
REPORT zvayu_open_orders.

DATA: lt_orders TYPE TABLE OF vbak.

SELECT vbeln, kunnr, erdat, netwr           " the fields F1 just showed you
  FROM vbak
 WHERE vkorg = '1000'                     " Vayu's sales organisation
    AND erdat >= '20260901'
 INTO TABLE @DATA(lt_result).

LOOP AT lt_result INTO DATA(ls_order).
  WRITE: / ls_order-vbeln, ls_order-kunnr, ls_order-erdat, ls_order-netwr.
ENDLOOP.
```

Type this in `SE38`, activate it, run it. **You have now read a real business table that a real business document wrote to.** Everything else in ABAP is a bigger version of these ten lines.

Telugu: Ee technique ni **ee roje** practice system lo cheyyi:

1. ``VA03`` lo oka order teruchu → "Sold-to party" field lo click chesi ``F1`` nokku.
2. Vachina window lo **"Technical Information"** click chey → **Table Name: ``VBAK``, Field Name: ``KUNNR``** ani chupistundi. **Ade jawab.**
3. ``SE11`` lo ``VBAK`` teruchu → table **structure** chudochu.
4. ``SE16N`` lo ``VBAK`` teruchu → **nijamaina rows** chudochu.

Idi nee DevTools laantidi: screen = rendered page, ``F1`` = Inspect Element, ``SE11`` = schema, ``SE16N`` = SQL client. Oksari chesthe, **eppatiki gurthu untundi.**

F4. Reports, and the errors you will actually meet

Simple definition: Two things fill an SAP consultant's day that nobody teaches in a course: **reading standard reports**, and **understanding error messages**. Your 6-month plan calls these out as Week 7 and Week 11 for good reason — high-paying SAP jobs go to people who can fix things, and fixing starts with reading the message properly.

Telugu: SAP lo pani chese vaadi roju lo **rendu vishayalu** ekkuva samayam teesukuntai, kani vaatini **course lo evaru nerpinchru**: (1) **standard reports chadavadam**, (2) **error messages ardham chesukovadam**. Nee 6-month plan lo veetini Week 7, Week 11 ga pettadam correct — **ekkuva jeetam** ichhe SAP jobs **problem solve chesevaallake** vastai.

Standard reports you should open once, just to know they exist:

T-code	Shows	Vayu Fans use
MMBE	Stock overview for one material across all plants	"How many fans do we have, and where?"
MB52	Warehouse stock with values	Stock valuation at month end
ME2N / ME2L	Purchase orders by number / by vendor	"What is still open with Sundaram Motors?"
VA05	Sales order list	"All orders for Balaji this month"
VF05	Billing document list	Invoices raised in a period
FBL1N / FBL5N	Vendor / customer line items	"What do we owe, what are we owed?"
FS10N	G/L account balances	Any account, any period
MD04	Stock/requirements list for a material	The single most-used PP screen
ST22	ABAP runtime dumps	Where you go when a program crashed
SM37	Background job monitor	"Did last night's interface run?"

In **S/4HANA**, most of these also exist as **Fiori apps** with the same data and a better UI — but the T-codes still work, and on a project people still say "check MMBE".

The six errors you will genuinely meet, and what each one really means:

Message	What it actually means	Where to fix it
"Material X not maintained in plant Y"	MARA row exists, MARC row missing (F2)	MM01 , extend to that plant
"Deficit of stock" / "Deficit of BA unrestricted"	Not enough physical stock for this movement	Check MMBE ; the real answer is usually a missing goods receipt
"Document is incomplete"	A field the incompletion procedure requires is blank on the sales order	VA02 , the incompletion log tells you which field
"Account determination error"	Config does not say which G/L account to post to for this combination	Functional consultant, VK0A (SD) or OBYC (MM)
"No number range interval found"	The number range for this document type was never created, or has run out	SNRO / config. Very common on a fresh training system
"Enter a value for field X"	A mandatory field for this document type in this configuration	Fill it — but ask <i>why</i> it is mandatory; that is a config decision

The habit worth building from day one. When SAP shows a message in the status bar, **double-click it**. You get the long text, the message class and number (for example **M7 021**), and often a "Procedure" section telling you exactly what to do. Most beginners read the one-line message, panic, and ask someone. The long text usually contains the answer.

The scenario question your plan mentions — "stock mismatch, how does SAP solve it?" System stock says 340 fans; the warehouse counts 332. SAP's answer is **physical inventory**: create a count document (**MI01**), enter the counted quantity (**MI04**), and post the difference (**MI07**). SAP then posts an inventory adjustment to FI automatically. The eight missing fans become a costed, audited, explainable difference instead of an argument. Being able to tell that story is exactly what "real-time scenario" questions are testing.

Part G — Your Job in All This

G1. RICEF, mapped onto Vayu Fans

Simple definition: You have now seen the whole business. Here is your place in it — every task an ABAP developer at Vayu Fans would receive in the first year, mapped to the flow it belongs to. This is what "what do I do as an ABAP dev" actually looks like on a real project.

Telugu: Ippudu nuvvu **motham business** chusavu. Ikkada nee sthanam emiti ani chuddam — Vayu Fans lo oka ABAP developer ki modati samvatsaram lo vache **prathi task**, adi ye flow ki chendinado tho kalipi. "ABAP dev ga nenu emi chestanu" ane prashnaki **nijamaina jawab idi**.

Flow	Task you receive	Type	What you actually touch
O2C	"Dealer-wise sales report with margin, monthly"	R	VBAK + VBAP + VBRP , ALV — or a CDS view + Fiori list
O2C	"Print our own invoice layout with GST and the Vayu logo"	F	Smart Form / Adobe Form, printed from VF03
O2C	"Do not allow an order if the dealer's overdue balance exceeds ₹5 lakh"	E	A BAdI on sales-order save, reading FI open items
O2C	"Upload dealer orders from their Excel template"	I	File upload + sales order creation via BAPI
P2P	"Late-delivery report by vendor, last 12 months"	R	EKKO + EKPO + EKBE
P2P	"Our own PO print layout"	F	Smart Form from ME23N
P2P	"Auto-default storage location RM01 on raw-material POs"	E	BAdI / user exit on ME21N
P2P	"Nightly file of new POs to Sundaram Motors"	I	SM36 background job + file/IDoc

Flow	Task you receive	Type	What you actually touch
Plan-to-Produce	"Shop-floor screen showing today's production orders"	R	AUFK + AFKO + AFPO , or a Fiori app
Go-live	"Load 4,200 vendors and 11,000 materials from Tally"	C	LSMW / BAPI-driven Z-programs. Happens once
R2R	"Month-end reconciliation report for the CFO"	R	ACDOCA

Read the middle column. Out of eleven tasks, **five are reports**. That is not an accident — reports are the majority of ABAP work almost everywhere, they are the safest thing to give a fresher, and they are the fastest way to look competent in your first month.

What this means for your December portfolio. Build **one** of these properly rather than five badly. The strongest single choice is the first row done the modern way: a **CDS view** over **VBAK** / **VBAP** with UI annotations, exposed through **RAP** as OData, with a **Fiori Elements** list report on top. It is one project that demonstrates the business flow, the data model, the modern programming model and the UI — which is exactly the combination that makes your web background pay.

G2. The words you are saying slightly wrong

Simple definition: You asked me to correct your terminology, so here it is directly. None of these are serious mistakes — they are exactly the words a beginner mishears in a fast-moving class. But saying them correctly in December will matter, because interviewers read precision as experience.

Telugu: Nuvvu adigav kabatti, nee maatalni **direct ga sari chestunna**. Ivi pedda tappulu kaavu — **vegam ga nadiche class lo** evarikaina ilaage vinipistundi. Kani December interviews lo **sariyaina maata** vaadadam mukhyam, endukante interviewers **khachitatvanni experience ga** chustaru.

You said	The correct term	What it actually is
"MTAR"	MTART	The material type field in MARA — ROH , HALB , FERT , HAWA (F2)
"cash order"	Cash sale	A sales document type where delivery and billing happen immediately and revenue posts to cash (D3)
"quotation req"	Three different documents	Purchase requisition (our internal need), RFQ (our question to a supplier), Quotation (their answer, or <i>our</i> offer to a customer in SD) (C1)
"delivery notes"	Delivery (VL01N)	The delivery is the <i>document</i> ; the "delivery note" or packing list is the <i>printout</i> of it (D2)
"O2O"	O2C — Order to Cash	The sell-side flow (A2, Part D)
"sales, order" as one thing	Sales order	One document, VA01 , table VBAK (D1)

You said	The correct term	What it actually is
" procurement " as a module	The module is MM ; the <i>process</i> is P2P ; the <i>area</i> is Sourcing & Procurement	Three words, one neighbourhood (A4)
" SAP system UI "	SAP GUI (the desktop client) vs Fiori (the browser UI)	Two different front ends over the same data
" DDIC "	ABAP Dictionary — DDIC is the abbreviation	Where table, data element and domain definitions live. SE11 is its transaction
" client " meaning customer	In SAP, client = MANDT , a tenant	The buying company is the customer (KUNNR) or, on a project, "the client" in the consulting sense. Watch the context

One more that will come up. "Table" in SAP usually means a **DDIC transparent table** (a real database table, defined in SE11). But you will also hear **internal table** — an in-memory array inside an ABAP program, which is nothing to do with the database. When your tutor says "put it in a table", listen for which one he means. ABAP Essentials Part G covers internal tables properly.

G3. Your next week in the 9–11 slot

Simple definition: You said you sit in class blank while the tutor opens screens. That stops when you arrive already knowing what the screen is *for*. Here is a concrete five-day plan for your practice system that follows this document, so class becomes recognition instead of introduction.

Telugu: Tutor screens teruchutunte nuvvu blank ga kurchuntunnav ani cheppav. **Aa screen deniki upayogam** ani mundu ne telisi vasthe adi aagipotundi. Ikkada nee practice system kosam **aidu rojula plan** undi — ee doc ni follow avutundi, mariyu class ni "kotta vishayam" nunchi "idi naaku telusu" ga marchutundi.

Day	Do this in your 9–11 slot	It proves you understood
Mon	SE16N → open MARA , filter one material. Then open MARC and MARD for the same material. See the same MATNR in three tables at three levels	F2 — the org-level split
Tue	VA03 → open any sales order. F1 on five fields, note the table and field name each time. Then SE16N on VBAK and find that exact order	F3 — screen to table
Wed	VA03 → Document Flow . Walk it from order to accounting document. Write the chain in your notebook	D4 — how documents link
Thu	ME23N → open a purchase order. Find the PO history tab. See the goods receipt and the invoice against it	C1–C2 — the three-way match, visible
Fri	SE38 → create ZVAYU_TEST , paste the ten-line program from F3 , change the table to EKKO , activate, run	F3 — you can read business data with code

Three questions to ask your tutor this week. Asking a good question is the fastest way to stop being invisible in a class:

1. *"When you create a sales order, which configuration decides the G/L account the revenue posts to?"* — shows you understand SD→FI integration.
2. *"Is our practice system S/4HANA or ECC? Can I check with System → Status → S4CORE?"* — shows you know the difference and that CDS/RAP depend on it.
3. *"Which document types are configured in this system — do we have a cash sale type I can try?"* — shows you know document types drive the flow.

The one sentence to hold from this entire document. SAP is not a programming problem you are failing to understand — it is a **business** you had not been shown. A fan gets planned, its parts get bought, it gets made, it gets sold, and money moves — and every screen your tutor opens is one moment in that story. Once you can place the screen in the story, SE11, DDIC, MARA and MTART are just filing labels. And filing labels are easy.

Telugu: Ee doc antha lo nunchi **okka vaakyam** gurthu unchuko: **SAP nuvvu ardham chesukoleni programming problem kaadu — adi neeku evaru chupinchani oka business.** Fan ki plan padutundi, daani parts konataru, adi tayaruvutundi, adi ammutaru, dabbu kadulutundi — nee tutor teriche **prathi screen aa katha lo oka kshanam** matrame. Aa screen ni katha lo **ekkada peduthundo** nuvvu cheppagalinappudu, SE11, DDIC, MARA, MTART anevi kevalam **file meeda raasina labels** matrame. Labels nerchukovadam sulabham.

*Next: read **ABAP Essentials** — you now have the business context that makes its SELECT statements mean something. Bring new doubts to Saturday; they go into Doubts Round 02.*