




# AUTOMATICS

doors for lifts

JAMISAN  
LIFTTECH



## CO CAR HEADER



### FEATURES :

- Low weight & reduced overall dimensions.
- Wire Rope less Car header for silent operation.
- Wider Belt size strengthens the operating torque.
- Hard Anodized Aluminum Track for Silent Operation.
- Auto learning facility for variable door weight.
- Speed control for coupler- skate gives noiseless opening/closing.
- Dedicated VVVF allows flexibility of parameter programmability to cater user choice.
- Monitors door weight continuously while in operation.
- Wide input power supply range makes trouble free operation in power fluctuation.
- Long life door contacts.
- Adjustable idle pulley with spring tension.
- Bottom Groove less sill design to prevents dirt entry & gives attractive bottom look.
- Built in Track Cleaners & Roller Cleaners for Longer Time Noiseless Operation.
- Easy installation & fast debugging.
- Field configurable for Interfacing with different types of main controller.

### AVAILABLE OPTIONS

| Sr. No. | Type                                    | Available for Opening (mm)                           | Max. Operator Width (mm)     |
|---------|---|--|------------------------------|
| 1       | 2-Panel Center Opening                  | 600,650,700,750,800,850,900,1000,1100,1200,1300,1400 | ( 2 x Clear Opening ) +100   |
| 2       | 2-Panel Telescopic Opening (Right/Left) | 600,650,700,750,800,850,900,1000,1100,1200,1300,1400 | ( 1.5 x Clear Opening ) +100 |
| 3       | 4-Panel Center Opening                  | 800,900,1000,1200,1300,1400,1600,1800                | ( 1.5 x Clear Opening ) +50  |




WORM GEAR MOTOR



DOOR OPERATOR


## CO LANDING HEADER



### FEATURES :

- Hard Anodized Aluminum Track For Silent Operation.
- Long Life Door Contacts.
- Bottom Groove Less Sill Design To Prevents Dirt Entry & Gives Attractive Bottom Look.
- Easy Installation.
- 3 mm Rope Wire For Better Strength.


### AVAILABLE OPTIONS

| Model        | Description                                       | Illustration   | Opening mm |
|--------------|---|--|------------|
| LH/2P/C/600  | LANDING HEADER FOR<br>TWO PANEL CENTRE<br>OPENING | <br>FIG. VIEWING FROM<br>FLOOR TOWARDS LIFT | 600        |
| LH/2P/C/650  |   |  | 650        |
| LH/2P/C/700  |   |  | 700        |
| LH/2P/C/750  |   |  | 750        |
| LH/2P/C/800  |   |  | 800        |
| LH/2P/C/850  |   |  | 850        |
| LH/2P/C/900  |   |  | 900        |
| LH/2P/C/1000 |   |  | 1000       |
| LH/2P/C/1100 |   |  | 1100       |
| LH/2P/C/1200 |   |  | 1200       |
| LH/2P/C/1300 |   |  | 1300       |
| LH/2P/C/1400 |   |  | 1400       |

## TELESCOPIC LANDING HEADER





## TELESCOPIC CAR HEADER




## FEATURES :

- Hard Anodized Aluminum Track for Silent Operation.
- Long life door contacts.
- Bottom Groove less sill design to prevents dirt entry & gives attractive bottom look.
- Easy installation.
- 3 mm Rope Wire For Better Strength.

## AVAILABLE OPTIONS

| Model        | Description                              | Illustration   | Opening mm |
|--------------|--|--|------------|
| LH/2P/L/600  | LANDING HEADER FOR TWO PANELSIDE OPENING | <br>FIG.VIEWING FROM FLOOR TOWARDS LIFT  | 600        |
| LH/2P/R/600  |  |  | 600        |
| LH/2P/L/650  |  |  | 650        |
| LH/2P/L/700  |  |  | 700        |
| LH/2P/L/750  |  |  | 750        |
| LH/2P/L/800  |  |  | 800        |
| LH/2P/L/850  |  |  | 850        |
| LH/2P/L/900  |  |  | 900        |
| LH/2P/L/1000 |  |  | 1000       |
| LH/2P/L/1100 |  |  | 1100       |
| LH/2P/L/1200 |  |  | 1200       |
| LH/2P/L/1300 |  |  | 1300       |
| LH/2P/L/1400 |  |  | 1400       |
| LH/2P/R/650  | LANDING HEADER FOR TWO PANELSIDE OPENING | <br>FIG.VIEWING FROM FLOOR TOWARDS LIFT | 650        |
| LH/2P/R/700  |  |  | 700        |
| LH/2P/R/750  |  |  | 750        |
| LH/2P/R/800  |  |  | 800        |
| LH/2P/R/850  |  |  | 850        |
| LH/2P/R/900  |  |  | 900        |
| LH/2P/R/1000 |  |  | 1000       |
| LH/2P/R/1100 |  |  | 1100       |
| LH/2P/R/1200 |  |  | 1200       |
| LH/2P/R/1300 |  |  | 1300       |
| LH/2P/R/1400 |  |  | 1400       |


## JLT 2 CAR HEADER



### FEATURES :

- Low weight & reduced overall dimensions.
- Wider Belt size strengthens the operating torque.
- Zinc Plating S.S Track For Silent Operation.
- Auto learning facility for variable door weight.
- Speed control for coupler- skate gives noiseless opening/closing.
- Long life door contacts.
- Easy installation & fast debugging.

## JLT 2 LANDING HEADER



### FEATURES :

- Zinc Plating Track For Silent Operation.
- Long Life Door Contacts.
- Bottom Groove Sill Design To Prevents & Gives Attractive Bottom Look.
- Easy Installation.
- 3 mm Rope Wire For Better Strength.

### AVAILABLE OPTIONS

| Sr. No. | Type                   | Available for Opening (mm) | Max. Operator Width (mm)   |
|---------|------------------------|----------------------------|----------------------------|
| 1       | 2-Panel Center Opening | 600,650,700,750,800        | ( 2 x Clear Opening ) +100 |

**JAMSAN**  
**LIFTTECH**



**JAMSAN**  
**LIFTTECH**

**Jamsan LiftTech [JLT]**



[jamsanpower@gmail.com](mailto:jamsanpower@gmail.com)



+91 94099 30209, +91 82000 12841



Add: Shed no 41, mahavir industrial park 2,  
Kathwada-Singarva Rd, nr. vinayak estate- 2,  
Ahmedabad, Gujarat 382430.

