

Windows 11 System Audit Report

Automated Security & Compliance Audit

1. Executive Summary

This report presents the results of an automated, read-only security and configuration audit of **DESKTOP-H9H2930**, executed on 30 August 2026 at 23:44:31. 81 checks were defined across 15 categories; 67 passed, 6 failed, 3 produced advisory warnings, 3 did not apply to this system, and 2 could not be verified (this run was not elevated; re-run as Administrator for full coverage).

4 CRITICAL findings require immediate attention (see Section 8).

2. System Information

Operating System	Not collected
Version / Build	(Build ?)
Architecture	Not collected
Computer Name	Not collected
Domain / Workgroup	Not collected
CPU	Not collected
RAM (GB)	Not collected
Firmware Type	Not collected

3. Overall Security / Compliance Score

81.1% Compliance	18.3% Risk Score	93.8% Coverage
---------------------	---------------------	-------------------

4. Category-wise Results

Category	Compliance	Risk Score	Coverage
Authentication & Access Control	100.0%	0.0%	100.0%
Backup & Recovery	100.0%	0.0%	66.7%
Browser & Internet Security	100.0%	0.0%	100.0%
Data & Storage Security	100.0%	0.0%	100.0%
Device & Peripheral Security	N/A	N/A	100.0%
Event & Log Auditing	100.0%	0.0%	100.0%
Firewall & Network Security	100.0%	0.0%	100.0%
Processes & Applications	100.0%	0.0%	100.0%
Remote Access	73.3%	26.7%	75.0%
Services	58.0%	40.0%	100.0%
System & Hardware	N/A	N/A	81.8%
System Configuration & Policies	83.3%	0.0%	100.0%
Users & Account Management	61.5%	38.5%	100.0%
Windows Security	31.4%	68.6%	85.7%
Windows Update & Patch Management	100.0%	0.0%	100.0%

5. Failed Checks (6)

ID	Category	Parameter	Severity	Status	Expected	Actual	Description	Remediation
SEC-001	Windows Security	Defender Real-Time Protection	CRITICAL	FAIL	enabled	False	Real-time protection is Defender's primary on-access malware defense and should always be enabled.	Enable Microsoft Defender real-time protection.
SEC-002	Windows Security	Defender Antivirus Enabled	CRITICAL	FAIL	enabled	False	The antivirus engine itself should be active (unless a third-party AV is legitimately in control).	Enable Microsoft Defender Antivirus, or confirm an authorized third-party antivirus is active in its place.
SVC-002	Services	Defender Antivirus Service Running	CRITICAL	FAIL	enabled	False	The Windows Defender Antivirus service (WinDefend) must be running to enforce Defender's	Start the Windows Defender Antivirus service (WinDefend).

							protectio ns.	
USR-003	Users & Account Manage ment	Accounts With No Password Required	CRITIC AL	FAIL	none present	MockWe akUser	No local account should be configu red to allow a blank password .	Require a password for every local account; clear the Password NotRequi red flag.
RDP-003	Remote Access	Remote Assistanc e Enabled	MEDIU M	FAIL	disabled	True	Remote Assistanc e should be disabled unless actively required for support sessions.	Disable Remote Assistanc e unless actively required for support.
SEC-003	Windows Security	Defender Cloud- Delivered Protectio n	MEDIU M	FAIL	enabled	False	Cloud- delivered protectio n (MAPS) improves detection of new/eme rging threats.	Enable cloud- delivered protectio n (MAPS) in Defender settings.

6. Warning Checks (3)

ID	Category	Parameter	Severity	Status	Expected	Actual	Description	Remediation
POL-002	System Configuration & Policies	PowerShell Script Block Logging Enabled	LOW	WARNING	should be enabled (advisory)	False	Script block logging improves the ability to detect and investigate malicious PowerShell use.	Enable PowerShell Script Block Logging for improved auditability.
POL-003	System Configuration & Policies	Device Installation Restriction Policy Configured	LOW	WARNING	should be enabled (advisory)	False	Restricting installation of unauthorized device classes reduces risk from rogue peripherals.	Consider enabling device installation restriction policy to control removable/peripheral hardware.
SVC-004	Services	Print Spooler Service Running	LOW	WARNING	should not be enabled (advisory)	True	The Print Spooler service has a history of privilege-escalation vulnerabilities (e.g. PrintNightmare); disable it on systems	Disable the Print Spooler service on systems that do not need printing.

								that do not print.	
--	--	--	--	--	--	--	--	-----------------------	--

7. Passed Checks (67)

▼ Show 67 passed checks

ID	Category	Parameter	Severity	Status	Expected	Actual
APP-001	Processes & Applications	Installed Applications Inventory	INFO	PASS	data available	name: Mock App, version: 1.0, publisher: Mock Inc.
APP-002	Processes & Applications	Excessive Startup Entries	LOW	PASS	should not be enabled (advisory)	False
APP-003	Processes & Applications	Running Processes	INFO	PASS	data available	name: explorer, pid: 1234, path: C:\WINDOW S\explorer.exe
APP-004	Processes & Applications	Processes Running From Unusual Paths	MEDIUM	PASS	none present	(none)
AUTH-001	Authentication & Access Control	Minimum Password Length	HIGH	PASS	>= 8	8
AUTH-002	Authentication & Access Control	Password Complexity Required	HIGH	PASS	enabled	True
AUTH-003	Authentication & Access Control	Maximum Password Age	MEDIUM	PASS	between 1 and 365	90
AUTH-004	Authentication & Access Control	Password History Size	MEDIUM	PASS	>= 5	5
AUTH-005	Authentication & Access Control	Account Lockout Threshold	HIGH	PASS	between 1 and 10	5
AUTH-006	Authentication & Access Control	Account Lockout Duration	MEDIUM	PASS	>= 15	30

AUTH-007	Authentication & Access Control	User Account Control (UAC) Enabled	CRITICAL	PASS	enabled	True
AUTH-008	Authentication & Access Control	UAC Consent Prompt Behavior for Administrators	HIGH	PASS	one of [2, 5]	5
AUTH-009	Authentication & Access Control	Automatic Screen Lock Configured	HIGH	PASS	enabled	True
AUTH-010	Authentication & Access Control	Automatic Screen Lock Timeout	MEDIUM	PASS	<= 15	10
BKP-002	Backup & Recovery	Windows Backup Service State	INFO	PASS	data available	Stopped
BKP-003	Backup & Recovery	Recovery Partition Present	LOW	PASS	enabled	True
BRW-001	Browser & Internet Security	Installed Browsers Inventory	INFO	PASS	data available	name: Microsoft Edge, executable: msedge.exe, path: C:\mock\msedge.exe, version: 120.0.0.0
BRW-002	Browser & Internet Security	Edge SmartScreen Enabled	MEDIUM	PASS	should be enabled (advisory)	True
BRW-003	Browser & Internet Security	Browser Proxy Override Configured	LOW	PASS	should not be enabled (advisory)	False
DEV-001	Device & Peripheral Security	USB Storage Installation Policy State	INFO	PASS	data available	Manual

DEV-002	Device & Peripheral Security	Connected USB Devices	INFO	PASS	data available	FriendlyName: Mock USB Device, Status: OK
DEV-003	Device & Peripheral Security	Bluetooth Adapter Present	INFO	PASS	data available	True
DEV-004	Device & Peripheral Security	Webcam Access Setting	INFO	PASS	data available	Allow
DEV-005	Device & Peripheral Security	Microphone Access Setting	INFO	PASS	data available	Allow
LOG-001	Event & Log Auditing	Security Log Size Adequate	LOW	PASS	should be enabled (advisory)	True
LOG-002	Event & Log Auditing	Failed Logon Events (24h)	MEDIUM	PASS	<= 10	2
LOG-003	Event & Log Auditing	Logon Event Auditing Enabled	HIGH	PASS	enabled	True
LOG-004	Event & Log Auditing	System Log Available	LOW	PASS	enabled	True
NET-001	Firewall & Network Security	Domain Firewall Profile Enabled	HIGH	PASS	enabled	True
NET-002	Firewall & Network Security	Private Firewall Profile Enabled	HIGH	PASS	enabled	True
NET-003	Firewall & Network Security	Public Firewall Profile Enabled	CRITICAL	PASS	enabled	True
NET-004	Firewall & Network Security	High-Risk Ports Listening	MEDIUM	PASS	none present	(none)
NET-005	Firewall & Network Security	Network Connection Profiles	INFO	PASS	data available	Name: MockNet, NetworkCategory: Private

NET-006	Firewall & Network Security	DNS Servers Configured	INFO	PASS	data available	InterfaceAliases: Ethernet, ServerAddresses: ['192.168.1.1']
NET-007	Firewall & Network Security	Proxy Configured	LOW	PASS	should not be enabled (advisory)	False
POL-001	System Configuration & Policies	PowerShell Execution Policy	MEDIUM	PASS	none present	(none)
RDP-001	Remote Access	Remote Desktop Enabled	HIGH	PASS	disabled	False
RDP-004	Remote Access	WinRM Service Running	MEDIUM	PASS	should not be enabled (advisory)	False
SEC-005	Windows Security	Defender Tamper Protection	HIGH	PASS	enabled	True
SEC-006	Windows Security	SmartScreen Enabled	MEDIUM	PASS	should be enabled (advisory)	True
SEC-007	Windows Security	Registered Antivirus Products	INFO	PASS	data available	Windows Defender; MockAV
STG-001	Data & Storage Security	BitLocker Enabled on OS Drive	CRITICAL	PASS	enabled	True
STG-002	Data & Storage Security	Fixed Drives Without BitLocker	HIGH	PASS	none present	(none)
STG-003	Data & Storage Security	Removable Drives Without BitLocker	MEDIUM	PASS	none present (advisory)	(none)
STG-004	Data & Storage Security	Non-Default SMB Shares	MEDIUM	PASS	none present	(none)

STG-005	Data & Storage Security	Unexpected Write Access on System Directories	LOW	PASS	disabled	False
SVC-001	Services	Firewall Service Running	CRITICAL	PASS	enabled	True
SVC-003	Services	Remote Registry Service Disabled	MEDIUM	PASS	disabled	False
SVC-005	Services	Automatically Starting Services	INFO	PASS	data available	mpssvc; wuauserv
SYS-001	System & Hardware	Operating System Version	INFO	PASS	data available	Microsoft Windows 11 Pro (MOCK)
SYS-002	System & Hardware	Operating System Build	INFO	PASS	data available	26100
SYS-003	System & Hardware	System Architecture	INFO	PASS	data available	64-bit
SYS-004	System & Hardware	Computer Name	INFO	PASS	data available	MOCK-HOST
SYS-005	System & Hardware	CPU	INFO	PASS	data available	Mock CPU
SYS-006	System & Hardware	Installed RAM	INFO	PASS	data available	16.0
SYS-007	System & Hardware	Storage Volumes	INFO	PASS	data available	drive: C; size_gb: 500.0, free_gb: 200.0
SYS-008	System & Hardware	Firmware Type (UEFI/Legacy)	INFO	PASS	data available	UEFI
SYS-011	System & Hardware	System Uptime	INFO	PASS	data available	5.0
UPD-001	Windows Update & Patch	Windows Update Service Running	HIGH	PASS	enabled	True

	Management					
UPD-002	Windows Update & Patch Management	Days Since Last Installed Update	MEDIUM	PASS	<= 60	10
UPD-003	Windows Update & Patch Management	Automatic Updates Not Paused	MEDIUM	PASS	should not be enabled (advisory)	False
UPD-004	Windows Update & Patch Management	Last Installed Update Date	INFO	PASS	data available	2026-08-08T00:00:00
USR-001	Users & Account Management	Local User Accounts	INFO	PASS	data available	name: Administrator, enabled: False, password_required: True, last_logon: None
USR-002	Users & Account Management	Guest Account Disabled	HIGH	PASS	disabled	False
USR-004	Users & Account Management	Administrators Group Membership Count	MEDIUM	PASS	<= 5	2
USR-005	Users & Account Management	Accounts Inactive > 90 Days	LOW	PASS	none present	(none)
USR-006	Users & Account Management	Built-in Administrator Account Disabled	MEDIUM	PASS	disabled	False

8. Critical Findings (4)

ID	Category	Parameter	Severity	Status	Expected	Actual	Description	Remediation
SEC-001	Windows Security	Defender Real-Time Protection	CRITICAL	FAIL	enabled	False	Real-time protection is Defender's primary on-access malware defense and should always be enabled.	Enable Microsoft Defender real-time protection.
SEC-002	Windows Security	Defender Antivirus Enabled	CRITICAL	FAIL	enabled	False	The antivirus engine itself should be active (unless a third-party AV is legitimately in control).	Enable Microsoft Defender Antivirus, or confirm an authorized third-party antivirus is active in its place.
SVC-002	Services	Defender Antivirus Service Running	CRITICAL	FAIL	enabled	False	The Windows Defender Antivirus service (WinDefend) must be running to enforce Defender's	Start the Windows Defender Antivirus service (WinDefend).

							protectio ns.	
USR-003	Users & Account Management	Accounts With No Password Required	CRITICAL	FAIL	none present	MockWeakUser	No local account should be configured to allow a blank password.	Require a password for every local account; clear the PasswordNotRequired flag.

9. Recommended Remediation

- **CRITICAL SEC-001** (Defender Real-Time Protection): Enable Microsoft Defender real-time protection.
- **CRITICAL SEC-002** (Defender Antivirus Enabled): Enable Microsoft Defender Antivirus, or confirm an authorized third-party antivirus is active in its place.
- **CRITICAL SVC-002** (Defender Antivirus Service Running): Start the Windows Defender Antivirus service (WinDefend).
- **CRITICAL USR-003** (Accounts With No Password Required): Require a password for every local account; clear the PasswordNotRequired flag.
- **MEDIUM RDP-003** (Remote Assistance Enabled): Disable Remote Assistance unless actively required for support.
- **MEDIUM SEC-003** (Defender Cloud-Delivered Protection): Enable cloud-delivered protection (MAPS) in Defender settings.
- **LOW POL-002** (PowerShell Script Block Logging Enabled): Enable PowerShell Script Block Logging for improved auditability.
- **LOW POL-003** (Device Installation Restriction Policy Configured): Consider enabling device installation restriction policy to control removable/peripheral hardware.
- **LOW SVC-004** (Print Spooler Service Running): Disable the Print Spooler service on systems that do not need printing.

10–12. Audit Metadata

Audit timestamp	2026-08-30T23:44:31
Host name	DESKTOP-H9H293O
Operating system	Unknown (Build ?)
Running as Administrator	No

This audit ran without administrator privileges. Checks that require elevation (BitLocker, local security policy, audit policy, Security event log, TPM, Secure Boot) are reported as UNABLE_TO_COLLECT below rather than assumed. Re-run as Administrator for full coverage.

13. Checks That Could Not Be Collected (2)

ID	Catego ry	Parame ter	Severit y	Status	Expecte d	Actual	Descrip tion	Remedi ation	Detail
BKP-001	Backup & Recovery	System Restore Enabled	MEDIUM	UNABLE_TO_COLLECT	should be enabled (advisory)	-	System Restore provides a rollback path after unwanted system changes. Checked via the Disable SR Group Policy override (hard disable, no elevation needed) and, when no policy is present, Get-ComputerRestorePoint: confirmed live that this cmdlet requires elevation and is documented to	Enable System Restore on the operating system drive.	Administrator privileges required to read System Restore state via Get-ComputerRestorePoint (mock)

							throw "System Restore is disabled on this computer" when protection is off system-wide, succeeding otherwise (even with zero existing restore points).		
SYS-009	System & Hardware	Secure Boot Enabled	HIGH	UNABLE TO COLLECT	enabled	-	Secure Boot should be enabled to prevent unauthorized boot-time code from running.	Enable Secure Boot in UEFI firmware settings.	Administrator privileges required (mock)

Generated by the Windows 11 System Auditing Framework. Read-only; no system configuration was modified while producing this report.