SANJAY GHODAWAT UNIVERSITY, KOLHAPUR
Established under Maharashtra Act No. XL of 2017 | Approved by UGC

SMART CAMPUS ISSUE RESOLUTION & ATTENDANCE MANAGEMENT SYSTEM

Complete Technical Source Code & Architecture Documentation

System Modules & Core Capabilities:

- **Role-Based Dashboards:** Independent portals for Students, Departmental Staff, and University Administration.
- **Grievance Redressal Engine:** 10 campus departments, 4 priority levels, image upload evidence, real-time 4-stage stepper.
- **Classroom Attendance Management:** Course & subject marker, 75% statutory exam debarment warnings, shortfall calculator.
- **Smart QR Code Attendance with Wi-Fi Geofence:** 20s rotating dynamic token, campus Wi-Fi verification (SSID: SGU-Campus-WiFi-5G), anti-proxy rejection.
- **Executive Analytics & Compliance:** 5 Recharts visualizations, user management with PII data masking, automated warning dispatches, CSV export.
- **Modern Frontend Stack:** React 19, Tailwind CSS 3.4, Lucide Icons, Recharts, LocalStorage dual persistence.

Document Type: Full Source Code Appendix	**Date:** November 01, 2026
Academic Year: 2026 - 2027	**Total Files Documented:** 51 Components
Status: Production Ready & Verified	**Local Server:** http://localhost:5173

TABLE OF CONTENTS

Complete Index of All 51 Source Code Files Across Modules

#	Category	File Relative Path	Description
1	Configuration	package.json	Project dependencies and build scripts
2	Configuration	tailwind.config.js	Tailwind CSS theme, campus colors & typography
3	Configuration	index.html	HTML entry point with Inter font & SGU branding
4	Configuration	start_server.bat	One-click local server launcher
5	Core	src/main.jsx	React DOM application root mount
6	Core	src/App.jsx	Main application routing, layout providers & role guards
7	Core	src/index.css	Tailwind CSS directives, custom scrollbars & print rules
8	Core	src/utils/helpers.js	Utility helpers: Tracking IDs, SLA overdue check & date formatting
9	Context	src/context/AuthContext.jsx	Authentication, user profiles, PII masking & role switching
10	Context	src/context/ComplaintContext.jsx	Grievance submission, lifecycle state machine & SLA escalation
11	Context	src/context/AttendanceContext.jsx	Lecture attendance, QR sessions, Wi-Fi verification & defaulter detection
12	Data	src/data/mockData.js	Departments, categories, faculty, students & initial complaints
13	Data	src/data/attendanceMockData.js	SGU engineering curricula, attendance metrics & Wi-Fi config
14	Layout	src/components/layout/PublicLayout.jsx	Public header, SGU helpline banner & institutional footer
15	Layout	src/components/layout/DashboardLayout.jsx	Authenticated layout wrapping Sidebar, Navbar & ToastContainer
16	Components	src/components/common/Navbar.jsx	Top campus navigation, notification drawer & user profile
17	Components	src/components/common/Sidebar.jsx	Role-based navigation menu with live badge counters
18	Components	src/components/common/StatusBadge.jsx	Color-coded grievance lifecycle badges
19	Components	src/components/common/PriorityBadge.jsx	Priority badges: Low, Medium, High, Urgent
20	Components	src/components/common/CategoryIcon.jsx	Dynamic Lucide icon mapper for campus departments
21	Components	src/components/common/Timeline.jsx	4-Stage visual resolution stepper & audit trail history
22	Components	src/components/common/StatCard.jsx	Executive KPI summary metric card
23	Components	src/components/common/ToastContainer.jsx	Floating visual feedback notifications
24	Components	src/components/common/Modal.jsx	Accessible modal dialog with ESC key handler
25	Attendance	src/components/attendance/ClassroomQrModal.jsx	Faculty live 20s rotating QR code projector with Wi-Fi geofence
26	Attendance	src/components/attendance/StudentQrScannerModal.jsx	Student QR scanner with classroom Wi-Fi inspector & proxy blocker
27	Pages: Public	src/pages/public/LandingPage.jsx	SGU public landing page with features & quick access
28	Pages: Public	src/pages/public/AboutPage.jsx	Institutional grievance cell details & university overview
29	Pages: Public	src/pages/public/HowItWorksPage.jsx	End-to-end 4-step issue resolution explanation
30	Pages: Public	src/pages/public/ContactPage.jsx	Campus support contacts, emergency desk & SGU address
31	Pages: Public	src/pages/public/LoginPage.jsx	SGU Single Sign-On (SSO) login with credential helper
32	Pages: Student	src/pages/student/StudentDashboard.jsx	Student workbench: quick stats, recent complaints & actions
33	Pages: Student	src/pages/student/SubmitComplaint.jsx	Lodge grievance with photo upload preview & tracking ID
34	Pages: Student	src/pages/student/MyComplaints.jsx	Student complaint directory with search & status filters
35	Pages: Student	src/pages/student/ComplaintDetails.jsx	Detailed complaint view, visual stepper & reopen action
36	Pages: Student	src/pages/student/StudentAttendance.jsx	My Attendance: subject breakdown, 75% warning & QR scanner
37	Pages: Student	src/pages/student/NotificationsPage.jsx	Personal notification feed with mark-read actions
38	Pages: Student	src/pages/student/StudentProfile.jsx	Student academic profile and department details
39	Pages: Staff	src/pages/staff/StaffDashboard.jsx	Departmental staff overview & SLA turnaround metrics
40	Pages: Staff	src/pages/staff/AssignedComplaints.jsx	Department queue with evidence review & status transitions
41	Pages: Staff	src/pages/staff/StaffComplaintDetails.jsx	Staff resolution workbench, technician assignment & remarks
42	Pages: Staff	src/pages/staff/StaffAttendance.jsx	Lecture attendance marker with QR broadcast projector
43	Pages: Staff	src/pages/staff/StaffProfile.jsx	Staff employee credentials & assigned department info

44	Pages: Admin	src/pages/admin/AdminDashboard.jsx	Executive overview, 6 KPIs & Recharts analytics
45	Pages: Admin	src/pages/admin/AllComplaints.jsx	University-wide grievance directory with department reassignment
46	Pages: Admin	src/pages/admin/ManageUsers.jsx	User management: students, faculty, staff & admin with PII mask
47	Pages: Admin	src/pages/admin/ManageDepartments.jsx	Manage 10 campus departments, heads & workload monitoring
48	Pages: Admin	src/pages/admin/ManageCategories.jsx	Manage complaint categories, department mappings & SLA hours
49	Pages: Admin	src/pages/admin/ComplaintAnalytics.jsx	Deep analytics: 5 Recharts graphs & trend visualizations
50	Pages: Admin	src/pages/admin/AdminAttendance.jsx	Attendance compliance center, defaulters table & Wi-Fi audit logs
51	Pages: Admin	src/pages/admin/EscalationReports.jsx	Dean escalation center for SLA breached & critical complaints

SECTION: CONFIGURATION

1. package.json

Module: *Configuration* | ***Lines:*** *30* | ***Size:*** *0.7 KB — Project dependencies and build scripts*

```
 1 | {
 2 |   "name": "smart-campus-resolution",
 3 |   "private": true,
 4 |   "version": "0.0.0",
 5 |   "type": "module",
 6 |   "scripts": {
 7 |     "dev": "vite",
 8 |     "build": "vite build",
 9 |     "lint": "oxlint",
10 |     "preview": "vite preview"
11 |   },
12 |   "dependencies": {
13 |     "autoprefixer": "^10.6.2",
14 |     "lucide-react": "^1.66.0",
15 |     "postcss": "^8.5.32",
16 |     "qrcode.react": "^4.2.0",
17 |     "react": "^19.3.1",
18 |     "react-dom": "^19.3.1",
19 |     "react-router-dom": "^7.18.5",
20 |     "recharts": "^3.10.1",
21 |     "tailwindcss": "^3.4.17"
22 |   },
23 |   "devDependencies": {
24 |     "@types/react": "^19.3.0",
25 |     "@types/react-dom": "^19.3.0",
26 |     "@vitejs/plugin-react": "^6.1.2",
27 |     "oxlint": "^1.89.0",
28 |     "vite": "^8.3.5"
29 |   }
30 | }
```

2. tailwind.config.js

Module: *Configuration* | ***Lines:*** *44* | ***Size:*** *1.1 KB — Tailwind CSS theme, campus colors & typography*

```
 1 | /** @type {import('tailwindcss').Config} */
 2 | export default {
 3 |   content: [
 4 |     "./index.html",
 5 |     "./src/**/*.{js,ts,jsx,tsx}",
 6 |   ],
 7 |   theme: {
 8 |     extend: {
 9 |       colors: {
10 |         campus: {
11 |           50: '#f0f7ff',
12 |           100: '#e0effe',
13 |           200: '#bae0fd',
14 |           300: '#7cc5fb',
15 |           400: '#36a5f7',
16 |           500: '#0c87eb',
17 |           600: '#026bc9',
18 |           700: '#0355a3',
19 |           800: '#074886',
20 |           900: '#0b3c6f',
21 |           950: '#082649',
22 |         },
23 |         navy: {
24 |           800: '#1e293b',
25 |           900: '#0f172a',
26 |           950: '#090d16',
27 |         },
28 |         status: {
29 |           submitted: '#2563eb', // Blue
30 |           underReview: '#9333ea', // Purple
31 |           inProgress: '#ea580c', // Orange
32 |           resolved: '#16a34a', // Green
33 |           rejected: '#dc2626', // Red
34 |           escalated: '#991b1b', // Dark Red
35 |           reopened: '#d97706', // Amber
36 |         }
```

```
37 |       },
38 |       fontFamily: {
39 |         sans: ['Inter', 'system-ui', '-apple-system', 'BlinkMacSystemFont', 'Segoe U
   I', 'Roboto', 'sans-serif'],
40 |       }
41 |     },
42 |   },
43 |   plugins: [],
44 | }
```

3. index.html

Module: *Configuration* | ***Lines:*** *16* | ***Size:*** *0.9 KB — HTML entry point with Inter font & SGU branding*

```
 1 | <!doctype html>
 2 | <html lang="en">
 3 |   <head>
 4 |     <meta charset="UTF-8" />
 5 |     <link rel="icon" type="image/svg+xml" href="data:image/svg+xml,<svg xmlns='http:
   //www.w3.org/2000/svg' viewBox='0 0 24 24' fill='none' stroke='%23026bc9' stroke-wid
   th='2' stroke-linecap='round' stroke-linejoin='round'><path d='M22 10v6M2 10l10-5 10
    5-10 5z'/><path d='M6 12v5c3 3 9 3 12 0v-5'/></svg>" />
 6 |     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 7 |     <title>Sanjay Ghodawat University - Smart Campus Resolution System</title>
 8 |     <link rel="preconnect" href="https://fonts.googleapis.com">
 9 |     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
10 |     <link href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;
   700;800&display=swap" rel="stylesheet">
11 |   </head>
12 |   <body class="bg-slate-50 text-slate-800">
13 |     <div id="root"></div>
14 |     <script type="module" src="/src/main.jsx"></script>
15 |   </body>
16 | </html>
```

4. start_server.bat

Module: *Configuration* | ***Lines:*** *3* | ***Size:*** *0.1 KB — One-click local server launcher*

```
1 | @echo off
2 | cd /d "%~dp0"
3 | call npm.cmd run dev -- --host 0.0.0.0 --port 5173
```

SECTION: CORE

5. src/main.jsx

Module: *Core* | ***Lines:*** *10* | ***Size:*** *0.2 KB — React DOM application root mount*

```
 1 | import { StrictMode } from 'react'
 2 | import { createRoot } from 'react-dom/client'
 3 | import './index.css'
 4 | import App from './App.jsx'
 5 |
 6 | createRoot(document.getElementById('root')).render(
 7 |   <StrictMode>
 8 |     <App />
 9 |   </StrictMode>,
10 | )
```

6. src/App.jsx

Module: *Core* | ***Lines:*** *102* | ***Size:*** *4.7 KB — Main application routing, layout providers & role guards*

```
1 | import React from 'react';
2 | import { BrowserRouter, Routes, Route, Navigate } from 'react-router-dom';
3 | import { AuthProvider } from './context/AuthContext';
4 | import { ComplaintProvider } from './context/ComplaintContext';
```

```
import { AttendanceProvider } from './context/AttendanceContext';

// Layouts
import { PublicLayout } from './components/layout/PublicLayout';
import { DashboardLayout } from './components/layout/DashboardLayout';

// Public Pages
import { LandingPage } from './pages/public/LandingPage';
import { AboutPage } from './pages/public/AboutPage';
import { HowItWorksPage } from './pages/public/HowItWorksPage';
import { ContactPage } from './pages/public/ContactPage';
import { LoginPage } from './pages/public/LoginPage';

// Student Pages
import { StudentDashboard } from './pages/student/StudentDashboard';
import { SubmitComplaint } from './pages/student/SubmitComplaint';
import { MyComplaints } from './pages/student/MyComplaints';
import { ComplaintDetails } from './pages/student/ComplaintDetails';
import { StudentAttendance } from './pages/student/StudentAttendance';
import { NotificationsPage } from './pages/student/NotificationsPage';
import { StudentProfile } from './pages/student/StudentProfile';

// Staff Pages
import { StaffDashboard } from './pages/staff/StaffDashboard';
import { AssignedComplaints } from './pages/staff/AssignedComplaints';
import { StaffComplaintDetails } from './pages/staff/StaffComplaintDetails';
import { StaffAttendance } from './pages/staff/StaffAttendance';
import { StaffProfile } from './pages/staff/StaffProfile';

// Admin Pages
import { AdminDashboard } from './pages/admin/AdminDashboard';
import { AllComplaints } from './pages/admin/AllComplaints';
import { ManageUsers } from './pages/admin/ManageUsers';
import { ManageDepartments } from './pages/admin/ManageDepartments';
import { ManageCategories } from './pages/admin/ManageCategories';
import { ComplaintAnalytics } from './pages/admin/ComplaintAnalytics';
import { AdminAttendance } from './pages/admin/AdminAttendance';
import { EscalationReports } from './pages/admin/EscalationReports';

function App() {
  return (
    <AuthProvider>
      <ComplaintProvider>
        <AttendanceProvider>
          <BrowserRouter>
            <Routes>
              {/* Public Institutional Pages */}
              <Route element={<PublicLayout />}>
                <Route path="/" element={<LandingPage />} />
                <Route path="/about" element={<AboutPage />} />
                <Route path="/how-it-works" element={<HowItWorksPage />} />
                <Route path="/contact" element={<ContactPage />} />
                <Route path="/login" element={<LoginPage />} />
              </Route>

              {/* Student Portal Routes */}
              <Route path="/student" element={<DashboardLayout />}>
                <Route index element={<StudentDashboard />} />
                <Route path="submit" element={<SubmitComplaint />} />
                <Route path="complaints" element={<MyComplaints />} />
                <Route path="complaints/:id" element={<ComplaintDetails />} />
                <Route path="attendance" element={<StudentAttendance />} />
                <Route path="notifications" element={<NotificationsPage />} />
                <Route path="profile" element={<StudentProfile />} />
              </Route>

              {/* Staff Portal Routes */}
              <Route path="/staff" element={<DashboardLayout />}>
                <Route index element={<StaffDashboard />} />
                <Route path="assigned" element={<AssignedComplaints />} />
                <Route path="complaints/:id" element={<StaffComplaintDetails />} />
                <Route path="attendance" element={<StaffAttendance />} />
                <Route path="profile" element={<StaffProfile />} />
              </Route>

              {/* Administrator Portal Routes */}
              <Route path="/admin" element={<DashboardLayout />}>
                <Route index element={<AdminDashboard />} />
                <Route path="complaints" element={<AllComplaints />} />
                <Route path="users" element={<ManageUsers />} />
                <Route path="departments" element={<ManageDepartments />} />
```

```
 86 |                 <Route path="categories" element={<ManageCategories />} />
 87 |                 <Route path="analytics" element={<ComplaintAnalytics />} />
 88 |                 <Route path="attendance" element={<AdminAttendance />} />
 89 |                 <Route path="escalations" element={<EscalationReports />} />
 90 |               </Route>
 91 |
 92 |               {/* Fallback */}
 93 |               <Route path="*" element={<Navigate to="/" replace />} />
 94 |             </Routes>
 95 |           </BrowserRouter>
 96 |         </AttendanceProvider>
 97 |       </ComplaintProvider>
 98 |     </AuthProvider>
 99 |   );
100 | }
101 |
102 | export default App;
```

7. src/index.css

Module: *Core* | ***Lines:*** *35* | ***Size:*** *0.6 KB — Tailwind CSS directives, custom scrollbars & print rules*

```
 1 | @tailwind base;
 2 | @tailwind components;
 3 | @tailwind utilities;
 4 |
 5 | @layer base {
 6 |   body {
 7 |     @apply bg-slate-50 text-slate-900 font-sans antialiased min-h-screen selection:b
   g-blue-500 selection:text-white;
 8 |   }
 9 | }
10 |
11 | /* Custom scrollbar */
12 | ::-webkit-scrollbar {
13 |   width: 6px;
14 |   height: 6px;
15 | }
16 | ::-webkit-scrollbar-track {
17 |   background: #f1f5f9;
18 | }
19 | ::-webkit-scrollbar-thumb {
20 |   background: #cbd5e1;
21 |   border-radius: 4px;
22 | }
23 | ::-webkit-scrollbar-thumb:hover {
24 |   background: #94a3b8;
25 | }
26 |
27 | /* Print styles for reports */
28 | @media print {
29 |   .no-print {
30 |     display: none !important;
31 |   }
32 |   .print-only {
33 |     display: block !important;
34 |   }
35 | }
```

8. src/utils/helpers.js

Module: *Core* | ***Lines:*** *78* | ***Size:*** *2.4 KB — Utility helpers: Tracking IDs, SLA overdue check & date formatting*

```
 1 | // Utility helper functions for Smart Campus Issue Resolution System
 2 |
 3 | export const generateTrackingId = () => {
 4 |   const prefix = 'CMP';
 5 |   const year = new Date().getFullYear();
 6 |   const randomNum = Math.floor(1000 + Math.random() * 9000);
 7 |   return `${prefix}-${year}-${randomNum}`;
 8 | };
 9 |
10 | export const formatDate = (dateString) => {
11 |   if (!dateString) return 'N/A';
12 |   const date = new Date(dateString);
13 |   if (isNaN(date.getTime())) return dateString;
14 |   return new Intl.DateTimeFormat('en-US', {
```

```
15 |     month: 'short',
16 |     day: 'numeric',
17 |     year: 'numeric',
18 |     hour: '2-digit',
19 |     minute: '2-digit',
20 |   }).format(date);
21 | };
22 |
23 | export const formatShortDate = (dateString) => {
24 |   if (!dateString) return 'N/A';
25 |   const date = new Date(dateString);
26 |   if (isNaN(date.getTime())) return dateString;
27 |   return new Intl.DateTimeFormat('en-US', {
28 |     month: 'short',
29 |     day: 'numeric',
30 |     year: 'numeric'
31 |   }).format(date);
32 | };
33 |
34 | export const timeAgo = (dateString) => {
35 |   if (!dateString) return '';
36 |   const date = new Date(dateString);
37 |   const now = new Date();
38 |   const diffInSeconds = Math.floor((now - date) / 1000);
39 |
40 |   if (diffInSeconds < 60) return 'Just now';
41 |   const diffInMinutes = Math.floor(diffInSeconds / 60);
42 |   if (diffInMinutes < 60) return `${diffInMinutes}m ago`;
43 |   const diffInHours = Math.floor(diffInMinutes / 60);
44 |   if (diffInHours < 24) return `${diffInHours}h ago`;
45 |   const diffInDays = Math.floor(diffInHours / 24);
46 |   if (diffInDays < 30) return `${diffInDays}d ago`;
47 |   return formatShortDate(dateString);
48 | };
49 |
50 | export const isOverdue = (complaint) => {
51 |   if (complaint.status === 'Resolved' || complaint.status === 'Rejected') {
52 |     return false;
53 |   }
54 |   if (!complaint.targetResolutionDate) return false;
55 |   const target = new Date(complaint.targetResolutionDate);
56 |   const now = new Date();
57 |   return now > target;
58 | };
59 |
60 | // Privacy Data Masking Helpers
61 | export const maskPhoneNumber = (phone) => {
62 |   if (!phone) return 'N/A';
63 |   const clean = String(phone).trim();
64 |   // e.g. "+91 98761 00001" -> "+91 98761 *****"
65 |   if (clean.length > 5) {
66 |     const visiblePrefix = clean.slice(0, clean.length - 5);
67 |     return `${visiblePrefix}*****`;
68 |   }
69 |   return '*****';
70 | };
71 |
72 | export const maskEmail = (email) => {
73 |   if (!email || !email.includes('@')) return 'N/A';
74 |   const [user, domain] = email.split('@');
75 |   if (user.length <= 2) return `${user}***@${domain}`;
76 |   const visible = user.slice(0, 2);
77 |   return `${visible}****@${domain}`;
78 | };
```

SECTION: CONTEXT

9. src/context/AuthContext.jsx

Module: *Context* | ***Lines:*** *158* | ***Size:*** *4.3 KB — Authentication, user profiles, PII masking & role switching*

```
1 | import React, { createContext, useContext, useState, useEffect } from 'react';
2 | import { INITIAL_STUDENTS, INITIAL_STAFF, INITIAL_ADMIN } from '../data/mockData';
3 |
4 | const AuthContext = createContext();
5 |
```

```
const STORAGE_KEY_AUTH = 'smartcampus_auth_user';
const STORAGE_KEY_USERS = 'smartcampus_users';

export const AuthProvider = ({ children }) => {
  const [users, setUsers] = useState(() => {
    const saved = localStorage.getItem(STORAGE_KEY_USERS);
    if (saved) {
      try {
        return JSON.parse(saved);
      } catch (e) {
        console.error('Failed to parse saved users', e);
      }
    }
    return {
      students: INITIAL_STUDENTS,
      staff: INITIAL_STAFF,
      admin: INITIAL_ADMIN
    };
  });

  const [currentUser, setCurrentUser] = useState(() => {
    const saved = localStorage.getItem(STORAGE_KEY_AUTH);
    if (saved) {
      try {
        return JSON.parse(saved);
      } catch (e) {
        console.error('Failed to parse saved auth', e);
      }
    }
    // Default to student01 for seamless initial preview if not logged in, or null
    return INITIAL_STUDENTS[0];
  });

  useEffect(() => {
    localStorage.setItem(STORAGE_KEY_USERS, JSON.stringify(users));
  }, [users]);

  useEffect(() => {
    if (currentUser) {
      localStorage.setItem(STORAGE_KEY_AUTH, JSON.stringify(currentUser));
    } else {
      localStorage.removeItem(STORAGE_KEY_AUTH);
    }
  }, [currentUser]);

  const login = (username, password) => {
    const trimmedUser = username.trim().toLowerCase();
    const trimmedPass = password.trim();

    // Check Admin
    if (users.admin.username.toLowerCase() === trimmedUser && users.admin.password =
== trimmedPass) {
      setCurrentUser(users.admin);
      return { success: true, user: users.admin };
    }

    // Check Staff
    const staffMember = users.staff.find(
      s => s.username.toLowerCase() === trimmedUser && s.password === trimmedPass
    );
    if (staffMember) {
      setCurrentUser(staffMember);
      return { success: true, user: staffMember };
    }

    // Check Students
    const student = users.students.find(
      s => s.username.toLowerCase() === trimmedUser && s.password === trimmedPass
    );
    if (student) {
      setCurrentUser(student);
      return { success: true, user: student };
    }

    return { success: false, message: 'Invalid username or password. Check demo cred
entials on the login page.' };
  };

  const quickLogin = (role, customId = null) => {
    if (role === 'admin') {
      setCurrentUser(users.admin);
```

```
  85 |       return users.admin;
  86 |     }
  87 |     if (role === 'staff') {
  88 |       const selected = customId ? users.staff.find(s => s.id === customId) : users.s
     taff[0];
  89 |       setCurrentUser(selected || users.staff[0]);
  90 |       return selected || users.staff[0];
  91 |     }
  92 |     if (role === 'student') {
  93 |       const selected = customId ? users.students.find(s => s.id === customId || s.st
     udentId === customId) : users.students[0];
  94 |       setCurrentUser(selected || users.students[0]);
  95 |       return selected || users.students[0];
  96 |     }
  97 |   };
  98 |
  99 |   const logout = () => {
 100 |     setCurrentUser(null);
 101 |   };
 102 |
 103 |   const updateProfile = (updatedFields) => {
 104 |     if (!currentUser) return;
 105 |     const updated = { ...currentUser, ...updatedFields };
 106 |     setCurrentUser(updated);
 107 |
 108 |     setUsers(prev => {
 109 |       if (updated.role === 'admin') {
 110 |         return { ...prev, admin: updated };
 111 |       }
 112 |       if (updated.role === 'staff') {
 113 |         return {
 114 |           ...prev,
 115 |           staff: prev.staff.map(s => s.id === updated.id ? updated : s)
 116 |         };
 117 |       }
 118 |       return {
 119 |         ...prev,
 120 |         students: prev.students.map(s => s.id === updated.id ? updated : s)
 121 |       };
 122 |     });
 123 |   };
 124 |
 125 |   const addMockUser = (newUser) => {
 126 |     setUsers(prev => {
 127 |       if (newUser.role === 'staff') {
 128 |         return { ...prev, staff: [newUser, ...prev.staff] };
 129 |       }
 130 |       return { ...prev, students: [newUser, ...prev.students] };
 131 |     });
 132 |   };
 133 |
 134 |   return (
 135 |     <AuthContext.Provider
 136 |       value={{
 137 |         currentUser,
 138 |         users,
 139 |         login,
 140 |         quickLogin,
 141 |         logout,
 142 |         updateProfile,
 143 |         addMockUser,
 144 |         isAuthenticated: !!currentUser
 145 |       }}
 146 |     >
 147 |       {children}
 148 |     </AuthContext.Provider>
 149 |   );
 150 | };
 151 |
 152 | export const useAuth = () => {
 153 |   const context = useContext(AuthContext);
 154 |   if (!context) {
 155 |     throw new Error('useAuth must be used within an AuthProvider');
 156 |   }
 157 |   return context;
 158 | };
```

10. src/context/ComplaintContext.jsx

Module: *Context* | ***Lines:*** *488* | ***Size:*** *14.4 KB — Grievance submission, lifecycle state machine & SLA escalation*

```
import React, { createContext, useContext, useState, useEffect } from 'react';
import {
  INITIAL_COMPLAINTS,
  INITIAL_CATEGORIES,
  INITIAL_DEPARTMENTS,
  INITIAL_NOTIFICATIONS
} from '../data/mockData';
import { generateTrackingId } from '../utils/helpers';

const ComplaintContext = createContext();

const STORAGE_KEY_COMPLAINTS = 'smartcampus_complaints';
const STORAGE_KEY_CATEGORIES = 'smartcampus_categories';
const STORAGE_KEY_DEPARTMENTS = 'smartcampus_departments';
const STORAGE_KEY_NOTIFS = 'smartcampus_notifications';

export const ComplaintProvider = ({ children }) => {
  // Complaints State
  const [complaints, setComplaints] = useState(() => {
    const saved = localStorage.getItem(STORAGE_KEY_COMPLAINTS);
    if (saved) {
      try {
        return JSON.parse(saved);
      } catch (e) {
        console.error('Error parsing complaints from localStorage', e);
      }
    }
    return INITIAL_COMPLAINTS;
  });

  // Categories State
  const [categories, setCategories] = useState(() => {
    const saved = localStorage.getItem(STORAGE_KEY_CATEGORIES);
    if (saved) {
      try {
        return JSON.parse(saved);
      } catch (e) {
        console.error('Error parsing categories from localStorage', e);
      }
    }
    return INITIAL_CATEGORIES;
  });

  // Departments State
  const [departments, setDepartments] = useState(() => {
    const saved = localStorage.getItem(STORAGE_KEY_DEPARTMENTS);
    if (saved) {
      try {
        return JSON.parse(saved);
      } catch (e) {
        console.error('Error parsing departments from localStorage', e);
      }
    }
    return INITIAL_DEPARTMENTS;
  });

  // Notifications State
  const [notifications, setNotifications] = useState(() => {
    const saved = localStorage.getItem(STORAGE_KEY_NOTIFS);
    if (saved) {
      try {
        return JSON.parse(saved);
      } catch (e) {
        console.error('Error parsing notifications from localStorage', e);
      }
    }
    return INITIAL_NOTIFICATIONS;
  });

  // Toast Notification State
  const [toasts, setToasts] = useState([]);

  // Sync to LocalStorage
  useEffect(() => {
    localStorage.setItem(STORAGE_KEY_COMPLAINTS, JSON.stringify(complaints));
  }, [complaints]);

  useEffect(() => {
    localStorage.setItem(STORAGE_KEY_CATEGORIES, JSON.stringify(categories));
  }, [categories]);
```

```
  81 |
  82 |   useEffect(() => {
  83 |     localStorage.setItem(STORAGE_KEY_DEPARTMENTS, JSON.stringify(departments));
  84 |   }, [departments]);
  85 |
  86 |   useEffect(() => {
  87 |     localStorage.setItem(STORAGE_KEY_NOTIFS, JSON.stringify(notifications));
  88 |   }, [notifications]);
  89 |
  90 |   // Toast Helper
  91 |   const showToast = (message, type = 'success') => {
  92 |     const id = Date.now() + Math.random();
  93 |     setToasts(prev => [...prev, { id, message, type }]);
  94 |     setTimeout(() => {
  95 |       setToasts(prev => prev.filter(t => t.id !== id));
  96 |     }, 4000);
  97 |   };
  98 |
  99 |   const removeToast = (id) => {
 100 |     setToasts(prev => prev.filter(t => t.id !== id));
 101 |   };
 102 |
 103 |   // Add Notification Helper
 104 |   const createNotification = ({ userId, userRole, title, message, complaintId, track
     ingId }) => {
 105 |     const newNotif = {
 106 |       id: `notif-${Date.now()}-${Math.floor(Math.random() * 1000)}`,
 107 |       userId,
 108 |       userRole,
 109 |       title,
 110 |       message,
 111 |       complaintId,
 112 |       trackingId,
 113 |       timestamp: new Date().toISOString(),
 114 |       isRead: false
 115 |     };
 116 |     setNotifications(prev => [newNotif, ...prev]);
 117 |   };
 118 |
 119 |   // Submit Complaint
 120 |   const submitComplaint = (formData, studentUser) => {
 121 |     const trackingId = generateTrackingId();
 122 |     const now = new Date();
 123 |
 124 |     // Find category info to compute SLA target
 125 |     const categoryObj = categories.find(c => c.name === formData.category);
 126 |     const slaHours = categoryObj ? categoryObj.slaHours : 48;
 127 |     const targetDate = new Date(now.getTime() + slaHours * 60 * 60 * 1000);
 128 |
 129 |     const newComplaint = {
 130 |       id: `cmp-${Date.now()}`,
 131 |       trackingId,
 132 |       title: formData.title,
 133 |       category: formData.category,
 134 |       department: formData.department || (categoryObj ? categoryObj.department : 'Ge
     neral Student Affairs'),
 135 |       description: formData.description,
 136 |       priority: formData.priority || 'Medium',
 137 |       status: 'Submitted',
 138 |       studentId: studentUser.studentId,
 139 |       studentName: studentUser.name,
 140 |       studentEmail: studentUser.email,
 141 |       studentPhone: studentUser.phone || '',
 142 |       location: formData.location || 'Campus Premise',
 143 |       isConfidential: !!formData.isConfidential,
 144 |       submissionDate: now.toISOString(),
 145 |       targetResolutionDate: targetDate.toISOString(),
 146 |       resolvedDate: null,
 147 |       assignedStaffId: null,
 148 |       assignedStaffName: 'Unassigned',
 149 |       evidenceImage: formData.evidenceImage || null,
 150 |       history: [
 151 |         {
 152 |           status: 'Submitted',
 153 |           timestamp: now.toISOString(),
 154 |           performer: formData.isConfidential ? 'Anonymous Student (Confidential)' :
     `${studentUser.name} (Student)`,
 155 |           remarks: 'Complaint registered via portal with picture evidence.'
 156 |         }
 157 |       ],
 158 |       remarks: 'Awaiting department review and staff assignment.'
```

```
159 |     };
160 |
161 |     setComplaints(prev => [newComplaint, ...prev]);
162 |
163 |     // Notify student
164 |     createNotification({
165 |       userId: studentUser.studentId,
166 |       userRole: 'student',
167 |       title: 'Complaint Registered',
168 |       message: `Your complaint "${newComplaint.title}" has been registered successfu
      lly with ID ${trackingId}.`,
169 |       complaintId: newComplaint.id,
170 |       trackingId: newComplaint.trackingId
171 |     });
172 |
173 |     // Notify Admin
174 |     createNotification({
175 |       userId: 'adm-01',
176 |       userRole: 'admin',
177 |       title: 'New Student Complaint',
178 |       message: `New ${newComplaint.priority} complaint submitted: "${newComplaint.ti
      tle}" under ${newComplaint.category}.`,
179 |       complaintId: newComplaint.id,
180 |       trackingId: newComplaint.trackingId
181 |     });
182 |
183 |     showToast(`Complaint submitted successfully! Tracking ID: ${trackingId}`, 'succe
      ss');
184 |     return newComplaint;
185 |   };
186 |
187 |   // Update Status
188 |   const updateComplaintStatus = (complaintId, newStatus, remarks = '', performerName
       = 'Staff Member') => {
189 |     const now = new Date().toISOString();
190 |     let updatedComplaint = null;
191 |
192 |     setComplaints(prev =>
193 |       prev.map(c => {
194 |         if (c.id === complaintId) {
195 |           const newHistoryItem = {
196 |             status: newStatus,
197 |             timestamp: now,
198 |             performer: performerName,
199 |             remarks: remarks || `Status transitioned to ${newStatus}.`
200 |           };
201 |
202 |           updatedComplaint = {
203 |             ...c,
204 |             status: newStatus,
205 |             remarks: remarks || c.remarks,
206 |             resolvedDate: newStatus === 'Resolved' ? now : (newStatus === 'Reopened'
       ? null : c.resolvedDate),
207 |             history: [...c.history, newHistoryItem]
208 |           };
209 |           return updatedComplaint;
210 |         }
211 |         return c;
212 |       })
213 |     );
214 |
215 |     if (updatedComplaint) {
216 |       // Notify student
217 |       createNotification({
218 |         userId: updatedComplaint.studentId,
219 |         userRole: 'student',
220 |         title: `Status Changed: ${newStatus}`,
221 |         message: `Your complaint ${updatedComplaint.trackingId} status has changed t
      o "${newStatus}". Remarks: ${remarks || 'No remarks provided.'}`,
222 |         complaintId: updatedComplaint.id,
223 |         trackingId: updatedComplaint.trackingId
224 |       });
225 |
226 |       showToast(`Complaint ${updatedComplaint.trackingId} updated to ${newStatus}`,
      'info');
227 |     }
228 |
229 |     return updatedComplaint;
230 |   };
231 |
232 |   // Assign Staff
```

```
233 |   const assignStaff = (complaintId, staffObj, remarks = '', assignedBy = 'Administra
      tor') => {
234 |     const now = new Date().toISOString();
235 |     let target = null;
236 |
237 |     setComplaints(prev =>
238 |       prev.map(c => {
239 |         if (c.id === complaintId) {
240 |           const newStatus = c.status === 'Submitted' ? 'Under Review' : c.status;
241 |           const newHistory = [
242 |             ...c.history,
243 |             {
244 |               status: newStatus,
245 |               timestamp: now,
246 |               performer: assignedBy,
247 |               remarks: `Assigned to ${staffObj.name} (${staffObj.department}). ${rem
      arks}`
248 |             }
249 |           ];
250 |
251 |           target = {
252 |             ...c,
253 |             status: newStatus,
254 |             assignedStaffId: staffObj.id,
255 |             assignedStaffName: staffObj.name,
256 |             remarks: remarks || `Assigned to ${staffObj.name}`,
257 |             history: newHistory
258 |           };
259 |           return target;
260 |         }
261 |         return c;
262 |       })
263 |     );
264 |
265 |     if (target) {
266 |       // Notify Staff
267 |       createNotification({
268 |         userId: staffObj.id,
269 |         userRole: 'staff',
270 |         title: 'New Complaint Assigned',
271 |         message: `You have been assigned complaint ${target.trackingId}: "${target.t
      itle}".`,
272 |         complaintId: target.id,
273 |         trackingId: target.trackingId
274 |       });
275 |
276 |       // Notify Student
277 |       createNotification({
278 |         userId: target.studentId,
279 |         userRole: 'student',
280 |         title: 'Staff Assigned',
281 |         message: `Complaint ${target.trackingId} has been assigned to ${staffObj.nam
      e} from ${staffObj.department}.`,
282 |         complaintId: target.id,
283 |         trackingId: target.trackingId
284 |       });
285 |
286 |       showToast(`Complaint assigned to ${staffObj.name}`, 'success');
287 |     }
288 |   };
289 |
290 |   // Reopen Complaint
291 |   const reopenComplaint = (complaintId, studentRemarks = '', studentName = 'Student'
      ) => {
292 |     const now = new Date().toISOString();
293 |     let updated = null;
294 |
295 |     setComplaints(prev =>
296 |       prev.map(c => {
297 |         if (c.id === complaintId) {
298 |           const newHistory = [
299 |             ...c.history,
300 |             {
301 |               status: 'Reopened',
302 |               timestamp: now,
303 |               performer: `${studentName} (Student)`,
304 |               remarks: `Reopened by student: ${studentRemarks || 'Issue persists aft
      er initial resolution.'}`
305 |             }
306 |           ];
307 |
```

```
308 |           updated = {
309 |             ...c,
310 |             status: 'Reopened',
311 |             resolvedDate: null,
312 |             remarks: `Reopened: ${studentRemarks}`,
313 |             history: newHistory
314 |           };
315 |           return updated;
316 |         }
317 |         return c;
318 |       })
319 |     );
320 |
321 |     if (updated) {
322 |       // Notify Admin
323 |       createNotification({
324 |         userId: 'adm-01',
325 |         userRole: 'admin',
326 |         title: 'Complaint Reopened',
327 |         message: `Complaint ${updated.trackingId} was reopened by student with remar
      k: "${studentRemarks}".`,
328 |         complaintId: updated.id,
329 |         trackingId: updated.trackingId
330 |       });
331 |
332 |       // Notify assigned staff if any
333 |       if (updated.assignedStaffId) {
334 |         createNotification({
335 |           userId: updated.assignedStaffId,
336 |           userRole: 'staff',
337 |           title: 'Complaint Reopened',
338 |           message: `Complaint ${updated.trackingId} has been reopened by student. Im
      mediate review requested.`,
339 |           complaintId: updated.id,
340 |           trackingId: updated.trackingId
341 |         });
342 |       }
343 |
344 |       showToast(`Complaint ${updated.trackingId} has been reopened.`, 'warning');
345 |     }
346 |   };
347 |
348 |   // Escalate Complaint
349 |   const escalateComplaint = (complaintId, escalationReason = '', adminName = 'Admini
      strator') => {
350 |     const now = new Date().toISOString();
351 |     let updated = null;
352 |
353 |     setComplaints(prev =>
354 |       prev.map(c => {
355 |         if (c.id === complaintId) {
356 |           const newHistory = [
357 |             ...c.history,
358 |             {
359 |               status: 'Escalated',
360 |               timestamp: now,
361 |               performer: `${adminName} (Admin Office)`,
362 |               remarks: `Escalated: ${escalationReason || 'Complaint overdue or requi
      res high-level intervention.'}`
363 |             }
364 |           ];
365 |
366 |           updated = {
367 |             ...c,
368 |             status: 'Escalated',
369 |             priority: 'Urgent',
370 |             remarks: `Escalated: ${escalationReason}`,
371 |             history: newHistory
372 |           };
373 |           return updated;
374 |         }
375 |         return c;
376 |       })
377 |     );
378 |
379 |     if (updated) {
380 |       createNotification({
381 |         userId: updated.studentId,
382 |         userRole: 'student',
383 |         title: 'Complaint Escalated',
384 |         message: `Your complaint ${updated.trackingId} has been escalated for high-p
```

```
      riority management.`,
385 |         complaintId: updated.id,
386 |         trackingId: updated.trackingId
387 |       });
388 |
389 |       showToast(`Complaint ${updated.trackingId} escalated successfully`, 'error');
390 |     }
391 |   };
392 |
393 |   // Notification methods
394 |   const markNotificationRead = (notifId) => {
395 |     setNotifications(prev =>
396 |       prev.map(n => n.id === notifId ? { ...n, isRead: true } : n)
397 |     );
398 |   };
399 |
400 |   const markAllNotificationsRead = (userId) => {
401 |     setNotifications(prev =>
402 |       prev.map(n => (!userId || n.userId === userId) ? { ...n, isRead: true } : n)
403 |     );
404 |   };
405 |
406 |   // Categories management
407 |   const addCategory = (categoryData) => {
408 |     const newCat = {
409 |       id: `cat-${Date.now()}`,
410 |       ...categoryData
411 |     };
412 |     setCategories(prev => [...prev, newCat]);
413 |     showToast(`Category "${newCat.name}" added successfully`, 'success');
414 |   };
415 |
416 |   const updateCategory = (catId, updatedFields) => {
417 |     setCategories(prev =>
418 |       prev.map(c => c.id === catId ? { ...c, ...updatedFields } : c)
419 |     );
420 |     showToast('Category updated successfully', 'success');
421 |   };
422 |
423 |   // Departments management
424 |   const addDepartment = (deptData) => {
425 |     const newDept = {
426 |       id: `dept-${Date.now()}`,
427 |       activeComplaints: 0,
428 |       ...deptData
429 |     };
430 |     setDepartments(prev => [...prev, newDept]);
431 |     showToast(`Department "${newDept.name}" created`, 'success');
432 |   };
433 |
434 |   // Reset to initial mock data
435 |   const resetDemoData = () => {
436 |     localStorage.removeItem(STORAGE_KEY_COMPLAINTS);
437 |     localStorage.removeItem(STORAGE_KEY_CATEGORIES);
438 |     localStorage.removeItem(STORAGE_KEY_DEPARTMENTS);
439 |     localStorage.removeItem(STORAGE_KEY_NOTIFS);
440 |     localStorage.removeItem('smartcampus_users');
441 |     localStorage.removeItem('smartcampus_auth_user');
442 |
443 |     setComplaints(INITIAL_COMPLAINTS);
444 |     setCategories(INITIAL_CATEGORIES);
445 |     setDepartments(INITIAL_DEPARTMENTS);
446 |     setNotifications(INITIAL_NOTIFICATIONS);
447 |
448 |     showToast('Demo data reset to initial default state!', 'info');
449 |     setTimeout(() => {
450 |       window.location.reload();
451 |     }, 600);
452 |   };
453 |
454 |   return (
455 |     <ComplaintContext.Provider
456 |       value={{
457 |         complaints,
458 |         categories,
459 |         departments,
460 |         notifications,
461 |         toasts,
462 |         showToast,
463 |         removeToast,
464 |         submitComplaint,
```

```
465 |         updateComplaintStatus,
466 |         assignStaff,
467 |         reopenComplaint,
468 |         escalateComplaint,
469 |         markNotificationRead,
470 |         markAllNotificationsRead,
471 |         addCategory,
472 |         updateCategory,
473 |         addDepartment,
474 |         resetDemoData
475 |       }}
476 |     >
477 |       {children}
478 |     </ComplaintContext.Provider>
479 |   );
480 | };
481 |
482 | export const useComplaints = () => {
483 |   const context = useContext(ComplaintContext);
484 |   if (!context) {
485 |     throw new Error('useComplaints must be used within a ComplaintProvider');
486 |   }
487 |   return context;
488 | };
```

11. src/context/AttendanceContext.jsx

Module: *Context* | ***Lines:*** *349* | ***Size:*** *10.2 KB — Lecture attendance, QR sessions, Wi-Fi verification & defaulter detection*

```
  1 | import React, { createContext, useContext, useState, useEffect } from 'react';
  2 | import {
  3 |   COURSES_LIST,
  4 |   SUBJECTS_MAP,
  5 |   INITIAL_STUDENT_ATTENDANCE,
  6 |   INITIAL_ATTENDANCE_SESSIONS,
  7 |   CAMPUS_WIFI_CONFIG,
  8 |   INITIAL_ACTIVE_QR_SESSION,
  9 |   INITIAL_QR_AUDIT_LOGS
 10 | } from '../data/attendanceMockData';
 11 |
 12 | const AttendanceContext = createContext();
 13 |
 14 | const STORAGE_KEY_SESSIONS = 'sgu_attendance_sessions';
 15 | const STORAGE_KEY_METRICS = 'sgu_student_attendance_metrics';
 16 | const STORAGE_KEY_QR_SESSION = 'sgu_active_qr_session';
 17 | const STORAGE_KEY_QR_AUDIT = 'sgu_qr_audit_logs';
 18 |
 19 | export const AttendanceProvider = ({ children }) => {
 20 |   const [sessions, setSessions] = useState(() => {
 21 |     const saved = localStorage.getItem(STORAGE_KEY_SESSIONS);
 22 |     if (saved) {
 23 |       try {
 24 |         return JSON.parse(saved);
 25 |       } catch (e) {
 26 |         console.error('Failed to parse saved attendance sessions', e);
 27 |       }
 28 |     }
 29 |     return INITIAL_ATTENDANCE_SESSIONS;
 30 |   });
 31 |
 32 |   const [studentMetrics, setStudentMetrics] = useState(() => {
 33 |     const saved = localStorage.getItem(STORAGE_KEY_METRICS);
 34 |     if (saved) {
 35 |       try {
 36 |         return JSON.parse(saved);
 37 |       } catch (e) {
 38 |         console.error('Failed to parse saved student metrics', e);
 39 |       }
 40 |     }
 41 |     return INITIAL_STUDENT_ATTENDANCE;
 42 |   });
 43 |
 44 |   // Active QR Session state
 45 |   const [activeQrSession, setActiveQrSession] = useState(() => {
 46 |     const saved = localStorage.getItem(STORAGE_KEY_QR_SESSION);
 47 |     if (saved) {
 48 |       try {
 49 |         return JSON.parse(saved);
 50 |       } catch (e) {
```

```
51 |         console.error('Failed to parse saved QR session', e);
52 |       }
53 |     }
54 |     return INITIAL_ACTIVE_QR_SESSION;
55 |   });
56 |
57 |   // QR & Wi-Fi Check-in Audit Logs
58 |   const [qrAuditLogs, setQrAuditLogs] = useState(() => {
59 |     const saved = localStorage.getItem(STORAGE_KEY_QR_AUDIT);
60 |     if (saved) {
61 |       try {
62 |         return JSON.parse(saved);
63 |       } catch (e) {
64 |         console.error('Failed to parse saved QR audit logs', e);
65 |       }
66 |     }
67 |     return INITIAL_QR_AUDIT_LOGS;
68 |   });
69 |
70 |   // Simulated student Wi-Fi connection
71 |   // Options: 'SGU-Campus-WiFi-5G', 'Jio-5G-Personal', 'Home-Broadband'
72 |   const [simulatedStudentWifi, setSimulatedStudentWifi] = useState('SGU-Campus-WiFi-
     5G');
73 |
74 |   useEffect(() => {
75 |     localStorage.setItem(STORAGE_KEY_SESSIONS, JSON.stringify(sessions));
76 |   }, [sessions]);
77 |
78 |   useEffect(() => {
79 |     localStorage.setItem(STORAGE_KEY_METRICS, JSON.stringify(studentMetrics));
80 |   }, [studentMetrics]);
81 |
82 |   useEffect(() => {
83 |     if (activeQrSession) {
84 |       localStorage.setItem(STORAGE_KEY_QR_SESSION, JSON.stringify(activeQrSession));
85 |     } else {
86 |       localStorage.removeItem(STORAGE_KEY_QR_SESSION);
87 |     }
88 |   }, [activeQrSession]);
89 |
90 |   useEffect(() => {
91 |     localStorage.setItem(STORAGE_KEY_QR_AUDIT, JSON.stringify(qrAuditLogs));
92 |   }, [qrAuditLogs]);
93 |
94 |   // Mark attendance manually for a lecture session (Staff bulk form)
95 |   const recordAttendanceSession = ({ date, course, semester, subject, markedBy, reco
     rds }) => {
96 |     const newSession = {
97 |       id: `att-sess-${Date.now()}`,
98 |       date,
99 |       course,
100 |       semester,
101 |       subject,
102 |       markedBy,
103 |       timestamp: new Date().toISOString(),
104 |       records
105 |     };
106 |
107 |     setSessions(prev => [newSession, ...prev]);
108 |
109 |     // Update cumulative student metrics
110 |     setStudentMetrics(prev => {
111 |       const updated = { ...prev };
112 |
113 |       records.forEach(rec => {
114 |         const studentRec = updated[rec.studentId];
115 |         if (studentRec && studentRec.subjects) {
116 |           const subjectEntry = studentRec.subjects.find(s => s.name === subject || s
     .code === subject.split(':')[0]);
117 |           if (subjectEntry) {
118 |             subjectEntry.total += 1;
119 |             if (rec.status === 'Present') {
120 |               subjectEntry.attended += 1;
121 |             } else if (rec.status === 'On Leave') {
122 |               subjectEntry.onLeave = (subjectEntry.onLeave || 0) + 1;
123 |             }
124 |           }
125 |         }
126 |       });
127 |
128 |       return updated;
```

```
129 |     });
130 |
131 |     return newSession;
132 |   };
133 |
134 |   // Start a new Live QR Attendance Session (Faculty)
135 |   const startQrSession = ({ course, semester, subject, classroom, facultyName, requi
      redWifi }) => {
136 |     const newSession = {
137 |       id: `qr-sess-${Date.now()}`,
138 |       course,
139 |       semester,
140 |       subject,
141 |       classroom: classroom || 'Room 304 (Academic Block A)',
142 |       facultyName: facultyName || 'Faculty',
143 |       requiredWifi: requiredWifi || CAMPUS_WIFI_CONFIG.authorizedSSID,
144 |       gatewayIp: CAMPUS_WIFI_CONFIG.gatewayIp,
145 |       token: `SGU-${Math.floor(1000 + Math.random() * 9000)}`,
146 |       createdAt: new Date().toISOString(),
147 |       expiresInMinutes: 15,
148 |       isActive: true,
149 |       checkedInStudents: []
150 |     };
151 |
152 |     setActiveQrSession(newSession);
153 |     return newSession;
154 |   };
155 |
156 |   // Stop / Close QR Attendance Session
157 |   const stopQrSession = () => {
158 |     setActiveQrSession(prev => prev ? { ...prev, isActive: false } : null);
159 |   };
160 |
161 |   // Regenerate dynamic OTP token (rotating security token)
162 |   const rotateSessionToken = () => {
163 |     if (!activeQrSession) return;
164 |     setActiveQrSession(prev => ({
165 |       ...prev,
166 |       token: `SGU-${Math.floor(1000 + Math.random() * 9000)}`
167 |     }));
168 |   };
169 |
170 |   // Process Student QR Scan with Campus Wi-Fi Verification
171 |   const markAttendanceViaQr = ({ studentId, studentName, scannedToken, networkSSID,
      device }) => {
172 |     const currentSession = activeQrSession;
173 |
174 |     if (!currentSession || !currentSession.isActive) {
175 |       return {
176 |         success: false,
177 |         reason: 'SESSION_EXPIRED',
178 |         message: 'No active lecture QR session found. Please ask your professor to s
      tart a session.'
179 |       };
180 |     }
181 |
182 |     // 1. Wi-Fi Verification Check
183 |     const wifiMatch = networkSSID === currentSession.requiredWifi || networkSSID ===
       CAMPUS_WIFI_CONFIG.backupSSID;
184 |     const clientIp = wifiMatch ? `172.20.10.${Math.floor(20 + Math.random() * 200)}`
       : '49.36.120.89';
185 |
186 |     if (!wifiMatch) {
187 |       // Log blocked proxy attempt
188 |       const blockedLog = {
189 |         id: `audit-${Date.now()}`,
190 |         studentId,
191 |         studentName,
192 |         subject: currentSession.subject,
193 |         timestamp: new Date().toISOString(),
194 |         wifiSSID: networkSSID || 'External Cellular Data',
195 |         clientIp,
196 |         status: 'BLOCKED_UNTRUSTED_NETWORK',
197 |         device: device || 'Mobile Device'
198 |       };
199 |
200 |       setQrAuditLogs(prev => [blockedLog, ...prev]);
201 |
202 |       return {
203 |         success: false,
204 |         reason: 'WIFI_MISMATCH',
```

```
205 |         message: `Attendance Blocked: You must be connected to Sanjay Ghodawat Unive
      rsity Wi-Fi ("${currentSession.requiredWifi}") inside the classroom. Connected to "$
      {networkSSID}".`,
206 |         networkStatus: 'UNTRUSTED_EXTERNAL'
207 |       };
208 |     }
209 |
210 |     // 2. Duplicate Check
211 |     if (currentSession.checkedInStudents.includes(studentId)) {
212 |       return {
213 |         success: false,
214 |         reason: 'ALREADY_CHECKED_IN',
215 |         message: 'Attendance already marked for this lecture session.',
216 |         networkStatus: 'VERIFIED'
217 |       };
218 |     }
219 |
220 |     // 3. Mark Present & Update Records
221 |     setActiveQrSession(prev => ({
222 |       ...prev,
223 |       checkedInStudents: [...prev.checkedInStudents, studentId]
224 |     }));
225 |
226 |     // Update cumulative student metrics
227 |     setStudentMetrics(prev => {
228 |       const updated = { ...prev };
229 |       const studentRec = updated[studentId];
230 |       if (studentRec && studentRec.subjects) {
231 |         const sub = studentRec.subjects.find(
232 |           s => s.name === currentSession.subject || s.code === currentSession.subjec
      t.split(':')[0]
233 |         );
234 |         if (sub) {
235 |           sub.total += 1;
236 |           sub.attended += 1;
237 |         }
238 |       }
239 |       return updated;
240 |     });
241 |
242 |     // Add to audit trail
243 |     const successLog = {
244 |       id: `audit-${Date.now()}`,
245 |       studentId,
246 |       studentName,
247 |       subject: currentSession.subject,
248 |       timestamp: new Date().toISOString(),
249 |       wifiSSID: networkSSID,
250 |       clientIp,
251 |       status: 'VERIFIED',
252 |       device: device || 'Personal Mobile / Chrome'
253 |     };
254 |
255 |     setQrAuditLogs(prev => [successLog, ...prev]);
256 |
257 |     return {
258 |       success: true,
259 |       message: `Verified & Marked: Present in ${currentSession.classroom}`,
260 |       session: currentSession,
261 |       timestamp: new Date().toLocaleTimeString([], { hour: '2-digit', minute: '2-dig
      it' })
262 |     };
263 |   };
264 |
265 |   // Helper: compute summary for a student
266 |   const getStudentStats = (studentId) => {
267 |     const data = studentMetrics[studentId];
268 |     if (!data || !data.subjects || data.subjects.length === 0) {
269 |       return {
270 |         studentId,
271 |         studentName: 'Student',
272 |         totalClasses: 0,
273 |         attendedClasses: 0,
274 |         overallPercentage: 0,
275 |         isBelowThreshold: false,
276 |         subjects: []
277 |       };
278 |     }
279 |
280 |     let totalHeld = 0;
281 |     let totalAttended = 0;
```

```
282 |
283 |     const subjectsWithPercent = data.subjects.map(sub => {
284 |       totalHeld += sub.total;
285 |       totalAttended += sub.attended;
286 |       const percentage = sub.total > 0 ? Math.round((sub.attended / sub.total) * 100
      0) / 10 : 0;
287 |       return {
288 |         ...sub,
289 |         percentage,
290 |         isDeficit: percentage < 75
291 |       };
292 |     });
293 |
294 |     const overallPercentage = totalHeld > 0 ? Math.round((totalAttended / totalHeld)
     * 1000) / 10 : 0;
295 |
296 |     return {
297 |       studentId: data.studentId,
298 |       studentName: data.studentName,
299 |       course: data.course,
300 |       semester: data.semester,
301 |       totalClasses: totalHeld,
302 |       attendedClasses: totalAttended,
303 |       overallPercentage,
304 |       isBelowThreshold: overallPercentage < 75,
305 |       subjects: subjectsWithPercent
306 |     };
307 |   };
308 |
309 |   // Helper: get list of low-attendance students (< 75%)
310 |   const getLowAttendanceStudents = () => {
311 |     return Object.keys(studentMetrics)
312 |       .map(id => getStudentStats(id))
313 |       .filter(s => s.isBelowThreshold)
314 |       .sort((a, b) => a.overallPercentage - b.overallPercentage);
315 |   };
316 |
317 |   return (
318 |     <AttendanceContext.Provider
319 |       value={{
320 |         sessions,
321 |         courses: COURSES_LIST,
322 |         subjectsMap: SUBJECTS_MAP,
323 |         studentMetrics,
324 |         wifiConfig: CAMPUS_WIFI_CONFIG,
325 |         activeQrSession,
326 |         qrAuditLogs,
327 |         simulatedStudentWifi,
328 |         setSimulatedStudentWifi,
329 |         startQrSession,
330 |         stopQrSession,
331 |         rotateSessionToken,
332 |         markAttendanceViaQr,
333 |         recordAttendanceSession,
334 |         getStudentStats,
335 |         getLowAttendanceStudents
336 |       }}
337 |     >
338 |       {children}
339 |     </AttendanceContext.Provider>
340 |   );
341 | };
342 |
343 | export const useAttendance = () => {
344 |   const context = useContext(AttendanceContext);
345 |   if (!context) {
346 |     throw new Error('useAttendance must be used within an AttendanceProvider');
347 |   }
348 |   return context;
349 | };
```

SECTION: DATA

12. src/data/mockData.js

Module: *Data* | ***Lines:*** *1223* | ***Size:*** *43.8 KB — Departments, categories, faculty, students & initial complaints*

```
// Realistic Mock Data for Smart Campus Issue Resolution System

export const INITIAL_DEPARTMENTS = [
  { id: 'dept-acad', name: 'Academic Affairs', head: 'Dr. Ramesh Sharma', email: 'academics@smartcampus.edu', phone: '+91 98765 43210', activeComplaints: 3 },
  { id: 'dept-hostel', name: 'Hostel Administration', head: 'Prof. Sunita Rao', email: 'hostel@smartcampus.edu', phone: '+91 98765 43211', activeComplaints: 5 },
  { id: 'dept-infr', name: 'Campus Estate & Maintenance', head: 'Er. Alok Verma', email: 'estate@smartcampus.edu', phone: '+91 98765 43212', activeComplaints: 4 },
  { id: 'dept-sanit', name: 'Sanitation & Housekeeping', head: 'Mrs. Geeta Patel', email: 'sanitation@smartcampus.edu', phone: '+91 98765 43213', activeComplaints: 2 },
  { id: 'dept-trans', name: 'Transport Division', head: 'Mr. Gurpreet Singh', email: 'transport@smartcampus.edu', phone: '+91 98765 43214', activeComplaints: 2 },
  { id: 'dept-elec', name: 'Electrical Maintenance', head: 'Er. Sandeep Nair', email: 'electrical@smartcampus.edu', phone: '+91 98765 43215', activeComplaints: 3 },
  { id: 'dept-water', name: 'Water & Plumbing Dept', head: 'Mr. Manoj Kumar', email: 'plumbing@smartcampus.edu', phone: '+91 98765 43216', activeComplaints: 2 },
  { id: 'dept-lib', name: 'Library Administration', head: 'Dr. Ananya Mukherjee', email: 'library@smartcampus.edu', phone: '+91 98765 43217', activeComplaints: 1 },
  { id: 'dept-cant', name: 'Food & Catering Services', head: 'Chef K. Venkatesh', email: 'canteen@smartcampus.edu', phone: '+91 98765 43218', activeComplaints: 2 },
  { id: 'dept-affairs', name: 'General Student Affairs', head: 'Dr. Meenakshi Sundaram', email: 'studentaffairs@smartcampus.edu', phone: '+91 98765 43219', activeComplaints: 1 }
];

export const INITIAL_CATEGORIES = [
  {
    id: 'cat-1',
    name: 'Academics',
    iconName: 'GraduationCap',
    department: 'Academic Affairs',
    description: 'Course scheduling, faculty availability, lab equipment, grading queries',
    slaHours: 48
  },
  {
    id: 'cat-2',
    name: 'Hostel Facilities',
    iconName: 'Building2',
    department: 'Hostel Administration',
    description: 'Room furniture, hostel Wi-Fi, wardens, laundry, common room',
    slaHours: 24
  },
  {
    id: 'cat-3',
    name: 'Infrastructure',
    iconName: 'Wrench',
    department: 'Campus Estate & Maintenance',
    description: 'Classroom benches, projectors, civil repairs, walkway lighting',
    slaHours: 72
  },
  {
    id: 'cat-4',
    name: 'Sanitation and Hygiene',
    iconName: 'Sparkles',
    department: 'Sanitation & Housekeeping',
    description: 'Washroom cleaning, dustbins, campus cleanliness, pest control',
    slaHours: 12
  },
  {
    id: 'cat-5',
    name: 'Transportation',
    iconName: 'Bus',
    department: 'Transport Division',
    description: 'College bus schedule, route issues, driver conduct, vehicle maintenance',
    slaHours: 24
  },
  {
    id: 'cat-6',
    name: 'Electrical Issues',
    iconName: 'Zap',
    department: 'Electrical Maintenance',
    description: 'Power cut, fan repair, tube lights, switchboards, air conditioners',
    slaHours: 24
  },
  {
    id: 'cat-7',
```

```
 67 |     name: 'Water Supply',
 68 |     iconName: 'Droplet',
 69 |     department: 'Water & Plumbing Dept',
 70 |     description: 'Drinking water coolers, RO filters, tap leakage, bathroom water sh
    ortage',
 71 |     slaHours: 12
 72 |   },
 73 |   {
 74 |     id: 'cat-8',
 75 |     name: 'Library',
 76 |     iconName: 'BookOpen',
 77 |     department: 'Library Administration',
 78 |     description: 'Digital catalog, quiet zones, book reservations, reference section
     AC',
 79 |     slaHours: 48
 80 |   },
 81 |   {
 82 |     id: 'cat-9',
 83 |     name: 'Canteen',
 84 |     iconName: 'Utensils',
 85 |     department: 'Food & Catering Services',
 86 |     description: 'Food hygiene, pricing, mess menu diversity, drinking water in mess
    ',
 87 |     slaHours: 24
 88 |   },
 89 |   {
 90 |     id: 'cat-10',
 91 |     name: 'Other Campus Issues',
 92 |     iconName: 'HelpCircle',
 93 |     department: 'General Student Affairs',
 94 |     description: 'Sports complex, medical room, security gates, anti-ragging support
    ',
 95 |     slaHours: 48
 96 |   }
 97 | ];
 98 |
 99 | export const INITIAL_STUDENTS = [
100 |   {
101 |     id: 'std-01',
102 |     username: 'student01',
103 |     password: 'student123',
104 |     name: 'Aarav Sharma',
105 |     studentId: 'ST2024-001',
106 |     email: 'aarav.sharma@smartcampus.edu',
107 |     phone: '+91 98761 00001',
108 |     role: 'student',
109 |     course: 'B.Tech Computer Science',
110 |     semester: '6th Semester',
111 |     hostelBlock: 'Block-A (Aryabhatta)',
112 |     roomNo: '304',
113 |     avatar: 'https://images.unsplash.com/photo-1534528741775-53994a69daeb?w=150&auto
    =format&fit=crop&q=80'
114 |   },
115 |   {
116 |     id: 'std-02',
117 |     username: 'student02',
118 |     password: 'student123',
119 |     name: 'Priya Patel',
120 |     studentId: 'ST2024-002',
121 |     email: 'priya.patel@smartcampus.edu',
122 |     phone: '+91 98761 00002',
123 |     role: 'student',
124 |     course: 'B.Tech Information Technology',
125 |     semester: '4th Semester',
126 |     hostelBlock: 'Block-C (Gargi)',
127 |     roomNo: '112',
128 |     avatar: 'https://images.unsplash.com/photo-1517841905240-472988babdf9?w=150&auto
    =format&fit=crop&q=80'
129 |   },
130 |   {
131 |     id: 'std-03',
132 |     username: 'student03',
133 |     password: 'student123',
134 |     name: 'Rohan Deshmukh',
135 |     studentId: 'ST2024-003',
136 |     email: 'rohan.d@smartcampus.edu',
137 |     phone: '+91 98761 00003',
138 |     role: 'student',
139 |     course: 'B.Tech Mechanical Engineering',
140 |     semester: '8th Semester',
141 |     hostelBlock: 'Block-B (Bhaskara)',
```

```
142 |     roomNo: '215',
143 |     avatar: 'https://images.unsplash.com/photo-1539571696357-5a69c17a67c6?w=150&auto
      =format&fit=crop&q=80'
144 |   },
145 |   {
146 |     id: 'std-04',
147 |     username: 'student04',
148 |     password: 'student123',
149 |     name: 'Sneha Kulkarni',
150 |     studentId: 'ST2024-004',
151 |     email: 'sneha.k@smartcampus.edu',
152 |     phone: '+91 98761 00004',
153 |     role: 'student',
154 |     course: 'B.Tech Electronics & Comm.',
155 |     semester: '4th Semester',
156 |     hostelBlock: 'Block-C (Gargi)',
157 |     roomNo: '208',
158 |     avatar: 'https://images.unsplash.com/photo-1494790108377-be9c29b29330?w=150&auto
      =format&fit=crop&q=80'
159 |   },
160 |   {
161 |     id: 'std-05',
162 |     username: 'student05',
163 |     password: 'student123',
164 |     name: 'Vikramaditya Roy',
165 |     studentId: 'ST2024-005',
166 |     email: 'vikram.roy@smartcampus.edu',
167 |     phone: '+91 98761 00005',
168 |     role: 'student',
169 |     course: 'B.Tech Civil Engineering',
170 |     semester: '6th Semester',
171 |     hostelBlock: 'Day Scholar',
172 |     roomNo: 'N/A',
173 |     avatar: 'https://images.unsplash.com/photo-1507003211169-0a1dd7228f2d?w=150&auto
      =format&fit=crop&q=80'
174 |   },
175 |   {
176 |     id: 'std-06',
177 |     username: 'student06',
178 |     password: 'student123',
179 |     name: 'Ananya Gupta',
180 |     studentId: 'ST2024-006',
181 |     email: 'ananya.g@smartcampus.edu',
182 |     phone: '+91 98761 00006',
183 |     role: 'student',
184 |     course: 'B.Sc Data Science',
185 |     semester: '2nd Semester',
186 |     hostelBlock: 'Block-D (Maitreyi)',
187 |     roomNo: '104',
188 |     avatar: 'https://images.unsplash.com/photo-1438761681033-6461ffad8d80?w=150&auto
      =format&fit=crop&q=80'
189 |   },
190 |   {
191 |     id: 'std-07',
192 |     username: 'student07',
193 |     password: 'student123',
194 |     name: 'Karthik Raja',
195 |     studentId: 'ST2024-007',
196 |     email: 'karthik.r@smartcampus.edu',
197 |     phone: '+91 98761 00007',
198 |     role: 'student',
199 |     course: 'MBA Tech Management',
200 |     semester: '2nd Semester',
201 |     hostelBlock: 'Block-A (Aryabhatta)',
202 |     roomNo: '410',
203 |     avatar: 'https://images.unsplash.com/photo-1500648767791-00dcc994a43e?w=150&auto
      =format&fit=crop&q=80'
204 |   },
205 |   {
206 |     id: 'std-08',
207 |     username: 'student08',
208 |     password: 'student123',
209 |     name: 'Divya Nambiar',
210 |     studentId: 'ST2024-008',
211 |     email: 'divya.n@smartcampus.edu',
212 |     phone: '+91 98761 00008',
213 |     role: 'student',
214 |     course: 'B.Tech Biotechnology',
215 |     semester: '6th Semester',
216 |     hostelBlock: 'Block-C (Gargi)',
217 |     roomNo: '315',
```

```
    avatar: 'https://images.unsplash.com/photo-1544005313-94ddf0286df2?w=150&auto=fo
rmat&fit=crop&q=80'
  },
  {
    id: 'std-09',
    username: 'student09',
    password: 'student123',
    name: 'Mohit Saini',
    studentId: 'ST2024-009',
    email: 'mohit.saini@smartcampus.edu',
    phone: '+91 98761 00009',
    role: 'student',
    course: 'B.Tech Electrical Engineering',
    semester: '4th Semester',
    hostelBlock: 'Block-B (Bhaskara)',
    roomNo: '102',
    avatar: 'https://images.unsplash.com/photo-1522075469751-3a6694fb2f61?w=150&auto
=format&fit=crop&q=80'
  },
  {
    id: 'std-10',
    username: 'student10',
    password: 'student123',
    name: 'Kavya Pillai',
    studentId: 'ST2024-010',
    email: 'kavya.p@smartcampus.edu',
    phone: '+91 98761 00010',
    role: 'student',
    course: 'B.Arch Architecture',
    semester: '6th Semester',
    hostelBlock: 'Day Scholar',
    roomNo: 'N/A',
    avatar: 'https://images.unsplash.com/photo-1534528741775-53994a69daeb?w=150&auto
=format&fit=crop&q=80'
  }
];

export const INITIAL_STAFF = [
  {
    id: 'stf-01',
    username: 'staff01',
    password: 'staff123',
    name: 'Suresh Kumar',
    staffId: 'EMP-ELE-102',
    department: 'Electrical Maintenance',
    designation: 'Senior Electrical Engineer',
    email: 'suresh.elec@smartcampus.edu',
    phone: '+91 98762 00001',
    role: 'staff',
    avatar: 'https://images.unsplash.com/photo-1472099645785-5658abf4ff4e?w=150&auto
=format&fit=crop&q=80'
  },
  {
    id: 'stf-02',
    username: 'staff02',
    password: 'staff123',
    name: 'Neeta Choudhary',
    staffId: 'EMP-HST-204',
    department: 'Hostel Administration',
    designation: 'Chief Hostel Warden',
    email: 'neeta.warden@smartcampus.edu',
    phone: '+91 98762 00002',
    role: 'staff',
    avatar: 'https://images.unsplash.com/photo-1573496359142-b8d87734a5a2?w=150&auto
=format&fit=crop&q=80'
  },
  {
    id: 'stf-03',
    username: 'staff03',
    password: 'staff123',
    name: 'Rajeev Nair',
    staffId: 'EMP-SNT-301',
    department: 'Sanitation & Housekeeping',
    designation: 'Sanitation Supervisor',
    email: 'rajeev.sanit@smartcampus.edu',
    phone: '+91 98762 00003',
    role: 'staff',
    avatar: 'https://images.unsplash.com/photo-1519085360753-af0119f7cbe7?w=150&auto
=format&fit=crop&q=80'
  },
  {
```

```
293 |     id: 'stf-04',
294 |     username: 'staff04',
295 |     password: 'staff123',
296 |     name: 'Dr. Vasudevan',
297 |     staffId: 'EMP-ACD-405',
298 |     department: 'Academic Affairs',
299 |     designation: 'Associate Dean of Academics',
300 |     email: 'vasudevan.acad@smartcampus.edu',
301 |     phone: '+91 98762 00004',
302 |     role: 'staff',
303 |     avatar: 'https://images.unsplash.com/photo-1506794778202-cad84cf45f1d?w=150&auto
      =format&fit=crop&q=80'
304 |   },
305 |   {
306 |     id: 'stf-05',
307 |     username: 'staff05',
308 |     password: 'staff123',
309 |     name: 'Jagdish Chauhan',
310 |     staffId: 'EMP-TRN-509',
311 |     department: 'Transport Division',
312 |     designation: 'Transport Operations In-Charge',
313 |     email: 'jagdish.trans@smartcampus.edu',
314 |     phone: '+91 98762 00005',
315 |     role: 'staff',
316 |     avatar: 'https://images.unsplash.com/photo-1560250097-0b93528c311a?w=150&auto=fo
      rmat&fit=crop&q=80'
317 |   }
318 | ];
319 |
320 | export const INITIAL_ADMIN = {
321 |   id: 'adm-01',
322 |   username: 'admin',
323 |   password: 'admin123',
324 |   name: 'Dr. Rajeshwar Rao',
325 |   adminId: 'ADM-DIR-001',
326 |   designation: 'Dean of Student Welfare & Campus Operations',
327 |   department: 'Administration',
328 |   email: 'dean.welfare@smartcampus.edu',
329 |   phone: '+91 98760 99999',
330 |   role: 'admin',
331 |   avatar: 'https://images.unsplash.com/photo-1534528741775-53994a69daeb?w=150&auto=f
      ormat&fit=crop&q=80'
332 | };
333 |
334 | export const INITIAL_COMPLAINTS = [
335 |   {
336 |     id: 'cmp-001',
337 |     trackingId: 'CMP-2024-8192',
338 |     title: 'Ceiling Fan Making Heavy Sparking Noise in Room 304',
339 |     category: 'Electrical Issues',
340 |     department: 'Electrical Maintenance',
341 |     description: 'The ceiling fan in Room 304 Block-A emits a high pitch buzzing sou
      nd and threw spark flashes when set to regulator speed 4. It poses a serious fire ha
      zard and prevents students from studying.',
342 |     priority: 'Urgent',
343 |     status: 'In Progress',
344 |     studentId: 'ST2024-001',
345 |     studentName: 'Aarav Sharma',
346 |     studentEmail: 'aarav.sharma@smartcampus.edu',
347 |     studentPhone: '+91 98761 00001',
348 |     location: 'Hostel Block-A, Room 304',
349 |     isConfidential: false,
350 |     submissionDate: '2024-10-28T09:30:00Z',
351 |     targetResolutionDate: '2024-10-29T18:00:00Z',
352 |     assignedStaffId: 'stf-01',
353 |     assignedStaffName: 'Suresh Kumar',
354 |     evidenceImage: 'https://images.unsplash.com/photo-1621905251189-08b45d6a269e?w=6
      00&auto=format&fit=crop&q=80',
355 |     history: [
356 |       {
357 |         status: 'Submitted',
358 |         timestamp: '2024-10-28T09:30:00Z',
359 |         performer: 'Aarav Sharma (Student)',
360 |         remarks: 'Complaint registered via portal with picture evidence.'
361 |       },
362 |       {
363 |         status: 'Under Review',
364 |         timestamp: '2024-10-28T10:15:00Z',
365 |         performer: 'Admin Office',
366 |         remarks: 'Assigned automatically to Electrical Maintenance division.'
367 |       },
```

```
368 |       {
369 |         status: 'In Progress',
370 |         timestamp: '2024-10-28T11:00:00Z',
371 |         performer: 'Suresh Kumar (Electrical Staff)',
372 |         remarks: 'Inspected regulator wiring. Capacitor needs replacement. Scheduled
     for 3:00 PM today.'
373 |       }
374 |     ],
375 |     remarks: 'Capacitor replacement part dispatched from campus store. Work in progr
    ess.'
376 |   },
377 |   {
378 |     id: 'cmp-002',
379 |     trackingId: 'CMP-2024-7401',
380 |     title: 'Water Cooler RO Filter Giving Foul Odor on 2nd Floor Block-C',
381 |     category: 'Water Supply',
382 |     department: 'Water & Plumbing Dept',
383 |     description: 'The cold drinking water dispenser on the 2nd floor corridor of Gar
    gi Hostel smells damp and water has a strange taste. Please replace the RO membrane
    urgently.',
384 |     priority: 'High',
385 |     status: 'Submitted',
386 |     studentId: 'ST2024-002',
387 |     studentName: 'Priya Patel',
388 |     studentEmail: 'priya.patel@smartcampus.edu',
389 |     studentPhone: '+91 98761 00002',
390 |     location: 'Hostel Block-C (Gargi), 2nd Floor Corridor',
391 |     isConfidential: false,
392 |     submissionDate: '2024-10-31T08:15:00Z',
393 |     targetResolutionDate: '2024-11-01T12:00:00Z',
394 |     assignedStaffId: null,
395 |     assignedStaffName: 'Unassigned',
396 |     evidenceImage: 'https://images.unsplash.com/photo-1541888946425-d0fbb18615f3?w=6
    00&auto=format&fit=crop&q=80',
397 |     history: [
398 |       {
399 |         status: 'Submitted',
400 |         timestamp: '2024-10-31T08:15:00Z',
401 |         performer: 'Priya Patel (Student)',
402 |         remarks: 'Complaint registered. Requesting water quality test.'
403 |       }
404 |     ],
405 |     remarks: 'Awaiting inspection team assignment.'
406 |   },
407 |   {
408 |     id: 'cmp-003',
409 |     trackingId: 'CMP-2024-6311',
410 |     title: 'Projector HDMI Audio/Video Flicker in Lecture Hall LH-201',
411 |     category: 'Infrastructure',
412 |     department: 'Campus Estate & Maintenance',
413 |     description: 'The roof-mounted Epson projector in LH-201 keeps turning blue and
    disconnecting during daily lectures. Classes have to pause multiple times.',
414 |     priority: 'Medium',
415 |     status: 'Resolved',
416 |     studentId: 'ST2024-003',
417 |     studentName: 'Rohan Deshmukh',
418 |     studentEmail: 'rohan.d@smartcampus.edu',
419 |     studentPhone: '+91 98761 00003',
420 |     location: 'Main Academic Complex, LH-201',
421 |     isConfidential: false,
422 |     submissionDate: '2024-10-25T14:20:00Z',
423 |     targetResolutionDate: '2024-10-27T17:00:00Z',
424 |     resolvedDate: '2024-10-26T16:30:00Z',
425 |     assignedStaffId: 'stf-01',
426 |     assignedStaffName: 'Suresh Kumar',
427 |     evidenceImage: 'https://images.unsplash.com/photo-1517245386807-bb43f82c33c4?w=6
    00&auto=format&fit=crop&q=80',
428 |     history: [
429 |       {
430 |         status: 'Submitted',
431 |         timestamp: '2024-10-25T14:20:00Z',
432 |         performer: 'Rohan Deshmukh (Student)',
433 |         remarks: 'Reported HDMI connection instability in LH-201.'
434 |       },
435 |       {
436 |         status: 'Under Review',
437 |         timestamp: '2024-10-25T15:00:00Z',
438 |         performer: 'Estate Office',
439 |         remarks: 'Technician notified.'
440 |       },
441 |       {
```

```
442 |         status: 'In Progress',
443 |         timestamp: '2024-10-26T10:00:00Z',
444 |         performer: 'Suresh Kumar',
445 |         remarks: 'Replaced faulty 15-meter in-wall HDMI 2.0 cable with new braided f
      iber optic line.'
446 |       },
447 |       {
448 |         status: 'Resolved',
449 |         timestamp: '2024-10-26T16:30:00Z',
450 |         performer: 'Suresh Kumar',
451 |         remarks: 'Tested with faculty laptop for 45 minutes continuous 4K stream. Is
      sue resolved cleanly.'
452 |       }
453 |     ],
454 |     remarks: 'Replaced in-wall cable. Faculty sign-off received.'
455 |   },
456 |   {
457 |     id: 'cmp-004',
458 |     trackingId: 'CMP-2024-5120',
459 |     title: 'Unhygienic Food Serving & Lack of Hairnets in Campus South Mess',
460 |     category: 'Canteen',
461 |     department: 'Food & Catering Services',
462 |     description: 'During dinner hours, servers were observed handling food without d
      isposable gloves or hair nets. Multiple students noticed hair strands in vegetable c
      urry.',
463 |     priority: 'High',
464 |     status: 'In Progress',
465 |     studentId: 'ST2024-004',
466 |     studentName: 'Sneha Kulkarni',
467 |     studentEmail: 'sneha.k@smartcampus.edu',
468 |     studentPhone: '+91 98761 00004',
469 |     location: 'South Campus Dining Hall',
470 |     isConfidential: true,
471 |     submissionDate: '2024-10-29T21:00:00Z',
472 |     targetResolutionDate: '2024-10-31T12:00:00Z',
473 |     assignedStaffId: 'stf-02',
474 |     assignedStaffName: 'Neeta Choudhary',
475 |     evidenceImage: 'https://images.unsplash.com/photo-1555396273-367ea4eb4db5?w=600&
      auto=format&fit=crop&q=80',
476 |     history: [
477 |       {
478 |         status: 'Submitted',
479 |         timestamp: '2024-10-29T21:00:00Z',
480 |         performer: 'Anonymous Student (Confidential)',
481 |         remarks: 'Confidential report submitted with photograph.'
482 |       },
483 |       {
484 |         status: 'Under Review',
485 |         timestamp: '2024-10-30T09:00:00Z',
486 |         performer: 'Admin Office',
487 |         remarks: 'Escalated to Chief Hostel Warden and Food Committee.'
488 |       },
489 |       {
490 |         status: 'In Progress',
491 |         timestamp: '2024-10-30T14:30:00Z',
492 |         performer: 'Neeta Choudhary',
493 |         remarks: 'Surprise inspection conducted. Warning issued to catering contract
      or. Mandatory hairnet policy enforced.'
494 |       }
495 |     ],
496 |     remarks: 'Inspection carried out. Follow-up inspection scheduled for tomorrow.'
497 |   },
498 |   {
499 |     id: 'cmp-005',
500 |     trackingId: 'CMP-2024-4902',
501 |     title: 'College Bus Route #12 Running 35 Minutes Late Consistently',
502 |     category: 'Transportation',
503 |     department: 'Transport Division',
504 |     description: 'Bus #12 departing from Metro Station to Campus is consistently del
      ayed by over 30 minutes every morning, causing 40+ students to miss first hour atten
      dance.',
505 |     priority: 'Medium',
506 |     status: 'Under Review',
507 |     studentId: 'ST2024-005',
508 |     studentName: 'Vikramaditya Roy',
509 |     studentEmail: 'vikram.roy@smartcampus.edu',
510 |     studentPhone: '+91 98761 00005',
511 |     location: 'City Route 12 - Metro Station Junction',
512 |     isConfidential: false,
513 |     submissionDate: '2024-10-30T10:00:00Z',
514 |     targetResolutionDate: '2024-11-02T16:00:00Z',
```

```
    assignedStaffId: 'stf-05',
    assignedStaffName: 'Jagdish Chauhan',
    evidenceImage: null,
    history: [
      {
        status: 'Submitted',
        timestamp: '2024-10-30T10:00:00Z',
        performer: 'Vikramaditya Roy (Student)',
        remarks: 'Reported timing mismatch and chronic delay.'
      },
      {
        status: 'Under Review',
        timestamp: '2024-10-30T11:20:00Z',
        performer: 'Jagdish Chauhan (Transport)',
        remarks: 'Checking GPS tracking logs of vehicle KA-05-8821.'
      }
    ],
    remarks: 'Analyzing morning traffic bottleneck near Ring Road flyover.'
  },
  {
    id: 'cmp-006',
    trackingId: 'CMP-2024-3881',
    title: 'Severe Clogging in Washrooms of Central Library 1st Floor',
    category: 'Sanitation and Hygiene',
    department: 'Sanitation & Housekeeping',
    description: 'Water is overflowing from wash basins and two toilets are choked i
n the central library west wing, resulting in an unbearable foul smell on the entire
 floor.',
    priority: 'Urgent',
    status: 'Escalated',
    studentId: 'ST2024-006',
    studentName: 'Ananya Gupta',
    studentEmail: 'ananya.g@smartcampus.edu',
    studentPhone: '+91 98761 00006',
    location: 'Central Library, 1st Floor West Wing',
    isConfidential: false,
    submissionDate: '2024-10-27T08:00:00Z',
    targetResolutionDate: '2024-10-27T20:00:00Z',
    assignedStaffId: 'stf-03',
    assignedStaffName: 'Rajeev Nair',
    evidenceImage: 'https://images.unsplash.com/photo-1584622650111-993a426fbf0a?w=6
00&auto=format&fit=crop&q=80',
    history: [
      {
        status: 'Submitted',
        timestamp: '2024-10-27T08:00:00Z',
        performer: 'Ananya Gupta (Student)',
        remarks: 'Washroom flooding reported.'
      },
      {
        status: 'Under Review',
        timestamp: '2024-10-27T08:45:00Z',
        performer: 'Sanitation Dept',
        remarks: 'Acknowledged.'
      },
      {
        status: 'Escalated',
        timestamp: '2024-10-28T10:00:00Z',
        performer: 'Dean of Student Affairs',
        remarks: 'Resolution delayed past 24-hour SLA. Escalated to Chief Sanitation
 Engineer for immediate deep clearing.'
      }
    ],
    remarks: 'Main drainage line blocked by construction debris. Emergency suction t
ruck ordered.'
  },
  {
    id: 'cmp-007',
    trackingId: 'CMP-2024-2910',
    title: 'Missing Reference Textbooks for Machine Learning Course CS-602',
    category: 'Library',
    department: 'Library Administration',
    description: 'Only 2 copies of the prescribed textbook "Pattern Recognition & Ma
chine Learning by Bishop" are available for a batch of 140 students. Please procure
additional copies or e-book licenses.',
    priority: 'Medium',
    status: 'Resolved',
    studentId: 'ST2024-001',
    studentName: 'Aarav Sharma',
    studentEmail: 'aarav.sharma@smartcampus.edu',
    studentPhone: '+91 98761 00001',
```

```
    location: 'Central Library, Computer Science Stack',
    isConfidential: false,
    submissionDate: '2024-10-20T11:10:00Z',
    targetResolutionDate: '2024-10-25T18:00:00Z',
    resolvedDate: '2024-10-24T15:00:00Z',
    assignedStaffId: 'stf-04',
    assignedStaffName: 'Dr. Vasudevan',
    evidenceImage: null,
    history: [
      {
        status: 'Submitted',
        timestamp: '2024-10-20T11:10:00Z',
        performer: 'Aarav Sharma (Student)',
        remarks: 'Requested book addition for semester curriculum.'
      },
      {
        status: 'Under Review',
        timestamp: '2024-10-21T09:30:00Z',
        performer: 'Dr. Vasudevan',
        remarks: 'Checking institutional Springer & IEEE subscription.'
      },
      {
        status: 'Resolved',
        timestamp: '2024-10-24T15:00:00Z',
        performer: 'Dr. Vasudevan',
        remarks: 'Procured 10 hard copies and activated campus-wide unlimited digita
l e-book access on the library portal.'
      }
    ],
    remarks: 'Access credentials and direct Springer link broadcasted to CS batch.'
  },
  {
    id: 'cmp-008',
    trackingId: 'CMP-2024-1922',
    title: 'Lab Air Conditioning Breakdown in Advanced Computing Center',
    category: 'Academics',
    department: 'Academic Affairs',
    description: 'Server racks and 60 high-performance workstations are overheating
because both 5-ton split AC units in Lab 3 have stopped cooling. Machines are shutti
ng down mid-simulation.',
    priority: 'Urgent',
    status: 'In Progress',
    studentId: 'ST2024-007',
    studentName: 'Karthik Raja',
    studentEmail: 'karthik.r@smartcampus.edu',
    studentPhone: '+91 98761 00007',
    location: 'Computer Center, Lab 3',
    isConfidential: false,
    submissionDate: '2024-10-29T13:45:00Z',
    targetResolutionDate: '2024-10-30T14:00:00Z',
    assignedStaffId: 'stf-01',
    assignedStaffName: 'Suresh Kumar',
    evidenceImage: 'https://images.unsplash.com/photo-1581092160607-ee22621dd758?w=6
00&auto=format&fit=crop&q=80',
    history: [
      {
        status: 'Submitted',
        timestamp: '2024-10-29T13:45:00Z',
        performer: 'Karthik Raja (Student)',
        remarks: 'Lab temperatures exceeded 38 degrees Celsius.'
      },
      {
        status: 'In Progress',
        timestamp: '2024-10-29T15:30:00Z',
        performer: 'Suresh Kumar',
        remarks: 'Gas recharge in progress and compressor servicing underway.'
      }
    ],
    remarks: 'Compressor 1 repaired. Unit 2 gas leak fix underway.'
  },
  {
    id: 'cmp-009',
    trackingId: 'CMP-2024-9104',
    title: 'Streetlights Not Working on North Campus Girls Hostel Pathway',
    category: 'Electrical Issues',
    department: 'Electrical Maintenance',
    description: 'Four consecutive street lamps on the walkway from the main academi
c building to Gargi hostel are non-functional, creating a completely dark, unsafe zo
ne at night.',
    priority: 'Urgent',
    status: 'Under Review',
```

```
    studentId: 'ST2024-002',
    studentName: 'Priya Patel',
    studentEmail: 'priya.patel@smartcampus.edu',
    studentPhone: '+91 98761 00002',
    location: 'North Walkway between Academic Block B and Hostel Block C',
    isConfidential: false,
    submissionDate: '2024-10-31T07:45:00Z',
    targetResolutionDate: '2024-11-01T18:00:00Z',
    assignedStaffId: 'stf-01',
    assignedStaffName: 'Suresh Kumar',
    evidenceImage: null,
    history: [
      {
        status: 'Submitted',
        timestamp: '2024-10-31T07:45:00Z',
        performer: 'Priya Patel (Student)',
        remarks: 'Safety hazard highlighted for evening return hours.'
      },
      {
        status: 'Under Review',
        timestamp: '2024-10-31T08:30:00Z',
        performer: 'Campus Security & Electrical Team',
        remarks: 'High priority inspection scheduled for afternoon shift.'
      }
    ],
    remarks: 'Checking circuit breaker at distribution box DB-4.'
  },
  {
    id: 'cmp-010',
    trackingId: 'CMP-2024-8233',
    title: 'Wi-Fi Signal Strength Dropping to Zero in Block-B 2nd Floor',
    category: 'Hostel Facilities',
    department: 'Hostel Administration',
    description: 'Access Point AP-B-201 is continuously rebooting. Students are unab
le to access LMS or submit online assignments from their hostel study desks.',
    priority: 'Medium',
    status: 'Reopened',
    studentId: 'ST2024-003',
    studentName: 'Rohan Deshmukh',
    studentEmail: 'rohan.d@smartcampus.edu',
    studentPhone: '+91 98761 00003',
    location: 'Hostel Block-B, 2nd Floor',
    isConfidential: false,
    submissionDate: '2024-10-22T16:00:00Z',
    targetResolutionDate: '2024-10-25T12:00:00Z',
    assignedStaffId: 'stf-02',
    assignedStaffName: 'Neeta Choudhary',
    evidenceImage: null,
    history: [
      {
        status: 'Submitted',
        timestamp: '2024-10-22T16:00:00Z',
        performer: 'Rohan Deshmukh (Student)',
        remarks: 'Reported erratic hostel Wi-Fi connection.'
      },
      {
        status: 'Resolved',
        timestamp: '2024-10-24T11:00:00Z',
        performer: 'IT Support',
        remarks: 'Router rebooted remotely and test ping verified.'
      },
      {
        status: 'Reopened',
        timestamp: '2024-10-25T19:30:00Z',
        performer: 'Rohan Deshmukh (Student)',
        remarks: 'Reopened by student: The router drops offline again whenever more
than 10 devices connect.'
      }
    ],
    remarks: 'Hardware hardware fault suspected. Network team to replace router with
 enterprise PoE AP.'
  },
  {
    id: 'cmp-011',
    trackingId: 'CMP-2024-7112',
    title: 'Cracked Window Panes in Civil Workshop Drawing Hall',
    category: 'Infrastructure',
    department: 'Campus Estate & Maintenance',
    description: 'During recent storm, tree branch shattered the glass pane on windo
w #4. Glass shards on the floor near drafting tables pose an injury hazard.',
    priority: 'High',
```

```
    status: 'Resolved',
    studentId: 'ST2024-005',
    studentName: 'Vikramaditya Roy',
    studentEmail: 'vikram.roy@smartcampus.edu',
    studentPhone: '+91 98761 00005',
    location: 'Civil Engineering Block, Drawing Hall 1',
    isConfidential: false,
    submissionDate: '2024-10-18T10:00:00Z',
    targetResolutionDate: '2024-10-20T17:00:00Z',
    resolvedDate: '2024-10-19T16:00:00Z',
    assignedStaffId: 'stf-01',
    assignedStaffName: 'Suresh Kumar',
    evidenceImage: 'https://images.unsplash.com/photo-1513694203232-719a280e022f?w=6
00&auto=format&fit=crop&q=80',
    history: [
      {
        status: 'Submitted',
        timestamp: '2024-10-18T10:00:00Z',
        performer: 'Vikramaditya Roy (Student)',
        remarks: 'Glass hazard reported.'
      },
      {
        status: 'In Progress',
        timestamp: '2024-10-18T12:00:00Z',
        performer: 'Maintenance Dept',
        remarks: 'Carpentry and glazing vendor called.'
      },
      {
        status: 'Resolved',
        timestamp: '2024-10-19T16:00:00Z',
        performer: 'Estate Maintenance Team',
        remarks: 'New laminated safety glass installed, area thoroughly swept.'
      }
    ],
    remarks: 'Replaced with 6mm toughened safety glass.'
  },
  {
    id: 'cmp-012',
    trackingId: 'CMP-2024-6540',
    title: 'Incorrect Mid-Term Marks Uploaded on Student ERP Portal',
    category: 'Academics',
    department: 'Academic Affairs',
    description: 'The marks uploaded for course MAT-201 (Applied Calculus) do not re
flect the re-evaluation signed by Prof. K. Verma. Total shows 18 instead of 26.',
    priority: 'Medium',
    status: 'Under Review',
    studentId: 'ST2024-004',
    studentName: 'Sneha Kulkarni',
    studentEmail: 'sneha.k@smartcampus.edu',
    studentPhone: '+91 98761 00004',
    location: 'Dean Academics Office',
    isConfidential: false,
    submissionDate: '2024-10-30T15:00:00Z',
    targetResolutionDate: '2024-11-03T18:00:00Z',
    assignedStaffId: 'stf-04',
    assignedStaffName: 'Dr. Vasudevan',
    evidenceImage: null,
    history: [
      {
        status: 'Submitted',
        timestamp: '2024-10-30T15:00:00Z',
        performer: 'Sneha Kulkarni (Student)',
        remarks: 'Submitted copy of signed marksheet correction.'
      },
      {
        status: 'Under Review',
        timestamp: '2024-10-31T09:15:00Z',
        performer: 'Dr. Vasudevan',
        remarks: 'Cross-verifying with original physical evaluation sheet from Math
department.'
      }
    ],
    remarks: 'Awaiting confirmation from course coordinator.'
  },
  {
    id: 'cmp-013',
    trackingId: 'CMP-2024-5890',
    title: 'Request for Personal Counseling Slot on Weekend (Declined)',
    category: 'Other Campus Issues',
    department: 'General Student Affairs',
    description: 'Requesting personal academic counseling on Sunday midnight.',
```

```
    priority: 'Low',
    status: 'Rejected',
    studentId: 'ST2024-008',
    studentName: 'Divya Nambiar',
    studentEmail: 'divya.n@smartcampus.edu',
    studentPhone: '+91 98761 00008',
    location: 'Student Health & Wellness Center',
    isConfidential: true,
    submissionDate: '2024-10-15T22:00:00Z',
    targetResolutionDate: '2024-10-17T18:00:00Z',
    resolvedDate: '2024-10-16T11:00:00Z',
    assignedStaffId: 'stf-04',
    assignedStaffName: 'Dr. Vasudevan',
    evidenceImage: null,
    history: [
      {
        status: 'Submitted',
        timestamp: '2024-10-15T22:00:00Z',
        performer: 'Divya Nambiar (Student)',
        remarks: 'Requested after-hours slot.'
      },
      {
        status: 'Rejected',
        timestamp: '2024-10-16T11:00:00Z',
        performer: 'General Student Affairs Office',
        remarks: 'Rejected: Standard counseling services are available Monday throug
h Saturday 9 AM to 6 PM. For 24/7 urgent mental health support, please contact the c
ampus medical helpline.'
      }
    ],
    remarks: 'Invalid time slot requested. Re-directed to official medical emergency
 hotline.'
  },
  {
    id: 'cmp-014',
    trackingId: 'CMP-2024-4412',
    title: 'Broken Dumbbells and Treadmill Malfunction in Campus Gym',
    category: 'Other Campus Issues',
    department: 'General Student Affairs',
    description: 'Treadmill #2 belt slips suddenly at speed 8+, which is dangerous.
Also two 15kg rubber dumbbells have cracked grips.',
    priority: 'Medium',
    status: 'Submitted',
    studentId: 'ST2024-009',
    studentName: 'Mohit Saini',
    studentEmail: 'mohit.saini@smartcampus.edu',
    studentPhone: '+91 98761 00009',
    location: 'Sports Complex Gymnasium',
    isConfidential: false,
    submissionDate: '2024-10-31T11:00:00Z',
    targetResolutionDate: '2024-11-03T18:00:00Z',
    assignedStaffId: null,
    assignedStaffName: 'Unassigned',
    evidenceImage: null,
    history: [
      {
        status: 'Submitted',
        timestamp: '2024-10-31T11:00:00Z',
        performer: 'Mohit Saini (Student)',
        remarks: 'Gym equipment wear and tear reported.'
      }
    ],
    remarks: 'Forwarded to Physical Director for maintenance inspection.'
  },
  {
    id: 'cmp-015',
    trackingId: 'CMP-2024-3209',
    title: 'Hostel Washing Machine #3 Vibrating Violently and Leaking Water',
    category: 'Hostel Facilities',
    department: 'Hostel Administration',
    description: 'The front load washing machine in Block-A laundry room shakes viol
ently during spin cycle and leaks detergent water all over the floor.',
    priority: 'High',
    status: 'In Progress',
    studentId: 'ST2024-001',
    studentName: 'Aarav Sharma',
    studentEmail: 'aarav.sharma@smartcampus.edu',
    studentPhone: '+91 98761 00001',
    location: 'Hostel Block-A Basement Laundry Room',
    isConfidential: false,
    submissionDate: '2024-10-29T17:15:00Z',
```

```
    targetResolutionDate: '2024-10-31T18:00:00Z',
    assignedStaffId: 'stf-02',
    assignedStaffName: 'Neeta Choudhary',
    evidenceImage: 'https://images.unsplash.com/photo-1582735689369-4fe89db7114c?w=6
00&auto=format&fit=crop&q=80',
    history: [
      {
        status: 'Submitted',
        timestamp: '2024-10-29T17:15:00Z',
        performer: 'Aarav Sharma (Student)',
        remarks: 'Laundry room hazard reported.'
      },
      {
        status: 'In Progress',
        timestamp: '2024-10-30T10:00:00Z',
        performer: 'Neeta Choudhary',
        remarks: 'Drum bearing worn out. Warranty repair technician requested from I
FB service center.'
      }
    ],
    remarks: 'Authorized technician visiting campus on Friday.'
  },
  {
    id: 'cmp-016',
    trackingId: 'CMP-2024-2198',
    title: 'Sanitary Napkin Vending Machine Out of Stock in Block-D',
    category: 'Sanitation and Hygiene',
    department: 'Sanitation & Housekeeping',
    description: 'The automated vending machine on the ground floor of Maitreyi Host
el has been empty for over 5 days. Coin insertion mechanism also gets stuck.',
    priority: 'Urgent',
    status: 'Resolved',
    studentId: 'ST2024-006',
    studentName: 'Ananya Gupta',
    studentEmail: 'ananya.g@smartcampus.edu',
    studentPhone: '+91 98761 00006',
    location: 'Hostel Block-D (Maitreyi), Ground Floor',
    isConfidential: false,
    submissionDate: '2024-10-26T09:00:00Z',
    targetResolutionDate: '2024-10-26T21:00:00Z',
    resolvedDate: '2024-10-26T17:00:00Z',
    assignedStaffId: 'stf-03',
    assignedStaffName: 'Rajeev Nair',
    evidenceImage: null,
    history: [
      {
        status: 'Submitted',
        timestamp: '2024-10-26T09:00:00Z',
        performer: 'Ananya Gupta (Student)',
        remarks: 'Urgent hygiene supply shortage reported.'
      },
      {
        status: 'Resolved',
        timestamp: '2024-10-26T17:00:00Z',
        performer: 'Rajeev Nair',
        remarks: 'Refilled machine with 100 units and calibrated coin receiver senso
r.'
      }
    ],
    remarks: 'Refilled and functional. Routine weekly inspection schedule set.'
  },
  {
    id: 'cmp-017',
    trackingId: 'CMP-2024-1502',
    title: 'Stray Dogs Entering Food Court Area in Evening',
    category: 'Other Campus Issues',
    department: 'General Student Affairs',
    description: 'Multiple stray dogs enter the open dining patio near cafeteria aro
und 7 PM, creating fear among students and knocking over food trays.',
    priority: 'Medium',
    status: 'Under Review',
    studentId: 'ST2024-010',
    studentName: 'Kavya Pillai',
    studentEmail: 'kavya.p@smartcampus.edu',
    studentPhone: '+91 98761 00010',
    location: 'Main Food Court Courtyard',
    isConfidential: false,
    submissionDate: '2024-10-31T09:30:00Z',
    targetResolutionDate: '2024-11-03T18:00:00Z',
    assignedStaffId: 'stf-02',
    assignedStaffName: 'Neeta Choudhary',
```

```
    evidenceImage: null,
    history: [
      {
        status: 'Submitted',
        timestamp: '2024-10-31T09:30:00Z',
        performer: 'Kavya Pillai (Student)',
        remarks: 'Safety & hygiene concern raised regarding stray animals.'
      },
      {
        status: 'Under Review',
        timestamp: '2024-10-31T11:00:00Z',
        performer: 'Campus Security',
        remarks: 'Patrol guards instructed to install perimeter mesh gate at food co
urt access lane.'
      }
    ],
    remarks: 'Security team procuring boundary fencing.'
  },
  {
    id: 'cmp-018',
    trackingId: 'CMP-2024-9901',
    title: 'Broken Commode Flush Valve Causing Continuous Water Waste',
    category: 'Water Supply',
    department: 'Water & Plumbing Dept',
    description: 'Flush valve in cubicle 3 of Block-B Ground Floor washroom is stuck
 open, wasting hundreds of liters of water continuously into the drain.',
    priority: 'High',
    status: 'Resolved',
    studentId: 'ST2024-003',
    studentName: 'Rohan Deshmukh',
    studentEmail: 'rohan.d@smartcampus.edu',
    studentPhone: '+91 98761 00003',
    location: 'Hostel Block-B, Ground Floor Restroom',
    isConfidential: false,
    submissionDate: '2024-10-21T07:30:00Z',
    targetResolutionDate: '2024-10-21T19:30:00Z',
    resolvedDate: '2024-10-21T14:15:00Z',
    assignedStaffId: 'stf-01',
    assignedStaffName: 'Suresh Kumar',
    evidenceImage: null,
    history: [
      {
        status: 'Submitted',
        timestamp: '2024-10-21T07:30:00Z',
        performer: 'Rohan Deshmukh (Student)',
        remarks: 'Reported water wastage.'
      },
      {
        status: 'Resolved',
        timestamp: '2024-10-21T14:15:00Z',
        performer: 'Plumbing Unit',
        remarks: 'Dual flush pneumatic valve replaced with new unit.'
      }
    ],
    remarks: 'Fixed promptly. No further leakage.'
  },
  {
    id: 'cmp-019',
    trackingId: 'CMP-2024-8834',
    title: 'Overdue Assignment Submission Server Timeout during Exam Week',
    category: 'Academics',
    department: 'Academic Affairs',
    description: 'The Moodle server crashed right at 11:55 PM during database assign
ment submission deadline, preventing 25 students from uploading their archives.',
    priority: 'Urgent',
    status: 'Resolved',
    studentId: 'ST2024-001',
    studentName: 'Aarav Sharma',
    studentEmail: 'aarav.sharma@smartcampus.edu',
    studentPhone: '+91 98761 00001',
    location: 'Online LMS / Academic Server',
    isConfidential: false,
    submissionDate: '2024-10-14T23:58:00Z',
    targetResolutionDate: '2024-10-15T12:00:00Z',
    resolvedDate: '2024-10-15T09:30:00Z',
    assignedStaffId: 'stf-04',
    assignedStaffName: 'Dr. Vasudevan',
    evidenceImage: null,
    history: [
      {
        status: 'Submitted',
```

```
1049 |         timestamp: '2024-10-14T23:58:00Z',
1050 |         performer: 'Aarav Sharma (Student)',
1051 |         remarks: 'Reported timeout error screenshot.'
1052 |       },
1053 |       {
1054 |         status: 'Resolved',
1055 |         timestamp: '2024-10-15T09:30:00Z',
1056 |         performer: 'Dr. Vasudevan',
1057 |         remarks: 'Deadline extended by 24 hours for all enrolled students. Cloud ser
       ver RAM doubled from 16GB to 32GB.'
1058 |       }
1059 |     ],
1060 |     remarks: 'Deadline officially extended and notification sent via campus portal.'
1061 |   },
1062 |   {
1063 |     id: 'cmp-020',
1064 |     trackingId: 'CMP-2024-7721',
1065 |     title: 'Bus Driver Reckless Driving and Speeding on Highway Route 7',
1066 |     category: 'Transportation',
1067 |     department: 'Transport Division',
1068 |     description: 'Bus #7 driver was driving at excessive speeds and overtaking abrup
       tly on the highway this morning, causing severe concern among student passengers.',
1069 |     priority: 'Urgent',
1070 |     status: 'In Progress',
1071 |     studentId: 'ST2024-002',
1072 |     studentName: 'Priya Patel',
1073 |     studentEmail: 'priya.patel@smartcampus.edu',
1074 |     studentPhone: '+91 98761 00002',
1075 |     location: 'Campus Bus Route 7, National Highway Stretch',
1076 |     isConfidential: true,
1077 |     submissionDate: '2024-10-29T10:15:00Z',
1078 |     targetResolutionDate: '2024-10-30T17:00:00Z',
1079 |     assignedStaffId: 'stf-05',
1080 |     assignedStaffName: 'Jagdish Chauhan',
1081 |     evidenceImage: null,
1082 |     history: [
1083 |       {
1084 |         status: 'Submitted',
1085 |         timestamp: '2024-10-29T10:15:00Z',
1086 |         performer: 'Anonymous Student (Confidential)',
1087 |         remarks: 'Reported reckless bus driving.'
1088 |       },
1089 |       {
1090 |         status: 'In Progress',
1091 |         timestamp: '2024-10-29T14:00:00Z',
1092 |         performer: 'Jagdish Chauhan',
1093 |         remarks: 'Summoned driver for inquiry. Speed governor telematics telemetry l
       ogs being reviewed.'
1094 |       }
1095 |     ],
1096 |     remarks: 'Driver removed from highway route pending formal safety audit.'
1097 |   },
1098 |   {
1099 |     id: 'cmp-021',
1100 |     trackingId: 'CMP-2024-6619',
1101 |     title: 'Damaged Wooden Floorboards in Badminton Court 2',
1102 |     category: 'Infrastructure',
1103 |     department: 'Campus Estate & Maintenance',
1104 |     description: 'Two synthetic-finished wooden planks have warped and popped up in
       badminton court 2, creating an ankle tripping risk during matches.',
1105 |     priority: 'Medium',
1106 |     status: 'Submitted',
1107 |     studentId: 'ST2024-007',
1108 |     studentName: 'Karthik Raja',
1109 |     studentEmail: 'karthik.r@smartcampus.edu',
1110 |     studentPhone: '+91 98761 00007',
1111 |     location: 'Indoor Sports Arena, Badminton Court 2',
1112 |     isConfidential: false,
1113 |     submissionDate: '2024-10-31T10:30:00Z',
1114 |     targetResolutionDate: '2024-11-04T18:00:00Z',
1115 |     assignedStaffId: null,
1116 |     assignedStaffName: 'Unassigned',
1117 |     evidenceImage: null,
1118 |     history: [
1119 |       {
1120 |         status: 'Submitted',
1121 |         timestamp: '2024-10-31T10:30:00Z',
1122 |         performer: 'Karthik Raja (Student)',
1123 |         remarks: 'Damage reported with request for urgent repair.'
1124 |       }
1125 |     ],
```

```
1126 |     remarks: 'Pending sports officer inspection.'
1127 |   },
1128 |   {
1129 |     id: 'cmp-022',
1130 |     trackingId: 'CMP-2024-5544',
1131 |     title: 'Non-Functional Drinking Water Tap Near Mechanical Workshop',
1132 |     category: 'Water Supply',
1133 |     department: 'Water & Plumbing Dept',
1134 |     description: 'The outdoor water tap right outside the welding workshop is leakin
       g constantly and has zero pressure. Students have to walk 400 meters to get water.',
1135 |     priority: 'Low',
1136 |     status: 'Resolved',
1137 |     studentId: 'ST2024-003',
1138 |     studentName: 'Rohan Deshmukh',
1139 |     studentEmail: 'rohan.d@smartcampus.edu',
1140 |     studentPhone: '+91 98761 00003',
1141 |     location: 'Mechanical Block, Workshop Exit 2',
1142 |     isConfidential: false,
1143 |     submissionDate: '2024-10-12T09:00:00Z',
1144 |     targetResolutionDate: '2024-10-15T18:00:00Z',
1145 |     resolvedDate: '2024-10-13T15:30:00Z',
1146 |     assignedStaffId: 'stf-01',
1147 |     assignedStaffName: 'Suresh Kumar',
1148 |     evidenceImage: null,
1149 |     history: [
1150 |       {
1151 |         status: 'Submitted',
1152 |         timestamp: '2024-10-12T09:00:00Z',
1153 |         performer: 'Rohan Deshmukh (Student)',
1154 |         remarks: 'Water tap malfunction reported.'
1155 |       },
1156 |       {
1157 |         status: 'Resolved',
1158 |         timestamp: '2024-10-13T15:30:00Z',
1159 |         performer: 'Plumbing Team',
1160 |         remarks: 'Replaced brass bib cock and cleared lime scale from intake pipe.'
1161 |       }
1162 |     ],
1163 |     remarks: 'Repaired and flow verified.'
1164 |   }
1165 | ];
1166 |
1167 | export const INITIAL_NOTIFICATIONS = [
1168 |   {
1169 |     id: 'notif-001',
1170 |     userId: 'ST2024-001',
1171 |     userRole: 'student',
1172 |     title: 'Status Updated: Fan Repair',
1173 |     message: 'Your complaint CMP-2024-8192 status changed to "In Progress". Suresh K
       umar has been assigned.',
1174 |     complaintId: 'cmp-001',
1175 |     trackingId: 'CMP-2024-8192',
1176 |     timestamp: '2024-10-28T11:00:00Z',
1177 |     isRead: false
1178 |   },
1179 |   {
1180 |     id: 'notif-002',
1181 |     userId: 'ST2024-001',
1182 |     userRole: 'student',
1183 |     title: 'Complaint Resolved: CS Books',
1184 |     message: 'Your complaint CMP-2024-2910 has been resolved! Unlimited digital e-bo
       ok access is now active.',
1185 |     complaintId: 'cmp-007',
1186 |     trackingId: 'CMP-2024-2910',
1187 |     timestamp: '2024-10-24T15:00:00Z',
1188 |     isRead: true
1189 |   },
1190 |   {
1191 |     id: 'notif-003',
1192 |     userId: 'stf-01',
1193 |     userRole: 'staff',
1194 |     title: 'New Complaint Assigned',
1195 |     message: 'You have been assigned urgent complaint CMP-2024-8192 (Ceiling Fan Spa
       rking Noise).',
1196 |     complaintId: 'cmp-001',
1197 |     trackingId: 'CMP-2024-8192',
1198 |     timestamp: '2024-10-28T10:15:00Z',
1199 |     isRead: false
1200 |   },
1201 |   {
1202 |     id: 'notif-004',
```

```
1203 |     userId: 'adm-01',
1204 |     userRole: 'admin',
1205 |     title: 'Complaint Escalation Alert',
1206 |     message: 'Complaint CMP-2024-3881 (Washrooms Library) has breached SLA and has b
       een escalated.',
1207 |     complaintId: 'cmp-006',
1208 |     trackingId: 'CMP-2024-3881',
1209 |     timestamp: '2024-10-28T10:00:00Z',
1210 |     isRead: false
1211 |   },
1212 |   {
1213 |     id: 'notif-005',
1214 |     userId: 'ST2024-003',
1215 |     userRole: 'student',
1216 |     title: 'Complaint Reopened',
1217 |     message: 'Your complaint CMP-2024-8233 (Hostel Wi-Fi) status has been marked as
       Reopened for deeper investigation.',
1218 |     complaintId: 'cmp-010',
1219 |     trackingId: 'CMP-2024-8233',
1220 |     timestamp: '2024-10-25T19:30:00Z',
1221 |     isRead: false
1222 |   }
1223 | ];
```

13. src/data/attendanceMockData.js

Module: *Data* | ***Lines:*** *269* | ***Size:*** *12.4 KB — SGU engineering curricula, attendance metrics & Wi-Fi config*

```
  1 | export const CAMPUS_WIFI_CONFIG = {
  2 |   authorizedSSID: 'SGU-Campus-WiFi-5G',
  3 |   backupSSID: 'SGU-Academic-Zone',
  4 |   gatewayIp: '172.20.10.1',
  5 |   campusLocation: 'Sanjay Ghodawat University - Academic Block A',
  6 |   macBindingEnabled: true
  7 | };
  8 |
  9 | export const INITIAL_ACTIVE_QR_SESSION = {
 10 |   id: 'qr-live-601',
 11 |   course: 'B.Tech Computer Science',
 12 |   semester: '6th Semester',
 13 |   subject: 'CS-601: Machine Learning & AI',
 14 |   facultyName: 'Dr. Vasudevan',
 15 |   classroom: 'Room 304 (Academic Block A)',
 16 |   requiredWifi: 'SGU-Campus-WiFi-5G',
 17 |   gatewayIp: '172.20.10.1',
 18 |   token: 'SGU-SEC-9842',
 19 |   createdAt: new Date().toISOString(),
 20 |   expiresInMinutes: 15,
 21 |   isActive: true,
 22 |   checkedInStudents: ['ST2024-007']
 23 | };
 24 |
 25 | export const INITIAL_QR_AUDIT_LOGS = [
 26 |   {
 27 |     id: 'audit-001',
 28 |     studentId: 'ST2024-007',
 29 |     studentName: 'Karthik Raja',
 30 |     subject: 'CS-601: Machine Learning & AI',
 31 |     timestamp: new Date(Date.now() - 1000 * 60 * 12).toISOString(),
 32 |     wifiSSID: 'SGU-Campus-WiFi-5G',
 33 |     clientIp: '172.20.10.142',
 34 |     status: 'VERIFIED',
 35 |     device: 'OnePlus 11 / Chrome Mobile'
 36 |   },
 37 |   {
 38 |     id: 'audit-002',
 39 |     studentId: 'ST2024-003',
 40 |     studentName: 'Rohan Deshmukh',
 41 |     subject: 'CS-601: Machine Learning & AI',
 42 |     timestamp: new Date(Date.now() - 1000 * 60 * 18).toISOString(),
 43 |     wifiSSID: 'Jio-5G-Personal',
 44 |     clientIp: '49.36.120.89',
 45 |     status: 'BLOCKED_UNTRUSTED_NETWORK',
 46 |     device: 'iPhone 14 / Safari'
 47 |   }
 48 | ];
 49 |
 50 | export const COURSES_LIST = [
 51 |   { id: 'course-cse-6', name: 'B.Tech Computer Science', semester: '6th Semester', c
```

```
ode: 'CSE-SEM6' },
52 |   { id: 'course-it-4', name: 'B.Tech Information Technology', semester: '4th Semeste
   r', code: 'IT-SEM4' },
53 |   { id: 'course-mech-8', name: 'B.Tech Mechanical Engineering', semester: '8th Semes
   ter', code: 'MECH-SEM8' },
54 |   { id: 'course-ece-4', name: 'B.Tech Electronics & Comm.', semester: '4th Semester'
   , code: 'ECE-SEM4' },
55 |   { id: 'course-ds-2', name: 'B.Sc Data Science', semester: '2nd Semester', code: 'D
   S-SEM2' }
56 | ];
57 |
58 | export const SUBJECTS_MAP = {
59 |   'B.Tech Computer Science': [
60 |     { code: 'CS-601', name: 'CS-601: Machine Learning & AI', faculty: 'Dr. Vasudevan
   ', totalHours: 42 },
61 |     { code: 'CS-602', name: 'CS-602: Cloud Computing Architecture', faculty: 'Prof.
   Ramesh Sharma', totalHours: 38 },
62 |     { code: 'CS-603', name: 'CS-603: Web Applications Development', faculty: 'Er. Al
   ok Verma', totalHours: 40 },
63 |     { code: 'CS-604', name: 'CS-604: Information & Network Security', faculty: 'Dr.
   Ananya Mukherjee', totalHours: 36 },
64 |     { code: 'CS-605', name: 'CS-605: Software Project Management', faculty: 'Prof. S
   unita Rao', totalHours: 35 }
65 |   ],
66 |   'B.Tech Information Technology': [
67 |     { code: 'IT-401', name: 'IT-401: Data Structures & Algorithms', faculty: 'Dr. Va
   sudevan', totalHours: 44 },
68 |     { code: 'IT-402', name: 'IT-402: Database Management Systems', faculty: 'Prof. R
   amesh Sharma', totalHours: 40 },
69 |     { code: 'IT-403', name: 'IT-403: Operating Systems', faculty: 'Er. Sandeep Nair'
   , totalHours: 38 }
70 |   ],
71 |   'B.Tech Mechanical Engineering': [
72 |     { code: 'ME-801', name: 'ME-801: Thermodynamics & Heat Transfer', faculty: 'Dr.
   Harish Chandra', totalHours: 40 },
73 |     { code: 'ME-802', name: 'ME-802: Computer Aided Manufacturing', faculty: 'Er. Al
   ok Verma', totalHours: 36 }
74 |   ],
75 |   'B.Tech Electronics & Comm.': [
76 |     { code: 'EC-401', name: 'EC-401: Microprocessors & Microcontrollers', faculty: '
   Er. Sandeep Nair', totalHours: 40 },
77 |     { code: 'EC-402', name: 'EC-402: Signals & Analog Systems', faculty: 'Dr. Vasude
   van', totalHours: 38 }
78 |   ],
79 |   'B.Sc Data Science': [
80 |     { code: 'DS-201', name: 'DS-201: Probability & Applied Statistics', faculty: 'Dr
   . Ramesh Sharma', totalHours: 40 },
81 |     { code: 'DS-202', name: 'DS-202: Python for Data Analysis', faculty: 'Dr. Vasude
   van', totalHours: 42 }
82 |   ]
83 | };
84 |
85 | // Initial student subject attendance metrics
86 | export const INITIAL_STUDENT_ATTENDANCE = {
87 |   'ST2024-001': { // Aarav Sharma - 82.5% (Good)
88 |     studentId: 'ST2024-001',
89 |     studentName: 'Aarav Sharma',
90 |     course: 'B.Tech Computer Science',
91 |     semester: '6th Semester',
92 |     subjects: [
93 |       { code: 'CS-601', name: 'CS-601: Machine Learning & AI', total: 42, attended:
   36, onLeave: 2 },
94 |       { code: 'CS-602', name: 'CS-602: Cloud Computing Architecture', total: 38, att
   ended: 31, onLeave: 1 },
95 |       { code: 'CS-603', name: 'CS-603: Web Applications Development', total: 40, att
   ended: 35, onLeave: 0 },
96 |       { code: 'CS-604', name: 'CS-604: Information & Network Security', total: 36, a
   ttended: 28, onLeave: 1 },
97 |       { code: 'CS-605', name: 'CS-605: Software Project Management', total: 35, atte
   nded: 28, onLeave: 2 }
98 |     ]
99 |   },
100 |   'ST2024-002': { // Priya Patel - 89.2% (Excellent)
101 |     studentId: 'ST2024-002',
102 |     studentName: 'Priya Patel',
103 |     course: 'B.Tech Information Technology',
104 |     semester: '4th Semester',
105 |     subjects: [
106 |       { code: 'IT-401', name: 'IT-401: Data Structures & Algorithms', total: 44, att
   ended: 40, onLeave: 1 },
107 |       { code: 'IT-402', name: 'IT-402: Database Management Systems', total: 40, atte
```

```
      nded: 36, onLeave: 0 },
108 |       { code: 'IT-403', name: 'IT-403: Operating Systems', total: 38, attended: 33,
      onLeave: 2 }
109 |     ]
110 |   },
111 |   'ST2024-003': { // Rohan Deshmukh - 66.8% (CRITICAL DEFICIT ALERT < 75%)
112 |     studentId: 'ST2024-003',
113 |     studentName: 'Rohan Deshmukh',
114 |     course: 'B.Tech Computer Science',
115 |     semester: '6th Semester',
116 |     subjects: [
117 |       { code: 'CS-601', name: 'CS-601: Machine Learning & AI', total: 42, attended:
      26, onLeave: 1 },
118 |       { code: 'CS-602', name: 'CS-602: Cloud Computing Architecture', total: 38, att
      ended: 24, onLeave: 2 },
119 |       { code: 'CS-603', name: 'CS-603: Web Applications Development', total: 40, att
      ended: 29, onLeave: 0 },
120 |       { code: 'CS-604', name: 'CS-604: Information & Network Security', total: 36, a
      ttended: 23, onLeave: 0 },
121 |       { code: 'CS-605', name: 'CS-605: Software Project Management', total: 35, atte
      nded: 25, onLeave: 1 }
122 |     ]
123 |   },
124 |   'ST2024-004': { // Sneha Kulkarni - 91.5% (Excellent)
125 |     studentId: 'ST2024-004',
126 |     studentName: 'Sneha Kulkarni',
127 |     course: 'B.Tech Information Technology',
128 |     semester: '4th Semester',
129 |     subjects: [
130 |       { code: 'IT-401', name: 'IT-401: Data Structures & Algorithms', total: 44, att
      ended: 41, onLeave: 1 },
131 |       { code: 'IT-402', name: 'IT-402: Database Management Systems', total: 40, atte
      nded: 37, onLeave: 1 },
132 |       { code: 'IT-403', name: 'IT-403: Operating Systems', total: 38, attended: 34,
      onLeave: 0 }
133 |     ]
134 |   },
135 |   'ST2024-005': { // Vikramaditya Roy - 71.4% (CRITICAL DEFICIT ALERT < 75%)
136 |     studentId: 'ST2024-005',
137 |     studentName: 'Vikramaditya Roy',
138 |     course: 'B.Tech Computer Science',
139 |     semester: '6th Semester',
140 |     subjects: [
141 |       { code: 'CS-601', name: 'CS-601: Machine Learning & AI', total: 42, attended:
      30, onLeave: 0 },
142 |       { code: 'CS-602', name: 'CS-602: Cloud Computing Architecture', total: 38, att
      ended: 26, onLeave: 1 },
143 |       { code: 'CS-603', name: 'CS-603: Web Applications Development', total: 40, att
      ended: 30, onLeave: 1 },
144 |       { code: 'CS-604', name: 'CS-604: Information & Network Security', total: 36, a
      ttended: 24, onLeave: 0 },
145 |       { code: 'CS-605', name: 'CS-605: Software Project Management', total: 35, atte
      nded: 26, onLeave: 0 }
146 |     ]
147 |   },
148 |   'ST2024-006': { // Ananya Gupta - 87.8% (Good)
149 |     studentId: 'ST2024-006',
150 |     studentName: 'Ananya Gupta',
151 |     course: 'B.Sc Data Science',
152 |     semester: '2nd Semester',
153 |     subjects: [
154 |       { code: 'DS-201', name: 'DS-201: Probability & Applied Statistics', total: 40,
       attended: 36, onLeave: 1 },
155 |       { code: 'DS-202', name: 'DS-202: Python for Data Analysis', total: 42, attende
      d: 36, onLeave: 1 }
156 |     ]
157 |   },
158 |   'ST2024-007': { // Karthik Raja - 79.5% (Eligible)
159 |     studentId: 'ST2024-007',
160 |     studentName: 'Karthik Raja',
161 |     course: 'B.Tech Computer Science',
162 |     semester: '6th Semester',
163 |     subjects: [
164 |       { code: 'CS-601', name: 'CS-601: Machine Learning & AI', total: 42, attended:
      34, onLeave: 0 },
165 |       { code: 'CS-602', name: 'CS-602: Cloud Computing Architecture', total: 38, att
      ended: 30, onLeave: 1 },
166 |       { code: 'CS-603', name: 'CS-603: Web Applications Development', total: 40, att
      ended: 32, onLeave: 0 },
167 |       { code: 'CS-604', name: 'CS-604: Information & Network Security', total: 36, a
      ttended: 28, onLeave: 2 },
```

```
168 |       { code: 'CS-605', name: 'CS-605: Software Project Management', total: 35, atte
      nded: 28, onLeave: 0 }
169 |     ]
170 |   },
171 |   'ST2024-008': { // Divya Nambiar - 85.0% (Good)
172 |     studentId: 'ST2024-008',
173 |     studentName: 'Divya Nambiar',
174 |     course: 'B.Tech Computer Science',
175 |     semester: '6th Semester',
176 |     subjects: [
177 |       { code: 'CS-601', name: 'CS-601: Machine Learning & AI', total: 42, attended:
      36, onLeave: 1 },
178 |       { code: 'CS-602', name: 'CS-602: Cloud Computing Architecture', total: 38, att
      ended: 32, onLeave: 1 },
179 |       { code: 'CS-603', name: 'CS-603: Web Applications Development', total: 40, att
      ended: 34, onLeave: 0 },
180 |       { code: 'CS-604', name: 'CS-604: Information & Network Security', total: 36, a
      ttended: 31, onLeave: 1 },
181 |       { code: 'CS-605', name: 'CS-605: Software Project Management', total: 35, atte
      nded: 30, onLeave: 0 }
182 |     ]
183 |   },
184 |   'ST2024-009': { // Mohit Saini - 69.1% (CRITICAL DEFICIT ALERT < 75%)
185 |     studentId: 'ST2024-009',
186 |     studentName: 'Mohit Saini',
187 |     course: 'B.Tech Mechanical Engineering',
188 |     semester: '8th Semester',
189 |     subjects: [
190 |       { code: 'ME-801', name: 'ME-801: Thermodynamics & Heat Transfer', total: 40, a
      ttended: 27, onLeave: 1 },
191 |       { code: 'ME-802', name: 'ME-802: Computer Aided Manufacturing', total: 36, att
      ended: 25, onLeave: 1 }
192 |     ]
193 |   },
194 |   'ST2024-010': { // Kavya Pillai - 94.2% (Excellent)
195 |     studentId: 'ST2024-010',
196 |     studentName: 'Kavya Pillai',
197 |     course: 'B.Tech Electronics & Comm.',
198 |     semester: '4th Semester',
199 |     subjects: [
200 |       { code: 'EC-401', name: 'EC-401: Microprocessors & Microcontrollers', total: 4
      0, attended: 38, onLeave: 0 },
201 |       { code: 'EC-402', name: 'EC-402: Signals & Analog Systems', total: 38, attende
      d: 35, onLeave: 1 }
202 |     ]
203 |   }
204 | };
205 |
206 | // Past attendance daily recorded sessions
207 | export const INITIAL_ATTENDANCE_SESSIONS = [
208 |   {
209 |     id: 'att-sess-101',
210 |     date: '2024-10-31',
211 |     course: 'B.Tech Computer Science',
212 |     semester: '6th Semester',
213 |     subject: 'CS-601: Machine Learning & AI',
214 |     markedBy: 'Dr. Vasudevan',
215 |     timestamp: '2024-10-31T09:30:00Z',
216 |     records: [
217 |       { studentId: 'ST2024-001', studentName: 'Aarav Sharma', status: 'Present' },
218 |       { studentId: 'ST2024-003', studentName: 'Rohan Deshmukh', status: 'Absent' },
219 |       { studentId: 'ST2024-005', studentName: 'Vikramaditya Roy', status: 'Present'
      },
220 |       { studentId: 'ST2024-007', studentName: 'Karthik Raja', status: 'Present' },
221 |       { studentId: 'ST2024-008', studentName: 'Divya Nambiar', status: 'On Leave' }
222 |     ]
223 |   },
224 |   {
225 |     id: 'att-sess-102',
226 |     date: '2024-10-31',
227 |     course: 'B.Tech Computer Science',
228 |     semester: '6th Semester',
229 |     subject: 'CS-602: Cloud Computing Architecture',
230 |     markedBy: 'Prof. Ramesh Sharma',
231 |     timestamp: '2024-10-31T11:15:00Z',
232 |     records: [
233 |       { studentId: 'ST2024-001', studentName: 'Aarav Sharma', status: 'Present' },
234 |       { studentId: 'ST2024-003', studentName: 'Rohan Deshmukh', status: 'Absent' },
235 |       { studentId: 'ST2024-005', studentName: 'Vikramaditya Roy', status: 'Absent' }
      ,
236 |       { studentId: 'ST2024-007', studentName: 'Karthik Raja', status: 'Present' },
```

```
237 |       { studentId: 'ST2024-008', studentName: 'Divya Nambiar', status: 'Present' }
238 |     ]
239 |   },
240 |   {
241 |     id: 'att-sess-103',
242 |     date: '2024-10-30',
243 |     course: 'B.Tech Computer Science',
244 |     semester: '6th Semester',
245 |     subject: 'CS-603: Web Applications Development',
246 |     markedBy: 'Er. Alok Verma',
247 |     timestamp: '2024-10-30T14:00:00Z',
248 |     records: [
249 |       { studentId: 'ST2024-001', studentName: 'Aarav Sharma', status: 'Present' },
250 |       { studentId: 'ST2024-003', studentName: 'Rohan Deshmukh', status: 'Present' },
251 |       { studentId: 'ST2024-005', studentName: 'Vikramaditya Roy', status: 'Present'
    },
252 |       { studentId: 'ST2024-007', studentName: 'Karthik Raja', status: 'On Leave' },
253 |       { studentId: 'ST2024-008', studentName: 'Divya Nambiar', status: 'Present' }
254 |     ]
255 |   },
256 |   {
257 |     id: 'att-sess-104',
258 |     date: '2024-10-30',
259 |     course: 'B.Tech Information Technology',
260 |     semester: '4th Semester',
261 |     subject: 'IT-401: Data Structures & Algorithms',
262 |     markedBy: 'Dr. Vasudevan',
263 |     timestamp: '2024-10-30T10:00:00Z',
264 |     records: [
265 |       { studentId: 'ST2024-002', studentName: 'Priya Patel', status: 'Present' },
266 |       { studentId: 'ST2024-004', studentName: 'Sneha Kulkarni', status: 'Present' }
267 |     ]
268 |   }
269 | ];
```

SECTION: LAYOUT

14. src/components/layout/PublicLayout.jsx

Module: *Layout* | ***Lines:*** *295* | ***Size:*** *12.1 KB — Public header, SGU helpline banner & institutional footer*

```
  1 | import React, { useState } from 'react';
  2 | import { Link, NavLink, Outlet, useNavigate } from 'react-router-dom';
  3 | import { ToastContainer } from '../common/ToastContainer';
  4 | import { useAuth } from '../../context/AuthContext';
  5 | import {
  6 |   GraduationCap,
  7 |   Shield,
  8 |   Briefcase,
  9 |   Phone,
 10 |   Mail,
 11 |   MapPin,
 12 |   Menu,
 13 |   X,
 14 |   ArrowRight,
 15 |   ExternalLink
 16 | } from 'lucide-react';
 17 |
 18 | export const PublicLayout = () => {
 19 |   const [mobileMenuOpen, setMobileMenuOpen] = useState(false);
 20 |   const { currentUser, quickLogin } = useAuth();
 21 |   const navigate = useNavigate();
 22 |
 23 |   const handleQuickDemo = (role) => {
 24 |     quickLogin(role);
 25 |     if (role === 'student') navigate('/student');
 26 |     if (role === 'staff') navigate('/staff');
 27 |     if (role === 'admin') navigate('/admin');
 28 |   };
 29 |
 30 |   const navLinks = [
 31 |     { name: 'Home', path: '/' },
 32 |     { name: 'About System', path: '/about' },
 33 |     { name: 'How It Works', path: '/how-it-works' },
 34 |     { name: 'Contact & Support', path: '/contact' }
 35 |   ];
```

```
  |
  |   return (
  |     <div className="min-h-screen bg-slate-50 flex flex-col text-slate-800">
  |       <ToastContainer />
  |
  |       {/* Top Banner Notice */}
  |       <div className="bg-navy-950 text-slate-300 text-xs py-2 px-4 border-b border-s
    late-800">
  |         <div className="max-w-7xl mx-auto flex flex-col sm:flex-row items-center jus
    tify-between gap-2">
  |           <div className="flex items-center gap-2">
  |             <span className="w-2 h-2 rounded-full bg-emerald-400 animate-pulse"></sp
    an>
  |             <span>Sanjay Ghodawat University (SGU) • Digital Grievance & Academic Po
    rtal</span>
  |           </div>
  |           <div className="flex items-center gap-4 text-[11px] text-slate-400">
  |             <span>Toll-Free Helpline: 1800-313-001566</span>
  |             <span className="hidden sm:inline">|</span>
  |             <span className="hidden sm:inline">support@sgu.ac.in</span>
  |           </div>
  |         </div>
  |       </div>
  |
  |       {/* Main Public Header */}
  |       <header className="sticky top-0 z-30 bg-white/95 backdrop-blur-md border-b bor
    der-slate-200 shadow-2xs">
  |         <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 h-20 flex items-cente
    r justify-between">
  |           {/* Logo */}
  |           <Link to="/" className="flex items-center gap-3 group">
  |             <div className="w-10 h-10 rounded-xl bg-blue-600 text-white flex items-c
    enter justify-center shadow-md group-hover:scale-105 transition">
  |               <GraduationCap className="w-6 h-6" />
  |             </div>
  |             <div>
  |               <span className="font-extrabold text-slate-900 tracking-tight text-bas
    e sm:text-lg block leading-tight">
  |                 Sanjay Ghodawat University
  |               </span>
  |               <span className="text-[10px] font-semibold text-blue-600 uppercase tra
    cking-widest block">
  |                 Smart Campus Portal • Kolhapur
  |               </span>
  |             </div>
  |           </Link>
  |
  |           {/* Desktop Navigation Links */}
  |           <nav className="hidden md:flex items-center gap-8">
  |             {navLinks.map(link => (
  |               <NavLink
  |                 key={link.path}
  |                 to={link.path}
  |                 className={({ isActive }) =>
  |                   `text-sm font-medium transition ${
  |                     isActive ? 'text-blue-600 font-semibold' : 'text-slate-600 hover
    :text-slate-900'
  |                   }`
  |                 }
  |               >
  |                 {link.name}
  |               </NavLink>
  |             ))}
  |           </nav>
  |
  |           {/* Header Action Buttons */}
  |           <div className="hidden lg:flex items-center gap-3">
  |             {currentUser ? (
  |               <Link
  |                 to={
  |                   currentUser.role === 'student'
  |                     ? '/student'
  |                     : currentUser.role === 'staff'
  |                     ? '/staff'
  |                     : '/admin'
  |                 }
  |                 className="inline-flex items-center gap-2 px-4 py-2 rounded-xl bg-bl
    ue-600 text-white text-xs font-semibold hover:bg-blue-700 shadow-sm transition"
  |               >
  |                 <span>Go to {currentUser.role} Dashboard</span>
  |                 <ArrowRight className="w-3.5 h-3.5" />
```

```
106 |               </Link>
107 |             ) : (
108 |               <div className="flex items-center gap-2">
109 |                 <Link
110 |                   to="/login?tab=student"
111 |                   className="px-3.5 py-2 text-xs font-semibold text-slate-700 hover:
      text-blue-600 hover:bg-slate-100 rounded-lg transition"
112 |                 >
113 |                   Student Login
114 |                 </Link>
115 |                 <Link
116 |                   to="/login?tab=staff"
117 |                   className="px-3.5 py-2 text-xs font-semibold text-slate-700 hover:
      text-purple-600 hover:bg-slate-100 rounded-lg transition"
118 |                 >
119 |                   Staff Login
120 |                 </Link>
121 |                 <Link
122 |                   to="/login?tab=admin"
123 |                   className="px-3.5 py-2 text-xs font-semibold bg-navy-900 text-whit
      e hover:bg-slate-800 rounded-lg shadow-xs transition"
124 |                 >
125 |                   Admin Login
126 |                 </Link>
127 |               </div>
128 |             )}
129 |           </div>
130 |
131 |           {/* Mobile Menu Toggle */}
132 |           <button
133 |             onClick={() => setMobileMenuOpen(!mobileMenuOpen)}
134 |             className="md:hidden p-2 text-slate-600 hover:text-slate-900 hover:bg-sl
      ate-100 rounded-lg"
135 |           >
136 |             {mobileMenuOpen ? <X className="w-6 h-6" /> : <Menu className="w-6 h-6"
      />}
137 |           </button>
138 |         </div>
139 |
140 |         {/* Mobile Dropdown Menu */}
141 |         {mobileMenuOpen && (
142 |           <div className="md:hidden bg-white border-b border-slate-200 px-4 pt-2 pb-
      6 space-y-3">
143 |             <div className="space-y-1">
144 |               {navLinks.map(link => (
145 |                 <Link
146 |                   key={link.path}
147 |                   to={link.path}
148 |                   onClick={() => setMobileMenuOpen(false)}
149 |                   className="block px-3 py-2 text-sm font-medium text-slate-700 hove
      r:bg-slate-100 rounded-lg"
150 |                 >
151 |                   {link.name}
152 |                 </Link>
153 |               ))}
154 |             </div>
155 |
156 |             <div className="pt-3 border-t border-slate-100 flex flex-col gap-2">
157 |               <Link
158 |                 to="/login?tab=student"
159 |                 onClick={() => setMobileMenuOpen(false)}
160 |                 className="w-full text-center py-2 text-xs font-semibold bg-blue-50
      text-blue-700 rounded-lg"
161 |               >
162 |                 Student Login
163 |               </Link>
164 |               <Link
165 |                 to="/login?tab=staff"
166 |                 onClick={() => setMobileMenuOpen(false)}
167 |                 className="w-full text-center py-2 text-xs font-semibold bg-purple-5
      0 text-purple-700 rounded-lg"
168 |               >
169 |                 Staff Login
170 |               </Link>
171 |               <Link
172 |                 to="/login?tab=admin"
173 |                 onClick={() => setMobileMenuOpen(false)}
174 |                 className="w-full text-center py-2 text-xs font-semibold bg-navy-900
       text-white rounded-lg"
175 |               >
176 |                 Admin Login
```

```
177 |              </Link>
178 |            </div>
179 |          </div>
180 |        )}
181 |       </header>
182 |
183 |       {/* Main Public Content */}
184 |       <main className="flex-1">
185 |         <Outlet />
186 |       </main>
187 |
188 |       {/* College Institutional Footer */}
189 |       <footer className="bg-navy-900 text-slate-300 border-t border-slate-800 pt-12
      pb-8">
190 |         <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
191 |           <div className="grid grid-cols-1 md:grid-cols-4 gap-8 pb-12 border-b borde
      r-slate-800">
192 |             {/* Column 1: College & System Info */}
193 |             <div className="space-y-4">
194 |               <div className="flex items-center gap-2.5">
195 |                 <div className="w-8 h-8 rounded-lg bg-blue-600 text-white flex items
      -center justify-center">
196 |                   <GraduationCap className="w-5 h-5" />
197 |                 </div>
198 |                 <span className="font-bold text-white text-base">SmartCampus</span>
199 |               </div>
200 |               <p className="text-xs text-slate-400 leading-relaxed">
201 |                 A modern grievance and complaint resolution platform engineered for
      degree colleges. Eliminating paper delays and empowering campus communities.
202 |               </p>
203 |               <div className="text-xs text-slate-400">
204 |                 <span className="inline-block px-2.5 py-1 bg-slate-800 text-blue-300
       rounded-md font-mono">
205 |                   ISO 9001:2015 Compliant
206 |                 </span>
207 |               </div>
208 |             </div>
209 |
210 |             {/* Column 2: Quick Links */}
211 |             <div>
212 |               <h4 className="text-xs font-bold uppercase tracking-wider text-white m
      b-4">
213 |                 Platform Navigation
214 |               </h4>
215 |               <ul className="space-y-2 text-xs">
216 |                 <li><Link to="/" className="hover:text-blue-400 transition">Campus P
      ortal Home</Link></li>
217 |                 <li><Link to="/about" className="hover:text-blue-400 transition">Abo
      ut the System</Link></li>
218 |                 <li><Link to="/how-it-works" className="hover:text-blue-400 transiti
      on">How It Works</Link></li>
219 |                 <li><Link to="/login?tab=student" className="hover:text-blue-400 tra
      nsition">Submit New Complaint</Link></li>
220 |                 <li><Link to="/contact" className="hover:text-blue-400 transition">C
      ampus Support Contacts</Link></li>
221 |               </ul>
222 |             </div>
223 |
224 |             {/* Column 3: Portals & Roles */}
225 |             <div>
226 |               <h4 className="text-xs font-bold uppercase tracking-wider text-white m
      b-4">
227 |                 Access Portals
228 |               </h4>
229 |               <ul className="space-y-2 text-xs">
230 |                 <li>
231 |                   <button
232 |                     onClick={() => handleQuickDemo('student')}
233 |                     className="hover:text-blue-400 transition flex items-center gap-
      1.5"
234 |                   >
235 |                     <GraduationCap className="w-3.5 h-3.5 text-blue-400" />
236 |                     <span>Student Resolution Dashboard</span>
237 |                   </button>
238 |                 </li>
239 |                 <li>
240 |                   <button
241 |                     onClick={() => handleQuickDemo('staff')}
242 |                     className="hover:text-purple-400 transition flex items-center ga
      p-1.5"
243 |                   >
```

```
244 |                     <Briefcase className="w-3.5 h-3.5 text-purple-400" />
245 |                     <span>Department Staff Workbench</span>
246 |                   </button>
247 |                 </li>
248 |                 <li>
249 |                   <button
250 |                     onClick={() => handleQuickDemo('admin')}
251 |                     className="hover:text-rose-400 transition flex items-center gap-
      1.5"
252 |                   >
253 |                     <Shield className="w-3.5 h-3.5 text-rose-400" />
254 |                     <span>Dean & Administrator Analytics</span>
255 |                   </button>
256 |                 </li>
257 |               </ul>
258 |             </div>
259 |
260 |             {/* Column 4: Contact & Help */}
261 |             <div>
262 |               <h4 className="text-xs font-bold uppercase tracking-wider text-white m
      b-4">
263 |                 Campus Helpdesk & Dean Office
264 |               </h4>
265 |               <ul className="space-y-2.5 text-xs text-slate-400">
266 |                 <li className="flex items-start gap-2">
267 |                   <MapPin className="w-4 h-4 text-blue-400 flex-shrink-0 mt-0.5" />
268 |                   <span>Sanjay Ghodawat University, Kolhapur-Sangli Highway, Atigre,
       Maharashtra 416118</span>
269 |                 </li>
270 |                 <li className="flex items-center gap-2">
271 |                   <Phone className="w-4 h-4 text-blue-400 flex-shrink-0" />
272 |                   <span>+91 90110 39800 / 1800-313-001566</span>
273 |                 </li>
274 |                 <li className="flex items-center gap-2">
275 |                   <Mail className="w-4 h-4 text-blue-400 flex-shrink-0" />
276 |                   <span>grievances@sgu.ac.in</span>
277 |                 </li>
278 |               </ul>
279 |             </div>
280 |           </div>
281 |
282 |           {/* Bottom Copyright */}
283 |           <div className="pt-6 flex flex-col sm:flex-row items-center justify-betwee
      n text-xs text-slate-500 gap-4">
284 |             <p>© {new Date().getFullYear()} Sanjay Ghodawat University (SGU), Kolhap
      ur. All Rights Reserved.</p>
285 |             <div className="flex items-center gap-6">
286 |               <span>Student Grievance Charter</span>
287 |               <span>75% Attendance Regulation</span>
288 |               <span>Privacy Policy</span>
289 |             </div>
290 |           </div>
291 |         </div>
292 |       </footer>
293 |     </div>
294 |   );
295 | };
```

15. src/components/layout/DashboardLayout.jsx

Module: *Layout* | ***Lines:*** *30* | ***Size:*** *0.9 KB — Authenticated layout wrapping Sidebar, Navbar & ToastContainer*

```
 1 | import React, { useState } from 'react';
 2 | import { Outlet } from 'react-router-dom';
 3 | import { Navbar } from '../common/Navbar';
 4 | import { Sidebar } from '../common/Sidebar';
 5 | import { ToastContainer } from '../common/ToastContainer';
 6 |
 7 | export const DashboardLayout = () => {
 8 |   const [sidebarOpen, setSidebarOpen] = useState(false);
 9 |
10 |   return (
11 |     <div className="min-h-screen bg-slate-50 flex flex-col">
12 |       {/* Toast Notification Mount */}
13 |       <ToastContainer />
14 |
15 |       {/* Sidebar Navigation */}
16 |       <Sidebar isOpen={sidebarOpen} onClose={() => setSidebarOpen(false)} />
17 |
```

```
18 |       {/* Main Content Area */}
19 |       <div className="lg:pl-72 flex flex-col flex-1">
20 |         {/* Top Navbar */}
21 |         <Navbar onToggleSidebar={() => setSidebarOpen(prev => !prev)} />
22 |
23 |         {/* Dynamic Page Views */}
24 |         <main className="flex-1 p-4 sm:p-6 lg:p-8 max-w-7xl w-full mx-auto">
25 |           <Outlet />
26 |         </main>
27 |       </div>
28 |     </div>
29 |   );
30 | };
```

SECTION: COMPONENTS

16. src/components/common/Navbar.jsx

Module: *Components* | ***Lines:*** *331* | ***Size:*** *14.7 KB — Top campus navigation, notification drawer & user profile*

```
 1 | import React, { useState } from 'react';
 2 | import { Link, useNavigate } from 'react-router-dom';
 3 | import { useAuth } from '../../context/AuthContext';
 4 | import { useComplaints } from '../../context/ComplaintContext';
 5 | import {
 6 |   Bell,
 7 |   Menu,
 8 |   X,
 9 |   LogOut,
10 |   User,
11 |   Shield,
12 |   Briefcase,
13 |   GraduationCap,
14 |   ChevronDown,
15 |   RotateCcw,
16 |   ExternalLink,
17 |   Check
18 | } from 'lucide-react';
19 | import { timeAgo } from '../../utils/helpers';
20 |
21 | export const Navbar = ({ onToggleSidebar }) => {
22 |   const { currentUser, quickLogin, logout } = useAuth();
23 |   const { notifications, markNotificationRead, markAllNotificationsRead, resetDemoDa
    ta } = useComplaints();
24 |   const [showNotifications, setShowNotifications] = useState(false);
25 |   const [showUserMenu, setShowUserMenu] = useState(false);
26 |   const [showRoleSwitcher, setShowRoleSwitcher] = useState(false);
27 |   const navigate = useNavigate();
28 |
29 |   // Filter notifications for current user
30 |   const userNotifications = notifications.filter(n => {
31 |     if (!currentUser) return false;
32 |     if (currentUser.role === 'admin') return n.userRole === 'admin' || n.userId ===
    'adm-01';
33 |     if (currentUser.role === 'staff') return n.userRole === 'staff' || n.userId ===
    currentUser.id;
34 |     return n.userRole === 'student' || n.userId === currentUser.studentId;
35 |   });
36 |
37 |   const unreadCount = userNotifications.filter(n => !n.isRead).length;
38 |
39 |   const handleNotificationClick = (notif) => {
40 |     markNotificationRead(notif.id);
41 |     setShowNotifications(false);
42 |     if (currentUser.role === 'student') {
43 |       navigate(`/student/complaints/${notif.complaintId}`);
44 |     } else if (currentUser.role === 'staff') {
45 |       navigate(`/staff/complaints/${notif.complaintId}`);
46 |     } else {
47 |       navigate(`/admin/complaints?search=${notif.trackingId}`);
48 |     }
49 |   };
50 |
51 |   const handleRoleSwitch = (role) => {
52 |     quickLogin(role);
53 |     setShowRoleSwitcher(false);
```

```
54 |     if (role === 'student') navigate('/student');
55 |     if (role === 'staff') navigate('/staff');
56 |     if (role === 'admin') navigate('/admin');
57 |   };
58 |
59 |   const handleLogout = () => {
60 |     logout();
61 |     navigate('/login');
62 |   };
63 |
64 |   return (
65 |     <header className="sticky top-0 z-30 bg-white border-b border-slate-200 shadow-2
   xs">
66 |       <div className="px-4 sm:px-6 lg:px-8 flex items-center justify-between h-16">
67 |         {/* Left: Mobile Menu Toggle & Title */}
68 |         <div className="flex items-center gap-3">
69 |           <button
70 |             onClick={onToggleSidebar}
71 |             className="lg:hidden p-2 rounded-lg text-slate-600 hover:text-slate-900
   hover:bg-slate-100 transition"
72 |             aria-label="Toggle navigation menu"
73 |           >
74 |             <Menu className="w-5 h-5" />
75 |           </button>
76 |
77 |           <Link to="/" className="flex items-center gap-2.5">
78 |             <div className="w-9 h-9 rounded-xl bg-blue-600 text-white flex items-cen
   ter justify-center shadow-xs">
79 |               <GraduationCap className="w-5 h-5" />
80 |             </div>
81 |             <div className="hidden sm:block">
82 |               <span className="font-bold text-slate-900 tracking-tight text-sm sm:te
   xt-base block leading-tight">
83 |                 Sanjay Ghodawat University
84 |               </span>
85 |               <span className="text-[10px] font-semibold text-blue-600 uppercase tra
   cking-widest block">
86 |                 SGU Issue Resolution Portal
87 |               </span>
88 |             </div>
89 |           </Link>
90 |         </div>
91 |
92 |         {/* Right Action Icons & Profile */}
93 |         <div className="flex items-center gap-2 sm:gap-4">
94 |           {/* Quick Demo Role Switcher Pill */}
95 |           <div className="relative">
96 |             <button
97 |               onClick={() => setShowRoleSwitcher(!showRoleSwitcher)}
98 |               className="flex items-center gap-1.5 px-2.5 py-1.5 bg-slate-100 hover:
   bg-slate-200 text-slate-700 rounded-lg text-xs font-medium transition border border-
   slate-200"
99 |               title="Switch user account"
100 |             >
101 |               <span className="w-2 h-2 rounded-full bg-emerald-500"></span>
102 |               <span className="hidden md:inline text-slate-500 font-normal">Active R
   ole:</span>
103 |               <span className="capitalize font-semibold text-slate-800">
104 |                 {currentUser ? currentUser.role : 'Guest'}
105 |               </span>
106 |               <ChevronDown className="w-3.5 h-3.5 text-slate-500" />
107 |             </button>
108 |
109 |             {showRoleSwitcher && (
110 |               <div className="absolute right-0 mt-2 w-56 bg-white rounded-xl shadow-
   xl border border-slate-200 py-1.5 z-40">
111 |                 <div className="px-3 py-1.5 border-b border-slate-100 text-[11px] fo
   nt-bold uppercase tracking-wider text-slate-400">
112 |                   Switch Active Portal Account
113 |                 </div>
114 |                 <button
115 |                   onClick={() => handleRoleSwitch('student')}
116 |                   className={`w-full px-3 py-2 text-left text-xs flex items-center j
   ustify-between hover:bg-blue-50 transition ${
117 |                     currentUser?.role === 'student' ? 'text-blue-700 font-semibold b
   g-blue-50/60' : 'text-slate-700'
118 |                   }`}
119 |                 >
120 |                   <div className="flex items-center gap-2">
121 |                     <GraduationCap className="w-4 h-4 text-blue-600" />
122 |                     <span>Student (Aarav Sharma)</span>
```

```
123 |                   </div>
124 |                   {currentUser?.role === 'student' && <Check className="w-3.5 h-3.5
      text-blue-600" />}
125 |                 </button>
126 |                 <button
127 |                   onClick={() => handleRoleSwitch('staff')}
128 |                   className={`w-full px-3 py-2 text-left text-xs flex items-center j
      ustify-between hover:bg-purple-50 transition ${
129 |                     currentUser?.role === 'staff' ? 'text-purple-700 font-semibold b
      g-purple-50/60' : 'text-slate-700'
130 |                   }`}
131 |                 >
132 |                   <div className="flex items-center gap-2">
133 |                     <Briefcase className="w-4 h-4 text-purple-600" />
134 |                     <span>Staff (Suresh Kumar - Elec)</span>
135 |                   </div>
136 |                   {currentUser?.role === 'staff' && <Check className="w-3.5 h-3.5 te
      xt-purple-600" />}
137 |                 </button>
138 |                 <button
139 |                   onClick={() => handleRoleSwitch('admin')}
140 |                   className={`w-full px-3 py-2 text-left text-xs flex items-center j
      ustify-between hover:bg-rose-50 transition ${
141 |                     currentUser?.role === 'admin' ? 'text-rose-700 font-semibold bg-
      rose-50/60' : 'text-slate-700'
142 |                   }`}
143 |                 >
144 |                   <div className="flex items-center gap-2">
145 |                     <Shield className="w-4 h-4 text-rose-600" />
146 |                     <span>Admin (Dr. Rajeshwar Rao)</span>
147 |                   </div>
148 |                   {currentUser?.role === 'admin' && <Check className="w-3.5 h-3.5 te
      xt-rose-600" />}
149 |                 </button>
150 |               </div>
151 |             )}
152 |           </div>
153 |
154 |           {/* Notifications Dropdown */}
155 |           <div className="relative">
156 |             <button
157 |               onClick={() => {
158 |                 setShowNotifications(!showNotifications);
159 |                 setShowUserMenu(false);
160 |                 setShowRoleSwitcher(false);
161 |               }}
162 |               className="relative p-2 rounded-lg text-slate-600 hover:text-slate-900
       hover:bg-slate-100 transition"
163 |               aria-label="View notifications"
164 |             >
165 |               <Bell className="w-5 h-5" />
166 |               {unreadCount > 0 && (
167 |                 <span className="absolute top-1.5 right-1.5 w-4 h-4 bg-rose-500 text
      -white rounded-full text-[10px] font-bold flex items-center justify-center animate-p
      ulse">
168 |                   {unreadCount}
169 |                 </span>
170 |               )}
171 |             </button>
172 |
173 |             {showNotifications && (
174 |               <div className="absolute right-0 mt-2 w-80 sm:w-96 bg-white rounded-2x
      l shadow-xl border border-slate-200 py-2 z-40 max-h-[80vh] flex flex-col">
175 |                 <div className="px-4 py-2 border-b border-slate-100 flex items-cente
      r justify-between">
176 |                   <div className="flex items-center gap-2">
177 |                     <span className="font-semibold text-slate-900 text-sm">Notificat
      ions</span>
178 |                     {unreadCount > 0 && (
179 |                       <span className="px-2 py-0.5 bg-blue-100 text-blue-700 rounded
      -full text-xs font-semibold">
180 |                         {unreadCount} new
181 |                       </span>
182 |                     )}
183 |                   </div>
184 |                   {unreadCount > 0 && (
185 |                     <button
186 |                       onClick={() => markAllNotificationsRead(currentUser?.studentId
       || currentUser?.id)}
187 |                       className="text-xs text-blue-600 hover:text-blue-800 font-medi
      um"
```

```
188 |                     >
189 |                       Mark all read
190 |                     </button>
191 |                   )}
192 |                 </div>
193 |
194 |                 <div className="divide-y divide-slate-100 overflow-y-auto max-h-80">
195 |                   {userNotifications.length === 0 ? (
196 |                     <div className="p-6 text-center text-slate-400 text-xs">
197 |                       No notifications yet
198 |                     </div>
199 |                   ) : (
200 |                     userNotifications.map(notif => (
201 |                       <div
202 |                         key={notif.id}
203 |                         onClick={() => handleNotificationClick(notif)}
204 |                         className={`p-3.5 hover:bg-slate-50 cursor-pointer transitio
      n ${
205 |                           !notif.isRead ? 'bg-blue-50/40' : ''
206 |                         }`}
207 |                       >
208 |                         <div className="flex items-start justify-between gap-2">
209 |                           <p className={`text-xs ${!notif.isRead ? 'font-bold text-s
      late-900' : 'font-medium text-slate-700'}`}>
210 |                             {notif.title}
211 |                           </p>
212 |                           <span className="text-[10px] text-slate-400 whitespace-now
      rap">
213 |                             {timeAgo(notif.timestamp)}
214 |                           </span>
215 |                         </div>
216 |                         <p className="text-xs text-slate-500 mt-1 line-clamp-2 leadi
      ng-relaxed">
217 |                           {notif.message}
218 |                         </p>
219 |                         {notif.trackingId && (
220 |                           <span className="inline-block mt-1 text-[10px] font-mono t
      ext-blue-600 bg-blue-100/60 px-1.5 py-0.5 rounded">
221 |                             {notif.trackingId}
222 |                           </span>
223 |                         )}
224 |                       </div>
225 |                     ))
226 |                   )}
227 |                 </div>
228 |
229 |                 <div className="px-4 py-2 border-t border-slate-100 text-center bg-s
      late-50/50">
230 |                   <Link
231 |                     to={currentUser?.role === 'student' ? '/student/notifications' :
       '#'}
232 |                     onClick={() => setShowNotifications(false)}
233 |                     className="text-xs text-blue-600 hover:text-blue-800 font-medium
      "
234 |                   >
235 |                     View all notifications
236 |                   </Link>
237 |                 </div>
238 |               </div>
239 |             )}
240 |           </div>
241 |
242 |           {/* User Profile Menu */}
243 |           <div className="relative">
244 |             <button
245 |               onClick={() => {
246 |                 setShowUserMenu(!showUserMenu);
247 |                 setShowNotifications(false);
248 |                 setShowRoleSwitcher(false);
249 |               }}
250 |               className="flex items-center gap-2 p-1.5 rounded-xl hover:bg-slate-100
       transition border border-transparent hover:border-slate-200"
251 |             >
252 |               <img
253 |                 src={currentUser?.avatar || 'https://images.unsplash.com/photo-15345
      28741775-53994a69daeb?w=150&auto=format&fit=crop&q=80'}
254 |                 alt={currentUser?.name || 'User'}
255 |                 className="w-8 h-8 rounded-lg object-cover ring-1 ring-slate-200"
256 |               />
257 |               <div className="hidden sm:block text-left">
258 |                 <span className="block text-xs font-semibold text-slate-900 leading-
```

```
      tight">
259 |                   {currentUser?.name || 'User'}
260 |                 </span>
261 |                 <span className="block text-[10px] text-slate-500 capitalize">
262 |                   {currentUser?.role || 'Guest'}
263 |                 </span>
264 |               </div>
265 |               <ChevronDown className="w-3.5 h-3.5 text-slate-400 hidden sm:block" />
266 |             </button>
267 |
268 |             {showUserMenu && (
269 |               <div className="absolute right-0 mt-2 w-56 bg-white rounded-2xl shadow
      -xl border border-slate-200 py-2 z-40">
270 |                 <div className="px-4 py-2.5 border-b border-slate-100">
271 |                   <p className="text-xs font-bold text-slate-900">{currentUser?.name
      }</p>
272 |                   <p className="text-[11px] text-slate-500 truncate">{currentUser?.e
      mail}</p>
273 |                   <span className="inline-block mt-1 px-2 py-0.5 text-[10px] font-se
      mibold uppercase tracking-wider bg-slate-100 text-slate-700 rounded">
274 |                     {currentUser?.role}
275 |                   </span>
276 |                 </div>
277 |
278 |                 <div className="py-1">
279 |                   <Link
280 |                     to={
281 |                       currentUser?.role === 'student'
282 |                         ? '/student/profile'
283 |                         : currentUser?.role === 'staff'
284 |                         ? '/staff/profile'
285 |                         : '/admin'
286 |                     }
287 |                     onClick={() => setShowUserMenu(false)}
288 |                     className="flex items-center gap-2.5 px-4 py-2 text-xs text-slat
      e-700 hover:bg-slate-50 transition"
289 |                   >
290 |                     <User className="w-4 h-4 text-slate-400" />
291 |                     <span>My Account & Profile</span>
292 |                   </Link>
293 |
294 |                   <Link
295 |                     to="/"
296 |                     onClick={() => setShowUserMenu(false)}
297 |                     className="flex items-center gap-2.5 px-4 py-2 text-xs text-slat
      e-700 hover:bg-slate-50 transition"
298 |                   >
299 |                     <ExternalLink className="w-4 h-4 text-slate-400" />
300 |                     <span>Public Portal View</span>
301 |                   </Link>
302 |
303 |                   <button
304 |                     onClick={() => {
305 |                       setShowUserMenu(false);
306 |                       resetDemoData();
307 |                     }}
308 |                     className="w-full flex items-center gap-2.5 px-4 py-2 text-xs te
      xt-amber-700 hover:bg-amber-50 transition"
309 |                   >
310 |                     <RotateCcw className="w-4 h-4 text-amber-500" />
311 |                     <span>Reset All Mock Data</span>
312 |                   </button>
313 |                 </div>
314 |
315 |                 <div className="border-t border-slate-100 pt-1">
316 |                   <button
317 |                     onClick={handleLogout}
318 |                     className="w-full flex items-center gap-2.5 px-4 py-2 text-xs te
      xt-rose-600 hover:bg-rose-50 transition font-medium"
319 |                   >
320 |                     <LogOut className="w-4 h-4" />
321 |                     <span>Sign Out</span>
322 |                   </button>
323 |                 </div>
324 |               </div>
325 |             )}
326 |           </div>
327 |         </div>
328 |       </div>
329 |     </header>
330 |   );
```

```
331 | };
```

17. src/components/common/Sidebar.jsx

Module: *Components* | ***Lines:*** *219* | ***Size:*** *8.6 KB — Role-based navigation menu with live badge counters*

```
  1 | import React from 'react';
  2 | import { NavLink, Link, useNavigate } from 'react-router-dom';
  3 | import { useAuth } from '../../context/AuthContext';
  4 | import { useComplaints } from '../../context/ComplaintContext';
  5 | import {
  6 |   LayoutDashboard,
  7 |   PlusCircle,
  8 |   FileText,
  9 |   Bell,
 10 |   User,
 11 |   Users,
 12 |   Building,
 13 |   Tag,
 14 |   BarChart3,
 15 |   AlertTriangle,
 16 |   LogOut,
 17 |   X,
 18 |   ExternalLink,
 19 |   RotateCcw,
 20 |   ShieldCheck,
 21 |   CheckCircle2,
 22 |   CalendarCheck
 23 | } from 'lucide-react';
 24 |
 25 | export const Sidebar = ({ isOpen, onClose }) => {
 26 |   const { currentUser, logout } = useAuth();
 27 |   const { complaints, notifications, resetDemoData } = useComplaints();
 28 |   const navigate = useNavigate();
 29 |
 30 |   const role = currentUser ? currentUser.role : 'student';
 31 |
 32 |   // Badges counts
 33 |   const studentPending = complaints.filter(
 34 |     c => c.studentId === currentUser?.studentId && c.status !== 'Resolved' && c.stat
    us !== 'Rejected'
 35 |   ).length;
 36 |
 37 |   const staffPending = complaints.filter(
 38 |     c => c.department === currentUser?.department && c.status !== 'Resolved' && c.st
    atus !== 'Rejected'
 39 |   ).length;
 40 |
 41 |   const escalatedCount = complaints.filter(c => c.status === 'Escalated').length;
 42 |
 43 |   const unreadNotifs = notifications.filter(n => {
 44 |     if (role === 'admin') return !n.isRead && (n.userRole === 'admin' || n.userId ==
    = 'adm-01');
 45 |     if (role === 'staff') return !n.isRead && (n.userRole === 'staff' || n.userId ==
    = currentUser?.id);
 46 |     return !n.isRead && (n.userRole === 'student' || n.userId === currentUser?.stude
    ntId);
 47 |   }).length;
 48 |
 49 |   // Student Navigation Links
 50 |   const studentLinks = [
 51 |     { name: 'Dashboard', path: '/student', icon: LayoutDashboard },
 52 |     { name: 'Submit Complaint', path: '/student/submit', icon: PlusCircle, highlight
    : true },
 53 |     { name: 'My Complaints', path: '/student/complaints', icon: FileText, badge: stu
    dentPending },
 54 |     { name: 'My Attendance', path: '/student/attendance', icon: CalendarCheck },
 55 |     { name: 'Notifications', path: '/student/notifications', icon: Bell, badge: unre
    adNotifs },
 56 |     { name: 'My Profile', path: '/student/profile', icon: User }
 57 |   ];
 58 |
 59 |   // Staff Navigation Links
 60 |   const staffLinks = [
 61 |     { name: 'Staff Dashboard', path: '/staff', icon: LayoutDashboard },
 62 |     { name: 'Assigned Complaints', path: '/staff/assigned', icon: FileText, badge: s
    taffPending },
 63 |     { name: 'Mark Attendance', path: '/staff/attendance', icon: CalendarCheck },
 64 |     { name: 'Staff Profile', path: '/staff/profile', icon: User }
```

```
  ];

  // Admin Navigation Links
  const adminLinks = [
    { name: 'Admin Overview', path: '/admin', icon: LayoutDashboard },
    { name: 'All Complaints', path: '/admin/complaints', icon: FileText, badge: complaints.length },
    { name: 'Attendance Audit', path: '/admin/attendance', icon: CalendarCheck },
    { name: 'Manage Users', path: '/admin/users', icon: Users },
    { name: 'Departments', path: '/admin/departments', icon: Building },
    { name: 'Categories & SLA', path: '/admin/categories', icon: Tag },
    { name: 'Analytics & Reports', path: '/admin/analytics', icon: BarChart3 },
    { name: 'Escalation Center', path: '/admin/escalations', icon: AlertTriangle, badge: escalatedCount, alertBadge: true }
  ];

  let currentLinks = studentLinks;
  if (role === 'staff') currentLinks = staffLinks;
  if (role === 'admin') currentLinks = adminLinks;

  return (
    <>
      {/* Mobile Backdrop */}
      {isOpen && (
        <div
          className="fixed inset-0 bg-slate-950/70 backdrop-blur-xs z-40 lg:hidden"
          onClick={onClose}
        />
      )}

      {/* Sidebar Container */}
      <aside
        className={`fixed top-0 bottom-0 left-0 z-50 w-72 bg-navy-900 text-slate-300 flex flex-col transition-transform duration-300 ease-in-out border-r border-slate-800 ${
          isOpen ? 'translate-x-0' : '-translate-x-full lg:translate-x-0'
        }`}
      >
        {/* Sidebar Header */}
        <div classNam="h-16 px-6 flex items-center justify-between border-b border-slate-800 bg-navy-950/50">
          <div className="flex items-center gap-3">
            <div className="w-8 h-8 rounded-lg bg-blue-600 flex items-center justify-center text-white font-bold shadow-md">
              <ShieldCheck className="w-5 h-5" />
            </div>
            <div>
              <span className="font-bold text-white text-base tracking-tight leading-tight block">
                SGU Portal
              </span>
              <span className="text-[10px] text-blue-400 font-medium uppercase tracking-wider block">
                Sanjay Ghodawat Univ.
              </span>
            </div>
          </div>
          <button
            onClick={onClose}
            className="lg:hidden p-1.5 text-slate-400 hover:text-white rounded-lg hover:bg-slate-800 transition"
          >
            <X className="w-5 h-5" />
          </button>
        </div>

        {/* Current User Quick Snapshot */}
        <div className="p-4 mx-3 my-3 rounded-xl bg-navy-800/80 border border-slate-800 flex items-center gap-3">
          <img
            src={currentUser?.avatar || 'https://images.unsplash.com/photo-1534528741775-53994a69daeb?w=150&auto=format&fit=crop&q=80'}
            alt={currentUser?.name}
            className="w-10 h-10 rounded-lg object-cover ring-2 ring-blue-500/30"
          />
          <div className="flex-1 min-w-0">
            <p className="text-xs font-semibold text-white truncate">
              {currentUser?.name || 'Authorized User'}
            </p>
            <p className="text-[11px] text-slate-400 truncate">
              {role === 'student' ? currentUser?.studentId : role === 'staff' ? curr
```

```
      entUser?.department : 'Admin Office'}
135 |             </p>
136 |           </div>
137 |         </div>
138 |
139 |         {/* Navigation Section */}
140 |         <nav className="flex-1 px-3 py-2 space-y-1 overflow-y-auto">
141 |           <div className="px-3 pb-2 text-[10px] font-bold uppercase tracking-wider t
      ext-slate-400">
142 |             {role} workspace
143 |           </div>
144 |
145 |           {currentLinks.map(link => {
146 |             const Icon = link.icon;
147 |             return (
148 |               <NavLink
149 |                 key={link.path}
150 |                 to={link.path}
151 |                 end={link.path === '/student' || link.path === '/staff' || link.path
       === '/admin'}
152 |                 onClick={onClose}
153 |                 className={({ isActive }) =>
154 |                   `flex items-center justify-between px-3.5 py-2.5 rounded-xl text-x
      s font-medium transition-all duration-200 group ${
155 |                     isActive
156 |                       ? 'bg-blue-600 text-white shadow-md shadow-blue-900/30 font-se
      mibold'
157 |                       : link.highlight
158 |                       ? 'text-blue-400 hover:bg-blue-950/50 hover:text-blue-300'
159 |                       : 'text-slate-300 hover:bg-navy-800 hover:text-white'
160 |                   }`
161 |                 }
162 |               >
163 |                 <div className="flex items-center gap-3">
164 |                   <Icon className="w-4 h-4 flex-shrink-0" />
165 |                   <span>{link.name}</span>
166 |                 </div>
167 |
168 |                 {link.badge !== undefined && link.badge > 0 && (
169 |                   <span
170 |                     className={`px-2 py-0.5 rounded-full text-[10px] font-bold ${
171 |                       link.alertBadge
172 |                         ? 'bg-rose-500 text-white animate-pulse'
173 |                         : 'bg-navy-950 text-blue-300 border border-slate-700'
174 |                     }`}
175 |                   >
176 |                     {link.badge}
177 |                   </span>
178 |                 )}
179 |               </NavLink>
180 |             );
181 |           })}
182 |         </nav>
183 |
184 |         {/* Bottom Helper Controls */}
185 |         <div className="p-3 border-t border-slate-800 bg-navy-950/60 space-y-1">
186 |           <Link
187 |             to="/"
188 |             className="flex items-center gap-2.5 px-3 py-2 text-xs text-slate-400 ho
      ver:text-white rounded-lg hover:bg-navy-800 transition"
189 |           >
190 |             <ExternalLink className="w-4 h-4" />
191 |             <span>SGU Public Portal</span>
192 |           </Link>
193 |
194 |           {role === 'admin' && (
195 |             <button
196 |               onClick={resetDemoData}
197 |               className="w-full flex items-center gap-2.5 px-3 py-2 text-xs text-sla
      te-400 hover:text-amber-300 rounded-lg hover:bg-amber-950/30 transition"
198 |               title="Reset records to default university database"
199 |             >
200 |               <RotateCcw className="w-4 h-4" />
201 |               <span>Reset University Records</span>
202 |             </button>
203 |           )}
204 |
205 |           <button
206 |             onClick={() => {
207 |               logout();
208 |               navigate('/login');
```

```
209 |             }}
210 |             className="w-full flex items-center gap-2.5 px-3 py-2 text-xs text-rose-
      400 hover:text-rose-300 rounded-lg hover:bg-rose-950/30 transition"
211 |           >
212 |             <LogOut className="w-4 h-4" />
213 |             <span>Logout</span>
214 |           </button>
215 |         </div>
216 |       </aside>
217 |     </>
218 |   );
219 | };
```

18. src/components/common/StatusBadge.jsx

Module: *Components* | ***Lines:*** *93* | ***Size:*** *2.8 KB — Color-coded grievance lifecycle badges*

```
 1 | import React from 'react';
 2 | import {
 3 |   Clock,
 4 |   Search,
 5 |   Cog,
 6 |   CheckCircle2,
 7 |   XCircle,
 8 |   AlertOctagon,
 9 |   RotateCcw
10 | } from 'lucide-react';
11 |
12 | export const StatusBadge = ({ status, size = 'md' }) => {
13 |   const normalized = status ? status.toLowerCase() : 'submitted';
14 |
15 |   let config = {
16 |     bg: 'bg-blue-50 text-blue-700 border-blue-200',
17 |     dot: 'bg-blue-500',
18 |     icon: Clock,
19 |     label: status || 'Submitted'
20 |   };
21 |
22 |   switch (normalized) {
23 |     case 'submitted':
24 |       config = {
25 |         bg: 'bg-blue-50 text-blue-700 border-blue-200 dark:bg-blue-950/40 dark:text-
     blue-300 dark:border-blue-800',
26 |         dot: 'bg-blue-500',
27 |         icon: Clock,
28 |         label: 'Submitted'
29 |       };
30 |       break;
31 |     case 'under review':
32 |       config = {
33 |         bg: 'bg-purple-50 text-purple-700 border-purple-200 dark:bg-purple-950/40 da
     rk:text-purple-300 dark:border-purple-800',
34 |         dot: 'bg-purple-500',
35 |         icon: Search,
36 |         label: 'Under Review'
37 |       };
38 |       break;
39 |     case 'in progress':
40 |       config = {
41 |         bg: 'bg-orange-50 text-orange-700 border-orange-200 dark:bg-orange-950/40 da
     rk:text-orange-300 dark:border-orange-800',
42 |         dot: 'bg-orange-500',
43 |         icon: Cog,
44 |         label: 'In Progress'
45 |       };
46 |       break;
47 |     case 'resolved':
48 |       config = {
49 |         bg: 'bg-emerald-50 text-emerald-700 border-emerald-200 dark:bg-emerald-950/4
     0 dark:text-emerald-300 dark:border-emerald-800',
50 |         dot: 'bg-emerald-500',
51 |         icon: CheckCircle2,
52 |         label: 'Resolved'
53 |       };
54 |       break;
55 |     case 'rejected':
56 |       config = {
57 |         bg: 'bg-rose-50 text-rose-700 border-rose-200 dark:bg-rose-950/40 dark:text-
     rose-300 dark:border-rose-800',
```

```
58 |         dot: 'bg-rose-500',
59 |         icon: XCircle,
60 |         label: 'Rejected'
61 |       };
62 |       break;
63 |     case 'escalated':
64 |       config = {
65 |         bg: 'bg-red-900/10 text-red-900 border-red-300 dark:bg-red-950/60 dark:text-
   red-200 dark:border-red-800 font-semibold',
66 |         dot: 'bg-red-800 animate-ping',
67 |         icon: AlertOctagon,
68 |         label: 'Escalated'
69 |       };
70 |       break;
71 |     case 'reopened':
72 |       config = {
73 |         bg: 'bg-amber-50 text-amber-800 border-amber-200 dark:bg-amber-950/40 dark:t
   ext-amber-300 dark:border-amber-800',
74 |         dot: 'bg-amber-500',
75 |         icon: RotateCcw,
76 |         label: 'Reopened'
77 |       };
78 |       break;
79 |     default:
80 |       break;
81 |   }
82 |
83 |   const Icon = config.icon;
84 |   const sizeClasses = size === 'sm' ? 'px-2 py-0.5 text-xs' : size === 'lg' ? 'px-3.
   5 py-1.5 text-sm' : 'px-2.5 py-1 text-xs';
85 |
86 |   return (
87 |     <span className={`inline-flex items-center gap-1.5 rounded-full font-medium bord
   er ${config.bg} ${sizeClasses} shadow-sm`}>
88 |       <span className={`w-1.5 h-1.5 rounded-full ${config.dot}`} />
89 |       <Icon className={size === 'sm' ? 'w-3 h-3' : 'w-3.5 h-3.5'} />
90 |       <span>{config.label}</span>
91 |     </span>
92 |   );
93 | };
```

19. src/components/common/PriorityBadge.jsx

Module: *Components* | ***Lines:*** *55* | ***Size:*** *1.4 KB — Priority badges: Low, Medium, High, Urgent*

```
 1 | import React from 'react';
 2 | import { AlertCircle, Flame, ArrowUp, ArrowDown } from 'lucide-react';
 3 |
 4 | export const PriorityBadge = ({ priority, size = 'md' }) => {
 5 |   const norm = priority ? priority.toLowerCase() : 'medium';
 6 |
 7 |   let config = {
 8 |     bg: 'bg-slate-100 text-slate-700 border-slate-200',
 9 |     icon: ArrowDown,
10 |     label: priority || 'Medium'
11 |   };
12 |
13 |   switch (norm) {
14 |     case 'urgent':
15 |       config = {
16 |         bg: 'bg-rose-100 text-rose-800 border-rose-300 font-semibold',
17 |         icon: Flame,
18 |         label: 'Urgent'
19 |       };
20 |       break;
21 |     case 'high':
22 |       config = {
23 |         bg: 'bg-orange-100 text-orange-800 border-orange-200 font-medium',
24 |         icon: AlertCircle,
25 |         label: 'High'
26 |       };
27 |       break;
28 |     case 'medium':
29 |       config = {
30 |         bg: 'bg-amber-100 text-amber-800 border-amber-200',
31 |         icon: ArrowUp,
32 |         label: 'Medium'
33 |       };
34 |       break;
```

```
    case 'low':
      config = {
        bg: 'bg-slate-100 text-slate-600 border-slate-200',
        icon: ArrowDown,
        label: 'Low'
      };
      break;
    default:
      break;
  }

  const Icon = config.icon;
  const sizeClasses = size === 'sm' ? 'px-2 py-0.5 text-xs' : 'px-2.5 py-0.5 text-xs';

  return (
    <span className={`inline-flex items-center gap-1 rounded-md border ${config.bg} ${sizeClasses}`}>
      <Icon className="w-3 h-3" />
      <span>{config.label}</span>
    </span>
  );
};
```

20. src/components/common/CategoryIcon.jsx

Module: *Components* | ***Lines:*** *48* | ***Size:*** *1.4 KB — Dynamic Lucide icon mapper for campus departments*

```
import React from 'react';
import {
  GraduationCap,
  Building2,
  Wrench,
  Sparkles,
  Bus,
  Zap,
  Droplet,
  BookOpen,
  Utensils,
  HelpCircle,
  Folder
} from 'lucide-react';

const iconMap = {
  GraduationCap,
  Building2,
  Wrench,
  Sparkles,
  Bus,
  Zap,
  Droplet,
  BookOpen,
  Utensils,
  HelpCircle
};

export const CategoryIcon = ({ iconName, categoryName, className = 'w-5 h-5' }) => {
  if (iconName && iconMap[iconName]) {
    const IconComponent = iconMap[iconName];
    return <IconComponent className={className} />;
  }

  // Fallback map by category name
  const name = categoryName ? categoryName.toLowerCase() : '';
  if (name.includes('acad')) return <GraduationCap className={className} />;
  if (name.includes('hostel')) return <Building2 className={className} />;
  if (name.includes('infr')) return <Wrench className={className} />;
  if (name.includes('sanit') || name.includes('hygiene')) return <Sparkles className={className} />;
  if (name.includes('trans')) return <Bus className={className} />;
  if (name.includes('elect')) return <Zap className={className} />;
  if (name.includes('water')) return <Droplet className={className} />;
  if (name.includes('libr')) return <BookOpen className={className} />;
  if (name.includes('cant') || name.includes('mess')) return <Utensils className={className} />;

  return <Folder className={className} />;
};
```

21. src/components/common/Timeline.jsx

Module: *Components* | ***Lines:*** *143* | ***Size:*** *5.8 KB — 4-Stage visual resolution stepper & audit trail history*

```
 1 | import React from 'react';
 2 | import { formatDate } from '../../utils/helpers';
 3 | import { StatusBadge } from './StatusBadge';
 4 | import { CheckCircle2, Clock, AlertCircle } from 'lucide-react';
 5 |
 6 | export const Timeline = ({ history = [], currentStatus = 'Submitted' }) => {
 7 |   const steps = [
 8 |     { label: 'Submitted', key: 'Submitted' },
 9 |     { label: 'Under Review', key: 'Under Review' },
10 |     { label: 'In Progress', key: 'In Progress' },
11 |     { label: 'Resolved', key: 'Resolved' }
12 |   ];
13 |
14 |   const getStepIndex = (st) => {
15 |     switch (st) {
16 |       case 'Submitted': return 0;
17 |       case 'Under Review': return 1;
18 |       case 'In Progress': return 2;
19 |       case 'Resolved': return 3;
20 |       case 'Reopened': return 2; // back in action
21 |       case 'Escalated': return 2; // urgent in progress
22 |       case 'Rejected': return -1;
23 |       default: return 0;
24 |     }
25 |   };
26 |
27 |   const currentIndex = getStepIndex(currentStatus);
28 |   const isRejected = currentStatus === 'Rejected';
29 |   const isEscalated = currentStatus === 'Escalated';
30 |   const isReopened = currentStatus === 'Reopened';
31 |
32 |   return (
33 |     <div className="space-y-6">
34 |       {/* Visual Stepper Bar */}
35 |       <div className="bg-slate-50 border border-slate-200 rounded-xl p-5">
36 |         <h4 className="text-xs font-semibold uppercase tracking-wider text-slate-500
    mb-4">
37 |           Lifecycle Progression
38 |         </h4>
39 |
40 |         {isRejected ? (
41 |           <div className="flex items-center gap-3 p-3 bg-rose-50 border border-rose-
   200 rounded-lg text-rose-800 text-sm">
42 |             <AlertCircle className="w-5 h-5 text-rose-600 flex-shrink-0" />
43 |             <div>
44 |               <span className="font-semibold">Complaint Rejected:</span> This compla
   int was reviewed and closed as rejected. See remarks below.
45 |             </div>
46 |           </div>
47 |         ) : (
48 |           <div className="relative">
49 |             <div className="hidden sm:flex justify-between items-center relative z-1
   0">
50 |               {steps.map((step, idx) => {
51 |                 const isPassed = idx < currentIndex;
52 |                 const isCurrent = idx === currentIndex;
53 |
54 |                 return (
55 |                   <div key={step.key} className="flex flex-col items-center flex-1">
56 |                     <div
57 |                       className={`w-9 h-9 rounded-full flex items-center justify-cen
   ter font-semibold text-sm transition-all duration-300 ${
58 |                         isCurrent
59 |                           ? 'bg-blue-600 text-white ring-4 ring-blue-100 shadow-md s
   cale-105'
60 |                           : isPassed
61 |                           ? 'bg-emerald-600 text-white'
62 |                           : 'bg-white border-2 border-slate-300 text-slate-400'
63 |                       }`}
64 |                     >
65 |                       {isPassed ? (
66 |                         <CheckCircle2 className="w-5 h-5" />
67 |                       ) : (
68 |                         <span>{idx + 1}</span>
69 |                       )}
```

```
 70 |                     </div>
 71 |                     <span
 72 |                       className={`text-xs mt-2 text-center font-medium ${
 73 |                         isCurrent
 74 |                           ? 'text-blue-700 font-bold'
 75 |                           : isPassed
 76 |                           ? 'text-slate-700'
 77 |                           : 'text-slate-400'
 78 |                       }`}
 79 |                     >
 80 |                       {step.label}
 81 |                     </span>
 82 |                   </div>
 83 |                 );
 84 |               })}
 85 |             </div>
 86 |
 87 |             {/* Connecting line */}
 88 |             <div className="hidden sm:block absolute top-4 left-10 right-10 h-0.5 bg
    -slate-200 z-0">
 89 |               <div
 90 |                 className="h-full bg-blue-600 transition-all duration-500"
 91 |                 style={{
 92 |                   width: `${Math.min(100, Math.max(0, (currentIndex / (steps.length
    - 1)) * 100))}%`
 93 |                 }}
 94 |               />
 95 |             </div>
 96 |
 97 |             {/* Special status callouts */}
 98 |             {(isEscalated || isReopened) && (
 99 |               <div className="mt-4 pt-3 border-t border-slate-200 flex items-center
    justify-between text-xs">
100 |                 <span className="text-slate-500">Current Lifecycle State:</span>
101 |                 <StatusBadge status={currentStatus} size="sm" />
102 |               </div>
103 |             )}
104 |           </div>
105 |         )}
106 |       </div>
107 |
108 |       {/* Detailed Activity Trail */}
109 |       <div>
110 |         <h4 className="text-xs font-semibold uppercase tracking-wider text-slate-500
     mb-3 flex items-center gap-1.5">
111 |           <Clock className="w-3.5 h-3.5 text-slate-400" />
112 |           Audit Trail & Resolution History
113 |         </h4>
114 |
115 |         <div className="relative pl-6 space-y-6 before:content-[''] before:absolute
    before:left-2.5 before:top-2 before:bottom-2 before:w-0.5 before:bg-slate-200">
116 |           {history.map((item, index) => (
117 |             <div key={index} className="relative group">
118 |               {/* Dot */}
119 |               <div className="absolute -left-6 top-1 w-3.5 h-3.5 rounded-full bg-blu
    e-600 border-2 border-white ring-2 ring-slate-100 shadow-sm" />
120 |
121 |               <div className="bg-white border border-slate-200 rounded-lg p-3.5 shad
    ow-xs transition hover:border-slate-300">
122 |                 <div className="flex flex-wrap items-center justify-between gap-2 mb
    -1.5">
123 |                   <div className="flex items-center gap-2">
124 |                     <StatusBadge status={item.status} size="sm" />
125 |                     <span className="text-xs font-medium text-slate-800">
126 |                       {item.performer}
127 |                     </span>
128 |                   </div>
129 |                   <span className="text-xs text-slate-500 font-mono">
130 |                     {formatDate(item.timestamp)}
131 |                   </span>
132 |                 </div>
133 |                 <p className="text-xs text-slate-600 leading-relaxed pl-1">
134 |                   {item.remarks || 'No detailed remarks recorded.'}
135 |                 </p>
136 |               </div>
137 |             </div>
138 |           ))}
139 |         </div>
140 |       </div>
141 |     </div>
142 |   );
```

```
143 | };
```

22. src/components/common/StatCard.jsx

Module: *Components* | ***Lines:*** *90* | ***Size:*** *2.5 KB — Executive KPI summary metric card*

```
 1 | import React from 'react';
 2 |
 3 | export const StatCard = ({
 4 |   title,
 5 |   value,
 6 |   icon: Icon,
 7 |   color = 'blue',
 8 |   trend,
 9 |   subtext,
10 |   onClick,
11 |   active = false
12 | }) => {
13 |   const colorSchemes = {
14 |     blue: {
15 |       bg: 'bg-blue-50 text-blue-600',
16 |       border: 'hover:border-blue-300',
17 |       activeRing: 'ring-2 ring-blue-500 border-blue-500'
18 |     },
19 |     purple: {
20 |       bg: 'bg-purple-50 text-purple-600',
21 |       border: 'hover:border-purple-300',
22 |       activeRing: 'ring-2 ring-purple-500 border-purple-500'
23 |     },
24 |     orange: {
25 |       bg: 'bg-orange-50 text-orange-600',
26 |       border: 'hover:border-orange-300',
27 |       activeRing: 'ring-2 ring-orange-500 border-orange-500'
28 |     },
29 |     emerald: {
30 |       bg: 'bg-emerald-50 text-emerald-600',
31 |       border: 'hover:border-emerald-300',
32 |       activeRing: 'ring-2 ring-emerald-500 border-emerald-500'
33 |     },
34 |     rose: {
35 |       bg: 'bg-rose-50 text-rose-600',
36 |       border: 'hover:border-rose-300',
37 |       activeRing: 'ring-2 ring-rose-500 border-rose-500'
38 |     },
39 |     amber: {
40 |       bg: 'bg-amber-50 text-amber-600',
41 |       border: 'hover:border-amber-300',
42 |       activeRing: 'ring-2 ring-amber-500 border-amber-500'
43 |     },
44 |     navy: {
45 |       bg: 'bg-slate-800 text-white',
46 |       border: 'hover:border-slate-600',
47 |       activeRing: 'ring-2 ring-slate-800 border-slate-800'
48 |     }
49 |   };
50 |
51 |   const scheme = colorSchemes[color] || colorSchemes.blue;
52 |
53 |   return (
54 |     <div
55 |       onClick={onClick}
56 |       className={`bg-white rounded-xl border border-slate-200 p-5 shadow-xs transiti
   on-all duration-200 ${
57 |         scheme.border
58 |       } ${active ? scheme.activeRing : ''} ${
59 |         onClick ? 'cursor-pointer hover:shadow-md hover:-translate-y-0.5' : ''
60 |       }`}
61 |     >
62 |       <div className="flex items-center justify-between">
63 |         <div>
64 |           <p className="text-xs font-medium uppercase tracking-wider text-slate-500"
   >
65 |             {title}
66 |           </p>
67 |           <h3 className="text-2xl font-bold text-slate-900 mt-1">
68 |             {value}
69 |           </h3>
70 |         </div>
71 |         {Icon && (
```

```
72 |           <div className={`w-12 h-12 rounded-xl flex items-center justify-center ${s
   cheme.bg}`}>
73 |             <Icon className="w-6 h-6" />
74 |           </div>
75 |         )}
76 |       </div>
77 |
78 |       {(trend || subtext) && (
79 |         <div className="mt-3 pt-3 border-t border-slate-100 flex items-center justif
   y-between text-xs text-slate-500">
80 |           <span>{subtext}</span>
81 |           {trend && (
82 |             <span className="font-medium text-emerald-600">
83 |               {trend}
84 |             </span>
85 |           )}
86 |         </div>
87 |       )}
88 |     </div>
89 |   );
90 | };
```

23. src/components/common/ToastContainer.jsx

Module: *Components* | ***Lines:*** *48* | ***Size:*** *1.9 KB — Floating visual feedback notifications*

```
 1 | import React from 'react';
 2 | import { useComplaints } from '../../context/ComplaintContext';
 3 | import { CheckCircle2, AlertTriangle, AlertCircle, Info, X } from 'lucide-react';
 4 |
 5 | export const ToastContainer = () => {
 6 |   const { toasts, removeToast } = useComplaints();
 7 |
 8 |   if (!toasts || toasts.length === 0) return null;
 9 |
10 |   return (
11 |     <div className="fixed bottom-5 right-5 z-50 flex flex-col gap-2.5 max-w-md w-ful
   l pointer-events-none px-4 sm:px-0">
12 |       {toasts.map(toast => {
13 |         let icon = <CheckCircle2 className="w-5 h-5 text-emerald-500 flex-shrink-0"
   />;
14 |         let borderClass = 'border-emerald-200 bg-white';
15 |
16 |         if (toast.type === 'error') {
17 |           icon = <AlertCircle className="w-5 h-5 text-rose-500 flex-shrink-0" />;
18 |           borderClass = 'border-rose-200 bg-white';
19 |         } else if (toast.type === 'warning') {
20 |           icon = <AlertTriangle className="w-5 h-5 text-amber-500 flex-shrink-0" />;
21 |           borderClass = 'border-amber-200 bg-white';
22 |         } else if (toast.type === 'info') {
23 |           icon = <Info className="w-5 h-5 text-blue-500 flex-shrink-0" />;
24 |           borderClass = 'border-blue-200 bg-white';
25 |         }
26 |
27 |         return (
28 |           <div
29 |             key={toast.id}
30 |             className={`pointer-events-auto flex items-start gap-3 p-4 rounded-xl sh
   adow-lg border ${borderClass} transition-all duration-300 transform translate-y-0`}
31 |           >
32 |             {icon}
33 |             <div className="flex-1 text-xs sm:text-sm text-slate-800 font-medium lea
   ding-snug">
34 |               {toast.message}
35 |             </div>
36 |             <button
37 |               onClick={() => removeToast(toast.id)}
38 |               className="text-slate-400 hover:text-slate-600 p-0.5 rounded transitio
   n"
39 |               aria-label="Close notification"
40 |             >
41 |               <X className="w-4 h-4" />
42 |             </button>
43 |           </div>
44 |         );
45 |       })}
46 |     </div>
47 |   );
48 | };
```

24. src/components/common/Modal.jsx

Module: *Components* | ***Lines:*** *53* | ***Size:*** *1.7 KB — Accessible modal dialog with ESC key handler*

```
 1 | import React, { useEffect } from 'react';
 2 | import { X } from 'lucide-react';
 3 |
 4 | export const Modal = ({ isOpen, onClose, title, children, maxWidth = 'max-w-lg' }) =
   > {
 5 |   useEffect(() => {
 6 |     const handleEsc = (e) => {
 7 |       if (e.key === 'Escape') onClose();
 8 |     };
 9 |     if (isOpen) {
10 |       document.body.style.overflow = 'hidden';
11 |       window.addEventListener('keydown', handleEsc);
12 |     }
13 |     return () => {
14 |       document.body.style.overflow = 'unset';
15 |       window.removeEventListener('keydown', handleEsc);
16 |     };
17 |   }, [isOpen, onClose]);
18 |
19 |   if (!isOpen) return null;
20 |
21 |   return (
22 |     <div className="fixed inset-0 z-50 flex items-center justify-center p-4 sm:p-6 o
   verflow-y-auto">
23 |       {/* Backdrop */}
24 |       <div
25 |         className="fixed inset-0 bg-slate-900/60 backdrop-blur-xs transition-opacity
   "
26 |         onClick={onClose}
27 |       />
28 |
29 |       {/* Modal Dialog Content */}
30 |       <div
31 |         className={`relative bg-white rounded-2xl shadow-2xl border border-slate-200
    w-full ${maxWidth} z-10 overflow-hidden transform transition-all my-8 max-h-[90vh]
   flex flex-col`}
32 |       >
33 |         {/* Header */}
34 |         <div className="flex items-center justify-between px-6 py-4 border-b border-
   slate-200 bg-slate-50/50">
35 |           <h3 className="text-base sm:text-lg font-semibold text-slate-900">
36 |             {title}
37 |           </h3>
38 |           <button
39 |             onClick={onClose}
40 |             className="text-slate-400 hover:text-slate-600 p-1 rounded-lg hover:bg-s
   late-200/50 transition"
41 |           >
42 |             <X className="w-5 h-5" />
43 |           </button>
44 |         </div>
45 |
46 |         {/* Body */}
47 |         <div className="px-6 py-5 overflow-y-auto flex-1">
48 |           {children}
49 |         </div>
50 |       </div>
51 |     </div>
52 |   );
53 | };
```

SECTION: ATTENDANCE

25. src/components/attendance/ClassroomQrModal.jsx

Module: *Attendance* | ***Lines:*** *338* | ***Size:*** *15.0 KB — Faculty live 20s rotating QR code projector with Wi-Fi geofence*

```
 1 | import React, { useState, useEffect } from 'react';
 2 | import { QRCodeSVG } from 'qrcode.react';
 3 | import { useAttendance } from '../../context/AttendanceContext';
```

```
 4 | import {
 5 |   QrCode,
 6 |   Wifi,
 7 |   ShieldCheck,
 8 |   Users,
 9 |   Clock,
10 |   RotateCw,
11 |   X,
12 |   Maximize2,
13 |   CheckCircle2,
14 |   AlertTriangle,
15 |   Building
16 | } from 'lucide-react';
17 |
18 | export const ClassroomQrModal = ({ isOpen, onClose }) => {
19 |   const {
20 |     activeQrSession,
21 |     startQrSession,
22 |     stopQrSession,
23 |     rotateSessionToken,
24 |     courses,
25 |     subjectsMap,
26 |     wifiConfig
27 |   } = useAttendance();
28 |
29 |   const [selectedCourse, setSelectedCourse] = useState(courses[0].name);
30 |   const [selectedSubject, setSelectedSubject] = useState(subjectsMap[courses[0].name
   ][0].name);
31 |   const [classroom, setClassroom] = useState('Room 304 (Academic Block A)');
32 |   const [secondsRemaining, setSecondsRemaining] = useState(20);
33 |   const [isFullScreen, setIsFullScreen] = useState(false);
34 |
35 |   // Countdown timer for dynamic rotating security token
36 |   useEffect(() => {
37 |     if (!isOpen || !activeQrSession?.isActive) return;
38 |
39 |     const timer = setInterval(() => {
40 |       setSecondsRemaining(prev => {
41 |         if (prev <= 1) {
42 |           rotateSessionToken();
43 |           return 20;
44 |         }
45 |         return prev - 1;
46 |       });
47 |     }, 1000);
48 |
49 |     return () => clearInterval(timer);
50 |   }, [isOpen, activeQrSession?.isActive, rotateSessionToken]);
51 |
52 |   if (!isOpen) return null;
53 |
54 |   const handleStartNewSession = (e) => {
55 |     e.preventDefault();
56 |     startQrSession({
57 |       course: selectedCourse,
58 |       semester: courses.find(c => c.name === selectedCourse)?.semester || 'Current S
   emester',
59 |       subject: selectedSubject,
60 |       classroom,
61 |       facultyName: 'Dr. Vasudevan',
62 |       requiredWifi: wifiConfig.authorizedSSID
63 |     });
64 |     setSecondsRemaining(20);
65 |   };
66 |
67 |   const qrPayload = JSON.stringify({
68 |     university: 'Sanjay Ghodawat University',
69 |     portal: 'SGU Smart Campus',
70 |     sessionId: activeQrSession?.id,
71 |     subject: activeQrSession?.subject,
72 |     classroom: activeQrSession?.classroom,
73 |     requiredWifi: activeQrSession?.requiredWifi,
74 |     token: activeQrSession?.token,
75 |     timestamp: Date.now()
76 |   });
77 |
78 |   return (
79 |     <div className="fixed inset-0 z-50 flex items-center justify-center p-4 bg-slate
   -950/80 backdrop-blur-md">
80 |       <div
81 |         className={`bg-white rounded-3xl shadow-2xl border border-slate-200 overflow
```

```
      -hidden flex flex-col transition-all duration-300 ${
 82 |           isFullScreen ? 'w-full h-full max-w-none rounded-none' : 'w-full max-w-2xl
       max-h-[92vh]'
 83 |         }`}
 84 |       >
 85 |         {/* Header */}
 86 |         <div className="px-6 py-4 bg-navy-950 text-white flex items-center justify-b
      etween border-b border-slate-800">
 87 |           <div className="flex items-center gap-3">
 88 |             <div className="w-10 h-10 rounded-xl bg-blue-600 flex items-center justi
      fy-center text-white shadow-md">
 89 |               <QrCode className="w-5 h-5" />
 90 |             </div>
 91 |             <div>
 92 |               <h2 className="text-base font-bold tracking-tight text-white flex item
      s-center gap-2">
 93 |                 <span>Classroom QR Attendance Generator</span>
 94 |                 <span className="text-[10px] bg-emerald-500/20 text-emerald-300 px-2
       py-0.5 rounded-full font-mono border border-emerald-500/30">
 95 |                   Wi-Fi Geofence Active
 96 |                 </span>
 97 |               </h2>
 98 |               <p className="text-xs text-slate-400">
 99 |                 Sanjay Ghodawat University • Dynamic Classroom Broadcast
100 |               </p>
101 |             </div>
102 |           </div>
103 |
104 |           <div className="flex items-center gap-2">
105 |             <button
106 |               onClick={() => setIsFullScreen(!isFullScreen)}
107 |               className="p-2 text-slate-400 hover:text-white rounded-lg hover:bg-sla
      te-800 transition"
108 |               title={isFullScreen ? 'Exit Projector Mode' : 'Projector Fullscreen Mo
      de'}
109 |             >
110 |               <Maximize2 className="w-4 h-4" />
111 |             </button>
112 |             <button
113 |               onClick={onClose}
114 |               className="p-2 text-slate-400 hover:text-white rounded-lg hover:bg-sla
      te-800 transition"
115 |             >
116 |               <X className="w-5 h-5" />
117 |             </button>
118 |           </div>
119 |         </div>
120 |
121 |         {/* Content Body */}
122 |         <div className="p-6 overflow-y-auto space-y-6">
123 |           {/* Wi-Fi Geofence Security Banner */}
124 |           <div className="p-4 bg-gradient-to-r from-blue-50 to-indigo-50 border bord
      er-blue-200 rounded-2xl flex flex-col sm:flex-row items-start sm:items-center justif
      y-between gap-3">
125 |             <div className="flex items-center gap-3">
126 |               <div className="w-9 h-9 rounded-xl bg-blue-600 text-white flex items-c
      enter justify-center flex-shrink-0">
127 |                 <Wifi className="w-5 h-5" />
128 |               </div>
129 |               <div>
130 |                 <span className="text-xs font-bold text-blue-900 block">
131 |                   Mandatory Campus Wi-Fi Gatekeeper:
132 |                 </span>
133 |                 <span className="text-xs font-mono font-bold text-blue-700 bg-white/
      80 px-2 py-0.5 rounded border border-blue-200 inline-block mt-0.5">
134 |                   SSID: {wifiConfig.authorizedSSID}
135 |                 </span>
136 |               </div>
137 |             </div>
138 |             <div className="text-left sm:text-right">
139 |               <span className="text-[11px] text-slate-500 block">Classroom Location<
      /span>
140 |               <span className="text-xs font-semibold text-slate-800">{activeQrSessio
      n?.classroom || classroom}</span>
141 |             </div>
142 |           </div>
143 |
144 |           {/* Active Session Display OR Configure New Session */}
145 |           {activeQrSession?.isActive ? (
146 |             <div className="grid grid-cols-1 md:grid-cols-2 gap-6 items-center">
147 |               {/* QR Code Container with Projector Framing */}
```

```
148 |              <div className="flex flex-col items-center justify-center p-6 bg-slate
    -50 rounded-2xl border-2 border-dashed border-blue-300 relative">
149 |                {/* Dynamic Token Badge */}
150 |                <div className="mb-4 inline-flex items-center gap-2 px-3 py-1 bg-whi
    te rounded-full border border-slate-200 shadow-2xs text-xs">
151 |                  <span className="w-2 h-2 rounded-full bg-emerald-500 animate-ping"
    ></span>
152 |                  <span className="text-slate-500 font-medium">Rotating Token:</span
    >
153 |                  <span className="font-mono font-bold text-blue-600">{activeQrSessi
    on.token}</span>
154 |                </div>
155 |
156 |                {/* Scalable QR Code */}
157 |                <div className="p-4 bg-white rounded-2xl shadow-md border border-sla
    te-200">
158 |                  <QRCodeSVG
159 |                    value={qrPayload}
160 |                    size={220}
161 |                    level="H"
162 |                    includeMargin={true}
163 |                  />
164 |                </div>
165 |
166 |                {/* Rotating Timer Progress */}
167 |                <div className="mt-4 w-full max-w-[220px]">
168 |                  <div className="flex items-center justify-between text-[11px] text
    -slate-500 mb-1">
169 |                    <span className="flex items-center gap-1">
170 |                      <RotateCw className="w-3 h-3 animate-spin text-blue-500" />
171 |                      Refreshes in:
172 |                    </span>
173 |                    <span className="font-mono font-bold text-blue-600">{secondsRema
    ining}s</span>
174 |                  </div>
175 |                  <div className="w-full bg-slate-200 rounded-full h-1.5 overflow-hi
    dden">
176 |                    <div
177 |                      className="bg-blue-600 h-1.5 rounded-full transition-all durat
    ion-1000 ease-linear"
178 |                      style={{ width: `${(secondsRemaining / 20) * 100}%` }}
179 |                    ></div>
180 |                  </div>
181 |                </div>
182 |
183 |                <p className="mt-3 text-[11px] text-center text-slate-500">
184 |                  Students must scan using the SGU Student Portal while connected to
     <strong>{wifiConfig.authorizedSSID}</strong>.
185 |                </p>
186 |              </div>
187 |
188 |              {/* Session Details & Real-Time Roster */}
189 |              <div className="space-y-4">
190 |                <div className="bg-white p-4 rounded-xl border border-slate-200 spac
    e-y-3">
191 |                  <div className="flex items-center justify-between">
192 |                    <span className="text-xs font-semibold uppercase tracking-wider
    text-slate-400">
193 |                      Live Lecture
194 |                    </span>
195 |                    <span className="inline-flex items-center gap-1 px-2 py-0.5 roun
    ded-full text-[10px] font-bold bg-emerald-100 text-emerald-800">
196 |                      <span className="w-1.5 h-1.5 rounded-full bg-emerald-500 anima
    te-pulse"></span>
197 |                      BROADCASTING
198 |                    </span>
199 |                  </div>
200 |
201 |                  <div>
202 |                    <h3 className="text-base font-bold text-slate-900 leading-tight"
    >
203 |                      {activeQrSession.subject}
204 |                    </h3>
205 |                    <p className="text-xs text-slate-500 mt-0.5">
206 |                      {activeQrSession.course} • {activeQrSession.semester}
207 |                    </p>
208 |                  </div>
209 |
210 |                  <div className="pt-2 border-t border-slate-100 flex items-center j
    ustify-between text-xs">
211 |                    <span className="text-slate-500">Faculty In-Charge:</span>
```

```
212 |                     <span className="font-semibold text-slate-800">{activeQrSession.
      facultyName}</span>
213 |                   </div>
214 |                 </div>
215 |
216 |                 {/* Live Attendees Counter */}
217 |                 <div className="bg-emerald-50 border border-emerald-200 p-4 rounded-
      xl">
218 |                   <div className="flex items-center justify-between">
219 |                     <div className="flex items-center gap-2">
220 |                       <div className="w-8 h-8 rounded-lg bg-emerald-600 text-white f
      lex items-center justify-center">
221 |                         <Users className="w-4 h-4" />
222 |                       </div>
223 |                       <div>
224 |                         <span className="text-xs font-bold text-emerald-900 block">C
      lassroom Verified Scans</span>
225 |                         <span className="text-[11px] text-emerald-700">Real-time att
      endance check-ins</span>
226 |                       </div>
227 |                     </div>
228 |                     <span className="text-2xl font-black text-emerald-700">
229 |                       {activeQrSession.checkedInStudents.length}
230 |                     </span>
231 |                   </div>
232 |
233 |                   {activeQrSession.checkedInStudents.length > 0 && (
234 |                     <div className="mt-3 pt-2 border-t border-emerald-200 text-xs te
      xt-emerald-900">
235 |                       <span className="font-semibold">Recent check-in: </span>
236 |                       <span>Student ID {activeQrSession.checkedInStudents[activeQrSe
      ssion.checkedInStudents.length - 1]}</span>
237 |                     </div>
238 |                   )}
239 |                 </div>
240 |
241 |                 {/* Session Action Buttons */}
242 |                 <div className="flex items-center gap-2">
243 |                   <button
244 |                     onClick={rotateSessionToken}
245 |                     className="flex-1 py-2.5 px-3 bg-slate-100 hover:bg-slate-200 te
      xt-slate-800 rounded-xl font-semibold text-xs transition flex items-center justify-c
      enter gap-1.5"
246 |                   >
247 |                     <RotateCw className="w-3.5 h-3.5" />
248 |                     <span>Regenerate Code</span>
249 |                   </button>
250 |                   <button
251 |                     onClick={stopQrSession}
252 |                     className="py-2.5 px-4 bg-rose-600 hover:bg-rose-700 text-white
      rounded-xl font-semibold text-xs transition"
253 |                   >
254 |                     End Session
255 |                   </button>
256 |                 </div>
257 |               </div>
258 |             </div>
259 |           ) : (
260 |             /* Configure and Start Session Form */
261 |             <form onSubmit={handleStartNewSession} className="space-y-4">
262 |               <div className="p-4 bg-amber-50 border border-amber-200 rounded-xl tex
      t-xs text-amber-800 flex items-start gap-2.5">
263 |                 <AlertTriangle className="w-4 h-4 text-amber-600 flex-shrink-0 mt-0.
      5" />
264 |                 <span>
265 |                   No live lecture session is currently active. Select a course and s
      ubject to broadcast a new classroom QR code for students to scan.
266 |                 </span>
267 |               </div>
268 |
269 |               <div className="grid grid-cols-1 sm:grid-cols-2 gap-4">
270 |                 <div>
271 |                   <label className="block text-xs font-semibold text-slate-700 mb-1"
      >Select Course / Degree</label>
272 |                   <select
273 |                     value={selectedCourse}
274 |                     onChange={(e) => {
275 |                       setSelectedCourse(e.target.value);
276 |                       setSelectedSubject(subjectsMap[e.target.value][0].name);
277 |                     }}
278 |                     className="w-full px-3 py-2 bg-slate-50 border border-slate-300
```

```
      rounded-xl text-xs focus:ring-2 focus:ring-blue-500 focus:bg-white"
279 |                   >
280 |                     {courses.map(c => (
281 |                       <option key={c.id} value={c.name}>{c.name} ({c.semester})</opt
      ion>
282 |                     ))}
283 |                   </select>
284 |                 </div>
285 |
286 |                 <div>
287 |                   <label className="block text-xs font-semibold text-slate-700 mb-1"
      >Subject</label>
288 |                   <select
289 |                     value={selectedSubject}
290 |                     onChange={(e) => setSelectedSubject(e.target.value)}
291 |                     className="w-full px-3 py-2 bg-slate-50 border border-slate-300
      rounded-xl text-xs focus:ring-2 focus:ring-blue-500 focus:bg-white"
292 |                   >
293 |                     {subjectsMap[selectedCourse]?.map(s => (
294 |                       <option key={s.code} value={s.name}>{s.name}</option>
295 |                     ))}
296 |                   </select>
297 |                 </div>
298 |               </div>
299 |
300 |               <div>
301 |                 <label className="block text-xs font-semibold text-slate-700 mb-1">C
      lassroom / Lecture Hall</label>
302 |                 <input
303 |                   type="text"
304 |                   value={classroom}
305 |                   onChange={(e) => setClassroom(e.target.value)}
306 |                   className="w-full px-3 py-2 bg-slate-50 border border-slate-300 ro
      unded-xl text-xs focus:ring-2 focus:ring-blue-500 focus:bg-white"
307 |                   placeholder="e.g. Room 304 (Academic Block A)"
308 |                 />
309 |               </div>
310 |
311 |               <button
312 |                 type="submit"
313 |                 className="w-full py-3 bg-blue-600 hover:bg-blue-700 text-white font
      -bold text-xs rounded-xl shadow-md transition flex items-center justify-center gap-2
      "
314 |               >
315 |                 <QrCode className="w-4 h-4" />
316 |                 <span>Launch Classroom QR Attendance Broadcast</span>
317 |               </button>
318 |             </form>
319 |           )}
320 |         </div>
321 |
322 |         {/* Footer */}
323 |         <div className="px-6 py-3 bg-slate-50 border-t border-slate-200 flex items-c
      enter justify-between text-xs text-slate-500">
324 |           <span className="flex items-center gap-1.5">
325 |             <ShieldCheck className="w-4 h-4 text-emerald-600" />
326 |             <span>Anti-Proxy Protection: Only scans within "{wifiConfig.authorizedSS
      ID}" are recorded.</span>
327 |           </span>
328 |           <button
329 |             onClick={onClose}
330 |             className="px-3 py-1 bg-white hover:bg-slate-100 border border-slate-300
       rounded-lg font-medium text-slate-700 transition"
331 |           >
332 |             Close
333 |           </button>
334 |         </div>
335 |       </div>
336 |     </div>
337 |   );
338 | };
```

26. src/components/attendance/StudentQrScannerModal.jsx

Module: *Attendance* | ***Lines:*** *364* | ***Size:*** *16.1 KB — Student QR scanner with classroom Wi-Fi inspector & proxy blocker*

```
1 | import React, { useState } from 'react';
2 | import { useAttendance } from '../../context/AttendanceContext';
3 | import { useAuth } from '../../context/AuthContext';
```

```
import {
  QrCode,
  Wifi,
  WifiOff,
  Camera,
  CheckCircle2,
  AlertTriangle,
  X,
  ShieldCheck,
  ShieldAlert,
  Smartphone,
  Sparkles,
  ArrowRight,
  RotateCcw
} from 'lucide-react';

export const StudentQrScannerModal = ({ isOpen, onClose, onAttendanceMarked }) => {
  const {
    activeQrSession,
    wifiConfig,
    simulatedStudentWifi,
    setSimulatedStudentWifi,
    markAttendanceViaQr
  } = useAttendance();

  const { currentUser } = useAuth();

  const [scanState, setScanState] = useState('idle'); // 'idle', 'scanning', 'success', 'blocked'
  const [feedback, setFeedback] = useState(null);

  if (!isOpen) return null;

  const isWifiAuthorized =
    simulatedStudentWifi === wifiConfig.authorizedSSID ||
    simulatedStudentWifi === wifiConfig.backupSSID;

  const handleScanAction = () => {
    setScanState('scanning');

    setTimeout(() => {
      const studentId = currentUser?.studentId || 'ST2024-001';
      const studentName = currentUser?.name || 'Aarav Sharma';

      const result = markAttendanceViaQr({
        studentId,
        studentName,
        scannedToken: activeQrSession?.token,
        networkSSID: simulatedStudentWifi,
        device: 'Personal Mobile (Chrome / Android 14)'
      });

      if (result.success) {
        setScanState('success');
        setFeedback(result);
        if (onAttendanceMarked) onAttendanceMarked(result);
      } else {
        setScanState('blocked');
        setFeedback(result);
      }
    }, 1200);
  };

  const handleResetScanner = () => {
    setScanState('idle');
    setFeedback(null);
  };

  return (
    <div className="fixed inset-0 z-50 flex items-center justify-center p-4 bg-slate-950/80 backdrop-blur-md">
      <div className="bg-white rounded-3xl shadow-2xl border border-slate-200 w-full max-w-lg overflow-hidden flex flex-col transition-all">
        {/* Header */}
        <div className="px-6 py-4 bg-navy-950 text-white flex items-center justify-between border-b border-slate-800">
          <div className="flex items-center gap-3">
            <div className="w-10 h-10 rounded-xl bg-blue-600 flex items-center justify-center text-white shadow-md">
              <Camera className="w-5 h-5" />
            </div>
```

```
 80 |             <div>
 81 |               <h2 className="text-base font-bold text-white flex items-center gap-2"
    >
 82 |                 <span>Classroom QR Attendance Scanner</span>
 83 |               </h2>
 84 |               <p className="text-xs text-slate-400">
 85 |                 Sanjay Ghodawat University • Wi-Fi Validated Check-In
 86 |               </p>
 87 |             </div>
 88 |           </div>
 89 |           <button
 90 |             onClick={onClose}
 91 |             className="p-2 text-slate-400 hover:text-white rounded-lg hover:bg-slate
    -800 transition"
 92 |           >
 93 |             <X className="w-5 h-5" />
 94 |           </button>
 95 |         </div>
 96 |
 97 |         {/* Content Body */}
 98 |         <div className="p-6 space-y-5">
 99 |           {/* Wi-Fi Network Inspector Bar & Simulator */}
100 |           <div
101 |             className={`p-3.5 rounded-2xl border transition-all ${
102 |               isWifiAuthorized
103 |                 ? 'bg-emerald-50/80 border-emerald-200'
104 |                 : 'bg-rose-50/80 border-rose-200'
105 |             }`}
106 |           >
107 |             <div className="flex items-center justify-between mb-2">
108 |               <div className="flex items-center gap-2">
109 |                 {isWifiAuthorized ? (
110 |                   <div className="w-7 h-7 rounded-lg bg-emerald-600 text-white flex
    items-center justify-center">
111 |                     <Wifi className="w-4 h-4" />
112 |                   </div>
113 |                 ) : (
114 |                   <div className="w-7 h-7 rounded-lg bg-rose-600 text-white flex ite
    ms-center justify-center">
115 |                     <WifiOff className="w-4 h-4" />
116 |                   </div>
117 |                 )}
118 |                 <div>
119 |                   <span className="text-[11px] font-bold uppercase tracking-wider te
    xt-slate-500 block">
120 |                     Your Current Network:
121 |                   </span>
122 |                   <span className={`text-xs font-bold font-mono ${isWifiAuthorized ?
     'text-emerald-800' : 'text-rose-800'}`}>
123 |                     {simulatedStudentWifi}
124 |                   </span>
125 |                 </div>
126 |               </div>
127 |
128 |               <span
129 |                 className={`text-[10px] font-bold px-2 py-0.5 rounded-full border ${
130 |                   isWifiAuthorized
131 |                     ? 'bg-emerald-100 text-emerald-800 border-emerald-300'
132 |                     : 'bg-rose-100 text-rose-800 border-rose-300 animate-pulse'
133 |                 }`}
134 |               >
135 |                 {isWifiAuthorized ? 'CAMPUS WI-FI VERIFIED' : 'UNAUTHORIZED NETWORK'
    }
136 |               </span>
137 |             </div>
138 |
139 |             {/* Network Simulator Dropdown */}
140 |             <div className="pt-2 border-t border-slate-200/60 flex items-center just
    ify-between text-xs">
141 |               <span className="text-[11px] text-slate-600 font-medium">Simulate Netw
    ork:</span>
142 |               <select
143 |                 value={simulatedStudentWifi}
144 |                 onChange={(e) => {
145 |                   setSimulatedStudentWifi(e.target.value);
146 |                   handleResetScanner();
147 |                 }}
148 |                 className="text-xs bg-white border border-slate-300 rounded-lg px-2.
    5 py-1 font-semibold text-slate-800 focus:outline-none focus:ring-2 focus:ring-blue-
    500"
149 |               >
```

```
150 |                 <option value="SGU-Campus-WiFi-5G">■ SGU-Campus-WiFi-5G (Classroom A
      P)</option>
151 |                 <option value="SGU-Academic-Zone">■ SGU-Academic-Zone (Classroom Bac
      kup)</option>
152 |                 <option value="Jio-5G-Personal">■ Jio 5G / Mobile Hotspot (External)
      </option>
153 |                 <option value="Home-Broadband">■ Home Wi-Fi (Off Campus)</option>
154 |               </select>
155 |             </div>
156 |           </div>
157 |
158 |           {/* Viewfinder / Scanner State */}
159 |           {scanState === 'idle' && (
160 |             <div className="space-y-4">
161 |               {/* Camera Viewfinder Simulation */}
162 |               <div className="relative aspect-4/3 bg-slate-900 rounded-2xl overflow-
      hidden border-2 border-slate-800 shadow-inner flex flex-col items-center justify-cen
      ter p-6 text-center">
163 |                 {/* Viewfinder Target Framing Brackets */}
164 |                 <div className="absolute inset-8 pointer-events-none">
165 |                   {/* Top-Left Corner */}
166 |                   <div className="absolute top-0 left-0 w-8 h-8 border-t-2 border-l-
      2 border-blue-400"></div>
167 |                   {/* Top-Right Corner */}
168 |                   <div className="absolute top-0 right-0 w-8 h-8 border-t-2 border-r
      -2 border-blue-400"></div>
169 |                   {/* Bottom-Left Corner */}
170 |                   <div className="absolute bottom-0 left-0 w-8 h-8 border-b-2 border
      -l-2 border-blue-400"></div>
171 |                   {/* Bottom-Right Corner */}
172 |                   <div className="absolute bottom-0 right-0 w-8 h-8 border-b-2 borde
      r-r-2 border-blue-400"></div>
173 |                 </div>
174 |
175 |                 {/* Animated Laser Scanning Line */}
176 |                 <div className="absolute inset-x-8 top-1/2 -translate-y-1/2 h-0.5 bg
      -gradient-to-r from-transparent via-blue-400 to-transparent shadow-[0_0_8px_#3b82f6]
       animate-pulse"></div>
177 |
178 |                 {/* Center QR Target Guidance */}
179 |                 <div className="w-24 h-24 rounded-2xl border border-white/20 bg-whit
      e/5 flex items-center justify-center text-white/50 backdrop-blur-2xs mb-3">
180 |                   <QrCode className="w-12 h-12" />
181 |                 </div>
182 |
183 |                 <p className="text-xs text-slate-300 font-medium">
184 |                   Point camera at the classroom projector screen
185 |                 </p>
186 |
187 |                 {/* Live Detected Broadcast Pill */}
188 |                 {activeQrSession?.isActive ? (
189 |                   <div className="mt-3 px-3 py-1 bg-blue-900/60 border border-blue-7
      00/60 rounded-full text-[11px] text-blue-200">
190 |                     Detected: <strong className="text-white">{activeQrSession.subjec
      t}</strong> ({activeQrSession.classroom})
191 |                   </div>
192 |                 ) : (
193 |                   <div className="mt-3 px-3 py-1 bg-amber-900/60 border border-amber
      -700/60 rounded-full text-[11px] text-amber-200">
194 |                     No active lecture broadcast detected.
195 |                   </div>
196 |                 )}
197 |               </div>
198 |
199 |               {/* Action Button */}
200 |               <button
201 |                 type="button"
202 |                 onClick={handleScanAction}
203 |                 disabled={!activeQrSession?.isActive}
204 |                 className="w-full py-3.5 bg-blue-600 hover:bg-blue-700 text-white fo
      nt-bold text-sm rounded-xl shadow-md shadow-blue-600/20 transition flex items-center
       justify-center gap-2 disabled:opacity-50"
205 |               >
206 |                 <Camera className="w-4 h-4" />
207 |                 <span>Scan & Mark Attendance</span>
208 |               </button>
209 |
210 |               <div className="flex items-center justify-between text-[11px] text-sla
      te-500 px-1">
211 |                 <span className="flex items-center gap-1">
212 |                   <ShieldCheck className="w-3.5 h-3.5 text-blue-600" />
```

```
213 |                   Anti-Proxy Verification Active
214 |                 </span>
215 |                 <span>Gateway: {wifiConfig.gatewayIp}</span>
216 |               </div>
217 |             </div>
218 |           )}
219 |
220 |           {/* Scanning Animation State */}
221 |           {scanState === 'scanning' && (
222 |             <div className="py-12 flex flex-col items-center justify-center text-cen
    ter space-y-4">
223 |               <div className="relative w-16 h-16 flex items-center justify-center">
224 |                 <div className="absolute inset-0 rounded-full border-4 border-blue-2
    00 border-t-blue-600 animate-spin"></div>
225 |                 <QrCode className="w-8 h-8 text-blue-600" />
226 |               </div>
227 |               <div>
228 |                 <h4 className="text-sm font-bold text-slate-900">Verifying Classroom
     Credentials...</h4>
229 |                 <p className="text-xs text-slate-500 mt-1">
230 |                   Validating dynamic token with <strong>{simulatedStudentWifi}</stro
    ng>
231 |                 </p>
232 |               </div>
233 |             </div>
234 |           )}
235 |
236 |           {/* SUCCESS State: Attendance Verified */}
237 |           {scanState === 'success' && (
238 |             <div className="py-6 px-4 bg-emerald-50 border border-emerald-200 rounde
    d-2xl text-center space-y-4">
239 |               <div className="w-16 h-16 rounded-full bg-emerald-600 text-white flex
    items-center justify-center mx-auto shadow-lg shadow-emerald-600/30">
240 |                 <CheckCircle2 className="w-9 h-9" />
241 |               </div>
242 |
243 |               <div>
244 |                 <span className="inline-block px-3 py-1 bg-emerald-200/60 text-emera
    ld-900 rounded-full text-xs font-bold uppercase tracking-wider mb-2">
245 |                   Verified & Present
246 |                 </span>
247 |                 <h3 className="text-lg font-extrabold text-slate-900">
248 |                   Attendance Recorded Successfully!
249 |                 </h3>
250 |                 <p className="text-xs text-emerald-800 mt-1">
251 |                   {feedback?.message || 'Your classroom attendance has been register
    ed.'}
252 |                 </p>
253 |               </div>
254 |
255 |               {/* Verified Details Card */}
256 |               <div className="bg-white p-3.5 rounded-xl border border-emerald-200 te
    xt-left text-xs space-y-2">
257 |                 <div className="flex justify-between">
258 |                   <span className="text-slate-500">Student:</span>
259 |                   <span className="font-semibold text-slate-800">{currentUser?.name
    || 'Aarav Sharma'}</span>
260 |                 </div>
261 |                 <div className="flex justify-between">
262 |                   <span className="text-slate-500">Subject:</span>
263 |                   <span className="font-semibold text-slate-800">{activeQrSession?.s
    ubject}</span>
264 |                 </div>
265 |                 <div className="flex justify-between">
266 |                   <span className="text-slate-500">Classroom:</span>
267 |                   <span className="font-semibold text-slate-800">{activeQrSession?.c
    lassroom}</span>
268 |                 </div>
269 |                 <div className="flex justify-between">
270 |                   <span className="text-slate-500">Network Validated:</span>
271 |                   <span className="font-mono font-bold text-emerald-700">{simulatedS
    tudentWifi}</span>
272 |                 </div>
273 |                 <div className="flex justify-between">
274 |                   <span className="text-slate-500">Time:</span>
275 |                   <span className="font-mono text-slate-800">{feedback?.timestamp ||
     'Just now'}</span>
276 |                 </div>
277 |               </div>
278 |
279 |               <div className="pt-2 flex items-center gap-2">
```

```
280 |                 <button
281 |                   type="button"
282 |                   onClick={onClose}
283 |                   className="w-full py-2.5 bg-emerald-600 hover:bg-emerald-700 text-
      white font-bold text-xs rounded-xl shadow-md transition"
284 |                 >
285 |                   Done
286 |                 </button>
287 |               </div>
288 |             </div>
289 |           )}
290 |
291 |           {/* BLOCKED State: Proxy Attempt Detected */}
292 |           {scanState === 'blocked' && (
293 |             <div className="py-6 px-4 bg-rose-50 border border-rose-200 rounded-2xl
      text-center space-y-4">
294 |               <div className="w-16 h-16 rounded-full bg-rose-600 text-white flex ite
      ms-center justify-center mx-auto shadow-lg shadow-rose-600/30">
295 |                 <ShieldAlert className="w-9 h-9" />
296 |               </div>
297 |
298 |               <div>
299 |                 <span className="inline-block px-3 py-1 bg-rose-200/80 text-rose-900
       rounded-full text-xs font-bold uppercase tracking-wider mb-2">
300 |                   Proxy Security Triggered
301 |                 </span>
302 |                 <h3 className="text-lg font-extrabold text-slate-900">
303 |                   Attendance Rejected!
304 |                 </h3>
305 |                 <p className="text-xs text-rose-700 mt-1 max-w-sm mx-auto">
306 |                   {feedback?.message}
307 |                 </p>
308 |               </div>
309 |
310 |               <div className="bg-white p-3.5 rounded-xl border border-rose-200 text-
      left text-xs space-y-2">
311 |                 <div className="flex justify-between">
312 |                   <span className="text-slate-500">Detected Network:</span>
313 |                   <span className="font-mono font-bold text-rose-600">{simulatedStud
      entWifi}</span>
314 |                 </div>
315 |                 <div className="flex justify-between">
316 |                   <span className="text-slate-500">Required Network:</span>
317 |                   <span className="font-mono font-bold text-blue-600">{wifiConfig.au
      thorizedSSID}</span>
318 |                 </div>
319 |                 <div className="flex justify-between">
320 |                   <span className="text-slate-500">Audit Status:</span>
321 |                   <span className="font-semibold text-rose-700">Violation Logged in
      Admin Center</span>
322 |                 </div>
323 |               </div>
324 |
325 |               <div className="pt-2 flex items-center gap-2">
326 |                 <button
327 |                   type="button"
328 |                   onClick={() => {
329 |                     setSimulatedStudentWifi(wifiConfig.authorizedSSID);
330 |                     handleResetScanner();
331 |                   }}
332 |                   className="flex-1 py-2.5 bg-blue-600 hover:bg-blue-700 text-white
      font-bold text-xs rounded-xl shadow-md transition flex items-center justify-center g
      ap-1"
333 |                 >
334 |                   <Wifi className="w-3.5 h-3.5" />
335 |                   <span>Connect to SGU Wi-Fi & Retry</span>
336 |                 </button>
337 |                 <button
338 |                   type="button"
339 |                   onClick={handleResetScanner}
340 |                   className="py-2.5 px-3 bg-white hover:bg-slate-100 border border-s
      late-300 text-slate-700 font-semibold text-xs rounded-xl transition"
341 |                 >
342 |                   <RotateCcw className="w-3.5 h-3.5" />
343 |                 </button>
344 |               </div>
345 |             </div>
346 |           )}
347 |         </div>
348 |
349 |         {/* Footer */}
```

```
350 |         <div className="px-6 py-3 bg-slate-50 border-t border-slate-200 flex items-c
      enter justify-between text-xs text-slate-500">
351 |           <span className="text-[11px]">
352 |             Sanjay Ghodawat University • Automated Proxy Prevention
353 |           </span>
354 |           <button
355 |             onClick={onClose}
356 |             className="text-slate-600 hover:text-slate-900 font-medium"
357 |           >
358 |             Close
359 |           </button>
360 |         </div>
361 |       </div>
362 |     </div>
363 |   );
364 | };
```

SECTION: PAGES: PUBLIC

27. src/pages/public/LandingPage.jsx

Module: *Pages: Public* | ***Lines:*** *396* | ***Size:*** *20.3 KB — SGU public landing page with features & quick access*

```
  1 | import React from 'react';
  2 | import { Link, useNavigate } from 'react-router-dom';
  3 | import { useAuth } from '../../context/AuthContext';
  4 | import { useComplaints } from '../../context/ComplaintContext';
  5 | import { CategoryIcon } from '../../components/common/CategoryIcon';
  6 | import {
  7 |   ArrowRight,
  8 |   ShieldCheck,
  9 |   Zap,
 10 |   Clock,
 11 |   CheckCircle2,
 12 |   Lock,
 13 |   Smartphone,
 14 |   BarChart,
 15 |   UserCheck,
 16 |   AlertTriangle,
 17 |   GraduationCap,
 18 |   Briefcase,
 19 |   Shield
 20 | } from 'lucide-react';
 21 |
 22 | export const LandingPage = () => {
 23 |   const { quickLogin } = useAuth();
 24 |   const { categories, complaints } = useComplaints();
 25 |   const navigate = useNavigate();
 26 |
 27 |   const handleRoleQuickLogin = (role) => {
 28 |     quickLogin(role);
 29 |     if (role === 'student') navigate('/student');
 30 |     if (role === 'staff') navigate('/staff');
 31 |     if (role === 'admin') navigate('/admin');
 32 |   };
 33 |
 34 |   const totalResolved = complaints.filter(c => c.status === 'Resolved').length;
 35 |   const totalUrgent = complaints.filter(c => c.priority === 'Urgent').length;
 36 |
 37 |   return (
 38 |     <div className="space-y-20 pb-16">
 39 |       {/* 1. Hero Section */}
 40 |       <section className="relative overflow-hidden bg-gradient-to-b from-blue-50/70
      via-slate-50 to-white pt-16 pb-20 border-b border-slate-200">
 41 |         <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
 42 |           <div className="text-center max-w-3xl mx-auto">
 43 |             {/* Pill Banner */}
 44 |             <div className="inline-flex items-center gap-2 px-3 py-1 rounded-full bg
      -blue-100 text-blue-800 text-xs font-semibold mb-6 shadow-2xs">
 45 |               <span className="w-2 h-2 rounded-full bg-blue-600 animate-pulse"></spa
      n>
 46 |               Sanjay Ghodawat University • Integrated Campus Portal
 47 |             </div>
 48 |
 49 |             {/* Main Headline */}
 50 |             <h1 className="text-4xl sm:text-5xl lg:text-6xl font-extrabold text-slat
```

```
e-900 tracking-tight leading-tight sm:leading-none">
51 |               Your Campus. <span className="text-blue-600">Your Voice.</span> Our Re
sponsibility.
52 |             </h1>
53 |
54 |             {/* Short Description */}
55 |             <p className="mt-6 text-base sm:text-lg text-slate-600 leading-relaxed m
ax-w-2xl mx-auto">
56 |               The official centralized platform for Sanjay Ghodawat University to st
reamline student grievances, track SLA resolution across 10 departments, and monitor
 academic attendance compliance.
57 |             </p>
58 |
59 |             {/* Action Buttons */}
60 |             <div className="mt-8 flex flex-wrap items-center justify-center gap-3 sm
:gap-4">
61 |               <Link
62 |                 to="/student/submit"
63 |                 className="px-6 py-3.5 bg-blue-600 hover:bg-blue-700 text-white font
-semibold text-sm rounded-xl shadow-md shadow-blue-600/20 flex items-center gap-2 tr
ansition"
64 |               >
65 |                 <span>Submit Grievance</span>
66 |                 <ArrowRight className="w-4 h-4" />
67 |               </Link>
68 |               <Link
69 |                 to="/login?tab=student"
70 |                 className="px-5 py-3.5 bg-white hover:bg-slate-50 text-slate-800 fon
t-semibold text-sm rounded-xl border border-slate-300 shadow-2xs flex items-center g
ap-2 transition"
71 |               >
72 |                 <GraduationCap className="w-4 h-4 text-blue-600" />
73 |                 <span>Student Portal</span>
74 |               </Link>
75 |               <Link
76 |                 to="/login?tab=staff"
77 |                 className="px-5 py-3.5 bg-white hover:bg-slate-50 text-slate-800 fon
t-semibold text-sm rounded-xl border border-slate-300 shadow-2xs flex items-center g
ap-2 transition"
78 |               >
79 |                 <Briefcase className="w-4 h-4 text-purple-600" />
80 |                 <span>Staff Portal</span>
81 |               </Link>
82 |               <Link
83 |                 to="/login?tab=admin"
84 |                 className="px-5 py-3.5 bg-navy-900 hover:bg-slate-800 text-white fon
t-semibold text-sm rounded-xl shadow-2xs flex items-center gap-2 transition"
85 |               >
86 |                 <Shield className="w-4 h-4 text-rose-400" />
87 |                 <span>Admin Console</span>
88 |               </Link>
89 |             </div>
90 |
91 |             {/* Institutional Security Notice */}
92 |             <div className="mt-6 p-3 bg-slate-100 border border-slate-200 rounded-xl
 text-xs text-slate-700 inline-flex items-center gap-2">
93 |               <ShieldCheck className="w-4 h-4 text-blue-600 flex-shrink-0" />
94 |               <span>
95 |                 <strong>SGU Authorized Access:</strong> Secure Single Sign-On (SSO)
enabled for students, faculty, and administrative staff.
96 |               </span>
97 |             </div>
98 |           </div>
99 |
100 |          {/* Quick Metrics Strip */}
101 |          <div className="mt-14 grid grid-cols-2 lg:grid-cols-4 gap-4 max-w-4xl mx-a
uto">
102 |            <div className="bg-white p-4 rounded-xl border border-slate-200 text-cen
ter shadow-xs">
103 |              <span className="block text-3xl font-extrabold text-blue-600">22+</spa
n>
104 |              <span className="text-xs text-slate-500 font-medium">Logged Campus Gri
evances</span>
105 |            </div>
106 |            <div className="bg-white p-4 rounded-xl border border-slate-200 text-cen
ter shadow-xs">
107 |              <span className="block text-3xl font-extrabold text-emerald-600">{tota
lResolved}</span>
108 |              <span className="text-xs text-slate-500 font-medium">Resolved Complain
ts</span>
109 |            </div>
```

```
110 |             <div className="bg-white p-4 rounded-xl border border-slate-200 text-cen
      ter shadow-xs">
111 |               <span className="block text-3xl font-extrabold text-slate-900">10</spa
      n>
112 |               <span className="text-xs text-slate-500 font-medium">Campus Department
      s</span>
113 |             </div>
114 |             <div className="bg-white p-4 rounded-xl border border-slate-200 text-cen
      ter shadow-xs">
115 |               <span className="block text-3xl font-extrabold text-purple-600">&lt; 2
      4h</span>
116 |               <span className="text-xs text-slate-500 font-medium">Target Avg SLA</s
      pan>
117 |             </div>
118 |           </div>
119 |         </div>
120 |       </section>
121 |
122 |       {/* 2. How It Works Section */}
123 |       <section className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
124 |         <div className="text-center max-w-2xl mx-auto mb-12">
125 |           <h2 className="text-xs font-bold uppercase tracking-wider text-blue-600 mb
      -2">
126 |             Seamless Workflow
127 |           </h2>
128 |           <h3 className="text-3xl font-bold text-slate-900">
129 |             How The Resolution System Operates
130 |           </h3>
131 |           <p className="mt-2 text-sm text-slate-600">
132 |             From complaint submission to final resolution, every step is transparent
      , accountable, and digitized.
133 |           </p>
134 |         </div>
135 |
136 |         <div className="grid grid-cols-1 md:grid-cols-4 gap-6">
137 |           <div className="bg-white rounded-2xl p-6 border border-slate-200 shadow-xs
       relative">
138 |             <div className="w-10 h-10 rounded-xl bg-blue-100 text-blue-600 font-bold
       flex items-center justify-center mb-4 text-base">
139 |               1
140 |             </div>
141 |             <h4 className="text-base font-bold text-slate-900 mb-2">Student Reports<
      /h4>
142 |             <p className="text-xs text-slate-600 leading-relaxed">
143 |               Student chooses category, uploads photo evidence, selects priority, an
      d receives an instant unique tracking ID.
144 |             </p>
145 |           </div>
146 |
147 |           <div className="bg-white rounded-2xl p-6 border border-slate-200 shadow-xs
       relative">
148 |             <div className="w-10 h-10 rounded-xl bg-purple-100 text-purple-600 font-
      bold flex items-center justify-center mb-4 text-base">
149 |               2
150 |             </div>
151 |             <h4 className="text-base font-bold text-slate-900 mb-2">Auto Routing</h4
      >
152 |             <p className="text-xs text-slate-600 leading-relaxed">
153 |               The ticket is automatically assigned to the respective department head
       and scheduled within its SLA target hours.
154 |             </p>
155 |           </div>
156 |
157 |           <div className="bg-white rounded-2xl p-6 border border-slate-200 shadow-xs
       relative">
158 |             <div className="w-10 h-10 rounded-xl bg-orange-100 text-orange-600 font-
      bold flex items-center justify-center mb-4 text-base">
159 |               3
160 |             </div>
161 |             <h4 className="text-base font-bold text-slate-900 mb-2">Staff Investigat
      es</h4>
162 |             <p className="text-xs text-slate-600 leading-relaxed">
163 |               Maintenance engineer inspects, adds progress remarks, updates the life
      cycle status, and uploads resolution sign-off.
164 |             </p>
165 |           </div>
166 |
167 |           <div className="bg-white rounded-2xl p-6 border border-slate-200 shadow-xs
       relative">
168 |             <div className="w-10 h-10 rounded-xl bg-emerald-100 text-emerald-600 fon
      t-bold flex items-center justify-center mb-4 text-base">
```

```
169 |              4
170 |            </div>
171 |            <h4 className="text-base font-bold text-slate-900 mb-2">Verified & Close
    d</h4>
172 |            <p className="text-xs text-slate-600 leading-relaxed">
173 |              Student gets instant notification. If satisfied, ticket closes; if iss
    ue persists, student can reopen with one click.
174 |            </p>
175 |          </div>
176 |        </div>
177 |      </section>
178 |
179 |      {/* 3. Complaint Categories Section (All 10 required categories) */}
180 |      <section className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
181 |        <div className="text-center max-w-2xl mx-auto mb-12">
182 |          <h2 className="text-xs font-bold uppercase tracking-wider text-blue-600 mb
    -2">
183 |            Coverage Spectrum
184 |          </h2>
185 |          <h3 className="text-3xl font-bold text-slate-900">
186 |            10 Dedicated Campus Issue Categories
187 |          </h3>
188 |          <p className="mt-2 text-sm text-slate-600">
189 |            Each category is pre-configured with strict SLA turnaround deadlines and
     mapped directly to campus departments.
190 |          </p>
191 |        </div>
192 |
193 |        <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-5 gap-4">
194 |          {categories.map(cat => (
195 |            <div
196 |              key={cat.id}
197 |              className="bg-white rounded-2xl p-5 border border-slate-200 hover:bord
    er-blue-400 hover:shadow-md transition-all duration-200 flex flex-col justify-betwee
    n group"
198 |            >
199 |              <div>
200 |                <div className="w-11 h-11 rounded-xl bg-blue-50 text-blue-600 flex i
    tems-center justify-center mb-3 group-hover:scale-110 group-hover:bg-blue-600 group-
    hover:text-white transition">
201 |                  <CategoryIcon iconName={cat.iconName} categoryName={cat.name} clas
    sName="w-5 h-5" />
202 |                </div>
203 |                <h4 className="text-sm font-bold text-slate-900 group-hover:text-blu
    e-600 transition">
204 |                  {cat.name}
205 |                </h4>
206 |                <p className="text-[11px] text-slate-500 mt-1 line-clamp-2 leading-r
    elaxed">
207 |                  {cat.description}
208 |                </p>
209 |              </div>
210 |
211 |              <div className="mt-4 pt-3 border-t border-slate-100 flex items-center
    justify-between text-[11px]">
212 |                <span className="text-slate-400 font-medium truncate max-w-[100px]">
    {cat.department}</span>
213 |                <span className="px-1.5 py-0.5 rounded bg-blue-50 text-blue-700 font
    -semibold">
214 |                  {cat.slaHours}h SLA
215 |                </span>
216 |              </div>
217 |            </div>
218 |          ))}
219 |        </div>
220 |      </section>
221 |
222 |      {/* 4. Key Platform Features Section */}
223 |      <section className="bg-slate-900 text-white py-16 -mx-4 sm:-mx-6 lg:-mx-8 px-4
     sm:px-6 lg:px-8">
224 |        <div className="max-w-7xl mx-auto">
225 |          <div className="text-center max-w-2xl mx-auto mb-12">
226 |            <h2 className="text-xs font-bold uppercase tracking-wider text-blue-400
    mb-2">
227 |              Next-Gen Architecture
228 |            </h2>
229 |            <h3 className="text-3xl font-bold text-white">
230 |              Purpose-Built for College Governance
231 |            </h3>
232 |            <p className="mt-2 text-sm text-slate-400">
233 |              Modern digital infrastructure replacing slow registers and manual sign
```

```
atures.
234 |             </p>
235 |           </div>
236 |
237 |           <div className="grid grid-cols-1 md:grid-cols-3 gap-8">
238 |             <div className="p-6 rounded-2xl bg-slate-800/60 border border-slate-700"
    >
239 |               <div className="w-12 h-12 rounded-xl bg-blue-600/20 text-blue-400 flex
     items-center justify-center mb-4">
240 |                 <Clock className="w-6 h-6" />
241 |               </div>
242 |               <h4 className="text-lg font-bold mb-2">Real-Time Tracking & Stepper</h
    4>
243 |               <p className="text-xs text-slate-300 leading-relaxed">
244 |                 Students track exactly what stage their request is in: Submitted, Un
    der Review, In Progress, or Resolved, with timestamps.
245 |               </p>
246 |             </div>
247 |
248 |             <div className="p-6 rounded-2xl bg-slate-800/60 border border-slate-700"
    >
249 |               <div className="w-12 h-12 rounded-xl bg-purple-600/20 text-purple-400
    flex items-center justify-center mb-4">
250 |                 <Lock className="w-6 h-6" />
251 |               </div>
252 |               <h4 className="text-lg font-bold mb-2">Confidential Whistleblower Togg
    le</h4>
253 |               <p className="text-xs text-slate-300 leading-relaxed">
254 |                 Students can report sensitive mess, ragging, or hostel issues anonym
    ously while still monitoring progress with their tracking code.
255 |               </p>
256 |             </div>
257 |
258 |             <div className="p-6 rounded-2xl bg-slate-800/60 border border-slate-700"
    >
259 |               <div className="w-12 h-12 rounded-xl bg-rose-600/20 text-rose-400 flex
     items-center justify-center mb-4">
260 |                 <AlertTriangle className="w-6 h-6" />
261 |               </div>
262 |               <h4 className="text-lg font-bold mb-2">Auto Escalation & SLA Triggers<
    /h4>
263 |               <p className="text-xs text-slate-300 leading-relaxed">
264 |                 Complaints that exceed department resolution SLA deadlines trigger e
    scalation notifications directly to the College Dean.
265 |               </p>
266 |             </div>
267 |
268 |             <div className="p-6 rounded-2xl bg-slate-800/60 border border-slate-700"
    >
269 |               <div className="w-12 h-12 rounded-xl bg-emerald-600/20 text-emerald-40
    0 flex items-center justify-center mb-4">
270 |                 <Smartphone className="w-6 h-6" />
271 |               </div>
272 |               <h4 className="text-lg font-bold mb-2">Photo Evidence Verification</h4
    >
273 |               <p className="text-xs text-slate-300 leading-relaxed">
274 |                 Attach images directly during submission to help technicians diagnos
    e equipment breakdowns before visiting on-site.
275 |               </p>
276 |             </div>
277 |
278 |             <div className="p-6 rounded-2xl bg-slate-800/60 border border-slate-700"
    >
279 |               <div className="w-12 h-12 rounded-xl bg-amber-600/20 text-amber-400 fl
    ex items-center justify-center mb-4">
280 |                 <UserCheck className="w-6 h-6" />
281 |               </div>
282 |               <h4 className="text-lg font-bold mb-2">Student Reopen Protection</h4>
283 |               <p className="text-xs text-slate-300 leading-relaxed">
284 |                 If an issue returns after being marked as resolved, students can reo
    pen it with a persistence reason, ensuring quality accountability.
285 |               </p>
286 |             </div>
287 |
288 |             <div className="p-6 rounded-2xl bg-slate-800/60 border border-slate-700"
    >
289 |               <div className="w-12 h-12 rounded-xl bg-blue-600/20 text-blue-400 flex
     items-center justify-center mb-4">
290 |                 <BarChart className="w-6 h-6" />
291 |               </div>
292 |               <h4 className="text-lg font-bold mb-2">Executive Analytics & Reports</
```

```
      h4>
293 |               <p className="text-xs text-slate-300 leading-relaxed">
294 |                 Interactive charts for Deans and HoDs breaking down monthly volume,
      category hotspots, priority loads, and department throughput.
295 |               </p>
296 |             </div>
297 |           </div>
298 |         </div>
299 |       </section>
300 |
301 |       {/* 5. Benefits Comparison */}
302 |       <section className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
303 |         <div className="text-center max-w-2xl mx-auto mb-12">
304 |           <h2 className="text-xs font-bold uppercase tracking-wider text-blue-600 mb
      -2">
305 |             Why Transition?
306 |           </h2>
307 |           <h3 className="text-3xl font-bold text-slate-900">
308 |             Benefits for Students & Campus Administration
309 |           </h3>
310 |         </div>
311 |
312 |         <div className="grid grid-cols-1 md:grid-cols-2 gap-8">
313 |           <div className="bg-white rounded-2xl p-8 border border-slate-200 shadow-xs
      ">
314 |             <div className="flex items-center gap-3 mb-6">
315 |               <div className="w-10 h-10 rounded-xl bg-blue-100 text-blue-700 flex it
      ems-center justify-center font-bold">
316 |                 <GraduationCap className="w-6 h-6" />
317 |               </div>
318 |               <h4 className="text-xl font-bold text-slate-900">For Degree College St
      udents</h4>
319 |             </div>
320 |             <ul className="space-y-4 text-xs sm:text-sm text-slate-600">
321 |               <li className="flex items-start gap-3">
322 |                 <CheckCircle2 className="w-5 h-5 text-emerald-500 flex-shrink-0 mt-0
      .5" />
323 |                 <span>Zero need to locate physical department staff or stand in pape
      r queues.</span>
324 |               </li>
325 |               <li className="flex items-start gap-3">
326 |                 <CheckCircle2 className="w-5 h-5 text-emerald-500 flex-shrink-0 mt-0
      .5" />
327 |                 <span>24/7 digital complaint lodging from anywhere inside or outside
       campus.</span>
328 |               </li>
329 |               <li className="flex items-start gap-3">
330 |                 <CheckCircle2 className="w-5 h-5 text-emerald-500 flex-shrink-0 mt-0
      .5" />
331 |                 <span>Live in-app notifications as soon as a technician updates rema
      rks.</span>
332 |               </li>
333 |               <li className="flex items-start gap-3">
334 |                 <CheckCircle2 className="w-5 h-5 text-emerald-500 flex-shrink-0 mt-0
      .5" />
335 |                 <span>Guaranteed audit trail so issues cannot be swept under the rug
      .</span>
336 |               </li>
337 |             </ul>
338 |           </div>
339 |
340 |           <div className="bg-white rounded-2xl p-8 border border-slate-200 shadow-xs
      ">
341 |             <div className="flex items-center gap-3 mb-6">
342 |               <div className="w-10 h-10 rounded-xl bg-purple-100 text-purple-700 fle
      x items-center justify-center font-bold">
343 |                 <Shield className="w-6 h-6" />
344 |               </div>
345 |               <h4 className="text-xl font-bold text-slate-900">For College Administr
      ation & HoDs</h4>
346 |             </div>
347 |             <ul className="space-y-4 text-xs sm:text-sm text-slate-600">
348 |               <li className="flex items-start gap-3">
349 |                 <CheckCircle2 className="w-5 h-5 text-emerald-500 flex-shrink-0 mt-0
      .5" />
350 |                 <span>Elimination of lost paper letters, duplicate complaints, and u
      nassigned tasks.</span>
351 |               </li>
352 |               <li className="flex items-start gap-3">
353 |                 <CheckCircle2 className="w-5 h-5 text-emerald-500 flex-shrink-0 mt-0
      .5" />
```

```
354 |                 <span>Transparent staff workload tracking and SLA turnaround benchma
      rks.</span>
355 |               </li>
356 |               <li className="flex items-start gap-3">
357 |                 <CheckCircle2 className="w-5 h-5 text-emerald-500 flex-shrink-0 mt-0
      .5" />
358 |                 <span>Objective data for NAAC / UGC accreditation and infrastructure
       budgeting.</span>
359 |               </li>
360 |               <li className="flex items-start gap-3">
361 |                 <CheckCircle2 className="w-5 h-5 text-emerald-500 flex-shrink-0 mt-0
      .5" />
362 |                 <span>Automatic escalation alerts that prevent student dissatisfacti
      on and campus strikes.</span>
363 |               </li>
364 |             </ul>
365 |           </div>
366 |         </div>
367 |       </section>
368 |
369 |       {/* 6. Bottom Banner CTA */}
370 |       <section className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
371 |         <div className="rounded-3xl bg-gradient-to-r from-blue-700 to-indigo-800 p-8
       sm:p-12 text-white text-center shadow-xl relative overflow-hidden">
372 |           <h3 className="text-2xl sm:text-4xl font-extrabold mb-4">
373 |             Ready to experience frictionless campus issue resolution?
374 |           </h3>
375 |           <p className="text-blue-100 text-sm sm:text-base max-w-xl mx-auto mb-8 lea
      ding-relaxed">
376 |             Submit your first issue or test the system with our one-click simulated
      student, staff, and admin accounts.
377 |           </p>
378 |           <div className="flex flex-wrap items-center justify-center gap-4">
379 |             <Link
380 |               to="/student/submit"
381 |               className="px-6 py-3 bg-white text-blue-700 font-bold text-sm rounded-
      xl hover:bg-blue-50 shadow-md transition"
382 |             >
383 |               Submit a Campus Issue
384 |             </Link>
385 |             <Link
386 |               to="/login"
387 |               className="px-6 py-3 bg-blue-900/60 hover:bg-blue-900 text-white borde
      r border-blue-400 font-bold text-sm rounded-xl transition"
388 |             >
389 |               Browse Demo Accounts
390 |             </Link>
391 |           </div>
392 |         </div>
393 |       </section>
394 |     </div>
395 |   );
396 | };
```

28. src/pages/public/AboutPage.jsx

Module: *Pages: Public* | ***Lines:*** *121* | ***Size:*** *6.0 KB — Institutional grievance cell details & university overview*

```
 1 | import React from 'react';
 2 | import { Link } from 'react-router-dom';
 3 | import {
 4 |   ShieldCheck,
 5 |   Award,
 6 |   Users,
 7 |   Target,
 8 |   FileCheck,
 9 |   CheckCircle2,
10 |   Clock,
11 |   ArrowRight
12 | } from 'lucide-react';
13 |
14 | export const AboutPage = () => {
15 |   return (
16 |     <div className="py-12 space-y-16 max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
17 |       {/* Hero Header */}
18 |       <div className="text-center max-w-3xl mx-auto">
19 |         <span className="text-xs font-bold uppercase tracking-wider text-blue-600 bg
      -blue-50 px-3 py-1 rounded-full">
20 |           Institutional Vision & Mandate
```

```
21 |         </span>
22 |         <h1 className="mt-4 text-3xl sm:text-4xl font-extrabold text-slate-900 track
   ing-tight">
23 |           Modernizing College Grievance Governance
24 |         </h1>
25 |         <p className="mt-4 text-base text-slate-600 leading-relaxed">
26 |           The Smart Campus Issue Resolution System is a campus-wide initiative desig
   ned to replace fragmented manual paper registers with an automated, trackable, and s
   tudent-first service resolution platform.
27 |         </p>
28 |       </div>
29 |
30 |       {/* 3 Pillars */}
31 |       <div className="grid grid-cols-1 md:grid-cols-3 gap-8">
32 |         <div className="bg-white p-8 rounded-2xl border border-slate-200 shadow-xs">
33 |           <div className="w-12 h-12 rounded-xl bg-blue-50 text-blue-600 flex items-c
   enter justify-center mb-6">
34 |             <Target className="w-6 h-6" />
35 |           </div>
36 |           <h3 className="text-lg font-bold text-slate-900 mb-2">Our Mission</h3>
37 |           <p className="text-xs sm:text-sm text-slate-600 leading-relaxed">
38 |             To ensure zero student concern goes unattended. By digitizing complaints
    across academic and non-academic domains, every degree college department is held a
   ccountable to strict time-bound SLAs.
39 |           </p>
40 |         </div>
41 |
42 |         <div className="bg-white p-8 rounded-2xl border border-slate-200 shadow-xs">
43 |           <div className="w-12 h-12 rounded-xl bg-purple-50 text-purple-600 flex ite
   ms-center justify-center mb-6">
44 |             <ShieldCheck className="w-6 h-6" />
45 |           </div>
46 |           <h3 className="text-lg font-bold text-slate-900 mb-2">Privacy & Equity</h3
   >
47 |           <p className="text-xs sm:text-sm text-slate-600 leading-relaxed">
48 |             Ensuring a safe and unbiased campus climate. Students can report delicat
   e hostel or canteen issues anonymously without fear of reprimand, backed by end-to-e
   nd encrypted tracking keys.
49 |           </p>
50 |         </div>
51 |
52 |         <div className="bg-white p-8 rounded-2xl border border-slate-200 shadow-xs">
53 |           <div className="w-12 h-12 rounded-xl bg-emerald-50 text-emerald-600 flex i
   tems-center justify-center mb-6">
54 |             <Award className="w-6 h-6" />
55 |           </div>
56 |           <h3 className="text-lg font-bold text-slate-900 mb-2">NAAC & UGC Complianc
   e</h3>
57 |           <p className="text-xs sm:text-sm text-slate-600 leading-relaxed">
58 |             Complies with statutory University Grants Commission (UGC) Student Griev
   ance Redressal Regulations and provides verifiable digital audit trails required for
    NAAC Criterion V ratings.
59 |           </p>
60 |         </div>
61 |       </div>
62 |
63 |       {/* Comparative Analysis */}
64 |       <div className="bg-white rounded-2xl border border-slate-200 p-8 shadow-xs">
65 |         <h3 className="text-xl font-bold text-slate-900 mb-6 text-center">
66 |           Traditional Paper Letters vs. Smart Campus Digital Resolution
67 |         </h3>
68 |
69 |         <div className="overflow-x-auto">
70 |           <table className="w-full text-xs sm:text-sm text-left">
71 |             <thead>
72 |               <tr className="border-b border-slate-200 bg-slate-50 text-slate-700 fo
   nt-semibold">
73 |                 <th className="p-3">Evaluation Parameter</th>
74 |                 <th className="p-3 text-rose-700">Traditional Physical System</th>
75 |                 <th className="p-3 text-blue-700">Smart Campus Resolution System</th
   >
76 |               </tr>
77 |             </thead>
78 |             <tbody className="divide-y divide-slate-100 text-slate-600">
79 |               <tr>
80 |                 <td className="p-3 font-semibold text-slate-800">Lodging Speed</td>
81 |                 <td className="p-3">Requires finding physical staff office during ho
   urs</td>
82 |                 <td className="p-3 font-medium text-emerald-700">Instant submission
   24/7 with photo upload</td>
83 |               </tr>
```

```
              <tr>
                <td className="p-3 font-semibold text-slate-800">Status Tracking</td
>
                <td className="p-3">Zero visibility; students have to visit offices
repeatedly</td>
                <td className="p-3 font-medium text-emerald-700">Live 4-stage tracki
ng stepper with timestamped remarks</td>
              </tr>
              <tr>
                <td className="p-3 font-semibold text-slate-800">Escalation Mechanis
m</td>
                <td className="p-3">Letters often misplaced; no automatic alerts</td
>
                <td className="p-3 font-medium text-emerald-700">Automatic escalatio
n to Dean when SLA expires</td>
              </tr>
              <tr>
                <td className="p-3 font-semibold text-slate-800">Accountability</td>
                <td className="p-3">No centralized performance records</td>
                <td className="p-3 font-medium text-emerald-700">Complete HoD metric
s and staff resolution analytics</td>
              </tr>
              <tr>
                <td className="p-3 font-semibold text-slate-800">Post-Resolution Aud
it</td>
                <td className="p-3">Closed without student confirmation</td>
                <td className="p-3 font-medium text-emerald-700">Student can reopen
ticket if problem persists</td>
              </tr>
            </tbody>
          </table>
        </div>
      </div>

      {/* Bottom CTA */}
      <div className="text-center pt-4">
        <Link
          to="/login?tab=student"
          className="inline-flex items-center gap-2 px-6 py-3 bg-blue-600 text-white
 rounded-xl font-semibold text-sm hover:bg-blue-700 shadow-md transition"
        >
          <span>Experience the System Today</span>
          <ArrowRight className="w-4 h-4" />
        </Link>
      </div>
    </div>
  );
};
```

29. src/pages/public/HowItWorksPage.jsx

Module: *Pages: Public* | ***Lines:*** *142* | ***Size:*** *6.4 KB — End-to-end 4-step issue resolution explanation*

```
import React from 'react';
import { Link } from 'react-router-dom';
import {
  FileText,
  Search,
  Wrench,
  CheckCircle2,
  AlertOctagon,
  RotateCcw,
  Camera,
  Bell,
  Clock,
  ArrowRight
} from 'lucide-react';
import { StatusBadge } from '../../components/common/StatusBadge';

export const HowItWorksPage = () => {
  const lifecycle = [
    {
      step: '01',
      title: 'Complaint Lodging & Tracking ID Generation',
      status: 'Submitted',
      description: 'The student selects one of 10 campus categories (Academics, Host
el, Electrical, Sanitation, etc.), adds description, specifies urgency priority, and
 optionally attaches photo evidence.',
      highlight: 'An immutable unique tracking ID (e.g. CMP-2024-8192) is generated
```

```
     instantaneously and saved to LocalStorage.'
25 |     },
26 |     {
27 |       step: '02',
28 |       title: 'Department Mapping & Triage',
29 |       status: 'Under Review',
30 |       description: 'The system automatically routes the issue to the respective depa
     rtmental supervisor (e.g. Electrical Maintenance or Hostel Warden). The supervisor c
     hecks severity and assigns a field technician.',
31 |       highlight: 'SLA target timer activates based on category standards (e.g. 12h f
     or Sanitation, 24h for Electrical).'
32 |     },
33 |     {
34 |       step: '03',
35 |       title: 'Maintenance Execution & Live Updates',
36 |       status: 'In Progress',
37 |       description: 'Staff inspects equipment on-site, logs technician remarks (e.g.
     parts replaced, contractor ordered), and records detailed progress notes visible in
     the student audit trail.',
38 |       highlight: 'Real-time in-app notification triggers on the student’s portal whe
     never remarks are updated.'
39 |     },
40 |     {
41 |       step: '04',
42 |       title: 'Resolution Sign-off & Student Verification',
43 |       status: 'Resolved',
44 |       description: 'Once repaired, the staff marks the complaint as Resolved with co
     mplete resolution notes. The student dashboard displays a celebratory resolution ban
     ner and verification sign-off.',
45 |       highlight: 'If the issue persists, the student can hit "Reopen Complaint" with
      a persistence remark.'
46 |     }
47 |   ];
48 |
49 |   return (
50 |     <div className="py-12 space-y-16 max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
51 |       {/* Header */}
52 |       <div className="text-center max-w-3xl mx-auto">
53 |         <span className="text-xs font-bold uppercase tracking-wider text-blue-600 bg
     -blue-50 px-3 py-1 rounded-full">
54 |           Lifecycle Blueprint
55 |         </span>
56 |         <h1 className="mt-4 text-3xl sm:text-4xl font-extrabold text-slate-900 track
     ing-tight">
57 |           How Complaints Flow Through the System
58 |         </h1>
59 |         <p className="mt-4 text-base text-slate-600 leading-relaxed">
60 |           A fully transparent 4-stage workflow designed with automated SLA tracking,
      role segregation, and student feedback validation.
61 |         </p>
62 |       </div>
63 |
64 |       {/* Workflow Stepper Details */}
65 |       <div className="space-y-8">
66 |         {lifecycle.map((item, idx) => (
67 |           <div
68 |             key={item.step}
69 |             className="bg-white rounded-2xl border border-slate-200 p-6 sm:p-8 shado
     w-xs flex flex-col md:flex-row items-start md:items-center justify-between gap-6 hov
     er:border-blue-300 transition"
70 |           >
71 |             <div className="flex items-start gap-5 flex-1">
72 |               <span className="text-3xl font-extrabold text-blue-600/30 font-mono">
73 |                 {item.step}
74 |               </span>
75 |               <div>
76 |                 <div className="flex items-center gap-3 mb-2">
77 |                   <h3 className="text-lg font-bold text-slate-900">{item.title}</h3>
78 |                   <StatusBadge status={item.status} size="sm" />
79 |                 </div>
80 |                 <p className="text-xs sm:text-sm text-slate-600 leading-relaxed mb-3
     ">
81 |                   {item.description}
82 |                 </p>
83 |                 <div className="p-3 bg-slate-50 border border-slate-200 rounded-xl t
     ext-xs text-slate-700 font-medium">
84 |                   ■ <span className="text-slate-900 font-semibold">Key Feature:</spa
     n> {item.highlight}
85 |                 </div>
86 |               </div>
87 |             </div>
```

```
          </div>
        ))}
      </div>

      {/* Edge Case States (Rejected, Escalated, Reopened) */}
      <div className="bg-slate-50 rounded-2xl border border-slate-200 p-8">
        <h3 className="text-lg font-bold text-slate-900 mb-6">
          Handling Exceptions & Complex Lifecycles
        </h3>
        <div className="grid grid-cols-1 md:grid-cols-3 gap-6">
          <div className="bg-white p-5 rounded-xl border border-slate-200 shadow-xs"
>
            <div className="flex items-center gap-2 mb-2">
              <StatusBadge status="Rejected" size="sm" />
              <h4 className="text-xs font-bold text-slate-900">Rejected With Reason<
/h4>
            </div>
            <p className="text-xs text-slate-600 leading-relaxed">
              If an issue falls outside college jurisdiction or violates hostel rule
s, staff must provide a mandatory written justification before rejecting.
            </p>
          </div>

          <div className="bg-white p-5 rounded-xl border border-slate-200 shadow-xs"
>
            <div className="flex items-center gap-2 mb-2">
              <StatusBadge status="Escalated" size="sm" />
              <h4 className="text-xs font-bold text-slate-900">Dean Escalation</h4>
            </div>
            <p className="text-xs text-slate-600 leading-relaxed">
              If a complaint exceeds its statutory SLA deadline without resolution,
it triggers automatic escalation to the Dean of Student Welfare.
            </p>
          </div>

          <div className="bg-white p-5 rounded-xl border border-slate-200 shadow-xs"
>
            <div className="flex items-center gap-2 mb-2">
              <StatusBadge status="Reopened" size="sm" />
              <h4 className="text-xs font-bold text-slate-900">Student Reopen Guaran
tee</h4>
            </div>
            <p className="text-xs text-slate-600 leading-relaxed">
              If a repair fails within 7 days, the student can reopen the ticket wit
h a single tap, returning it to the department queue with high urgency.
            </p>
          </div>
        </div>
      </div>

      {/* CTA */}
      <div className="text-center pt-4">
        <Link
          to="/student/submit"
          className="inline-flex items-center gap-2 px-6 py-3 bg-blue-600 text-white
 rounded-xl font-semibold text-sm hover:bg-blue-700 shadow-md transition"
        >
          <span>Try Submitting a Test Complaint</span>
          <ArrowRight className="w-4 h-4" />
        </Link>
      </div>
    </div>
  );
};
```

30. src/pages/public/ContactPage.jsx

Module: *Pages: Public* | ***Lines:*** *231* | ***Size:*** *10.4 KB — Campus support contacts, emergency desk & SGU address*

```
import React, { useState } from 'react';
import { useComplaints } from '../../context/ComplaintContext';
import {
  Phone,
  Mail,
  MapPin,
  Clock,
  Send,
  Building2,
  ShieldAlert,
```

```
11 |   CheckCircle2
12 | } from 'lucide-react';
13 |
14 | export const ContactPage = () => {
15 |   const { departments, showToast } = useComplaints();
16 |   const [formData, setFormData] = useState({
17 |     name: '',
18 |     email: '',
19 |     department: 'Hostel Administration',
20 |     subject: '',
21 |     message: ''
22 |   });
23 |   const [submitted, setSubmitted] = useState(false);
24 |
25 |   const handleSubmit = (e) => {
26 |     e.preventDefault();
27 |     setSubmitted(true);
28 |     showToast('Your inquiry has been routed to the campus administration helpdesk!',
     'success');
29 |   };
30 |
31 |   return (
32 |     <div className="py-12 space-y-16 max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
33 |       {/* Header */}
34 |       <div className="text-center max-w-3xl mx-auto">
35 |         <span className="text-xs font-bold uppercase tracking-wider text-blue-600 bg
   -blue-50 px-3 py-1 rounded-full">
36 |           Support & Escalations
37 |         </span>
38 |         <h1 className="mt-4 text-3xl sm:text-4xl font-extrabold text-slate-900 track
   ing-tight">
39 |           Campus Helpdesk & Directory
40 |         </h1>
41 |         <p className="mt-4 text-base text-slate-600 leading-relaxed">
42 |           Need immediate physical support or have an administrative inquiry? Connect
     with the central grievance desk or contact specific department officers.
43 |         </p>
44 |       </div>
45 |
46 |       {/* Emergency Strip */}
47 |       <div className="bg-rose-50 border border-rose-200 rounded-2xl p-6 flex flex-co
   l sm:flex-row items-center justify-between gap-4">
48 |         <div className="flex items-center gap-3">
49 |           <div className="w-10 h-10 rounded-xl bg-rose-100 text-rose-600 flex items-
   center justify-center flex-shrink-0">
50 |             <ShieldAlert className="w-6 h-6" />
51 |           </div>
52 |           <div>
53 |             <h3 className="text-sm font-bold text-rose-900">24/7 Campus Emergency Me
   dical & Safety Hotline</h3>
54 |             <p className="text-xs text-rose-700">For urgent medical distress, electr
   ical fire hazards, or security threats.</p>
55 |           </div>
56 |         </div>
57 |         <a
58 |           href="tel:+911800200999"
59 |           className="px-5 py-2.5 bg-rose-600 hover:bg-rose-700 text-white rounded-xl
     text-xs font-bold transition shadow-xs whitespace-nowrap"
60 |         >
61 |           Call 1800-200-CAMPUS
62 |         </a>
63 |       </div>
64 |
65 |       <div className="grid grid-cols-1 lg:grid-cols-3 gap-8">
66 |         {/* Left Column: Campus Information */}
67 |         <div className="space-y-6 lg:col-span-1">
68 |           <div className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs
     space-y-5">
69 |             <h3 className="text-base font-bold text-slate-900">Administrative Office
   </h3>
70 |
71 |             <div className="flex items-start gap-3 text-xs text-slate-600">
72 |               <MapPin className="w-4 h-4 text-blue-600 flex-shrink-0 mt-0.5" />
73 |               <div>
74 |                 <p className="font-semibold text-slate-900">Dean of Student Welfare
   Complex</p>
75 |                 <p>Ground Floor, Main Senate Building</p>
76 |                 <p>Knowledge Park Avenue, College Main Campus</p>
77 |               </div>
78 |             </div>
79 |
```

```
 80 |             <div className="flex items-start gap-3 text-xs text-slate-600">
 81 |               <Clock className="w-4 h-4 text-blue-600 flex-shrink-0 mt-0.5" />
 82 |               <div>
 83 |                 <p className="font-semibold text-slate-900">Operating Hours</p>
 84 |                 <p>Monday – Friday: 9:00 AM – 5:30 PM</p>
 85 |                 <p>Saturday: 9:00 AM – 1:30 PM</p>
 86 |               </div>
 87 |             </div>
 88 |
 89 |             <div className="flex items-start gap-3 text-xs text-slate-600">
 90 |               <Mail className="w-4 h-4 text-blue-600 flex-shrink-0 mt-0.5" />
 91 |               <div>
 92 |                 <p className="font-semibold text-slate-900">Email Inquiries</p>
 93 |                 <p>grievances@smartcampus.edu</p>
 94 |                 <p>dean.welfare@smartcampus.edu</p>
 95 |               </div>
 96 |             </div>
 97 |           </div>
 98 |
 99 |           <div className="bg-blue-50 border border-blue-200 rounded-2xl p-6">
100 |             <h4 className="text-sm font-bold text-blue-900 mb-2">Student Council Gri
    evance Cell</h4>
101 |             <p className="text-xs text-blue-800 leading-relaxed">
102 |               Students can also seek peer assistance from the elected Student Welfar
    e Committee before submitting formal departmental appeals.
103 |             </p>
104 |           </div>
105 |         </div>
106 |
107 |         {/* Right Column: Interactive General Contact Form */}
108 |         <div className="lg:col-span-2 bg-white rounded-2xl border border-slate-200 p
    -6 sm:p-8 shadow-xs">
109 |           <h3 className="text-lg font-bold text-slate-900 mb-1">Send an Administrati
    ve Inquiry</h3>
110 |           <p className="text-xs text-slate-500 mb-6">
111 |             Submit a non-complaint inquiry directly to the respective department hea
    d.
112 |           </p>
113 |
114 |           {submitted ? (
115 |             <div className="p-8 text-center bg-emerald-50 border border-emerald-200
    rounded-2xl space-y-3">
116 |               <CheckCircle2 className="w-12 h-12 text-emerald-600 mx-auto" />
117 |               <h4 className="text-base font-bold text-emerald-900">Inquiry Received<
    /h4>
118 |               <p className="text-xs text-emerald-700 max-w-md mx-auto">
119 |                 Thank you for contacting the Campus Administration. A response will
    be dispatched to your college email within 1 business day.
120 |               </p>
121 |               <button
122 |                 onClick={() => setSubmitted(false)}
123 |                 className="mt-3 text-xs font-semibold text-emerald-800 underline"
124 |               >
125 |                 Send another message
126 |               </button>
127 |             </div>
128 |           ) : (
129 |             <form onSubmit={handleSubmit} className="space-y-4">
130 |               <div className="grid grid-cols-1 sm:grid-cols-2 gap-4">
131 |                 <div>
132 |                   <label className="block text-xs font-semibold text-slate-700 upper
    case mb-1">
133 |                     Your Full Name
134 |                   </label>
135 |                   <input
136 |                     type="text"
137 |                     required
138 |                     value={formData.name}
139 |                     onChange={e => setFormData({ ...formData, name: e.target.value }
    )}
140 |                     placeholder="e.g. Aarav Sharma"
141 |                     className="w-full px-3 py-2 bg-slate-50 border border-slate-200
    rounded-xl text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
142 |                   />
143 |                 </div>
144 |                 <div>
145 |                   <label className="block text-xs font-semibold text-slate-700 upper
    case mb-1">
146 |                     College Email Address
147 |                   </label>
148 |                   <input
```

```
149 |                     type="email"
150 |                     required
151 |                     value={formData.email}
152 |                     onChange={e => setFormData({ ...formData, email: e.target.value
    })}
153 |                     placeholder="student@smartcampus.edu"
154 |                     className="w-full px-3 py-2 bg-slate-50 border border-slate-200
    rounded-xl text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
155 |                   />
156 |                 </div>
157 |               </div>
158 |
159 |               <div className="grid grid-cols-1 sm:grid-cols-2 gap-4">
160 |                 <div>
161 |                   <label className="block text-xs font-semibold text-slate-700 upper
    case mb-1">
162 |                     Target Department
163 |                   </label>
164 |                   <select
165 |                     value={formData.department}
166 |                     onChange={e => setFormData({ ...formData, department: e.target.v
    alue })}
167 |                     className="w-full px-3 py-2 bg-slate-50 border border-slate-200
    rounded-xl text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
168 |                   >
169 |                     {departments.map(dept => (
170 |                       <option key={dept.id} value={dept.name}>{dept.name}</option>
171 |                     ))}
172 |                   </select>
173 |                 </div>
174 |                 <div>
175 |                   <label className="block text-xs font-semibold text-slate-700 upper
    case mb-1">
176 |                     Subject / Topic
177 |                   </label>
178 |                   <input
179 |                     type="text"
180 |                     required
181 |                     value={formData.subject}
182 |                     onChange={e => setFormData({ ...formData, subject: e.target.valu
    e })}
183 |                     placeholder="e.g. Bus pass renewal inquiry"
184 |                     className="w-full px-3 py-2 bg-slate-50 border border-slate-200
    rounded-xl text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
185 |                   />
186 |                 </div>
187 |               </div>
188 |
189 |               <div>
190 |                 <label className="block text-xs font-semibold text-slate-700 upperca
    se mb-1">
191 |                   Message Description
192 |                 </label>
193 |                 <textarea
194 |                   rows={4}
195 |                   required
196 |                   value={formData.message}
197 |                   onChange={e => setFormData({ ...formData, message: e.target.value
    })}
198 |                   placeholder="Detail your inquiry or feedback..."
199 |                   className="w-full px-3 py-2 bg-slate-50 border border-slate-200 ro
    unded-xl text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
200 |                 ></textarea>
201 |               </div>
202 |
203 |               <button
204 |                 type="submit"
205 |                 className="px-6 py-2.5 bg-blue-600 hover:bg-blue-700 text-white roun
    ded-xl text-xs sm:text-sm font-semibold flex items-center gap-2 transition shadow-xs
    "
206 |               >
207 |                 <Send className="w-4 h-4" />
208 |                 <span>Submit Inquiry</span>
209 |               </button>
210 |             </form>
211 |           )}
212 |         </div>
213 |       </div>
214 |
215 |       {/* Department Officers Roster */}
216 |       <div className="bg-white rounded-2xl border border-slate-200 p-6 sm:p-8 shadow
```

```
      -xs">
217 |         <h3 className="text-base font-bold text-slate-900 mb-4">Department Officers
      & Extension Roster</h3>
218 |         <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-3 gap-4">
219 |           {departments.map(dept => (
220 |             <div key={dept.id} className="p-3.5 bg-slate-50 rounded-xl border border
      -slate-200 text-xs space-y-1">
221 |               <p className="font-bold text-slate-900">{dept.name}</p>
222 |               <p className="text-slate-600">Officer: <span className="font-medium te
      xt-slate-800">{dept.head}</span></p>
223 |               <p className="text-slate-500 font-mono text-[11px]">{dept.email}</p>
224 |               <p className="text-slate-500 font-mono text-[11px]">{dept.phone}</p>
225 |             </div>
226 |           ))}
227 |         </div>
228 |       </div>
229 |     </div>
230 |   );
231 | };
```

31. src/pages/public/LoginPage.jsx

Module: *Pages: Public* | ***Lines:*** *255* | ***Size:*** *10.4 KB — SGU Single Sign-On (SSO) login with credential helper*

```
  1 | import React, { useState, useEffect } from 'react';
  2 | import { useNavigate, useSearchParams, Link } from 'react-router-dom';
  3 | import { useAuth } from '../../context/AuthContext';
  4 | import {
  5 |   GraduationCap,
  6 |   Briefcase,
  7 |   Shield,
  8 |   KeyRound,
  9 |   User,
 10 |   ArrowRight,
 11 |   AlertCircle,
 12 |   CheckCircle2,
 13 |   Sparkles,
 14 |   Info
 15 | } from 'lucide-react';
 16 |
 17 | export const LoginPage = () => {
 18 |   const [searchParams] = useSearchParams();
 19 |   const initialTab = searchParams.get('tab') || 'student';
 20 |   const [activeRole, setActiveRole] = useState(initialTab);
 21 |
 22 |   const [username, setUsername] = useState('student01');
 23 |   const [password, setPassword] = useState('student123');
 24 |   const [error, setError] = useState('');
 25 |   const [isLoading, setIsLoading] = useState(false);
 26 |
 27 |   const { login, quickLogin } = useAuth();
 28 |   const navigate = useNavigate();
 29 |
 30 |   // Set default credentials whenever active role changes
 31 |   useEffect(() => {
 32 |     setError('');
 33 |     if (activeRole === 'student') {
 34 |       setUsername('student01');
 35 |       setPassword('student123');
 36 |     } else if (activeRole === 'staff') {
 37 |       setUsername('staff01');
 38 |       setPassword('staff123');
 39 |     } else if (activeRole === 'admin') {
 40 |       setUsername('admin');
 41 |       setPassword('admin123');
 42 |     }
 43 |   }, [activeRole]);
 44 |
 45 |   const handleSubmit = (e) => {
 46 |     e.preventDefault();
 47 |     setError('');
 48 |     setIsLoading(true);
 49 |
 50 |     setTimeout(() => {
 51 |       const result = login(username, password);
 52 |       setIsLoading(false);
 53 |       if (result.success) {
 54 |         if (result.user.role === 'student') navigate('/student');
 55 |         else if (result.user.role === 'staff') navigate('/staff');
```

```
        else if (result.user.role === 'admin') navigate('/admin');
      } else {
        setError(result.message);
      }
    }, 300);
  };

  const handleInstantLogin = (role) => {
    quickLogin(role);
    if (role === 'student') navigate('/student');
    else if (role === 'staff') navigate('/staff');
    else if (role === 'admin') navigate('/admin');
  };

  return (
    <div className="min-h-[85vh] flex items-center justify-center px-4 py-12 sm:px-6 lg:px-8">
      <div className="max-w-md w-full space-y-8">
        {/* Header */}
        <div className="text-center">
          <div className="w-14 h-14 rounded-2xl bg-blue-600 text-white flex items-center justify-center mx-auto shadow-md">
            <GraduationCap className="w-8 h-8" />
          </div>
          <h2 className="mt-4 text-2xl sm:text-3xl font-extrabold text-slate-900 tracking-tight">
            Sanjay Ghodawat University
          </h2>
          <p className="mt-1.5 text-xs sm:text-sm text-slate-500">
            Digital Grievance Redressal & Attendance Management System
          </p>
        </div>

        {/* Role Tab Selector */}
        <div className="bg-slate-200/80 p-1 rounded-xl flex items-center">
          <button
            type="button"
            onClick={() => setActiveRole('student')}
            className={`flex-1 py-2 text-xs font-semibold rounded-lg flex items-center justify-center gap-1.5 transition ${
              activeRole === 'student'
                ? 'bg-white text-blue-700 shadow-xs'
                : 'text-slate-600 hover:text-slate-900'
            }`}
          >
            <GraduationCap className="w-3.5 h-3.5" />
            <span>Student</span>
          </button>
          <button
            type="button"
            onClick={() => setActiveRole('staff')}
            className={`flex-1 py-2 text-xs font-semibold rounded-lg flex items-center justify-center gap-1.5 transition ${
              activeRole === 'staff'
                ? 'bg-white text-purple-700 shadow-xs'
                : 'text-slate-600 hover:text-slate-900'
            }`}
          >
            <Briefcase className="w-3.5 h-3.5" />
            <span>Staff</span>
          </button>
          <button
            type="button"
            onClick={() => setActiveRole('admin')}
            className={`flex-1 py-2 text-xs font-semibold rounded-lg flex items-center justify-center gap-1.5 transition ${
              activeRole === 'admin'
                ? 'bg-white text-slate-900 shadow-xs'
                : 'text-slate-600 hover:text-slate-900'
            }`}
          >
            <Shield className="w-3.5 h-3.5" />
            <span>Admin</span>
          </button>
        </div>

        {/* Login Card */}
        <div className="bg-white rounded-2xl border border-slate-200 shadow-md p-6 sm:p-8 space-y-6">
          {/* Error Message */}
          {error && (
```

```
130 |             <div className="p-3.5 bg-rose-50 border border-rose-200 rounded-xl text-
      rose-700 text-xs flex items-center gap-2">
131 |               <AlertCircle className="w-4 h-4 flex-shrink-0 text-rose-500" />
132 |               <span>{error}</span>
133 |             </div>
134 |           )}
135 |
136 |           <form onSubmit={handleSubmit} className="space-y-4">
137 |             <div>
138 |               <label className="block text-xs font-semibold uppercase tracking-wider
       text-slate-700 mb-1">
139 |                 {activeRole === 'student' ? 'Student ID or Username' : 'Username or
      Employee ID'}
140 |               </label>
141 |               <div className="relative">
142 |                 <div className="absolute inset-y-0 left-0 pl-3 flex items-center poi
      nter-events-none text-slate-400">
143 |                   <User className="w-4 h-4" />
144 |                 </div>
145 |                 <input
146 |                   type="text"
147 |                   required
148 |                   value={username}
149 |                   onChange={(e) => setUsername(e.target.value)}
150 |                   className="w-full pl-9 pr-3 py-2.5 bg-slate-50 border border-slate
      -200 rounded-xl text-xs sm:text-sm text-slate-900 focus:outline-none focus:ring-2 fo
      cus:ring-blue-500 focus:bg-white transition"
151 |                   placeholder="Enter username"
152 |                 />
153 |               </div>
154 |             </div>
155 |
156 |             <div>
157 |               <label className="block text-xs font-semibold uppercase tracking-wider
       text-slate-700 mb-1">
158 |                 Password
159 |               </label>
160 |               <div className="relative">
161 |                 <div className="absolute inset-y-0 left-0 pl-3 flex items-center poi
      nter-events-none text-slate-400">
162 |                   <KeyRound className="w-4 h-4" />
163 |                 </div>
164 |                 <input
165 |                   type="password"
166 |                   required
167 |                   value={password}
168 |                   onChange={(e) => setPassword(e.target.value)}
169 |                   className="w-full pl-9 pr-3 py-2.5 bg-slate-50 border border-slate
      -200 rounded-xl text-xs sm:text-sm text-slate-900 focus:outline-none focus:ring-2 fo
      cus:ring-blue-500 focus:bg-white transition"
170 |                   placeholder="Enter password"
171 |                 />
172 |               </div>
173 |             </div>
174 |
175 |             <button
176 |               type="submit"
177 |               disabled={isLoading}
178 |               className="w-full py-3 px-4 bg-blue-600 hover:bg-blue-700 text-white f
      ont-semibold text-xs sm:text-sm rounded-xl shadow-md shadow-blue-600/20 flex items-c
      enter justify-center gap-2 transition disabled:opacity-50"
179 |             >
180 |               <span>{isLoading ? 'Verifying...' : `Sign in as ${activeRole}`}</span>
181 |               <ArrowRight className="w-4 h-4" />
182 |             </button>
183 |           </form>
184 |
185 |           {/* Quick Institutional Account Selector for Demonstration / Testing */}
186 |           <div className="pt-4 border-t border-slate-100">
187 |             <details className="group">
188 |               <summary className="flex items-center justify-between text-xs font-sem
      ibold text-slate-500 cursor-pointer hover:text-slate-800 transition list-none">
189 |                 <span className="flex items-center gap-1.5">
190 |                   <Sparkles className="w-3.5 h-3.5 text-blue-600" />
191 |                   <span>Demonstration & Evaluation Accounts</span>
192 |                 </span>
193 |                 <span className="text-[10px] text-blue-600 bg-blue-50 px-2 py-0.5 ro
      unded-full font-medium">
194 |                   Click to fill
195 |                 </span>
196 |               </summary>
```

```
197 |
198 |               <div className="mt-3 space-y-3">
199 |                 <div className="grid grid-cols-3 gap-2">
200 |                   <button
201 |                     type="button"
202 |                     onClick={() => handleInstantLogin('student')}
203 |                     className="p-2.5 bg-blue-50 hover:bg-blue-100 border border-blue
      -200 rounded-xl text-center text-[11px] font-semibold text-blue-800 transition"
204 |                   >
205 |                     <GraduationCap className="w-4 h-4 mx-auto mb-1 text-blue-600" />
206 |                     <span>Student Login</span>
207 |                   </button>
208 |
209 |                   <button
210 |                     type="button"
211 |                     onClick={() => handleInstantLogin('staff')}
212 |                     className="p-2.5 bg-purple-50 hover:bg-purple-100 border border-
      purple-200 rounded-xl text-center text-[11px] font-semibold text-purple-800 transiti
      on"
213 |                   >
214 |                     <Briefcase className="w-4 h-4 mx-auto mb-1 text-purple-600" />
215 |                     <span>Staff Login</span>
216 |                   </button>
217 |
218 |                   <button
219 |                     type="button"
220 |                     onClick={() => handleInstantLogin('admin')}
221 |                     className="p-2.5 bg-slate-100 hover:bg-slate-200 border border-s
      late-300 rounded-xl text-center text-[11px] font-semibold text-slate-800 transition"
222 |                   >
223 |                     <Shield className="w-4 h-4 mx-auto mb-1 text-slate-700" />
224 |                     <span>Admin Login</span>
225 |                   </button>
226 |                 </div>
227 |
228 |                 <div className="p-2.5 bg-slate-50 border border-slate-200 rounded-lg
       text-[11px] font-mono text-slate-500 space-y-0.5">
229 |                   <div className="flex justify-between">
230 |                     <span>Student: student01</span>
231 |                     <span className="text-slate-400">Pass: student123</span>
232 |                   </div>
233 |                   <div className="flex justify-between">
234 |                     <span>Staff: staff01</span>
235 |                     <span className="text-slate-400">Pass: staff123</span>
236 |                   </div>
237 |                   <div className="flex justify-between">
238 |                     <span>Admin: admin</span>
239 |                     <span className="text-slate-400">Pass: admin123</span>
240 |                   </div>
241 |                 </div>
242 |               </div>
243 |             </details>
244 |           </div>
245 |         </div>
246 |
247 |         <div className="text-center text-xs text-slate-500">
248 |           <Link to="/" className="text-blue-600 hover:text-blue-800 font-medium">
249 |             ← Return to Campus Home
250 |           </Link>
251 |         </div>
252 |       </div>
253 |     </div>
254 |   );
255 | };
```

SECTION: PAGES: STUDENT

32. src/pages/student/StudentDashboard.jsx

Module: *Pages: Student* | ***Lines:*** *235* | ***Size:*** *9.7 KB — Student workbench: quick stats, recent complaints & actions*

```
1 | import React, { useState } from 'react';
2 | import { Link, useNavigate } from 'react-router-dom';
3 | import { useAuth } from '../../context/AuthContext';
4 | import { useComplaints } from '../../context/ComplaintContext';
5 | import { StatCard } from '../../components/common/StatCard';
```

```
import { StatusBadge } from '../../components/common/StatusBadge';
import { PriorityBadge } from '../../components/common/PriorityBadge';
import { CategoryIcon } from '../../components/common/CategoryIcon';
import { formatDate, timeAgo } from '../../utils/helpers';
import {
  PlusCircle,
  FileText,
  Clock,
  Cog,
  CheckCircle2,
  Search,
  ArrowRight,
  AlertTriangle,
  Sparkles,
  ExternalLink
} from 'lucide-react';

export const StudentDashboard = () => {
  const { currentUser } = useAuth();
  const { complaints } = useComplaints();
  const [searchTrackingId, setSearchTrackingId] = useState('');
  const [searchError, setSearchError] = useState('');
  const navigate = useNavigate();

  // Filter complaints submitted by current student
  const studentComplaints = complaints.filter(c => c.studentId === currentUser?.studentId);

  // Statistics
  const total = studentComplaints.length;
  const pending = studentComplaints.filter(c => c.status === 'Submitted' || c.status === 'Under Review').length;
  const inProgress = studentComplaints.filter(c => c.status === 'In Progress' || c.status === 'Escalated' || c.status === 'Reopened').length;
  const resolved = studentComplaints.filter(c => c.status === 'Resolved').length;

  const handleQuickTrack = (e) => {
    e.preventDefault();
    const query = searchTrackingId.trim().toUpperCase();
    if (!query) return;

    const found = complaints.find(c => c.trackingId.toUpperCase() === query);
    if (found) {
      navigate(`/student/complaints/${found.id}`);
    } else {
      setSearchError(`No complaint found with ID "${query}". Please check the number.`);
    }
  };

  const recentComplaints = [...studentComplaints].sort(
    (a, b) => new Date(b.submissionDate) - new Date(a.submissionDate)
  ).slice(0, 5);

  return (
    <div className="space-y-8">
      {/* Welcome Banner */}
      <div className="bg-gradient-to-r from-blue-700 via-blue-800 to-indigo-900 rounded-2xl p-6 sm:p-8 text-white shadow-md flex flex-col md:flex-row items-start md:items-center justify-between gap-6">
        <div>
          <div className="inline-flex items-center gap-2 px-2.5 py-0.5 rounded-full bg-blue-500/30 text-blue-100 text-xs font-semibold mb-2">
            <span>Student Portal</span>
            <span>•</span>
            <span>{currentUser?.studentId}</span>
          </div>
          <h1 className="text-2xl sm:text-3xl font-extrabold tracking-tight">
            Welcome back, {currentUser?.name}!
          </h1>
          <p className="mt-1 text-xs sm:text-sm text-blue-100 max-w-xl">
            {currentUser?.course} • {currentUser?.hostelBlock} • Room {currentUser?.roomNo}
          </p>
        </div>

        <Link
          to="/student/submit"
          className="px-5 py-3 bg-white text-blue-700 hover:bg-blue-50 font-bold text-xs sm:text-sm rounded-xl shadow-md flex items-center gap-2 transition whitespace-nowrap"
```

```
 77 |         >
 78 |           <PlusCircle className="w-4 h-4" />
 79 |           <span>Lodge New Complaint</span>
 80 |         </Link>
 81 |       </div>
 82 |
 83 |       {/* Quick Tracking Search Bar */}
 84 |       <div className="bg-white rounded-xl border border-slate-200 p-4 shadow-xs">
 85 |         <form onSubmit={handleQuickTrack} className="flex flex-col sm:flex-row items
    -center gap-3">
 86 |           <div className="relative flex-1 w-full">
 87 |             <Search className="w-4 h-4 text-slate-400 absolute left-3 top-3" />
 88 |             <input
 89 |               type="text"
 90 |               value={searchTrackingId}
 91 |               onChange={(e) => {
 92 |                 setSearchTrackingId(e.target.value);
 93 |                 setSearchError('');
 94 |               }}
 95 |               placeholder="Track complaint by ID (e.g. CMP-2024-8192)..."
 96 |               className="w-full pl-9 pr-3 py-2 bg-slate-50 border border-slate-200 r
    ounded-lg text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500 fon
    t-mono uppercase"
 97 |             />
 98 |           </div>
 99 |           <button
100 |             type="submit"
101 |             className="w-full sm:w-auto px-5 py-2 bg-slate-900 hover:bg-slate-800 te
    xt-white rounded-lg text-xs font-semibold transition"
102 |           >
103 |             Track Status
104 |           </button>
105 |         </form>
106 |         {searchError && (
107 |           <p className="text-xs text-rose-600 mt-2 pl-1 font-medium">{searchError}</
    p>
108 |         )}
109 |       </div>
110 |
111 |       {/* 4 Required Statistics Cards */}
112 |       <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-4">
113 |         <StatCard
114 |           title="Total Complaints"
115 |           value={total}
116 |           icon={FileText}
117 |           color="blue"
118 |           subtext="Lifetime submitted"
119 |         />
120 |         <StatCard
121 |           title="Pending Review"
122 |           value={pending}
123 |           icon={Clock}
124 |           color="purple"
125 |           subtext="Awaiting staff action"
126 |         />
127 |         <StatCard
128 |           title="In Progress"
129 |           value={inProgress}
130 |           icon={Cog}
131 |           color="orange"
132 |           subtext="Being investigated"
133 |         />
134 |         <StatCard
135 |           title="Resolved"
136 |           value={resolved}
137 |           icon={CheckCircle2}
138 |           color="emerald"
139 |           subtext="Issues closed successfully"
140 |         />
141 |       </div>
142 |
143 |       {/* Recent Complaints Table */}
144 |       <div className="bg-white rounded-2xl border border-slate-200 shadow-xs overflo
    w-hidden">
145 |         <div className="px-6 py-4 border-b border-slate-200 flex items-center justif
    y-between">
146 |           <div>
147 |             <h3 className="text-base font-bold text-slate-900">My Recent Complaints<
    /h3>
148 |             <p className="text-xs text-slate-500">Track and monitor status of issues
     lodged by your account</p>
```

```
149 |           </div>
150 |           <Link
151 |             to="/student/complaints"
152 |             className="text-xs font-semibold text-blue-600 hover:text-blue-800 flex
      items-center gap-1"
153 |           >
154 |             <span>View All ({studentComplaints.length})</span>
155 |             <ArrowRight className="w-3.5 h-3.5" />
156 |           </Link>
157 |         </div>
158 |
159 |         {recentComplaints.length === 0 ? (
160 |           <div className="p-12 text-center">
161 |             <div className="w-12 h-12 rounded-full bg-slate-100 text-slate-400 flex
      items-center justify-center mx-auto mb-3">
162 |               <FileText className="w-6 h-6" />
163 |             </div>
164 |             <h4 className="text-sm font-bold text-slate-800 mb-1">No Complaints Subm
      itted Yet</h4>
165 |             <p className="text-xs text-slate-500 max-w-sm mx-auto mb-4">
166 |               Everything in your campus facilities seems to be running smoothly! If
      you encounter any issue, submit it here.
167 |             </p>
168 |             <Link
169 |               to="/student/submit"
170 |               className="inline-flex items-center gap-2 px-4 py-2 bg-blue-600 text-w
      hite rounded-xl text-xs font-semibold hover:bg-blue-700"
171 |             >
172 |               <PlusCircle className="w-4 h-4" />
173 |               <span>Submit First Complaint</span>
174 |             </Link>
175 |           </div>
176 |         ) : (
177 |           <div className="overflow-x-auto">
178 |             <table className="w-full text-left text-xs">
179 |               <thead className="bg-slate-50 text-slate-600 font-semibold border-b bo
      rder-slate-200">
180 |                 <tr>
181 |                   <th className="px-6 py-3">Tracking ID</th>
182 |                   <th className="px-6 py-3">Issue Title & Category</th>
183 |                   <th className="px-6 py-3">Priority</th>
184 |                   <th className="px-6 py-3">Department</th>
185 |                   <th className="px-6 py-3">Status</th>
186 |                   <th className="px-6 py-3">Submitted</th>
187 |                   <th className="px-6 py-3 text-right">Action</th>
188 |                 </tr>
189 |               </thead>
190 |               <tbody className="divide-y divide-slate-100 text-slate-700">
191 |                 {recentComplaints.map(item => (
192 |                   <tr key={item.id} className="hover:bg-slate-50/80 transition">
193 |                     <td className="px-6 py-4 font-mono font-bold text-blue-700">
194 |                       {item.trackingId}
195 |                     </td>
196 |                     <td className="px-6 py-4 max-w-xs">
197 |                       <div className="font-semibold text-slate-900 truncate">
198 |                         {item.title}
199 |                       </div>
200 |                       <div className="flex items-center gap-1.5 text-[11px] text-sla
      te-500 mt-0.5">
201 |                         <CategoryIcon categoryName={item.category} className="w-3.5
      h-3.5 text-slate-400" />
202 |                         <span>{item.category}</span>
203 |                       </div>
204 |                     </td>
205 |                     <td className="px-6 py-4">
206 |                       <PriorityBadge priority={item.priority} size="sm" />
207 |                     </td>
208 |                     <td className="px-6 py-4 text-slate-600">
209 |                       {item.department}
210 |                     </td>
211 |                     <td className="px-6 py-4">
212 |                       <StatusBadge status={item.status} size="sm" />
213 |                     </td>
214 |                     <td className="px-6 py-4 text-slate-500 whitespace-nowrap">
215 |                       {timeAgo(item.submissionDate)}
216 |                     </td>
217 |                     <td className="px-6 py-4 text-right whitespace-nowrap">
218 |                       <Link
219 |                         to={`/student/complaints/${item.id}`}
220 |                         className="inline-flex items-center gap-1 text-xs font-semib
      old text-blue-600 hover:text-blue-800 bg-blue-50 hover:bg-blue-100 px-2.5 py-1 round
```

```
      ed-lg transition"
221 |                         >
222 |                           <span>Details</span>
223 |                           <ArrowRight className="w-3 h-3" />
224 |                         </Link>
225 |                       </td>
226 |                     </tr>
227 |                   ))}
228 |                 </tbody>
229 |               </table>
230 |             </div>
231 |           )}
232 |         </div>
233 |       </div>
234 |     );
235 | };
```

33. src/pages/student/SubmitComplaint.jsx

Module: *Pages: Student* | ***Lines:*** *456* | ***Size:*** *18.3 KB — Lodge grievance with photo upload preview & tracking ID*

```
  1 | import React, { useState, useEffect } from 'react';
  2 | import { useNavigate } from 'react-router-dom';
  3 | import { useAuth } from '../../context/AuthContext';
  4 | import { useComplaints } from '../../context/ComplaintContext';
  5 | import { CategoryIcon } from '../../components/common/CategoryIcon';
  6 | import {
  7 |   PlusCircle,
  8 |   Upload,
  9 |   Image as ImageIcon,
 10 |   X,
 11 |   AlertCircle,
 12 |   CheckCircle2,
 13 |   Lock,
 14 |   ArrowRight,
 15 |   ShieldCheck,
 16 |   Building,
 17 |   Sparkles
 18 | } from 'lucide-react';
 19 |
 20 | // Sample evidence images for quick one-click testing
 21 | const PRESET_EVIDENCE_IMAGES = [
 22 |   {
 23 |     name: 'Electrical Issue',
 24 |     url: 'https://images.unsplash.com/photo-1621905251189-08b45d6a269e?w=600&auto=fo
    rmat&fit=crop&q=80'
 25 |   },
 26 |   {
 27 |     name: 'Plumbing / Water Leak',
 28 |     url: 'https://images.unsplash.com/photo-1541888946425-d0fbb18615f3?w=600&auto=fo
    rmat&fit=crop&q=80'
 29 |   },
 30 |   {
 31 |     name: 'Classroom Projector',
 32 |     url: 'https://images.unsplash.com/photo-1517245386807-bb43f82c33c4?w=600&auto=fo
    rmat&fit=crop&q=80'
 33 |   },
 34 |   {
 35 |     name: 'Canteen / Mess Food',
 36 |     url: 'https://images.unsplash.com/photo-1555396273-367ea4eb4db5?w=600&auto=forma
    t&fit=crop&q=80'
 37 |   }
 38 | ];
 39 |
 40 | export const SubmitComplaint = () => {
 41 |   const { currentUser } = useAuth();
 42 |   const { categories, submitComplaint } = useComplaints();
 43 |   const navigate = useNavigate();
 44 |
 45 |   const [formData, setFormData] = useState({
 46 |     title: '',
 47 |     category: categories[0]?.name || 'Academics',
 48 |     department: categories[0]?.department || 'Academic Affairs',
 49 |     priority: 'Medium',
 50 |     location: '',
 51 |     description: '',
 52 |     isConfidential: false,
 53 |     evidenceImage: null
 54 |   });
```

```
  |
  |   const [imagePreview, setImagePreview] = useState(null);
  |   const [errors, setErrors] = useState({});
  |   const [isSubmitting, setIsSubmitting] = useState(false);
  |   const [createdComplaint, setCreatedComplaint] = useState(null);
  |
  |   // Auto-map department whenever category changes
  |   useEffect(() => {
  |     const matchedCategory = categories.find(c => c.name === formData.category);
  |     if (matchedCategory) {
  |       setFormData(prev => ({
  |         ...prev,
  |         department: matchedCategory.department
  |       }));
  |     }
  |   }, [formData.category, categories]);
  |
  |   // Set default student location
  |   useEffect(() => {
  |     if (currentUser && !formData.location) {
  |       const defaultLoc = currentUser.hostelBlock !== 'Day Scholar'
  |         ? `${currentUser.hostelBlock}, Room ${currentUser.roomNo}`
  |         : 'Main Academic Campus';
  |       setFormData(prev => ({ ...prev, location: defaultLoc }));
  |     }
  |   }, [currentUser]);
  |
  |   const handleImageFileChange = (e) => {
  |     const file = e.target.files[0];
  |     if (file) {
  |       if (file.size > 5 * 1024 * 1024) {
  |         setErrors(prev => ({ ...prev, image: 'Image size should be less than 5MB' })
);
  |         return;
  |       }
  |       const reader = new FileReader();
  |       reader.onloadend = () => {
  |         setImagePreview(reader.result);
  |         setFormData(prev => ({ ...prev, evidenceImage: reader.result }));
  |         setErrors(prev => ({ ...prev, image: null }));
  |       };
  |       reader.readAsDataURL(file);
  |     }
  |   };
  |
  |   const handleSelectPresetImage = (url) => {
  |     setImagePreview(url);
  |     setFormData(prev => ({ ...prev, evidenceImage: url }));
  |     setErrors(prev => ({ ...prev, image: null }));
  |   };
  |
  |   const removeImage = () => {
  |     setImagePreview(null);
  |     setFormData(prev => ({ ...prev, evidenceImage: null }));
  |   };
  |
  |   const validate = () => {
  |     const newErrors = {};
  |     if (!formData.title.trim()) {
  |       newErrors.title = 'Complaint title is required.';
  |     } else if (formData.title.length < 5) {
  |       newErrors.title = 'Title must be at least 5 characters.';
  |     }
  |
  |     if (!formData.description.trim()) {
  |       newErrors.description = 'Please provide a detailed description.';
  |     } else if (formData.description.length < 20) {
  |       newErrors.description = 'Description should be at least 20 characters for tech
nicians to understand.';
  |     }
  |
  |     if (!formData.location.trim()) {
  |       newErrors.location = 'Specific campus location or room number is required.';
  |     }
  |
  |     setErrors(newErrors);
  |     return Object.keys(newErrors).length === 0;
  |   };
  |
  |   const handleSubmit = (e) => {
  |     e.preventDefault();
```

```
134 |     if (!validate()) return;
135 |
136 |     setIsSubmitting(true);
137 |     setTimeout(() => {
138 |       const newCmp = submitComplaint(formData, currentUser);
139 |       setIsSubmitting(false);
140 |       setCreatedComplaint(newCmp);
141 |     }, 400);
142 |   };
143 |
144 |   if (createdComplaint) {
145 |     return (
146 |       <div className="max-w-2xl mx-auto py-8">
147 |         <div className="bg-white rounded-2xl border border-slate-200 p-8 shadow-lg t
      ext-center space-y-6">
148 |           <div className="w-16 h-16 rounded-full bg-emerald-100 text-emerald-600 fle
      x items-center justify-center mx-auto shadow-inner">
149 |             <CheckCircle2 className="w-10 h-10" />
150 |           </div>
151 |
152 |           <div>
153 |             <span className="text-xs font-bold uppercase tracking-wider text-emerald
      -700 bg-emerald-50 px-3 py-1 rounded-full">
154 |               Registration Successful
155 |             </span>
156 |             <h2 className="text-2xl font-bold text-slate-900 mt-3">
157 |               Complaint Lodged Successfully!
158 |             </h2>
159 |             <p className="text-xs sm:text-sm text-slate-600 mt-2">
160 |               Your grievance has been digitized, assigned a tracking number, and rou
      ted to the respective department.
161 |             </p>
162 |           </div>
163 |
164 |           {/* Tracking ID Badge Display */}
165 |           <div className="p-5 bg-blue-50 border border-blue-200 rounded-xl space-y-2
      ">
166 |             <p className="text-xs text-blue-700 uppercase font-bold tracking-wider">
167 |               Your Unique Tracking ID
168 |             </p>
169 |             <p className="text-2xl sm:text-3xl font-mono font-extrabold text-blue-90
      0 tracking-wider">
170 |               {createdComplaint.trackingId}
171 |             </p>
172 |             <p className="text-[11px] text-blue-600">
173 |               Assigned to: <strong>{createdComplaint.department}</strong>
174 |             </p>
175 |           </div>
176 |
177 |           <div className="flex flex-col sm:flex-row items-center justify-center gap-
      3 pt-2">
178 |             <button
179 |               onClick={() => navigate(`/student/complaints/${createdComplaint.id}`)}
180 |               className="w-full sm:w-auto px-6 py-3 bg-blue-600 hover:bg-blue-700 te
      xt-white rounded-xl text-xs sm:text-sm font-semibold flex items-center justify-cente
      r gap-2 transition shadow-md"
181 |             >
182 |               <span>Track Complaint Status Now</span>
183 |               <ArrowRight className="w-4 h-4" />
184 |             </button>
185 |             <button
186 |               onClick={() => {
187 |                 setCreatedComplaint(null);
188 |                 setFormData({
189 |                   title: '',
190 |                   category: categories[0]?.name || 'Academics',
191 |                   department: categories[0]?.department || 'Academic Affairs',
192 |                   priority: 'Medium',
193 |                   location: `${currentUser?.hostelBlock || 'Campus'}, Room ${current
      User?.roomNo || ''}`,
194 |                   description: '',
195 |                   isConfidential: false,
196 |                   evidenceImage: null
197 |                 });
198 |                 setImagePreview(null);
199 |               }}
200 |               className="w-full sm:w-auto px-6 py-3 bg-slate-100 hover:bg-slate-200
      text-slate-800 rounded-xl text-xs sm:text-sm font-semibold transition"
201 |             >
202 |               Submit Another Complaint
203 |             </button>
```

```
204 |           </div>
205 |         </div>
206 |       </div>
207 |     );
208 |   }
209 |
210 |   return (
211 |     <div className="max-w-3xl mx-auto space-y-6">
212 |       {/* Title Header */}
213 |       <div>
214 |         <h1 className="text-2xl font-bold text-slate-900">Submit New Campus Complain
      t</h1>
215 |         <p className="text-xs sm:text-sm text-slate-500 mt-1">
216 |           Provide accurate issue details and photo evidence to enable rapid departme
      ntal resolution.
217 |         </p>
218 |       </div>
219 |
220 |       <form onSubmit={handleSubmit} className="bg-white rounded-2xl border border-sl
      ate-200 p-6 sm:p-8 shadow-xs space-y-6">
221 |         {/* Category & Mapped Department Selection */}
222 |         <div className="grid grid-cols-1 sm:grid-cols-2 gap-5">
223 |           <div>
224 |             <label className="block text-xs font-semibold uppercase tracking-wider t
      ext-slate-700 mb-1.5">
225 |               Complaint Category <span className="text-rose-500">*</span>
226 |             </label>
227 |             <select
228 |               value={formData.category}
229 |               onChange={e => setFormData({ ...formData, category: e.target.value })}
230 |               className="w-full px-3 py-2.5 bg-slate-50 border border-slate-200 roun
      ded-xl text-xs sm:text-sm text-slate-900 focus:outline-none focus:ring-2 focus:ring-
      blue-500"
231 |             >
232 |               {categories.map(cat => (
233 |                 <option key={cat.id} value={cat.name}>
234 |                   {cat.name} ({cat.slaHours}h SLA)
235 |                 </option>
236 |               ))}
237 |             </select>
238 |           </div>
239 |
240 |           <div>
241 |             <label className="block text-xs font-semibold uppercase tracking-wider t
      ext-slate-700 mb-1.5">
242 |               Auto-Mapped Department
243 |             </label>
244 |             <div className="flex items-center gap-2 px-3 py-2.5 bg-blue-50/70 border
       border-blue-200 rounded-xl text-xs sm:text-sm text-blue-900 font-semibold">
245 |               <Building className="w-4 h-4 text-blue-600 flex-shrink-0" />
246 |               <span className="truncate">{formData.department}</span>
247 |             </div>
248 |             <span className="text-[10px] text-slate-400 mt-1 block">
249 |               Directly routed based on chosen category.
250 |             </span>
251 |           </div>
252 |         </div>
253 |
254 |         {/* Title */}
255 |         <div>
256 |           <label className="block text-xs font-semibold uppercase tracking-wider tex
      t-slate-700 mb-1.5">
257 |             Complaint Title <span className="text-rose-500">*</span>
258 |           </label>
259 |           <input
260 |             type="text"
261 |             value={formData.title}
262 |             onChange={e => setFormData({ ...formData, title: e.target.value })}
263 |             placeholder="e.g. Ceiling Fan Making Heavy Sparking Noise in Room 304"
264 |             className={`w-full px-3.5 py-2.5 bg-slate-50 border rounded-xl text-xs s
      m:text-sm text-slate-900 focus:outline-none focus:ring-2 focus:ring-blue-500 ${
265 |               errors.title ? 'border-rose-400 bg-rose-50/20' : 'border-slate-200'
266 |             }`}
267 |           />
268 |           {errors.title && (
269 |             <p className="text-xs text-rose-600 mt-1 flex items-center gap-1">
270 |               <AlertCircle className="w-3.5 h-3.5" />
271 |               <span>{errors.title}</span>
272 |             </p>
273 |           )}
274 |         </div>
```

```
275 |
276 |         {/* Priority Selector & Specific Location */}
277 |         <div className="grid grid-cols-1 sm:grid-cols-2 gap-5">
278 |           <div>
279 |             <label className="block text-xs font-semibold uppercase tracking-wider t
      ext-slate-700 mb-1.5">
280 |               Severity Priority <span className="text-rose-500">*</span>
281 |             </label>
282 |             <div className="grid grid-cols-4 gap-2">
283 |               {['Low', 'Medium', 'High', 'Urgent'].map(p => {
284 |                 const isSelected = formData.priority === p;
285 |                 let activeStyle = 'border-blue-600 bg-blue-50 text-blue-700 font-bol
      d';
286 |                 if (p === 'Urgent') activeStyle = 'border-rose-600 bg-rose-50 text-r
      ose-700 font-bold';
287 |                 if (p === 'High') activeStyle = 'border-orange-600 bg-orange-50 text
      -orange-700 font-bold';
288 |
289 |                 return (
290 |                   <button
291 |                     key={p}
292 |                     type="button"
293 |                     onClick={() => setFormData({ ...formData, priority: p })}
294 |                     className={`py-2 text-xs rounded-xl border text-center transitio
      n ${
295 |                       isSelected ? activeStyle : 'border-slate-200 bg-slate-50 text-
      slate-700 hover:bg-slate-100'
296 |                     }`}
297 |                   >
298 |                     {p}
299 |                   </button>
300 |                 );
301 |               })}
302 |             </div>
303 |           </div>
304 |
305 |           <div>
306 |             <label className="block text-xs font-semibold uppercase tracking-wider t
      ext-slate-700 mb-1.5">
307 |               Campus Location / Room <span className="text-rose-500">*</span>
308 |             </label>
309 |             <input
310 |               type="text"
311 |               value={formData.location}
312 |               onChange={e => setFormData({ ...formData, location: e.target.value })}
313 |               placeholder="e.g. Block-A Room 304, LH-201, Canteen"
314 |               className={`w-full px-3.5 py-2.5 bg-slate-50 border rounded-xl text-xs
       sm:text-sm text-slate-900 focus:outline-none focus:ring-2 focus:ring-blue-500 ${
315 |                 errors.location ? 'border-rose-400 bg-rose-50/20' : 'border-slate-20
      0'
316 |               }`}
317 |             />
318 |             {errors.location && (
319 |               <p className="text-xs text-rose-600 mt-1 flex items-center gap-1">
320 |                 <AlertCircle className="w-3.5 h-3.5" />
321 |                 <span>{errors.location}</span>
322 |               </p>
323 |             )}
324 |           </div>
325 |         </div>
326 |
327 |         {/* Detailed Description */}
328 |         <div>
329 |           <label className="block text-xs font-semibold uppercase tracking-wider tex
      t-slate-700 mb-1.5">
330 |             Detailed Issue Description <span className="text-rose-500">*</span>
331 |           </label>
332 |           <textarea
333 |             rows={5}
334 |             value={formData.description}
335 |             onChange={e => setFormData({ ...formData, description: e.target.value })
      }
336 |             placeholder="Explain the problem in detail: when did it start, equipment
       model if visible, impact on academic or living activities..."
337 |             className={`w-full px-3.5 py-2.5 bg-slate-50 border rounded-xl text-xs s
      m:text-sm text-slate-900 focus:outline-none focus:ring-2 focus:ring-blue-500 ${
338 |               errors.description ? 'border-rose-400 bg-rose-50/20' : 'border-slate-2
      00'
339 |             }`}
340 |           ></textarea>
341 |           <div className="flex items-center justify-between mt-1 text-[11px] text-sl
```

```
      ate-400">
342 |             <span>Minimum 20 characters</span>
343 |             <span>{formData.description.length} characters</span>
344 |           </div>
345 |           {errors.description && (
346 |             <p className="text-xs text-rose-600 mt-1 flex items-center gap-1">
347 |               <AlertCircle className="w-3.5 h-3.5" />
348 |               <span>{errors.description}</span>
349 |             </p>
350 |           )}
351 |         </div>
352 |
353 |         {/* Image Upload with Preview and Presets */}
354 |         <div>
355 |           <label className="block text-xs font-semibold uppercase tracking-wider tex
      t-slate-700 mb-1.5">
356 |             Supporting Image Evidence (Optional but Recommended)
357 |           </label>
358 |
359 |           {imagePreview ? (
360 |             <div className="relative rounded-2xl overflow-hidden border border-slate
      -200 bg-slate-900/5 max-h-64 flex items-center justify-center group">
361 |               <img
362 |                 src={imagePreview}
363 |                 alt="Evidence Preview"
364 |                 className="w-full h-64 object-cover"
365 |               />
366 |               <button
367 |                 type="button"
368 |                 onClick={removeImage}
369 |                 className="absolute top-3 right-3 p-2 bg-rose-600 text-white rounded
      -full shadow-lg hover:bg-rose-700 transition"
370 |                 title="Remove image"
371 |               >
372 |                 <X className="w-4 h-4" />
373 |               </button>
374 |             </div>
375 |           ) : (
376 |             <div className="border-2 border-dashed border-slate-300 rounded-2xl p-6
      text-center hover:border-blue-400 transition bg-slate-50/50">
377 |               <Upload className="w-8 h-8 text-slate-400 mx-auto mb-2" />
378 |               <p className="text-xs font-semibold text-slate-700">
379 |                 Click to browse photo or drag and drop
380 |               </p>
381 |               <p className="text-[11px] text-slate-400 mt-0.5">
382 |                 PNG, JPG, WEBP up to 5MB
383 |               </p>
384 |               <input
385 |                 type="file"
386 |                 accept="image/*"
387 |                 onChange={handleImageFileChange}
388 |                 className="absolute inset-0 opacity-0 cursor-pointer"
389 |               />
390 |             </div>
391 |           )}
392 |
393 |           {/* Quick Preset Images for effortless evaluation */}
394 |           {!imagePreview && (
395 |             <div className="mt-3">
396 |               <span className="text-[11px] font-semibold text-slate-500 block mb-1.5
      ">
397 |                 Quick sample image presets for testing:
398 |               </span>
399 |               <div className="flex flex-wrap gap-2">
400 |                 {PRESET_EVIDENCE_IMAGES.map((img, i) => (
401 |                   <button
402 |                     key={i}
403 |                     type="button"
404 |                     onClick={() => handleSelectPresetImage(img.url)}
405 |                     className="px-2.5 py-1 bg-slate-100 hover:bg-slate-200 text-slat
      e-700 rounded-lg text-[11px] font-medium transition flex items-center gap-1.5 border
       border-slate-200"
406 |                   >
407 |                     <ImageIcon className="w-3 h-3 text-blue-500" />
408 |                     <span>{img.name}</span>
409 |                   </button>
410 |                 ))}
411 |               </div>
412 |             </div>
413 |           )}
414 |         </div>
```

```
415 |
416 |         {/* Confidential Whistleblower Option */}
417 |         <div className="p-4 bg-slate-50 border border-slate-200 rounded-xl flex item
      s-start gap-3">
418 |           <input
419 |             type="checkbox"
420 |             id="confidentialCheck"
421 |             checked={formData.isConfidential}
422 |             onChange={e => setFormData({ ...formData, isConfidential: e.target.check
      ed })}
423 |             className="mt-1 h-4 w-4 text-blue-600 rounded border-slate-300 focus:rin
      g-blue-500"
424 |           />
425 |           <label htmlFor="confidentialCheck" className="text-xs text-slate-700 curso
      r-pointer">
426 |             <span className="font-bold text-slate-900 block flex items-center gap-1"
      >
427 |               <Lock className="w-3.5 h-3.5 text-slate-600" />
428 |               Submit as Confidential / Anonymous Complaint
429 |             </span>
430 |             <span className="text-slate-500 block mt-0.5 leading-relaxed">
431 |               Your name and student ID will be masked as "Anonymous Student" in staf
      f and technician views. Only the Chief Administrator can inspect identity if mandate
      d.
432 |             </span>
433 |           </label>
434 |         </div>
435 |
436 |         {/* Submit Button */}
437 |         <div className="pt-2">
438 |           <button
439 |             type="submit"
440 |             disabled={isSubmitting}
441 |             className="w-full py-3.5 bg-blue-600 hover:bg-blue-700 text-white font-b
      old text-sm rounded-xl shadow-md shadow-blue-600/20 flex items-center justify-center
       gap-2 transition disabled:opacity-50"
442 |           >
443 |             {isSubmitting ? (
444 |               <span>Generating Tracking ID...</span>
445 |             ) : (
446 |               <>
447 |                 <PlusCircle className="w-5 h-5" />
448 |                 <span>Submit Complaint & Generate Tracking ID</span>
449 |               </>
450 |             )}
451 |           </button>
452 |         </div>
453 |       </form>
454 |     </div>
455 |   );
456 | };
```

34. src/pages/student/MyComplaints.jsx

Module: *Pages: Student* | ***Lines:*** *311* | ***Size:*** *13.6 KB — Student complaint directory with search & status filters*

```
  1 | import React, { useState } from 'react';
  2 | import { Link } from 'react-router-dom';
  3 | import { useAuth } from '../../context/AuthContext';
  4 | import { useComplaints } from '../../context/ComplaintContext';
  5 | import { StatusBadge } from '../../components/common/StatusBadge';
  6 | import { PriorityBadge } from '../../components/common/PriorityBadge';
  7 | import { CategoryIcon } from '../../components/common/CategoryIcon';
  8 | import { formatDate, timeAgo } from '../../utils/helpers';
  9 | import {
 10 |   Search,
 11 |   Filter,
 12 |   PlusCircle,
 13 |   FileText,
 14 |   ArrowRight,
 15 |   LayoutGrid,
 16 |   List,
 17 |   Calendar,
 18 |   Building,
 19 |   RotateCcw
 20 | } from 'lucide-react';
 21 |
 22 | export const MyComplaints = () => {
 23 |   const { currentUser } = useAuth();
```

```
24 |   const { complaints, categories } = useComplaints();
25 |
26 |   const [search, setSearch] = useState('');
27 |   const [selectedStatus, setSelectedStatus] = useState('All');
28 |   const [selectedPriority, setSelectedPriority] = useState('All');
29 |   const [selectedCategory, setSelectedCategory] = useState('All');
30 |   const [viewMode, setViewMode] = useState('table'); // 'table' | 'cards'
31 |
32 |   // Filter complaints by student
33 |   const myComplaints = complaints.filter(c => c.studentId === currentUser?.studentId
   );
34 |
35 |   // Apply search and filters
36 |   const filteredComplaints = myComplaints.filter(c => {
37 |     const matchesSearch =
38 |       c.trackingId.toLowerCase().includes(search.toLowerCase()) ||
39 |       c.title.toLowerCase().includes(search.toLowerCase()) ||
40 |       c.description.toLowerCase().includes(search.toLowerCase()) ||
41 |       c.department.toLowerCase().includes(search.toLowerCase());
42 |
43 |     const matchesStatus = selectedStatus === 'All' || c.status.toLowerCase() === sel
   ectedStatus.toLowerCase();
44 |     const matchesPriority = selectedPriority === 'All' || c.priority.toLowerCase() =
   == selectedPriority.toLowerCase();
45 |     const matchesCategory = selectedCategory === 'All' || c.category === selectedCat
   egory;
46 |
47 |     return matchesSearch && matchesStatus && matchesPriority && matchesCategory;
48 |   });
49 |
50 |   const resetFilters = () => {
51 |     setSearch('');
52 |     setSelectedStatus('All');
53 |     setSelectedPriority('All');
54 |     setSelectedCategory('All');
55 |   };
56 |
57 |   return (
58 |     <div className="space-y-6">
59 |       {/* Top Header */}
60 |       <div className="flex flex-col sm:flex-row items-start sm:items-center justify-
   between gap-4">
61 |         <div>
62 |           <h1 className="text-2xl font-bold text-slate-900">My Submitted Complaints<
   /h1>
63 |           <p className="text-xs sm:text-sm text-slate-500">
64 |             Track real-time progress and history for all {myComplaints.length} regis
   tered issues
65 |           </p>
66 |         </div>
67 |
68 |         <Link
69 |           to="/student/submit"
70 |           className="px-4 py-2.5 bg-blue-600 hover:bg-blue-700 text-white font-semib
   old text-xs rounded-xl shadow-xs flex items-center gap-2 transition"
71 |         >
72 |           <PlusCircle className="w-4 h-4" />
73 |           <span>Lodge New Issue</span>
74 |         </Link>
75 |       </div>
76 |
77 |       {/* Filter Toolbar */}
78 |       <div className="bg-white rounded-2xl border border-slate-200 p-4 shadow-xs spa
   ce-y-3">
79 |         <div className="flex flex-col md:flex-row items-stretch md:items-center gap-
   3">
80 |           {/* Search Input */}
81 |           <div className="relative flex-1">
82 |             <Search className="w-4 h-4 text-slate-400 absolute left-3 top-3" />
83 |             <input
84 |               type="text"
85 |               value={search}
86 |               onChange={e => setSearch(e.target.value)}
87 |               placeholder="Search by Tracking ID, Title, or Keyword..."
88 |               className="w-full pl-9 pr-3 py-2 bg-slate-50 border border-slate-200 r
   ounded-xl text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
89 |             />
90 |           </div>
91 |
92 |           {/* View Mode Toggle */}
93 |           <div className="flex items-center gap-1 border border-slate-200 rounded-xl
```

```
      p-1 bg-slate-50 self-end md:self-auto">
 94 |             <button
 95 |               onClick={() => setViewMode('table')}
 96 |               className={`p-1.5 rounded-lg text-xs transition ${
 97 |                 viewMode === 'table' ? 'bg-white text-blue-600 shadow-xs font-semibo
    ld' : 'text-slate-500 hover:text-slate-800'
 98 |               }`}
 99 |               title="Table view"
100 |             >
101 |               <List className="w-4 h-4" />
102 |             </button>
103 |             <button
104 |               onClick={() => setViewMode('cards')}
105 |               className={`p-1.5 rounded-lg text-xs transition ${
106 |                 viewMode === 'cards' ? 'bg-white text-blue-600 shadow-xs font-semibo
    ld' : 'text-slate-500 hover:text-slate-800'
107 |               }`}
108 |               title="Cards view"
109 |             >
110 |               <LayoutGrid className="w-4 h-4" />
111 |             </button>
112 |           </div>
113 |         </div>
114 |
115 |         {/* Filter Dropdowns */}
116 |         <div className="grid grid-cols-2 sm:grid-cols-4 gap-2 pt-2 border-t border-s
    late-100 text-xs">
117 |           <div>
118 |             <label className="text-[10px] font-bold uppercase tracking-wider text-sl
    ate-400 block mb-1">
119 |               Status Filter
120 |             </label>
121 |             <select
122 |               value={selectedStatus}
123 |               onChange={e => setSelectedStatus(e.target.value)}
124 |               className="w-full px-2.5 py-1.5 bg-slate-50 border border-slate-200 ro
    unded-lg focus:outline-none focus:ring-1 focus:ring-blue-500 text-xs"
125 |             >
126 |               <option value="All">All Statuses</option>
127 |               <option value="Submitted">Submitted</option>
128 |               <option value="Under Review">Under Review</option>
129 |               <option value="In Progress">In Progress</option>
130 |               <option value="Resolved">Resolved</option>
131 |               <option value="Rejected">Rejected</option>
132 |               <option value="Escalated">Escalated</option>
133 |               <option value="Reopened">Reopened</option>
134 |             </select>
135 |           </div>
136 |
137 |           <div>
138 |             <label className="text-[10px] font-bold uppercase tracking-wider text-sl
    ate-400 block mb-1">
139 |               Priority Filter
140 |             </label>
141 |             <select
142 |               value={selectedPriority}
143 |               onChange={e => setSelectedPriority(e.target.value)}
144 |               className="w-full px-2.5 py-1.5 bg-slate-50 border border-slate-200 ro
    unded-lg focus:outline-none focus:ring-1 focus:ring-blue-500 text-xs"
145 |             >
146 |               <option value="All">All Priorities</option>
147 |               <option value="Urgent">Urgent</option>
148 |               <option value="High">High</option>
149 |               <option value="Medium">Medium</option>
150 |               <option value="Low">Low</option>
151 |             </select>
152 |           </div>
153 |
154 |           <div>
155 |             <label className="text-[10px] font-bold uppercase tracking-wider text-sl
    ate-400 block mb-1">
156 |               Category Filter
157 |             </label>
158 |             <select
159 |               value={selectedCategory}
160 |               onChange={e => setSelectedCategory(e.target.value)}
161 |               className="w-full px-2.5 py-1.5 bg-slate-50 border border-slate-200 ro
    unded-lg focus:outline-none focus:ring-1 focus:ring-blue-500 text-xs"
162 |             >
163 |               <option value="All">All Categories</option>
164 |               {categories.map(cat => (
```

```
165 |                <option key={cat.id} value={cat.name}>{cat.name}</option>
166 |              ))}
167 |            </select>
168 |          </div>
169 |
170 |          <div className="flex items-end">
171 |            <button
172 |              onClick={resetFilters}
173 |              className="w-full px-3 py-1.5 text-xs text-slate-600 hover:text-slate-
      900 hover:bg-slate-100 border border-slate-200 rounded-lg flex items-center justify-
      center gap-1.5 transition"
174 |            >
175 |              <RotateCcw className="w-3.5 h-3.5 text-slate-400" />
176 |              <span>Reset</span>
177 |            </button>
178 |          </div>
179 |        </div>
180 |      </div>
181 |
182 |      {/* Results View */}
183 |      {filteredComplaints.length === 0 ? (
184 |        <div className="bg-white rounded-2xl border border-slate-200 p-12 text-cente
      r shadow-xs">
185 |          <FileText className="w-12 h-12 text-slate-300 mx-auto mb-3" />
186 |          <h3 className="text-base font-bold text-slate-800 mb-1">No Matching Compla
      ints Found</h3>
187 |          <p className="text-xs text-slate-500 max-w-sm mx-auto mb-4">
188 |            Try adjusting your search query or reset the filters to see all your com
      plaints.
189 |          </p>
190 |          <button
191 |            onClick={resetFilters}
192 |            className="px-4 py-2 bg-slate-100 hover:bg-slate-200 text-slate-800 roun
      ded-xl text-xs font-semibold transition"
193 |          >
194 |            Clear All Filters
195 |          </button>
196 |        </div>
197 |      ) : viewMode === 'table' ? (
198 |        <div className="bg-white rounded-2xl border border-slate-200 shadow-xs overf
      low-hidden">
199 |          <div className="overflow-x-auto">
200 |            <table className="w-full text-left text-xs">
201 |              <thead className="bg-slate-50 text-slate-600 font-semibold border-b bo
      rder-slate-200">
202 |                <tr>
203 |                  <th className="px-6 py-3.5">Tracking ID</th>
204 |                  <th className="px-6 py-3.5">Issue Title</th>
205 |                  <th className="px-6 py-3.5">Category</th>
206 |                  <th className="px-6 py-3.5">Priority</th>
207 |                  <th className="px-6 py-3.5">Department</th>
208 |                  <th className="px-6 py-3.5">Status</th>
209 |                  <th className="px-6 py-3.5">Date</th>
210 |                  <th className="px-6 py-3.5 text-right">Action</th>
211 |                </tr>
212 |              </thead>
213 |              <tbody className="divide-y divide-slate-100 text-slate-700">
214 |                {filteredComplaints.map(item => (
215 |                  <tr key={item.id} className="hover:bg-slate-50/80 transition">
216 |                    <td className="px-6 py-4 font-mono font-bold text-blue-700 white
      space-nowrap">
217 |                      {item.trackingId}
218 |                    </td>
219 |                    <td className="px-6 py-4 max-w-xs">
220 |                      <div className="font-semibold text-slate-900 truncate">
221 |                        {item.title}
222 |                      </div>
223 |                      <div className="text-[11px] text-slate-500 truncate mt-0.5">
224 |                        {item.location}
225 |                      </div>
226 |                    </td>
227 |                    <td className="px-6 py-4">
228 |                      <div className="flex items-center gap-1.5 text-slate-700">
229 |                        <CategoryIcon categoryName={item.category} className="w-3.5
      h-3.5 text-slate-400" />
230 |                        <span>{item.category}</span>
231 |                      </div>
232 |                    </td>
233 |                    <td className="px-6 py-4">
234 |                      <PriorityBadge priority={item.priority} size="sm" />
235 |                    </td>
```

```
236 |                     <td className="px-6 py-4 text-slate-600 whitespace-nowrap">
237 |                       {item.department}
238 |                     </td>
239 |                     <td className="px-6 py-4">
240 |                       <StatusBadge status={item.status} size="sm" />
241 |                     </td>
242 |                     <td className="px-6 py-4 text-slate-500 whitespace-nowrap">
243 |                       {formatDate(item.submissionDate)}
244 |                     </td>
245 |                     <td className="px-6 py-4 text-right whitespace-nowrap">
246 |                       <Link
247 |                         to={`/student/complaints/${item.id}`}
248 |                         className="inline-flex items-center gap-1 text-xs font-semib
      old text-blue-600 hover:text-blue-800 bg-blue-50 hover:bg-blue-100 px-3 py-1 rounded
      -lg transition"
249 |                         >
250 |                         <span>View</span>
251 |                         <ArrowRight className="w-3.5 h-3.5" />
252 |                       </Link>
253 |                     </td>
254 |                   </tr>
255 |                 ))}
256 |               </tbody>
257 |             </table>
258 |           </div>
259 |         </div>
260 |       ) : (
261 |         <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-4">
262 |           {filteredComplaints.map(item => (
263 |             <div
264 |               key={item.id}
265 |               className="bg-white rounded-2xl border border-slate-200 p-5 shadow-xs
      hover:border-blue-300 transition flex flex-col justify-between"
266 |             >
267 |               <div>
268 |                 <div className="flex items-center justify-between gap-2 mb-3">
269 |                   <span className="font-mono text-xs font-bold text-blue-700 bg-blue
      -50 px-2 py-0.5 rounded">
270 |                     {item.trackingId}
271 |                   </span>
272 |                   <StatusBadge status={item.status} size="sm" />
273 |                 </div>
274 |
275 |                 <h3 className="font-bold text-slate-900 text-sm mb-1 line-clamp-1">
276 |                   {item.title}
277 |                 </h3>
278 |                 <p className="text-xs text-slate-500 line-clamp-2 mb-4 leading-relax
      ed">
279 |                   {item.description}
280 |                 </p>
281 |               </div>
282 |
283 |               <div className="space-y-3 pt-3 border-t border-slate-100 text-xs text-
      slate-500">
284 |                 <div className="flex items-center justify-between">
285 |                   <span className="flex items-center gap-1">
286 |                     <CategoryIcon categoryName={item.category} className="w-3.5 h-3.
      5 text-slate-400" />
287 |                     <span>{item.category}</span>
288 |                   </span>
289 |                   <PriorityBadge priority={item.priority} size="sm" />
290 |                 </div>
291 |
292 |                 <div className="flex items-center justify-between pt-1">
293 |                   <span className="text-[11px] text-slate-400">
294 |                     {timeAgo(item.submissionDate)}
295 |                   </span>
296 |                   <Link
297 |                     to={`/student/complaints/${item.id}`}
298 |                     className="inline-flex items-center gap-1 font-semibold text-blu
      e-600 hover:text-blue-800"
299 |                     >
300 |                     <span>Track Status</span>
301 |                     <ArrowRight className="w-3 h-3" />
302 |                   </Link>
303 |                 </div>
304 |               </div>
305 |             </div>
306 |           ))}
307 |         </div>
308 |       )}
```

```
309 |     </div>
310 |   );
311 | };
```

35. src/pages/student/ComplaintDetails.jsx

Module: *Pages: Student* | ***Lines:*** *395* | ***Size:*** *16.8 KB — Detailed complaint view, visual stepper & reopen action*

```
  1 | import React, { useState } from 'react';
  2 | import { useParams, Link, useNavigate } from 'react-router-dom';
  3 | import { useAuth } from '../../context/AuthContext';
  4 | import { useComplaints } from '../../context/ComplaintContext';
  5 | import { StatusBadge } from '../../components/common/StatusBadge';
  6 | import { PriorityBadge } from '../../components/common/PriorityBadge';
  7 | import { CategoryIcon } from '../../components/common/CategoryIcon';
  8 | import { Timeline } from '../../components/common/Timeline';
  9 | import { Modal } from '../../components/common/Modal';
 10 | import { formatDate, timeAgo, isOverdue } from '../../utils/helpers';
 11 | import {
 12 |   ArrowLeft,
 13 |   Copy,
 14 |   Check,
 15 |   Building,
 16 |   User,
 17 |   Calendar,
 18 |   MapPin,
 19 |   Clock,
 20 |   RotateCcw,
 21 |   CheckCircle2,
 22 |   AlertTriangle,
 23 |   XCircle,
 24 |   Eye,
 25 |   Lock,
 26 |   MessageSquare,
 27 |   Sparkles
 28 | } from 'lucide-react';
 29 |
 30 | export const ComplaintDetails = () => {
 31 |   const { id } = useParams();
 32 |   const { currentUser } = useAuth();
 33 |   const { complaints, reopenComplaint, showToast } = useComplaints();
 34 |   const navigate = useNavigate();
 35 |
 36 |   const [copied, setCopied] = useState(false);
 37 |   const [isImageModalOpen, setIsImageModalOpen] = useState(false);
 38 |   const [isReopenModalOpen, setIsReopenModalOpen] = useState(false);
 39 |   const [reopenReason, setReopenReason] = useState('');
 40 |   const [isReopening, setIsReopening] = useState(false);
 41 |
 42 |   // Find complaint by id or trackingId
 43 |   const complaint = complaints.find(
 44 |     c => c.id === id || c.trackingId.toLowerCase() === (id || '').toLowerCase()
 45 |   );
 46 |
 47 |   if (!complaint) {
 48 |     return (
 49 |       <div className="bg-white rounded-2xl border border-slate-200 p-12 text-center
    max-w-lg mx-auto shadow-xs">
 50 |         <AlertTriangle className="w-12 h-12 text-amber-500 mx-auto mb-3" />
 51 |         <h2 className="text-lg font-bold text-slate-900 mb-1">Complaint Not Found</h
    2>
 52 |         <p className="text-xs text-slate-500 mb-6">
 53 |           The requested tracking reference does not exist or may have been deleted.
 54 |         </p>
 55 |         <Link
 56 |           to="/student/complaints"
 57 |           className="px-4 py-2 bg-blue-600 text-white rounded-xl text-xs font-semibo
    ld hover:bg-blue-700"
 58 |         >
 59 |           Return to My Complaints
 60 |         </Link>
 61 |       </div>
 62 |     );
 63 |   }
 64 |
 65 |   const handleCopyTrackingId = () => {
 66 |     navigator.clipboard.writeText(complaint.trackingId);
 67 |     setCopied(true);
 68 |     showToast('Tracking ID copied to clipboard!', 'info');
```

```
69 |     setTimeout(() => setCopied(false), 2000);
70 |   };
71 |
72 |   const handleReopenSubmit = (e) => {
73 |     e.preventDefault();
74 |     if (!reopenReason.trim()) return;
75 |
76 |     setIsReopening(true);
77 |     setTimeout(() => {
78 |       reopenComplaint(complaint.id, reopenReason, currentUser?.name || 'Student');
79 |       setIsReopening(false);
80 |       setIsReopenModalOpen(false);
81 |       setReopenReason('');
82 |     }, 400);
83 |   };
84 |
85 |   const isResolved = complaint.status === 'Resolved';
86 |   const isRejected = complaint.status === 'Rejected';
87 |   const isComplaintOverdue = isOverdue(complaint);
88 |
89 |   return (
90 |     <div className="space-y-6 max-w-5xl mx-auto pb-10">
91 |       {/* Top Breadcrumb & Actions */}
92 |       <div className="flex flex-col sm:flex-row items-start sm:items-center justify-
   between gap-4">
93 |         <Link
94 |           to="/student/complaints"
95 |           className="inline-flex items-center gap-1.5 text-xs font-semibold text-sla
   te-600 hover:text-slate-900 transition"
96 |         >
97 |           <ArrowLeft className="w-4 h-4" />
98 |           <span>Back to All Complaints</span>
99 |         </Link>
100 |
101 |         <div className="flex items-center gap-2">
102 |           {/* Tracking ID Badge with Copy Button */}
103 |           <div className="flex items-center gap-2 px-3 py-1.5 bg-slate-100 border bo
   rder-slate-200 rounded-xl text-xs font-mono font-bold text-slate-800">
104 |             <span>{complaint.trackingId}</span>
105 |             <button
106 |               onClick={handleCopyTrackingId}
107 |               className="text-slate-500 hover:text-blue-600 p-0.5 rounded transition
   "
108 |               title="Copy Tracking ID"
109 |             >
110 |               {copied ? <Check className="w-3.5 h-3.5 text-emerald-600" /> : <Copy c
   lassName="w-3.5 h-3.5" />}
111 |             </button>
112 |           </div>
113 |         </div>
114 |       </div>
115 |
116 |       {/* Overdue Warning Alert */}
117 |       {isComplaintOverdue && (
118 |         <div className="p-4 bg-red-50 border border-red-200 rounded-2xl flex items-c
   enter gap-3 text-red-900 text-xs">
119 |           <AlertTriangle className="w-5 h-5 text-red-600 flex-shrink-0 animate-bounc
   e" />
120 |           <div>
121 |             <span className="font-bold">Overdue Resolution Notice:</span> This issue
    has passed its target resolution deadline ({formatDate(complaint.targetResolutionDa
   te)}). The ticket has been flagged for departmental escalation.
122 |           </div>
123 |         </div>
124 |       )}
125 |
126 |       {/* Special Resolution Success Banner for Student */}
127 |       {isResolved && (
128 |         <div className="bg-gradient-to-r from-emerald-600 to-teal-700 text-white rou
   nded-2xl p-6 shadow-md flex flex-col sm:flex-row items-start sm:items-center justify
   -between gap-4">
129 |           <div className="flex items-start gap-4">
130 |             <div className="w-12 h-12 rounded-xl bg-white/20 text-white flex items-c
   enter justify-center flex-shrink-0">
131 |               <CheckCircle2 className="w-7 h-7" />
132 |             </div>
133 |             <div>
134 |               <span className="text-[11px] font-bold uppercase tracking-widest text-
   emerald-200">
135 |                 Resolution Verified
136 |               </span>
```

```
137 |               <h3 className="text-lg font-bold">This Issue Has Been Resolved</h3>
138 |               <p className="text-xs text-emerald-100 mt-0.5 leading-relaxed">
139 |                 Resolved on {formatDate(complaint.resolvedDate)}. If the problem reo
      ccurs or the fix was inadequate, you may reopen this ticket.
140 |               </p>
141 |             </div>
142 |           </div>
143 |
144 |           <button
145 |             onClick={() => setIsReopenModalOpen(true)}
146 |             className="px-4 py-2.5 bg-white text-emerald-900 hover:bg-emerald-50 rou
      nded-xl text-xs font-bold transition shadow-xs flex items-center gap-2 whitespace-no
      wrap self-stretch sm:self-auto justify-center"
147 |           >
148 |             <RotateCcw className="w-4 h-4 text-emerald-700" />
149 |             <span>Reopen If Problem Persists</span>
150 |           </button>
151 |         </div>
152 |       )}
153 |
154 |       {/* Rejection Notice Banner */}
155 |       {isRejected && (
156 |         <div className="bg-rose-50 border border-rose-200 rounded-2xl p-6 text-rose-
      900 flex items-start gap-3">
157 |           <XCircle className="w-6 h-6 text-rose-600 flex-shrink-0 mt-0.5" />
158 |           <div>
159 |             <h4 className="text-sm font-bold">Complaint Rejected by Administration</
      h4>
160 |             <p className="text-xs text-rose-800 mt-1 leading-relaxed">
161 |               <strong>Official Reason:</strong> {complaint.remarks || 'No detailed r
      eason provided.'}
162 |             </p>
163 |           </div>
164 |         </div>
165 |       )}
166 |
167 |       {/* Main Grid: Details + Timeline */}
168 |       <div className="grid grid-cols-1 lg:grid-cols-3 gap-6">
169 |         {/* Left Column: Complaint Details Card */}
170 |         <div className="lg:col-span-2 space-y-6">
171 |           <div className="bg-white rounded-2xl border border-slate-200 p-6 sm:p-8 sh
      adow-xs space-y-6">
172 |             {/* Title & Badges */}
173 |             <div>
174 |               <div className="flex flex-wrap items-center gap-2 mb-3">
175 |                 <StatusBadge status={complaint.status} size="lg" />
176 |                 <PriorityBadge priority={complaint.priority} size="md" />
177 |                 {complaint.isConfidential && (
178 |                   <span className="inline-flex items-center gap-1 px-2.5 py-1 bg-sla
      te-100 text-slate-700 rounded-full text-xs font-medium border border-slate-200">
179 |                     <Lock className="w-3 h-3" />
180 |                     <span>Confidential</span>
181 |                   </span>
182 |                 )}
183 |               </div>
184 |               <h1 className="text-xl sm:text-2xl font-bold text-slate-900">
185 |                 {complaint.title}
186 |               </h1>
187 |             </div>
188 |
189 |             {/* Description */}
190 |             <div className="space-y-2">
191 |               <h4 className="text-xs font-semibold uppercase tracking-wider text-sla
      te-500">
192 |                 Description
193 |               </h4>
194 |               <p className="text-xs sm:text-sm text-slate-700 leading-relaxed whites
      pace-pre-line bg-slate-50 p-4 rounded-xl border border-slate-100">
195 |                 {complaint.description}
196 |               </p>
197 |             </div>
198 |
199 |             {/* Supporting Image Preview */}
200 |             {complaint.evidenceImage && (
201 |               <div className="space-y-2">
202 |                 <h4 className="text-xs font-semibold uppercase tracking-wider text-s
      late-500">
203 |                   Supporting Image Evidence
204 |                 </h4>
205 |                 <div className="relative group rounded-xl overflow-hidden border bor
      der-slate-200 max-w-md bg-slate-100">
```

```
206 |                   <img
207 |                     src={complaint.evidenceImage}
208 |                     alt="Supporting Evidence"
209 |                     className="w-full h-48 object-cover group-hover:scale-105 transi
      tion duration-300"
210 |                   />
211 |                   <button
212 |                     onClick={() => setIsImageModalOpen(true)}
213 |                     className="absolute inset-0 bg-slate-900/40 opacity-0 group-hove
      r:opacity-100 transition flex items-center justify-center text-white text-xs font-se
      mibold gap-1.5"
214 |                   >
215 |                     <Eye className="w-4 h-4" />
216 |                     <span>Click to Enlarge</span>
217 |                   </button>
218 |                 </div>
219 |               </div>
220 |             )}
221 |
222 |             {/* Latest Staff Remarks */}
223 |             <div className="p-4 bg-blue-50/60 border border-blue-200 rounded-xl spac
      e-y-1">
224 |               <div className="flex items-center gap-2 text-xs font-bold text-blue-90
      0">
225 |                 <MessageSquare className="w-4 h-4 text-blue-600" />
226 |                 <span>Latest Department Progress Remark:</span>
227 |               </div>
228 |               <p className="text-xs text-blue-800 leading-relaxed pl-6">
229 |                 {complaint.remarks || 'Awaiting preliminary inspection.'}
230 |               </p>
231 |             </div>
232 |           </div>
233 |
234 |           {/* Interactive Stepper & Audit Trail */}
235 |           <div className="bg-white rounded-2xl border border-slate-200 p-6 sm:p-8 sh
      adow-xs">
236 |             <Timeline history={complaint.history} currentStatus={complaint.status} /
      >
237 |           </div>
238 |         </div>
239 |
240 |         {/* Right Column: Metadata & Department Sidebar */}
241 |         <div className="space-y-6">
242 |           <div className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs
       space-y-4">
243 |             <h3 className="text-xs font-bold uppercase tracking-wider text-slate-400
      ">
244 |               Department & Assignment
245 |             </h3>
246 |
247 |             <div className="space-y-3 text-xs">
248 |               <div className="flex items-start gap-3">
249 |                 <Building className="w-4 h-4 text-blue-600 flex-shrink-0 mt-0.5" />
250 |                 <div>
251 |                   <span className="text-slate-400 block text-[11px]">Assigned Depart
      ment</span>
252 |                   <span className="font-semibold text-slate-800">{complaint.departme
      nt}</span>
253 |                 </div>
254 |               </div>
255 |
256 |               <div className="flex items-start gap-3">
257 |                 <User className="w-4 h-4 text-blue-600 flex-shrink-0 mt-0.5" />
258 |                 <div>
259 |                   <span className="text-slate-400 block text-[11px]">Assigned Staff
      / Officer</span>
260 |                   <span className="font-semibold text-slate-800">{complaint.assigned
      StaffName || 'Pending Assignment'}</span>
261 |                 </div>
262 |               </div>
263 |
264 |               <div className="flex items-start gap-3">
265 |                 <CategoryIcon categoryName={complaint.category} className="w-4 h-4 t
      ext-blue-600 flex-shrink-0 mt-0.5" />
266 |                 <div>
267 |                   <span className="text-slate-400 block text-[11px]">Category</span>
268 |                   <span className="font-semibold text-slate-800">{complaint.category
      }</span>
269 |                 </div>
270 |               </div>
271 |
```

```
272 |               <div className="flex items-start gap-3">
273 |                 <MapPin className="w-4 h-4 text-blue-600 flex-shrink-0 mt-0.5" />
274 |                 <div>
275 |                   <span className="text-slate-400 block text-[11px]">Reported Locati
      on</span>
276 |                   <span className="font-semibold text-slate-800">{complaint.location
      }</span>
277 |                 </div>
278 |               </div>
279 |             </div>
280 |           </div>
281 |
282 |           <div className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs
       space-y-4">
283 |             <h3 className="text-xs font-bold uppercase tracking-wider text-slate-400
      ">
284 |               SLA & Timestamps
285 |             </h3>
286 |
287 |             <div className="space-y-3 text-xs">
288 |               <div className="flex items-start gap-3">
289 |                 <Calendar className="w-4 h-4 text-slate-400 flex-shrink-0 mt-0.5" />
290 |                 <div>
291 |                   <span className="text-slate-400 block text-[11px]">Submitted On</s
      pan>
292 |                   <span className="text-slate-800 font-medium">{formatDate(complaint
      .submissionDate)}</span>
293 |                 </div>
294 |               </div>
295 |
296 |               <div className="flex items-start gap-3">
297 |                 <Clock className="w-4 h-4 text-slate-400 flex-shrink-0 mt-0.5" />
298 |                 <div>
299 |                   <span className="text-slate-400 block text-[11px]">Target Resoluti
      on Deadline</span>
300 |                   <span className={`font-medium ${isComplaintOverdue ? 'text-rose-60
      0 font-bold' : 'text-slate-800'}`}>
301 |                     {formatDate(complaint.targetResolutionDate)}
302 |                   </span>
303 |                 </div>
304 |               </div>
305 |
306 |               {complaint.resolvedDate && (
307 |                 <div className="flex items-start gap-3">
308 |                   <CheckCircle2 className="w-4 h-4 text-emerald-600 flex-shrink-0 mt
      -0.5" />
309 |                   <div>
310 |                     <span className="text-slate-400 block text-[11px]">Actual Resolv
      ed Date</span>
311 |                     <span className="text-emerald-700 font-bold">{formatDate(complai
      nt.resolvedDate)}</span>
312 |                   </div>
313 |                 </div>
314 |               )}
315 |             </div>
316 |           </div>
317 |
318 |           {/* Student Actions */}
319 |           {isResolved && (
320 |             <button
321 |               onClick={() => setIsReopenModalOpen(true)}
322 |               className="w-full py-3 bg-amber-500 hover:bg-amber-600 text-white roun
      ded-xl text-xs font-bold transition flex items-center justify-center gap-2 shadow-xs
      "
323 |             >
324 |               <RotateCcw className="w-4 h-4" />
325 |               <span>Reopen This Complaint</span>
326 |             </button>
327 |           )}
328 |         </div>
329 |       </div>
330 |
331 |       {/* Enlarged Image Modal */}
332 |       <Modal
333 |         isOpen={isImageModalOpen}
334 |         onClose={() => setIsImageModalOpen(false)}
335 |         title="Supporting Image Evidence"
336 |         maxWidth="max-w-3xl"
337 |       >
338 |         <div className="space-y-3 text-center">
339 |           <img
```

```
340 |             src={complaint.evidenceImage}
341 |             alt="Evidence Detailed View"
342 |             className="w-full max-h-[70vh] object-contain rounded-xl bg-slate-900"
343 |           />
344 |           <p className="text-xs text-slate-500">
345 |             Uploaded by {complaint.isConfidential ? 'Anonymous Student' : complaint.
      studentName} on {formatDate(complaint.submissionDate)}
346 |           </p>
347 |         </div>
348 |       </Modal>
349 |
350 |       {/* Reopen Reason Modal */}
351 |       <Modal
352 |         isOpen={isReopenModalOpen}
353 |         onClose={() => setIsReopenModalOpen(false)}
354 |         title="Reopen Resolved Complaint"
355 |         maxWidth="max-w-md"
356 |       >
357 |         <form onSubmit={handleReopenSubmit} className="space-y-4">
358 |           <p className="text-xs text-slate-600 leading-relaxed">
359 |             Please explain why this complaint is being reopened. What issue persists
       or requires further maintenance?
360 |           </p>
361 |           <div>
362 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
      b-1">
363 |               Persistence Reason <span className="text-rose-500">*</span>
364 |             </label>
365 |             <textarea
366 |               rows={4}
367 |               required
368 |               value={reopenReason}
369 |               onChange={e => setReopenReason(e.target.value)}
370 |               placeholder="e.g. The fan sparked again when turned to speed 3. Proble
      m was not permanently fixed."
371 |               className="w-full p-3 bg-slate-50 border border-slate-200 rounded-xl t
      ext-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-amber-500"
372 |             ></textarea>
373 |           </div>
374 |
375 |           <div className="flex justify-end gap-2 pt-2">
376 |             <button
377 |               type="button"
378 |               onClick={() => setIsReopenModalOpen(false)}
379 |               className="px-4 py-2 bg-slate-100 hover:bg-slate-200 text-slate-700 ro
      unded-xl text-xs font-semibold transition"
380 |             >
381 |               Cancel
382 |             </button>
383 |             <button
384 |               type="submit"
385 |               disabled={isReopening || !reopenReason.trim()}
386 |               className="px-5 py-2 bg-amber-600 hover:bg-amber-700 text-white rounde
      d-xl text-xs font-semibold transition disabled:opacity-50"
387 |             >
388 |               {isReopening ? 'Submitting...' : 'Confirm Reopen'}
389 |             </button>
390 |           </div>
391 |         </form>
392 |       </Modal>
393 |     </div>
394 |   );
395 | };
```

36. src/pages/student/StudentAttendance.jsx

Module: *Pages: Student* | ***Lines:*** *369* | ***Size:*** *16.8 KB — My Attendance: subject breakdown, 75% warning & QR scanner*

```
  1 | import React, { useState } from 'react';
  2 | import { useAuth } from '../../context/AuthContext';
  3 | import { useAttendance } from '../../context/AttendanceContext';
  4 | import { formatDate } from '../../utils/helpers';
  5 | import {
  6 |   Calendar,
  7 |   BookOpen,
  8 |   CheckCircle2,
  9 |   XCircle,
 10 |   Clock,
 11 |   AlertTriangle,
```

```
  12 |   Award,
  13 |   TrendingUp,
  14 |   Filter,
  15 |   GraduationCap,
  16 |   QrCode,
  17 |   Wifi,
  18 |   Camera,
  19 |   ArrowRight
  20 | } from 'lucide-react';
  21 | import { StudentQrScannerModal } from '../../components/attendance/StudentQrScannerM
     odal';
  22 |
  23 | export const StudentAttendance = () => {
  24 |   const { currentUser } = useAuth();
  25 |   const { getStudentStats, sessions, simulatedStudentWifi } = useAttendance();
  26 |
  27 |   // Get statistics for logged-in student
  28 |   const stats = getStudentStats(currentUser?.studentId || 'ST2024-001');
  29 |
  30 |   const [selectedMonth, setSelectedMonth] = useState('All');
  31 |   const [isQrScannerOpen, setIsQrScannerOpen] = useState(false);
  32 |
  33 |   // Filter lecture sessions where this student was recorded
  34 |   const studentSessions = sessions
  35 |     .map(sess => {
  36 |       const rec = sess.records.find(r => r.studentId === currentUser?.studentId);
  37 |       if (!rec) return null;
  38 |       return {
  39 |         id: sess.id,
  40 |         date: sess.date,
  41 |         subject: sess.subject,
  42 |         markedBy: sess.markedBy,
  43 |         status: rec.status
  44 |       };
  45 |     })
  46 |     .filter(Boolean);
  47 |
  48 |   const filteredSessions = studentSessions.filter(sess => {
  49 |     if (selectedMonth === 'All') return true;
  50 |     return sess.date.includes(selectedMonth);
  51 |   });
  52 |
  53 |   const isDeficit = stats.isBelowThreshold; // < 75%
  54 |
  55 |   return (
  56 |     <div className="space-y-6 max-w-5xl mx-auto pb-8">
  57 |       {/* Student QR Scanner Modal */}
  58 |       <StudentQrScannerModal
  59 |         isOpen={isQrScannerOpen}
  60 |         onClose={() => setIsQrScannerOpen(false)}
  61 |       />
  62 |
  63 |       {/* Header */}
  64 |       <div className="flex flex-col sm:flex-row items-start sm:items-center justify-
     between gap-4">
  65 |         <div>
  66 |           <div className="inline-flex items-center gap-1.5 px-2.5 py-0.5 rounded-ful
     l bg-blue-100 text-blue-800 text-xs font-semibold mb-1">
  67 |             <GraduationCap className="w-3.5 h-3.5" />
  68 |             <span>Sanjay Ghodawat University • Student Academic Attendance</span>
  69 |           </div>
  70 |           <h1 className="text-2xl font-bold text-slate-900">My Attendance Dashboard<
     /h1>
  71 |           <p className="text-xs sm:text-sm text-slate-500">
  72 |             Real-time semester attendance records, subject breakdowns, and universit
     y 75% compliance tracking
  73 |           </p>
  74 |         </div>
  75 |
  76 |         <div className="flex items-center gap-2">
  77 |           <span className="text-xs text-slate-500">Semester:</span>
  78 |           <span className="px-2.5 py-1 bg-slate-100 rounded-lg text-xs font-bold tex
     t-slate-700">
  79 |             {stats.semester || '6th Semester'}
  80 |           </span>
  81 |         </div>
  82 |       </div>
  83 |
  84 |       {/* Smart QR Attendance & Wi-Fi Check-In Card */}
  85 |       <div className="bg-gradient-to-r from-blue-900 via-indigo-950 to-slate-900 tex
     t-white rounded-3xl p-6 shadow-xl border border-blue-700/50 flex flex-col md:flex-ro
```

```
      w items-start md:items-center justify-between gap-6">
 86 |         <div className="flex items-start gap-4">
 87 |           <div className="w-14 h-14 rounded-2xl bg-blue-600/30 text-blue-300 border
      border-blue-400/30 flex items-center justify-center flex-shrink-0 shadow-inner">
 88 |             <QrCode className="w-8 h-8 text-blue-300" />
 89 |           </div>
 90 |           <div>
 91 |             <div className="flex items-center gap-2 mb-1.5">
 92 |               <span className="text-[10px] font-bold uppercase tracking-wider bg-blu
      e-500/20 text-blue-300 border border-blue-400/30 px-2.5 py-0.5 rounded-full">
 93 |                 Classroom Digital Attendance
 94 |               </span>
 95 |               <span className="inline-flex items-center gap-1 text-[11px] font-mono
      text-emerald-400 bg-emerald-950/60 px-2 py-0.5 rounded-md border border-emerald-500/
      40">
 96 |                 <Wifi className="w-3 h-3" />
 97 |                 {simulatedStudentWifi}
 98 |               </span>
 99 |             </div>
100 |             <h2 className="text-lg font-bold text-white tracking-tight">
101 |               Classroom QR Code Check-In
102 |             </h2>
103 |             <p className="text-xs text-blue-200 mt-0.5 max-w-xl">
104 |               Scan the live lecture QR code displayed on the classroom screen. Autom
      atically verifies your presence via <strong>Sanjay Ghodawat University Wi-Fi</strong
      >.
105 |             </p>
106 |           </div>
107 |         </div>
108 |
109 |         <button
110 |           onClick={() => setIsQrScannerOpen(true)}
111 |           className="w-full md:w-auto px-6 py-3.5 bg-gradient-to-r from-blue-500 to-
      indigo-600 hover:from-blue-600 hover:to-indigo-700 text-white font-bold text-xs roun
      ded-xl shadow-lg shadow-blue-500/30 transition flex items-center justify-center gap-
      2 group whitespace-nowrap cursor-pointer"
112 |         >
113 |           <Camera className="w-4 h-4" />
114 |           <span>Scan Lecture QR Code</span>
115 |           <ArrowRight className="w-4 h-4 group-hover:translate-x-1 transition-transf
      orm" />
116 |         </button>
117 |       </div>
118 |
119 |       {/* CRITICAL DEFICIT ALERT (< 75%) */}
120 |       {isDeficit ? (
121 |         <div className="bg-rose-50 border-2 border-rose-300 rounded-2xl p-6 text-ros
      e-900 shadow-sm flex flex-col sm:flex-row items-start sm:items-center justify-betwee
      n gap-4">
122 |           <div className="flex items-start gap-4">
123 |             <div className="w-12 h-12 rounded-xl bg-rose-600 text-white flex items-c
      enter justify-center flex-shrink-0 animate-pulse">
124 |               <AlertTriangle className="w-7 h-7" />
125 |             </div>
126 |             <div>
127 |               <span className="text-[11px] font-bold uppercase tracking-wider text-r
      ose-700 bg-rose-200/80 px-2.5 py-0.5 rounded-full">
128 |                 SGU Mandatory Attendance Warning
129 |               </span>
130 |               <h3 className="text-lg font-bold text-rose-950 mt-1">
131 |                 Attendance Deficit Alert: {stats.overallPercentage}% (Below 75% Requ
      irement)
132 |               </h3>
133 |               <p className="text-xs text-rose-800 mt-1 leading-relaxed max-w-2xl">
134 |                 As per Sanjay Ghodawat University academic regulations, minimum <str
      ong>75% attendance</strong> is compulsory to appear for the End-Semester Final Exami
      nations. You are currently at risk of debarment. Please meet your Faculty Advisor im
      mediately.
135 |               </p>
136 |             </div>
137 |           </div>
138 |           <div className="text-right whitespace-nowrap self-stretch sm:self-auto fle
      x sm:flex-col justify-between items-center sm:items-end">
139 |             <span className="text-xs text-rose-700 font-semibold">Shortfall to 75%:<
      /span>
140 |             <span className="text-2xl font-black text-rose-700">
141 |               {(75 - stats.overallPercentage).toFixed(1)}%
142 |             </span>
143 |           </div>
144 |         </div>
145 |       ) : (
```

```
146 |         <div className="bg-emerald-50 border border-emerald-200 rounded-2xl p-5 text
    -emerald-900 flex items-center gap-3">
147 |           <CheckCircle2 className="w-6 h-6 text-emerald-600 flex-shrink-0" />
148 |           <div className="text-xs">
149 |             <span className="font-bold text-emerald-950">Good Standing:</span> Your
    overall attendance is <strong>{stats.overallPercentage}%</strong>, which complies wi
    th the university's 75% eligibility criteria for end-semester examinations.
150 |           </div>
151 |         </div>
152 |       )}
153 |
154 |       {/* 4 Summary Metric Cards */}
155 |       <div className="grid grid-cols-2 sm:grid-cols-4 gap-4">
156 |         {/* Overall Percentage */}
157 |         <div className="bg-white p-5 rounded-2xl border border-slate-200 shadow-xs">
158 |           <span className="text-xs text-slate-400 font-semibold uppercase tracking-w
    ider block">
159 |             Overall Attendance
160 |           </span>
161 |           <div className="flex items-baseline gap-2 mt-2">
162 |             <span className={`text-3xl font-black ${isDeficit ? 'text-rose-600' : 't
    ext-blue-600'}`}>
163 |               {stats.overallPercentage}%
164 |             </span>
165 |             <span className="text-[11px] text-slate-400">Min 75% Req.</span>
166 |           </div>
167 |           <div className="w-full bg-slate-100 h-2 rounded-full mt-3 overflow-hidden"
    >
168 |             <div
169 |               className={`h-full rounded-full transition-all duration-500 ${
170 |                 isDeficit ? 'bg-rose-500' : 'bg-blue-600'
171 |               }`}
172 |               style={{ width: `${Math.min(100, stats.overallPercentage)}%` }}
173 |             />
174 |           </div>
175 |         </div>
176 |
177 |         {/* Classes Attended */}
178 |         <div className="bg-white p-5 rounded-2xl border border-slate-200 shadow-xs">
179 |           <span className="text-xs text-slate-400 font-semibold uppercase tracking-w
    ider block">
180 |             Classes Attended
181 |           </span>
182 |           <div className="flex items-baseline gap-2 mt-2">
183 |             <span className="text-3xl font-black text-emerald-600">
184 |               {stats.attendedClasses}
185 |             </span>
186 |             <span className="text-xs text-slate-400">/ {stats.totalClasses} Held</sp
    an>
187 |           </div>
188 |           <p className="text-[11px] text-slate-500 mt-2">Across all curriculum subje
    cts</p>
189 |         </div>
190 |
191 |         {/* Classes Missed */}
192 |         <div className="bg-white p-5 rounded-2xl border border-slate-200 shadow-xs">
193 |           <span className="text-xs text-slate-400 font-semibold uppercase tracking-w
    ider block">
194 |             Classes Missed
195 |           </span>
196 |           <div className="flex items-baseline gap-2 mt-2">
197 |             <span className="text-3xl font-black text-rose-600">
198 |               {stats.totalClasses - stats.attendedClasses}
199 |             </span>
200 |             <span className="text-xs text-slate-400">Lectures</span>
201 |           </div>
202 |           <p className="text-[11px] text-slate-500 mt-2">Unexcused / Absent</p>
203 |         </div>
204 |
205 |         {/* Exam Eligibility */}
206 |         <div className="bg-white p-5 rounded-2xl border border-slate-200 shadow-xs">
207 |           <span className="text-xs text-slate-400 font-semibold uppercase tracking-w
    ider block">
208 |             Exam Status
209 |           </span>
210 |           <div className="mt-2">
211 |             {isDeficit ? (
212 |               <span className="inline-block px-3 py-1 bg-rose-100 text-rose-800 roun
    ded-xl font-bold text-xs uppercase tracking-wider">
213 |                 At Risk (Debarred)
214 |               </span>
```

```
215 |             ) : (
216 |               <span className="inline-block px-3 py-1 bg-emerald-100 text-emerald-80
      0 rounded-xl font-bold text-xs uppercase tracking-wider">
217 |                 Eligible for Exams
218 |               </span>
219 |             )}
220 |           </div>
221 |           <p className="text-[11px] text-slate-500 mt-2">Based on SGU Ordinance</p>
222 |         </div>
223 |       </div>
224 |
225 |       {/* Subject-Wise Attendance Breakdown */}
226 |       <div className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs spa
      ce-y-4">
227 |         <div className="flex items-center justify-between">
228 |           <div>
229 |             <h3 className="text-base font-bold text-slate-900">Subject-Wise Attendan
      ce Breakdown</h3>
230 |             <p className="text-xs text-slate-500">Track eligibility course by course
       (Requires min 75% per course)</p>
231 |           </div>
232 |         </div>
233 |
234 |         <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
235 |           {stats.subjects.map(sub => {
236 |             const isSubDeficit = sub.percentage < 75;
237 |
238 |             return (
239 |               <div
240 |                 key={sub.code}
241 |                 className={`p-4 rounded-xl border transition ${
242 |                   isSubDeficit
243 |                     ? 'border-rose-300 bg-rose-50/30'
244 |                     : 'border-slate-200 bg-white hover:border-blue-300'
245 |                 }`}
246 |               >
247 |                 <div className="flex items-start justify-between gap-2 mb-2">
248 |                   <div>
249 |                     <span className="font-mono text-xs font-bold text-slate-400 bloc
      k">{sub.code}</span>
250 |                     <h4 className="font-bold text-slate-900 text-xs sm:text-sm line-
      clamp-1">{sub.name}</h4>
251 |                   </div>
252 |                   <span
253 |                     className={`font-mono font-black text-sm px-2.5 py-0.5 rounded-l
      g ${
254 |                       isSubDeficit
255 |                         ? 'bg-rose-100 text-rose-700'
256 |                         : 'bg-emerald-100 text-emerald-700'
257 |                     }`}
258 |                   >
259 |                     {sub.percentage}%
260 |                   </span>
261 |                 </div>
262 |
263 |                 {/* Progress Bar */}
264 |                 <div className="w-full bg-slate-100 h-2 rounded-full overflow-hidden
       my-2">
265 |                   <div
266 |                     className={`h-full rounded-full ${isSubDeficit ? 'bg-rose-500' :
       'bg-emerald-500'}`}
267 |                     style={{ width: `${Math.min(100, sub.percentage)}%` }}
268 |                   />
269 |                 </div>
270 |
271 |                 <div className="flex items-center justify-between text-[11px] text-s
      late-500 pt-1">
272 |                   <span>Attended: <strong>{sub.attended}</strong> / {sub.total} clas
      ses</span>
273 |                   {isSubDeficit ? (
274 |                     <span className="text-rose-600 font-bold flex items-center gap-1
      ">
275 |                       <AlertTriangle className="w-3 h-3" />
276 |                       Deficit (Below 75%)
277 |                     </span>
278 |                   ) : (
279 |                     <span className="text-emerald-600 font-medium flex items-center
      gap-1">
280 |                       <CheckCircle2 className="w-3 h-3" />
281 |                       Eligible
282 |                     </span>
```

```
283 |                  )}
284 |                </div>
285 |              </div>
286 |            );
287 |          })}
288 |        </div>
289 |      </div>
290 |
291 |      {/* Daily Lecture Attendance Log */}
292 |      <div className="bg-white rounded-2xl border border-slate-200 shadow-xs overflo
    w-hidden">
293 |        <div className="px-6 py-4 border-b border-slate-200 flex flex-col sm:flex-ro
    w items-start sm:items-center justify-between gap-3">
294 |          <div>
295 |            <h3 className="text-base font-bold text-slate-900">Lecture-by-Lecture At
    tendance History</h3>
296 |            <p className="text-xs text-slate-500">Chronological audit trail of marke
    d classes</p>
297 |          </div>
298 |
299 |          <div className="flex items-center gap-2">
300 |            <span className="text-xs text-slate-500">Filter Month:</span>
301 |            <select
302 |              value={selectedMonth}
303 |              onChange={e => setSelectedMonth(e.target.value)}
304 |              className="p-1.5 bg-slate-50 border border-slate-200 rounded-lg text-x
    s"
305 |            >
306 |              <option value="All">All Months</option>
307 |              <option value="-10-">October</option>
308 |              <option value="-11-">November</option>
309 |            </select>
310 |          </div>
311 |        </div>
312 |
313 |        {filteredSessions.length === 0 ? (
314 |          <div className="p-12 text-center text-slate-400 text-xs">
315 |            No daily sessions logged for this month.
316 |          </div>
317 |        ) : (
318 |          <div className="overflow-x-auto">
319 |            <table className="w-full text-left text-xs">
320 |              <thead className="bg-slate-50 text-slate-600 font-semibold border-b bo
    rder-slate-200">
321 |                <tr>
322 |                  <th className="px-6 py-3.5">Date</th>
323 |                  <th className="px-6 py-3.5">Subject & Course</th>
324 |                  <th className="px-6 py-3.5">Faculty In-Charge</th>
325 |                  <th className="px-6 py-3.5 text-right">Attendance Status</th>
326 |                </tr>
327 |              </thead>
328 |              <tbody className="divide-y divide-slate-100 text-slate-700">
329 |                {filteredSessions.map(sess => (
330 |                  <tr key={sess.id} className="hover:bg-slate-50/80 transition">
331 |                    <td className="px-6 py-4 font-mono font-bold text-slate-800 whit
    espace-nowrap">
332 |                      {sess.date}
333 |                    </td>
334 |                    <td className="px-6 py-4 font-semibold text-slate-900">
335 |                      {sess.subject}
336 |                    </td>
337 |                    <td className="px-6 py-4 text-slate-500 whitespace-nowrap">
338 |                      {sess.markedBy}
339 |                    </td>
340 |                    <td className="px-6 py-4 text-right whitespace-nowrap">
341 |                      {sess.status === 'Present' && (
342 |                        <span className="inline-flex items-center gap-1 px-2.5 py-1
    rounded-full bg-emerald-50 text-emerald-700 border border-emerald-200 font-bold text
    -xs">
343 |                          <CheckCircle2 className="w-3.5 h-3.5" />
344 |                          <span>Present</span>
345 |                        </span>
346 |                      )}
347 |                      {sess.status === 'Absent' && (
348 |                        <span className="inline-flex items-center gap-1 px-2.5 py-1
    rounded-full bg-rose-50 text-rose-700 border border-rose-200 font-bold text-xs">
349 |                          <XCircle className="w-3.5 h-3.5" />
350 |                          <span>Absent</span>
351 |                        </span>
352 |                      )}
353 |                      {sess.status === 'On Leave' && (
```

```
354 |                         <span className="inline-flex items-center gap-1 px-2.5 py-1
    rounded-full bg-amber-50 text-amber-700 border border-amber-200 font-bold text-xs">
355 |                           <Clock className="w-3.5 h-3.5" />
356 |                           <span>On Leave</span>
357 |                         </span>
358 |                       )}
359 |                     </td>
360 |                   </tr>
361 |                 ))}
362 |               </tbody>
363 |             </table>
364 |           </div>
365 |         )}
366 |       </div>
367 |     </div>
368 |   );
369 | };
```

37. src/pages/student/NotificationsPage.jsx

Module: *Pages: Student* | ***Lines:*** *140* | ***Size:*** *5.2 KB — Personal notification feed with mark-read actions*

```
  1 | import React, { useState } from 'react';
  2 | import { useNavigate } from 'react-router-dom';
  3 | import { useAuth } from '../../context/AuthContext';
  4 | import { useComplaints } from '../../context/ComplaintContext';
  5 | import { formatDate, timeAgo } from '../../utils/helpers';
  6 | import {
  7 |   Bell,
  8 |   CheckCircle2,
  9 |   Clock,
 10 |   ArrowRight,
 11 |   Check,
 12 |   RotateCcw
 13 | } from 'lucide-react';
 14 |
 15 | export const NotificationsPage = () => {
 16 |   const { currentUser } = useAuth();
 17 |   const { notifications, markNotificationRead, markAllNotificationsRead } = useCompl
    aints();
 18 |   const [filter, setFilter] = useState('all'); // 'all' | 'unread'
 19 |   const navigate = useNavigate();
 20 |
 21 |   const userNotifications = notifications.filter(n =>
 22 |     n.userRole === 'student' || n.userId === currentUser?.studentId
 23 |   );
 24 |
 25 |   const filtered = userNotifications.filter(n => {
 26 |     if (filter === 'unread') return !n.isRead;
 27 |     return true;
 28 |   });
 29 |
 30 |   const unreadCount = userNotifications.filter(n => !n.isRead).length;
 31 |
 32 |   const handleClick = (notif) => {
 33 |     markNotificationRead(notif.id);
 34 |     if (notif.complaintId) {
 35 |       navigate(`/student/complaints/${notif.complaintId}`);
 36 |     }
 37 |   };
 38 |
 39 |   return (
 40 |     <div className="max-w-4xl mx-auto space-y-6">
 41 |       {/* Header */}
 42 |       <div className="flex flex-col sm:flex-row items-start sm:items-center justify-
    between gap-4">
 43 |         <div>
 44 |           <h1 className="text-2xl font-bold text-slate-900">Notifications & Alerts</
    h1>
 45 |           <p className="text-xs sm:text-sm text-slate-500">
 46 |             Real-time status changes and technician assignments on your complaints
 47 |           </p>
 48 |         </div>
 49 |
 50 |         {unreadCount > 0 && (
 51 |           <button
 52 |             onClick={() => markAllNotificationsRead(currentUser?.studentId)}
 53 |             className="px-3.5 py-2 bg-blue-50 hover:bg-blue-100 text-blue-700 rounde
    d-xl text-xs font-semibold flex items-center gap-1.5 transition"
```

```
54 |           >
55 |             <Check className="w-3.5 h-3.5" />
56 |             <span>Mark All as Read</span>
57 |           </button>
58 |         )}
59 |       </div>
60 |
61 |       {/* Tabs */}
62 |       <div className="flex items-center gap-2 border-b border-slate-200">
63 |         <button
64 |           onClick={() => setFilter('all')}
65 |           className={`pb-2.5 px-3 text-xs font-semibold transition border-b-2 ${
66 |             filter === 'all'
67 |               ? 'border-blue-600 text-blue-600'
68 |               : 'border-transparent text-slate-500 hover:text-slate-800'
69 |           }`}
70 |         >
71 |           All Notifications ({userNotifications.length})
72 |         </button>
73 |         <button
74 |           onClick={() => setFilter('unread')}
75 |           className={`pb-2.5 px-3 text-xs font-semibold transition border-b-2 ${
76 |             filter === 'unread'
77 |               ? 'border-blue-600 text-blue-600'
78 |               : 'border-transparent text-slate-500 hover:text-slate-800'
79 |           }`}
80 |         >
81 |           Unread ({unreadCount})
82 |         </button>
83 |       </div>
84 |
85 |       {/* Notifications List */}
86 |       <div className="bg-white rounded-2xl border border-slate-200 shadow-xs divide-
     y divide-slate-100 overflow-hidden">
87 |         {filtered.length === 0 ? (
88 |           <div className="p-12 text-center">
89 |             <Bell className="w-10 h-10 text-slate-300 mx-auto mb-2" />
90 |             <h4 className="text-sm font-bold text-slate-800">No Notifications</h4>
91 |             <p className="text-xs text-slate-500">You are all caught up with your up
     dates.</p>
92 |           </div>
93 |         ) : (
94 |           filtered.map(notif => (
95 |             <div
96 |               key={notif.id}
97 |               onClick={() => handleClick(notif)}
98 |               className={`p-5 hover:bg-slate-50 cursor-pointer transition flex items
     -start gap-4 ${
99 |                 !notif.isRead ? 'bg-blue-50/30' : ''
100 |               }`}
101 |             >
102 |               <div
103 |                 className={`w-10 h-10 rounded-xl flex items-center justify-center fl
     ex-shrink-0 ${
104 |                   !notif.isRead ? 'bg-blue-100 text-blue-700' : 'bg-slate-100 text-s
     late-500'
105 |                 }`}
106 |               >
107 |                 <Bell className="w-5 h-5" />
108 |               </div>
109 |
110 |               <div className="flex-1 min-w-0">
111 |                 <div className="flex items-center justify-between gap-2">
112 |                   <h4 className={`text-sm ${!notif.isRead ? 'font-bold text-slate-90
     0' : 'font-medium text-slate-700'}`}>
113 |                     {notif.title}
114 |                   </h4>
115 |                   <span className="text-xs text-slate-400 whitespace-nowrap">
116 |                     {timeAgo(notif.timestamp)}
117 |                   </span>
118 |                 </div>
119 |                 <p className="text-xs text-slate-600 mt-1 leading-relaxed">
120 |                   {notif.message}
121 |                 </p>
122 |                 {notif.trackingId && (
123 |                   <div className="mt-2 flex items-center gap-2">
124 |                     <span className="text-[10px] font-mono text-blue-700 bg-blue-100
      px-2 py-0.5 rounded font-semibold">
125 |                       {notif.trackingId}
126 |                     </span>
127 |                     <span className="text-[11px] text-blue-600 font-medium flex item
```

```
      s-center gap-1 hover:underline">
128 |                       <span>View details</span>
129 |                       <ArrowRight className="w-3 h-3" />
130 |                     </span>
131 |                   </div>
132 |                 )}
133 |               </div>
134 |             </div>
135 |           ))
136 |         )}
137 |       </div>
138 |     </div>
139 |   );
140 | };
```

38. src/pages/student/StudentProfile.jsx

Module: *Pages: Student* | ***Lines:*** *186* | ***Size:*** *7.8 KB — Student academic profile and department details*

```
  1 | import React, { useState } from 'react';
  2 | import { useAuth } from '../../context/AuthContext';
  3 | import { useComplaints } from '../../context/ComplaintContext';
  4 | import {
  5 |   User,
  6 |   Mail,
  7 |   Phone,
  8 |   BookOpen,
  9 |   Building,
 10 |   CheckCircle2,
 11 |   FileText,
 12 |   Save,
 13 |   Shield
 14 | } from 'lucide-react';
 15 |
 16 | export const StudentProfile = () => {
 17 |   const { currentUser, updateProfile } = useAuth();
 18 |   const { complaints, showToast } = useComplaints();
 19 |
 20 |   const [phone, setPhone] = useState(currentUser?.phone || '');
 21 |   const [hostelBlock, setHostelBlock] = useState(currentUser?.hostelBlock || '');
 22 |   const [roomNo, setRoomNo] = useState(currentUser?.roomNo || '');
 23 |   const [isEditing, setIsEditing] = useState(false);
 24 |
 25 |   const studentComplaints = complaints.filter(c => c.studentId === currentUser?.stud
    entId);
 26 |   const resolved = studentComplaints.filter(c => c.status === 'Resolved').length;
 27 |
 28 |   const handleSave = (e) => {
 29 |     e.preventDefault();
 30 |     updateProfile({ phone, hostelBlock, roomNo });
 31 |     setIsEditing(false);
 32 |     showToast('Profile information updated successfully!', 'success');
 33 |   };
 34 |
 35 |   return (
 36 |     <div className="max-w-4xl mx-auto space-y-6">
 37 |       {/* Profile Header Card */}
 38 |       <div className="bg-white rounded-2xl border border-slate-200 p-6 sm:p-8 shadow
    -xs flex flex-col sm:flex-row items-center gap-6">
 39 |         <img
 40 |           src={currentUser?.avatar || 'https://images.unsplash.com/photo-15345287417
    75-53994a69daeb?w=150&auto=format&fit=crop&q=80'}
 41 |           alt={currentUser?.name}
 42 |           className="w-24 h-24 rounded-2xl object-cover ring-4 ring-blue-50 shadow-m
    d"
 43 |         />
 44 |
 45 |         <div className="flex-1 text-center sm:text-left space-y-1">
 46 |           <div className="flex flex-wrap items-center justify-center sm:justify-star
    t gap-2">
 47 |             <h1 className="text-2xl font-bold text-slate-900">{currentUser?.name}</h
    1>
 48 |             <span className="px-2.5 py-0.5 bg-blue-100 text-blue-800 rounded-full te
    xt-xs font-bold uppercase tracking-wider">
 49 |               Student
 50 |             </span>
 51 |           </div>
 52 |           <p className="text-xs sm:text-sm text-slate-600 font-medium">
 53 |             {currentUser?.course} • {currentUser?.semester}
```

```
54 |           </p>
55 |           <p className="text-xs text-slate-400 font-mono">
56 |             Student Identification: {currentUser?.studentId}
57 |           </p>
58 |         </div>
59 |
60 |         <div className="flex sm:flex-col gap-3 text-center">
61 |           <div className="bg-slate-50 border border-slate-200 rounded-xl px-4 py-2">
62 |             <span className="block text-xl font-extrabold text-blue-600">{studentCom
   plaints.length}</span>
63 |             <span className="text-[11px] text-slate-500">Submitted</span>
64 |           </div>
65 |           <div className="bg-slate-50 border border-slate-200 rounded-xl px-4 py-2">
66 |             <span className="block text-xl font-extrabold text-emerald-600">{resolve
   d}</span>
67 |             <span className="text-[11px] text-slate-500">Resolved</span>
68 |           </div>
69 |         </div>
70 |       </div>
71 |
72 |       {/* Details & Edit Form */}
73 |       <div className="bg-white rounded-2xl border border-slate-200 p-6 sm:p-8 shadow
   -xs">
74 |         <div className="flex items-center justify-between mb-6 pb-4 border-b border-
   slate-100">
75 |           <div>
76 |             <h3 className="text-base font-bold text-slate-900">Student Account Infor
   mation</h3>
77 |             <p className="text-xs text-slate-500">Official college records and conta
   ct data</p>
78 |           </div>
79 |           <button
80 |             onClick={() => setIsEditing(!isEditing)}
81 |             className="px-3.5 py-1.5 border border-slate-300 hover:border-slate-400
   rounded-xl text-xs font-semibold text-slate-700 transition"
82 |           >
83 |             {isEditing ? 'Cancel Edit' : 'Edit Contact Info'}
84 |           </button>
85 |         </div>
86 |
87 |         <form onSubmit={handleSave} className="space-y-6">
88 |           <div className="grid grid-cols-1 sm:grid-cols-2 gap-6">
89 |             <div>
90 |               <label className="block text-xs font-bold uppercase tracking-wider tex
   t-slate-500 mb-1">
91 |                 Full Name
92 |               </label>
93 |               <div className="p-2.5 bg-slate-50 border border-slate-200 rounded-xl t
   ext-xs sm:text-sm text-slate-800 font-medium">
94 |                 {currentUser?.name}
95 |               </div>
96 |             </div>
97 |
98 |             <div>
99 |               <label className="block text-xs font-bold uppercase tracking-wider tex
   t-slate-500 mb-1">
100 |                 Student ID
101 |               </label>
102 |               <div className="p-2.5 bg-slate-50 border border-slate-200 rounded-xl t
   ext-xs sm:text-sm text-slate-800 font-mono font-medium">
103 |                 {currentUser?.studentId}
104 |               </div>
105 |             </div>
106 |
107 |             <div>
108 |               <label className="block text-xs font-bold uppercase tracking-wider tex
   t-slate-500 mb-1">
109 |                 College Email (Institutional)
110 |               </label>
111 |               <div className="p-2.5 bg-slate-50 border border-slate-200 rounded-xl t
   ext-xs sm:text-sm text-slate-800 font-mono">
112 |                 {currentUser?.email}
113 |               </div>
114 |             </div>
115 |
116 |             <div>
117 |               <label className="block text-xs font-bold uppercase tracking-wider tex
   t-slate-500 mb-1">
118 |                 Contact Phone Number
119 |               </label>
120 |               {isEditing ? (
```

```
121 |                 <input
122 |                   type="text"
123 |                   value={phone}
124 |                   onChange={e => setPhone(e.target.value)}
125 |                   className="w-full p-2.5 bg-white border border-blue-400 rounded-xl
       text-xs sm:text-sm text-slate-800 focus:outline-none focus:ring-2 focus:ring-blue-5
      00"
126 |                 />
127 |               ) : (
128 |                 <div className="p-2.5 bg-slate-50 border border-slate-200 rounded-xl
       text-xs sm:text-sm text-slate-800">
129 |                   {currentUser?.phone || 'Not provided'}
130 |                 </div>
131 |               )}
132 |             </div>
133 |
134 |             <div>
135 |               <label className="block text-xs font-bold uppercase tracking-wider tex
      t-slate-500 mb-1">
136 |                 Hostel Block Assignment
137 |               </label>
138 |               {isEditing ? (
139 |                 <input
140 |                   type="text"
141 |                   value={hostelBlock}
142 |                   onChange={e => setHostelBlock(e.target.value)}
143 |                   className="w-full p-2.5 bg-white border border-blue-400 rounded-xl
       text-xs sm:text-sm text-slate-800 focus:outline-none focus:ring-2 focus:ring-blue-5
      00"
144 |                 />
145 |               ) : (
146 |                 <div className="p-2.5 bg-slate-50 border border-slate-200 rounded-xl
       text-xs sm:text-sm text-slate-800">
147 |                   {currentUser?.hostelBlock}
148 |                 </div>
149 |               )}
150 |             </div>
151 |
152 |             <div>
153 |               <label className="block text-xs font-bold uppercase tracking-wider tex
      t-slate-500 mb-1">
154 |                 Hostel Room Number
155 |               </label>
156 |               {isEditing ? (
157 |                 <input
158 |                   type="text"
159 |                   value={roomNo}
160 |                   onChange={e => setRoomNo(e.target.value)}
161 |                   className="w-full p-2.5 bg-white border border-blue-400 rounded-xl
       text-xs sm:text-sm text-slate-800 focus:outline-none focus:ring-2 focus:ring-blue-5
      00"
162 |                 />
163 |               ) : (
164 |                 <div className="p-2.5 bg-slate-50 border border-slate-200 rounded-xl
       text-xs sm:text-sm text-slate-800">
165 |                   {currentUser?.roomNo || 'N/A'}
166 |                 </div>
167 |               )}
168 |             </div>
169 |           </div>
170 |
171 |           {isEditing && (
172 |             <div className="flex justify-end pt-4 border-t border-slate-100">
173 |               <button
174 |                 type="submit"
175 |                 className="px-5 py-2.5 bg-blue-600 hover:bg-blue-700 text-white font
      -semibold text-xs rounded-xl flex items-center gap-2 transition shadow-sm"
176 |               >
177 |                 <Save className="w-4 h-4" />
178 |                 <span>Save Profile Changes</span>
179 |               </button>
180 |             </div>
181 |           )}
182 |         </form>
183 |       </div>
184 |     </div>
185 |   );
186 | };
```

SECTION: PAGES: STAFF

39. src/pages/staff/StaffDashboard.jsx

Module: *Pages: Staff* | ***Lines:*** *299* | ***Size:*** *12.8 KB — Departmental staff overview & SLA turnaround metrics*

```
 1 | import React, { useState } from 'react';
 2 | import { Link, useNavigate } from 'react-router-dom';
 3 | import { useAuth } from '../../context/AuthContext';
 4 | import { useComplaints } from '../../context/ComplaintContext';
 5 | import { StatCard } from '../../components/common/StatCard';
 6 | import { StatusBadge } from '../../components/common/StatusBadge';
 7 | import { PriorityBadge } from '../../components/common/PriorityBadge';
 8 | import { CategoryIcon } from '../../components/common/CategoryIcon';
 9 | import { formatDate, timeAgo, isOverdue } from '../../utils/helpers';
10 | import {
11 |   Briefcase,
12 |   Clock,
13 |   Cog,
14 |   CheckCircle2,
15 |   AlertTriangle,
16 |   Search,
17 |   ArrowRight,
18 |   Filter,
19 |   Building,
20 |   UserCheck
21 | } from 'lucide-react';
22 |
23 | export const StaffDashboard = () => {
24 |   const { currentUser } = useAuth();
25 |   const { complaints } = useComplaints();
26 |   const [searchTrackingId, setSearchTrackingId] = useState('');
27 |   const [statusFilter, setStatusFilter] = useState('All');
28 |   const navigate = useNavigate();
29 |
30 |   // Filter complaints assigned to this staff member's department
31 |   // If currentUser is staff01 (Electrical Maintenance), show Electrical Maintenance
    complaints
32 |   // Or show complaints assigned to this staff member
33 |   const departmentComplaints = complaints.filter(
34 |     c => c.department === currentUser?.department || c.assignedStaffId === currentUs
   er?.id
35 |   );
36 |
37 |   // Statistics
38 |   const total = departmentComplaints.length;
39 |   const newComplaints = departmentComplaints.filter(c => c.status === 'Submitted' ||
    c.status === 'Under Review').length;
40 |   const inProgress = departmentComplaints.filter(c => c.status === 'In Progress' ||
   c.status === 'Reopened' || c.status === 'Escalated').length;
41 |   const resolved = departmentComplaints.filter(c => c.status === 'Resolved').length;
42 |   const overdueCount = departmentComplaints.filter(c => isOverdue(c)).length;
43 |
44 |   // Filter list
45 |   const filtered = departmentComplaints.filter(c => {
46 |     const matchesSearch =
47 |       c.trackingId.toLowerCase().includes(searchTrackingId.toLowerCase()) ||
48 |       c.title.toLowerCase().includes(searchTrackingId.toLowerCase()) ||
49 |       c.studentName.toLowerCase().includes(searchTrackingId.toLowerCase());
50 |     const matchesStatus = statusFilter === 'All' || c.status.toLowerCase() === statu
   sFilter.toLowerCase();
51 |     return matchesSearch && matchesStatus;
52 |   });
53 |
54 |   // Urgent & Overdue queue
55 |   const attentionNeeded = departmentComplaints.filter(
56 |     c => (c.priority === 'Urgent' || isOverdue(c)) && c.status !== 'Resolved' && c.s
   tatus !== 'Rejected'
57 |   );
58 |
59 |   return (
60 |     <div className="space-y-8">
61 |       {/* Header Banner */}
62 |       <div className="bg-gradient-to-r from-slate-900 via-navy-900 to-slate-800 roun
   ded-2xl p-6 sm:p-8 text-white shadow-md flex flex-col md:flex-row items-start md:ite
   ms-center justify-between gap-6">
63 |         <div>
64 |           <div className="inline-flex items-center gap-2 px-3 py-1 rounded-full bg-p
   urple-500/20 text-purple-200 text-xs font-semibold mb-2 border border-purple-500/30"
```

```
      >
 65 |             <Building className="w-3.5 h-3.5" />
 66 |             <span>{currentUser?.department}</span>
 67 |             <span>•</span>
 68 |             <span>{currentUser?.staffId}</span>
 69 |           </div>
 70 |           <h1 className="text-2xl sm:text-3xl font-extrabold tracking-tight">
 71 |             Staff Resolution Workbench
 72 |           </h1>
 73 |           <p className="mt-1 text-xs sm:text-sm text-slate-300">
 74 |             Logged in as <strong>{currentUser?.name}</strong> ({currentUser?.designa
      tion})
 75 |           </p>
 76 |         </div>
 77 |
 78 |         <Link
 79 |           to="/staff/assigned"
 80 |           className="px-5 py-2.5 bg-blue-600 hover:bg-blue-700 text-white font-semib
      old text-xs sm:text-sm rounded-xl shadow-xs transition flex items-center gap-2"
 81 |         >
 82 |           <span>View All Department Tasks</span>
 83 |           <ArrowRight className="w-4 h-4" />
 84 |         </Link>
 85 |       </div>
 86 |
 87 |       {/* 5 Required Statistics Cards */}
 88 |       <div className="grid grid-cols-2 lg:grid-cols-5 gap-3 sm:gap-4">
 89 |         <StatCard
 90 |           title="Assigned"
 91 |           value={total}
 92 |           icon={Briefcase}
 93 |           color="blue"
 94 |           subtext="Total department tasks"
 95 |         />
 96 |         <StatCard
 97 |           title="New / Unassigned"
 98 |           value={newComplaints}
 99 |           icon={Clock}
100 |           color="purple"
101 |           subtext="Requires triage"
102 |         />
103 |         <StatCard
104 |           title="In-Progress"
105 |           value={inProgress}
106 |           icon={Cog}
107 |           color="orange"
108 |           subtext="Under active repair"
109 |         />
110 |         <StatCard
111 |           title="Resolved"
112 |           value={resolved}
113 |           icon={CheckCircle2}
114 |           color="emerald"
115 |           subtext="Sign-off completed"
116 |         />
117 |         <StatCard
118 |           title="Overdue"
119 |           value={overdueCount}
120 |           icon={AlertTriangle}
121 |           color="rose"
122 |           subtext="Exceeded SLA target"
123 |         />
124 |       </div>
125 |
126 |       {/* Overdue & Urgent Action Alert Callout */}
127 |       {attentionNeeded.length > 0 && (
128 |         <div className="bg-rose-50 border border-rose-200 rounded-2xl p-5 shadow-xs"
      >
129 |           <div className="flex items-center justify-between gap-2 mb-3">
130 |             <div className="flex items-center gap-2 text-rose-900 font-bold text-sm"
      >
131 |               <AlertTriangle className="w-4 h-4 text-rose-600" />
132 |               <span>Urgent Attention Required ({attentionNeeded.length} Critical Iss
      ues)</span>
133 |             </div>
134 |             <span className="text-[11px] text-rose-700 font-medium hidden sm:inline"
      >
135 |               Action within SLA prevents executive escalation to Dean
136 |             </span>
137 |           </div>
138 |
```

```
139 |           <div className="grid grid-cols-1 md:grid-cols-2 gap-3">
140 |             {attentionNeeded.slice(0, 4).map(item => (
141 |               <div
142 |                 key={item.id}
143 |                 className="bg-white p-3.5 rounded-xl border border-rose-200 shadow-2
    xs flex items-center justify-between gap-3"
144 |               >
145 |                 <div className="min-w-0">
146 |                   <div className="flex items-center gap-2 mb-1">
147 |                     <span className="font-mono text-xs font-bold text-rose-700">{ite
    m.trackingId}</span>
148 |                     <PriorityBadge priority={item.priority} size="sm" />
149 |                     {isOverdue(item) && (
150 |                       <span className="px-1.5 py-0.5 bg-rose-600 text-white rounded
    text-[10px] font-bold">
151 |                         OVERDUE
152 |                       </span>
153 |                     )}
154 |                   </div>
155 |                   <p className="text-xs font-semibold text-slate-900 truncate">{item
    .title}</p>
156 |                   <p className="text-[11px] text-slate-500 truncate">{item.location}
    </p>
157 |                 </div>
158 |
159 |                 <Link
160 |                   to={`/staff/complaints/${item.id}`}
161 |                   className="px-3 py-1.5 bg-rose-600 hover:bg-rose-700 text-white ro
    unded-lg text-xs font-semibold whitespace-nowrap transition"
162 |                 >
163 |                   Action
164 |                 </Link>
165 |               </div>
166 |             ))}
167 |           </div>
168 |         </div>
169 |       )}
170 |
171 |       {/* Search & Quick Filter Toolbar */}
172 |       <div className="bg-white rounded-2xl border border-slate-200 p-4 shadow-xs fle
    x flex-col sm:flex-row items-center justify-between gap-3">
173 |         <div className="relative flex-1 w-full">
174 |           <Search className="w-4 h-4 text-slate-400 absolute left-3 top-3" />
175 |           <input
176 |             type="text"
177 |             value={searchTrackingId}
178 |             onChange={e => setSearchTrackingId(e.target.value)}
179 |             placeholder="Search tracking ID, issue title, or student name..."
180 |             className="w-full pl-9 pr-3 py-2 bg-slate-50 border border-slate-200 rou
    nded-xl text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
181 |           />
182 |         </div>
183 |
184 |         <div className="flex items-center gap-2 w-full sm:w-auto overflow-x-auto">
185 |           {['All', 'Submitted', 'Under Review', 'In Progress', 'Resolved', 'Reopened
    '].map(st => (
186 |             <button
187 |               key={st}
188 |               onClick={() => setStatusFilter(st)}
189 |               className={`px-3 py-1.5 rounded-lg text-xs font-medium whitespace-nowr
    ap transition ${
190 |                 statusFilter === st
191 |                   ? 'bg-blue-600 text-white font-semibold shadow-xs'
192 |                   : 'bg-slate-100 text-slate-600 hover:bg-slate-200'
193 |               }`}
194 |             >
195 |               {st}
196 |             </button>
197 |           ))}
198 |         </div>
199 |       </div>
200 |
201 |       {/* Assigned Complaints Table */}
202 |       <div className="bg-white rounded-2xl border border-slate-200 shadow-xs overflo
    w-hidden">
203 |         <div className="px-6 py-4 border-b border-slate-200 flex items-center justif
    y-between">
204 |           <div>
205 |             <h3 className="text-base font-bold text-slate-900">
206 |               Department Complaints Queue ({filtered.length})
207 |             </h3>
```

```
208 |             <p className="text-xs text-slate-500">
209 |               Directly assigned to {currentUser?.department}
210 |             </p>
211 |           </div>
212 |
213 |           <Link
214 |             to="/staff/assigned"
215 |             className="text-xs font-semibold text-blue-600 hover:text-blue-800"
216 |           >
217 |             Detailed View & Filters →
218 |           </Link>
219 |         </div>
220 |
221 |         {filtered.length === 0 ? (
222 |           <div className="p-12 text-center text-slate-400 text-xs">
223 |             No complaints found matching this filter criteria.
224 |           </div>
225 |         ) : (
226 |           <div className="overflow-x-auto">
227 |             <table className="w-full text-left text-xs">
228 |               <thead className="bg-slate-50 text-slate-600 font-semibold border-b bo
      rder-slate-200">
229 |                 <tr>
230 |                   <th className="px-6 py-3.5">Tracking ID</th>
231 |                   <th className="px-6 py-3.5">Title & Location</th>
232 |                   <th className="px-6 py-3.5">Student</th>
233 |                   <th className="px-6 py-3.5">Priority</th>
234 |                   <th className="px-6 py-3.5">Assigned Staff</th>
235 |                   <th className="px-6 py-3.5">Status</th>
236 |                   <th className="px-6 py-3.5">SLA Target</th>
237 |                   <th className="px-6 py-3.5 text-right">Action</th>
238 |                 </tr>
239 |               </thead>
240 |               <tbody className="divide-y divide-slate-100 text-slate-700">
241 |                 {filtered.map(item => {
242 |                   const overdue = isOverdue(item);
243 |                   return (
244 |                     <tr key={item.id} className="hover:bg-slate-50/80 transition">
245 |                       <td className="px-6 py-4 font-mono font-bold text-blue-700 whi
      tespace-nowrap">
246 |                         {item.trackingId}
247 |                       </td>
248 |                       <td className="px-6 py-4 max-w-xs">
249 |                         <div className="font-semibold text-slate-900 truncate">
250 |                           {item.title}
251 |                         </div>
252 |                         <div className="text-[11px] text-slate-500 truncate mt-0.5">
253 |                           {item.location}
254 |                         </div>
255 |                       </td>
256 |                       <td className="px-6 py-4 whitespace-nowrap">
257 |                         <div className="font-medium text-slate-800">
258 |                           {item.isConfidential ? 'Anonymous Student' : item.studentN
      ame}
259 |                         </div>
260 |                         <div className="text-[10px] text-slate-400 font-mono">
261 |                           {item.isConfidential ? 'Confidential' : item.studentId}
262 |                         </div>
263 |                       </td>
264 |                       <td className="px-6 py-4">
265 |                         <PriorityBadge priority={item.priority} size="sm" />
266 |                       </td>
267 |                       <td className="px-6 py-4 whitespace-nowrap text-slate-700">
268 |                         {item.assignedStaffName || (
269 |                           <span className="text-amber-600 font-medium">Unassigned</s
      pan>
270 |                         )}
271 |                       </td>
272 |                       <td className="px-6 py-4 whitespace-nowrap">
273 |                         <StatusBadge status={item.status} size="sm" />
274 |                       </td>
275 |                       <td className="px-6 py-4 whitespace-nowrap">
276 |                         <span className={`text-[11px] ${overdue ? 'text-rose-600 fon
      t-bold' : 'text-slate-500'}`}>
277 |                           {overdue ? 'EXPIRED' : timeAgo(item.targetResolutionDate)}
278 |                         </span>
279 |                       </td>
280 |                       <td className="px-6 py-4 text-right whitespace-nowrap">
281 |                         <Link
282 |                           to={`/staff/complaints/${item.id}`}
283 |                           className="inline-flex items-center gap-1 text-xs font-sem
```

```
      ibold text-blue-600 hover:text-blue-800 bg-blue-50 hover:bg-blue-100 px-3 py-1 round
      ed-lg transition"
284 |                         >
285 |                           <span>Manage</span>
286 |                           <ArrowRight className="w-3 h-3" />
287 |                         </Link>
288 |                       </td>
289 |                     </tr>
290 |                   );
291 |                 })}
292 |               </tbody>
293 |             </table>
294 |           </div>
295 |         )}
296 |       </div>
297 |     </div>
298 |   );
299 | };
```

40. src/pages/staff/AssignedComplaints.jsx

Module: *Pages: Staff* | ***Lines:*** *245* | ***Size:*** *10.7 KB — Department queue with evidence review & status transitions*

```
  1 | import React, { useState } from 'react';
  2 | import { Link } from 'react-router-dom';
  3 | import { useAuth } from '../../context/AuthContext';
  4 | import { useComplaints } from '../../context/ComplaintContext';
  5 | import { StatusBadge } from '../../components/common/StatusBadge';
  6 | import { PriorityBadge } from '../../components/common/PriorityBadge';
  7 | import { CategoryIcon } from '../../components/common/CategoryIcon';
  8 | import { formatDate, timeAgo, isOverdue } from '../../utils/helpers';
  9 | import {
 10 |   Search,
 11 |   Filter,
 12 |   ArrowRight,
 13 |   Briefcase,
 14 |   AlertTriangle,
 15 |   RotateCcw,
 16 |   CheckCircle2,
 17 |   Clock,
 18 |   UserCheck
 19 | } from 'lucide-react';
 20 |
 21 | export const AssignedComplaints = () => {
 22 |   const { currentUser } = useAuth();
 23 |   const { complaints, categories } = useComplaints();
 24 |
 25 |   const [search, setSearch] = useState('');
 26 |   const [selectedStatus, setSelectedStatus] = useState('All');
 27 |   const [selectedPriority, setSelectedPriority] = useState('All');
 28 |   const [selectedCategory, setSelectedCategory] = useState('All');
 29 |
 30 |   // Filter department complaints
 31 |   const deptComplaints = complaints.filter(
 32 |     c => c.department === currentUser?.department || c.assignedStaffId === currentUs
      er?.id
 33 |   );
 34 |
 35 |   const filtered = deptComplaints.filter(c => {
 36 |     const matchesSearch =
 37 |       c.trackingId.toLowerCase().includes(search.toLowerCase()) ||
 38 |       c.title.toLowerCase().includes(search.toLowerCase()) ||
 39 |       c.studentName.toLowerCase().includes(search.toLowerCase()) ||
 40 |       c.location.toLowerCase().includes(search.toLowerCase());
 41 |
 42 |     const matchesStatus = selectedStatus === 'All' || c.status.toLowerCase() === sel
      ectedStatus.toLowerCase();
 43 |     const matchesPriority = selectedPriority === 'All' || c.priority.toLowerCase() =
      == selectedPriority.toLowerCase();
 44 |     const matchesCategory = selectedCategory === 'All' || c.category === selectedCat
      egory;
 45 |
 46 |     return matchesSearch && matchesStatus && matchesPriority && matchesCategory;
 47 |   });
 48 |
 49 |   const resetFilters = () => {
 50 |     setSearch('');
 51 |     setSelectedStatus('All');
 52 |     setSelectedPriority('All');
```

```
53 |     setSelectedCategory('All');
54 |   };
55 |
56 |   return (
57 |     <div className="space-y-6">
58 |       {/* Header */}
59 |       <div className="flex flex-col sm:flex-row items-start sm:items-center justify-
   between gap-4">
60 |         <div>
61 |           <h1 className="text-2xl font-bold text-slate-900">Department Assigned Comp
   laints</h1>
62 |           <p className="text-xs sm:text-sm text-slate-500">
63 |             Complaints routed to {currentUser?.department} for inspection, repair, a
   nd sign-off
64 |           </p>
65 |         </div>
66 |
67 |         <div className="px-3.5 py-1.5 bg-blue-50 border border-blue-200 rounded-xl t
   ext-xs font-semibold text-blue-800">
68 |           Total Assigned: <strong>{deptComplaints.length}</strong>
69 |         </div>
70 |       </div>
71 |
72 |       {/* Filter Toolbar */}
73 |       <div className="bg-white rounded-2xl border border-slate-200 p-4 shadow-xs spa
   ce-y-3">
74 |         <div className="relative">
75 |           <Search className="w-4 h-4 text-slate-400 absolute left-3 top-3" />
76 |           <input
77 |             type="text"
78 |             value={search}
79 |             onChange={e => setSearch(e.target.value)}
80 |             placeholder="Search by Tracking ID, Title, Student, or Location..."
81 |             className="w-full pl-9 pr-3 py-2 bg-slate-50 border border-slate-200 rou
   nded-xl text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
82 |           />
83 |         </div>
84 |
85 |         <div className="grid grid-cols-2 sm:grid-cols-4 gap-2 pt-2 border-t border-s
   late-100 text-xs">
86 |           <div>
87 |             <label className="text-[10px] font-bold uppercase tracking-wider text-sl
   ate-400 block mb-1">
88 |               Status Filter
89 |             </label>
90 |             <select
91 |               value={selectedStatus}
92 |               onChange={e => setSelectedStatus(e.target.value)}
93 |               className="w-full px-2.5 py-1.5 bg-slate-50 border border-slate-200 ro
   unded-lg text-xs"
94 |             >
95 |               <option value="All">All Statuses</option>
96 |               <option value="Submitted">Submitted (New)</option>
97 |               <option value="Under Review">Under Review</option>
98 |               <option value="In Progress">In Progress</option>
99 |               <option value="Resolved">Resolved</option>
100 |              <option value="Rejected">Rejected</option>
101 |              <option value="Escalated">Escalated</option>
102 |              <option value="Reopened">Reopened</option>
103 |            </select>
104 |          </div>
105 |
106 |          <div>
107 |            <label className="text-[10px] font-bold uppercase tracking-wider text-sl
   ate-400 block mb-1">
108 |              Priority Filter
109 |            </label>
110 |            <select
111 |              value={selectedPriority}
112 |              onChange={e => setSelectedPriority(e.target.value)}
113 |              className="w-full px-2.5 py-1.5 bg-slate-50 border border-slate-200 ro
   unded-lg text-xs"
114 |            >
115 |              <option value="All">All Priorities</option>
116 |              <option value="Urgent">Urgent</option>
117 |              <option value="High">High</option>
118 |              <option value="Medium">Medium</option>
119 |              <option value="Low">Low</option>
120 |            </select>
121 |          </div>
122 |
```

```
123 |           <div>
124 |             <label className="text-[10px] font-bold uppercase tracking-wider text-sl
      ate-400 block mb-1">
125 |               Category Filter
126 |             </label>
127 |             <select
128 |               value={selectedCategory}
129 |               onChange={e => setSelectedCategory(e.target.value)}
130 |               className="w-full px-2.5 py-1.5 bg-slate-50 border border-slate-200 ro
      unded-lg text-xs"
131 |             >
132 |               <option value="All">All Categories</option>
133 |               {categories.map(cat => (
134 |                 <option key={cat.id} value={cat.name}>{cat.name}</option>
135 |               ))}
136 |             </select>
137 |           </div>
138 |
139 |           <div className="flex items-end">
140 |             <button
141 |               onClick={resetFilters}
142 |               className="w-full px-3 py-1.5 text-xs text-slate-600 hover:text-slate-
      900 hover:bg-slate-100 border border-slate-200 rounded-lg flex items-center justify-
      center gap-1.5 transition"
143 |             >
144 |               <RotateCcw className="w-3.5 h-3.5 text-slate-400" />
145 |               <span>Clear Filters</span>
146 |             </button>
147 |           </div>
148 |         </div>
149 |       </div>
150 |
151 |       {/* Complaints Table */}
152 |       <div className="bg-white rounded-2xl border border-slate-200 shadow-xs overflo
      w-hidden">
153 |         {filtered.length === 0 ? (
154 |           <div className="p-12 text-center text-slate-400 text-xs">
155 |             No complaints found matching this criteria.
156 |           </div>
157 |         ) : (
158 |           <div className="overflow-x-auto">
159 |             <table className="w-full text-left text-xs">
160 |               <thead className="bg-slate-50 text-slate-600 font-semibold border-b bo
      rder-slate-200">
161 |                 <tr>
162 |                   <th className="px-6 py-3.5">Tracking ID</th>
163 |                   <th className="px-6 py-3.5">Title & Location</th>
164 |                   <th className="px-6 py-3.5">Category</th>
165 |                   <th className="px-6 py-3.5">Student</th>
166 |                   <th className="px-6 py-3.5">Priority</th>
167 |                   <th className="px-6 py-3.5">Assigned Officer</th>
168 |                   <th className="px-6 py-3.5">Status</th>
169 |                   <th className="px-6 py-3.5">Target SLA</th>
170 |                   <th className="px-6 py-3.5 text-right">Action</th>
171 |                 </tr>
172 |               </thead>
173 |               <tbody className="divide-y divide-slate-100 text-slate-700">
174 |                 {filtered.map(item => {
175 |                   const overdue = isOverdue(item);
176 |                   return (
177 |                     <tr key={item.id} className="hover:bg-slate-50/80 transition">
178 |                       <td className="px-6 py-4 font-mono font-bold text-blue-700 whi
      tespace-nowrap">
179 |                         {item.trackingId}
180 |                       </td>
181 |                       <td className="px-6 py-4 max-w-xs">
182 |                         <div className="font-semibold text-slate-900 truncate">
183 |                           {item.title}
184 |                         </div>
185 |                         <div className="text-[11px] text-slate-500 truncate mt-0.5">
186 |                           {item.location}
187 |                         </div>
188 |                       </td>
189 |                       <td className="px-6 py-4 whitespace-nowrap">
190 |                         <div className="flex items-center gap-1.5">
191 |                           <CategoryIcon categoryName={item.category} className="w-3.
      5 h-3.5 text-slate-400" />
192 |                           <span>{item.category}</span>
193 |                         </div>
194 |                       </td>
195 |                       <td className="px-6 py-4 whitespace-nowrap">
```

```
196 |                         <div className="font-medium text-slate-800">
197 |                           {item.isConfidential ? 'Anonymous Student' : item.studentN
      ame}
198 |                         </div>
199 |                         <div className="text-[10px] text-slate-400 font-mono">
200 |                           {item.isConfidential ? 'Confidential' : item.studentId}
201 |                         </div>
202 |                       </td>
203 |                       <td className="px-6 py-4">
204 |                         <PriorityBadge priority={item.priority} size="sm" />
205 |                       </td>
206 |                       <td className="px-6 py-4 whitespace-nowrap">
207 |                         {item.assignedStaffName || (
208 |                           <span className="text-amber-600 font-medium">Unassigned</s
      pan>
209 |                         )}
210 |                       </td>
211 |                       <td className="px-6 py-4 whitespace-nowrap">
212 |                         <StatusBadge status={item.status} size="sm" />
213 |                       </td>
214 |                       <td className="px-6 py-4 whitespace-nowrap">
215 |                         {overdue ? (
216 |                           <span className="inline-flex items-center gap-1 text-rose-
      600 font-bold text-[11px]">
217 |                             <AlertTriangle className="w-3 h-3" />
218 |                             <span>Overdue</span>
219 |                           </span>
220 |                         ) : (
221 |                           <span className="text-slate-500 text-[11px]">
222 |                             {timeAgo(item.targetResolutionDate)}
223 |                           </span>
224 |                         )}
225 |                       </td>
226 |                       <td className="px-6 py-4 text-right whitespace-nowrap">
227 |                         <Link
228 |                           to={`/staff/complaints/${item.id}`}
229 |                           className="inline-flex items-center gap-1 text-xs font-sem
      ibold text-blue-600 hover:text-blue-800 bg-blue-50 hover:bg-blue-100 px-3 py-1 round
      ed-lg transition"
230 |                         >
231 |                           <span>Manage</span>
232 |                           <ArrowRight className="w-3 h-3" />
233 |                         </Link>
234 |                       </td>
235 |                     </tr>
236 |                   );
237 |                 })}
238 |               </tbody>
239 |             </table>
240 |           </div>
241 |         )}
242 |       </div>
243 |     </div>
244 |   );
245 | };
```

41. src/pages/staff/StaffComplaintDetails.jsx

Module: *Pages: Staff* | ***Lines:*** *386* | ***Size:*** *16.0 KB — Staff resolution workbench, technician assignment & remarks*

```
  1 | import React, { useState } from 'react';
  2 | import { useParams, Link, useNavigate } from 'react-router-dom';
  3 | import { useAuth } from '../../context/AuthContext';
  4 | import { useComplaints } from '../../context/ComplaintContext';
  5 | import { StatusBadge } from '../../components/common/StatusBadge';
  6 | import { PriorityBadge } from '../../components/common/PriorityBadge';
  7 | import { CategoryIcon } from '../../components/common/CategoryIcon';
  8 | import { Timeline } from '../../components/common/Timeline';
  9 | import { Modal } from '../../components/common/Modal';
 10 | import { formatDate, timeAgo, isOverdue, maskPhoneNumber } from '../../utils/helpers
      ';
 11 | import {
 12 |   ArrowLeft,
 13 |   Building,
 14 |   User,
 15 |   Phone,
 16 |   Calendar,
 17 |   MapPin,
 18 |   Clock,
```

```
  CheckCircle2,
  XCircle,
  Eye,
  Lock,
  MessageSquare,
  UserCheck,
  Send,
  AlertTriangle,
  Cog,
  ShieldAlert
} from 'lucide-react';

export const StaffComplaintDetails = () => {
  const { id } = useParams();
  const { currentUser, users } = useAuth();
  const { complaints, updateComplaintStatus, assignStaff, showToast } = useComplaints();
  const navigate = useNavigate();

  const [isImageModalOpen, setIsImageModalOpen] = useState(false);

  // Status Update State
  const [selectedStatus, setSelectedStatus] = useState('');
  const [remarks, setRemarks] = useState('');
  const [selectedStaffId, setSelectedStaffId] = useState('');
  const [isUpdating, setIsUpdating] = useState(false);

  const complaint = complaints.find(
    c => c.id === id || c.trackingId.toLowerCase() === (id || '').toLowerCase()
  );

  // Initialize selected status from complaint
  useState(() => {
    if (complaint) {
      setSelectedStatus(complaint.status);
      setSelectedStaffId(complaint.assignedStaffId || currentUser?.id || '');
    }
  });

  if (!complaint) {
    return (
      <div className="bg-white rounded-2xl border border-slate-200 p-12 text-center max-w-lg mx-auto shadow-xs">
        <AlertTriangle className="w-12 h-12 text-amber-500 mx-auto mb-3" />
        <h2 className="text-lg font-bold text-slate-900 mb-1">Complaint Not Found</h2>
        <Link
          to="/staff/assigned"
          className="px-4 py-2 bg-blue-600 text-white rounded-xl text-xs font-semibold hover:bg-blue-700 mt-4 inline-block"
        >
          Return to Assigned Complaints
        </Link>
      </div>
    );
  }

  // Get department staff list for reassigning
  const deptStaffMembers = users.staff.filter(
    s => s.department === complaint.department || s.department === currentUser?.department
  );

  const handleUpdateStatusAndRemarks = (e) => {
    e.preventDefault();
    if (!remarks.trim()) {
      showToast('Please enter an update remark explaining the progress or action taken.', 'error');
      return;
    }

    setIsUpdating(true);
    setTimeout(() => {
      // 1. If staff assignment changed
      if (selectedStaffId && selectedStaffId !== complaint.assignedStaffId) {
        const staffObj = users.staff.find(s => s.id === selectedStaffId);
        if (staffObj) {
          assignStaff(complaint.id, staffObj, remarks, `${currentUser?.name} (${currentUser?.designation})`);
        }
      }
```

```
 93 |
 94 |       // 2. Update status
 95 |       if (selectedStatus && selectedStatus !== complaint.status) {
 96 |         updateComplaintStatus(
 97 |           complaint.id,
 98 |           selectedStatus,
 99 |           remarks,
100 |           `${currentUser?.name} (${currentUser?.designation})`
101 |         );
102 |       } else {
103 |         // Just add remarks update if status is unchanged
104 |         updateComplaintStatus(
105 |           complaint.id,
106 |           complaint.status,
107 |           remarks,
108 |           `${currentUser?.name} (${currentUser?.designation})`
109 |         );
110 |       }
111 |
112 |       setIsUpdating(false);
113 |       setRemarks('');
114 |       showToast('Complaint status and progress remarks recorded successfully!', 'suc
    cess');
115 |     }, 400);
116 |   };
117 |
118 |   const handleQuickAssignSelf = () => {
119 |     assignStaff(
120 |       complaint.id,
121 |       currentUser,
122 |       `Accepted and taken up by ${currentUser?.name}.`,
123 |       `${currentUser?.name} (${currentUser?.designation})`
124 |     );
125 |     setSelectedStaffId(currentUser?.id);
126 |   };
127 |
128 |   const overdue = isOverdue(complaint);
129 |
130 |   return (
131 |     <div className="space-y-6 max-w-5xl mx-auto pb-10">
132 |       {/* Top Breadcrumb & Actions */}
133 |       <div className="flex flex-col sm:flex-row items-start sm:items-center justify-
    between gap-4">
134 |         <Link
135 |           to="/staff/assigned"
136 |           className="inline-flex items-center gap-1.5 text-xs font-semibold text-sla
    te-600 hover:text-slate-900 transition"
137 |         >
138 |           <ArrowLeft className="w-4 h-4" />
139 |           <span>Back to Assigned Complaints</span>
140 |         </Link>
141 |
142 |         <div className="flex items-center gap-2">
143 |           <div className="px-3 py-1.5 bg-slate-100 border border-slate-200 rounded-x
    l text-xs font-mono font-bold text-slate-800">
144 |             {complaint.trackingId}
145 |           </div>
146 |         </div>
147 |       </div>
148 |
149 |       {/* Overdue Warning */}
150 |       {overdue && (
151 |         <div className="p-4 bg-rose-50 border border-rose-200 rounded-2xl flex items
    -center justify-between gap-3 text-rose-900 text-xs">
152 |           <div className="flex items-center gap-3">
153 |             <AlertTriangle className="w-5 h-5 text-rose-600 flex-shrink-0 animate-bo
    unce" />
154 |             <div>
155 |               <span className="font-bold">Overdue Resolution Warning:</span> This co
    mplaint has passed its SLA target date ({formatDate(complaint.targetResolutionDate)}
    ). Please update status and complete repair promptly.
156 |             </div>
157 |           </div>
158 |         </div>
159 |       )}
160 |
161 |       {/* Main Grid: Details + Staff Actions */}
162 |       <div className="grid grid-cols-1 lg:grid-cols-3 gap-6">
163 |         {/* Left 2 Cols: Details & Timeline */}
164 |         <div className="lg:col-span-2 space-y-6">
165 |           {/* Main Info Card */}
```

```
166 |           <div className="bg-white rounded-2xl border border-slate-200 p-6 sm:p-8 sh
      adow-xs space-y-6">
167 |             <div>
168 |               <div className="flex flex-wrap items-center gap-2 mb-3">
169 |                 <StatusBadge status={complaint.status} size="lg" />
170 |                 <PriorityBadge priority={complaint.priority} size="md" />
171 |                 {complaint.isConfidential && (
172 |                   <span className="inline-flex items-center gap-1 px-2.5 py-1 bg-sla
      te-100 text-slate-700 rounded-full text-xs font-medium border border-slate-200">
173 |                     <Lock className="w-3 h-3" />
174 |                     <span>Confidential Student</span>
175 |                   </span>
176 |                 )}
177 |               </div>
178 |               <h1 className="text-xl sm:text-2xl font-bold text-slate-900">
179 |                 {complaint.title}
180 |               </h1>
181 |             </div>
182 |
183 |             {/* Description */}
184 |             <div className="space-y-2">
185 |               <h4 className="text-xs font-semibold uppercase tracking-wider text-sla
      te-500">
186 |                 Student Grievance Description
187 |               </h4>
188 |               <p className="text-xs sm:text-sm text-slate-700 leading-relaxed whites
      pace-pre-line bg-slate-50 p-4 rounded-xl border border-slate-100">
189 |                 {complaint.description}
190 |               </p>
191 |             </div>
192 |
193 |             {/* Evidence Image */}
194 |             {complaint.evidenceImage && (
195 |               <div className="space-y-2">
196 |                 <h4 className="text-xs font-semibold uppercase tracking-wider text-s
      late-500">
197 |                   Supporting Photo Evidence
198 |                 </h4>
199 |                 <div className="relative group rounded-xl overflow-hidden border bor
      der-slate-200 max-w-md bg-slate-100">
200 |                   <img
201 |                     src={complaint.evidenceImage}
202 |                     alt="Supporting Evidence"
203 |                     className="w-full h-48 object-cover group-hover:scale-105 transi
      tion duration-300"
204 |                   />
205 |                   <button
206 |                     onClick={() => setIsImageModalOpen(true)}
207 |                     className="absolute inset-0 bg-slate-900/40 opacity-0 group-hove
      r:opacity-100 transition flex items-center justify-center text-white text-xs font-se
      mibold gap-1.5"
208 |                   >
209 |                     <Eye className="w-4 h-4" />
210 |                     <span>Inspect High-Resolution Image</span>
211 |                   </button>
212 |                 </div>
213 |               </div>
214 |             )}
215 |           </div>
216 |
217 |           {/* Interactive Stepper & Audit Trail */}
218 |           <div className="bg-white rounded-2xl border border-slate-200 p-6 sm:p-8 sh
      adow-xs">
219 |             <Timeline history={complaint.history} currentStatus={complaint.status} /
      >
220 |           </div>
221 |         </div>
222 |
223 |         {/* Right Col: Staff Control Panel */}
224 |         <div className="space-y-6">
225 |           {/* Action Form: Update Status, Remarks, Assign */}
226 |           <div className="bg-white rounded-2xl border border-blue-200 shadow-md p-6
      space-y-5">
227 |             <div className="flex items-center gap-2 pb-3 border-b border-slate-100">
228 |               <Cog className="w-5 h-5 text-blue-600" />
229 |               <h3 className="text-base font-bold text-slate-900">Department Action P
      anel</h3>
230 |             </div>
231 |
232 |             <form onSubmit={handleUpdateStatusAndRemarks} className="space-y-4">
233 |               {/* Change Status Dropdown */}
```

```
234 |               <div>
235 |                 <label className="block text-xs font-semibold uppercase tracking-wid
      er text-slate-700 mb-1.5">
236 |                   Update Lifecycle Status
237 |                 </label>
238 |                 <select
239 |                   value={selectedStatus}
240 |                   onChange={e => setSelectedStatus(e.target.value)}
241 |                   className="w-full px-3 py-2 bg-slate-50 border border-slate-200 ro
      unded-xl text-xs sm:text-sm font-semibold focus:outline-none focus:ring-2 focus:ring
      -blue-500"
242 |                 >
243 |                   <option value="Submitted">Submitted (Pending Triage)</option>
244 |                   <option value="Under Review">Under Review</option>
245 |                   <option value="In Progress">In Progress (Active Work)</option>
246 |                   <option value="Resolved">Resolved (Work Completed)</option>
247 |                   <option value="Rejected">Rejected (Out of scope / Invalid)</option
      >
248 |                 </select>
249 |               </div>
250 |
251 |               {/* Assign Technician */}
252 |               <div>
253 |                 <div className="flex items-center justify-between mb-1.5">
254 |                   <label className="text-xs font-semibold uppercase tracking-wider t
      ext-slate-700">
255 |                     Assigned Technician
256 |                   </label>
257 |                   {complaint.assignedStaffId !== currentUser?.id && (
258 |                     <button
259 |                       type="button"
260 |                       onClick={handleQuickAssignSelf}
261 |                       className="text-[11px] font-semibold text-blue-600 hover:text-
      blue-800"
262 |                     >
263 |                       Assign to Me
264 |                     </button>
265 |                   )}
266 |                 </div>
267 |                 <select
268 |                   value={selectedStaffId}
269 |                   onChange={e => setSelectedStaffId(e.target.value)}
270 |                   className="w-full px-3 py-2 bg-slate-50 border border-slate-200 ro
      unded-xl text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
271 |                 >
272 |                   <option value="">Unassigned</option>
273 |                   {users.staff.map(s => (
274 |                     <option key={s.id} value={s.id}>
275 |                       {s.name} ({s.department} - {s.designation})
276 |                     </option>
277 |                   ))}
278 |                 </select>
279 |               </div>
280 |
281 |               {/* Progress Remarks / Resolution Notes */}
282 |               <div>
283 |                 <label className="block text-xs font-semibold uppercase tracking-wid
      er text-slate-700 mb-1.5">
284 |                   Progress Remarks / Resolution Notes <span className="text-rose-500
      ">*</span>
285 |                 </label>
286 |                 <textarea
287 |                   rows={4}
288 |                   required
289 |                   value={remarks}
290 |                   onChange={e => setRemarks(e.target.value)}
291 |                   placeholder={
292 |                     selectedStatus === 'Resolved'
293 |                       ? 'Detail the resolution: replaced parts, verified fix, techni
      cian name...'
294 |                       : selectedStatus === 'Rejected'
295 |                       ? 'Specify mandatory institutional reason for rejection...'
296 |                       : 'Provide on-site inspection findings or work update for the
      student...'
297 |                   }
298 |                   className="w-full p-3 bg-slate-50 border border-slate-200 rounded-
      xl text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
299 |                 ></textarea>
300 |                 <span className="text-[10px] text-slate-400 mt-0.5 block">
301 |                   Remarks will be saved to the permanent audit trail and notified to
       the student.
```

```
302 |                 </span>
303 |               </div>
304 |
305 |               <button
306 |                 type="submit"
307 |                 disabled={isUpdating}
308 |                 className="w-full py-3 bg-blue-600 hover:bg-blue-700 text-white font
    -bold text-xs sm:text-sm rounded-xl shadow-md flex items-center justify-center gap-2
     transition disabled:opacity-50"
309 |               >
310 |                 <Send className="w-4 h-4" />
311 |                 <span>{isUpdating ? 'Saving...' : 'Submit Update & Notify Student'}<
    /span>
312 |               </button>
313 |             </form>
314 |           </div>
315 |
316 |           {/* Student & Location Metadata */}
317 |           <div className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs
     space-y-4">
318 |             <h3 className="text-xs font-bold uppercase tracking-wider text-slate-400
    ">
319 |               Student & Location Details
320 |             </h3>
321 |
322 |             <div className="space-y-3 text-xs">
323 |               <div className="flex items-start gap-3">
324 |                 <User className="w-4 h-4 text-blue-600 flex-shrink-0 mt-0.5" />
325 |                 <div>
326 |                   <span className="text-slate-400 block text-[11px]">Submitted By</s
    pan>
327 |                   <span className="font-semibold text-slate-800">
328 |                     {complaint.isConfidential ? 'Anonymous Student (Confidential)' :
     complaint.studentName}
329 |                   </span>
330 |                   {!complaint.isConfidential && (
331 |                     <span className="text-slate-500 block text-[11px] font-mono">{co
    mplaint.studentId}</span>
332 |                   )}
333 |                 </div>
334 |               </div>
335 |
336 |               <div className="flex items-start gap-3">
337 |                 <MapPin className="w-4 h-4 text-blue-600 flex-shrink-0 mt-0.5" />
338 |                 <div>
339 |                   <span className="text-slate-400 block text-[11px]">Incident Locati
    on</span>
340 |                   <span className="font-semibold text-slate-800">{complaint.location
    }</span>
341 |                 </div>
342 |               </div>
343 |
344 |               <div className="flex items-start gap-3">
345 |                 <Calendar className="w-4 h-4 text-slate-400 flex-shrink-0 mt-0.5" />
346 |                 <div>
347 |                   <span className="text-slate-400 block text-[11px]">Registered Date
    </span>
348 |                   <span className="text-slate-800 font-medium">{formatDate(complaint
    .submissionDate)}</span>
349 |                 </div>
350 |               </div>
351 |
352 |               <div className="flex items-start gap-3">
353 |                 <Clock className="w-4 h-4 text-slate-400 flex-shrink-0 mt-0.5" />
354 |                 <div>
355 |                   <span className="text-slate-400 block text-[11px]">Target SLA Reso
    lution</span>
356 |                   <span className={`font-semibold ${overdue ? 'text-rose-600' : 'tex
    t-slate-800'}`}>
357 |                     {formatDate(complaint.targetResolutionDate)}
358 |                   </span>
359 |                 </div>
360 |               </div>
361 |             </div>
362 |           </div>
363 |         </div>
364 |       </div>
365 |
366 |       {/* Enlarged Image Modal */}
367 |       <Modal
368 |         isOpen={isImageModalOpen}
```

```
369 |         onClose={() => setIsImageModalOpen(false)}
370 |         title="Supporting Image Evidence"
371 |         maxWidth="max-w-3xl"
372 |       >
373 |         <div className="space-y-3 text-center">
374 |           <img
375 |             src={complaint.evidenceImage}
376 |             alt="Evidence Detailed View"
377 |             className="w-full max-h-[70vh] object-contain rounded-xl bg-slate-900"
378 |           />
379 |           <p className="text-xs text-slate-500">
380 |             Uploaded by {complaint.isConfidential ? 'Anonymous Student' : complaint.
    studentName} on {formatDate(complaint.submissionDate)}
381 |           </p>
382 |         </div>
383 |       </Modal>
384 |     </div>
385 |   );
386 | };
```

42. src/pages/staff/StaffAttendance.jsx

Module: *Pages: Staff* | ***Lines:*** *367* | ***Size:*** *15.5 KB — Lecture attendance marker with QR broadcast projector*

```
  1 | import React, { useState } from 'react';
  2 | import { useAuth } from '../../context/AuthContext';
  3 | import { useAttendance } from '../../context/AttendanceContext';
  4 | import { useComplaints } from '../../context/ComplaintContext';
  5 | import { formatDate } from '../../utils/helpers';
  6 | import {
  7 |   Calendar,
  8 |   BookOpen,
  9 |   Users,
 10 |   CheckCircle2,
 11 |   XCircle,
 12 |   Clock,
 13 |   Save,
 14 |   CheckCheck,
 15 |   AlertCircle,
 16 |   Sparkles,
 17 |   History,
 18 |   GraduationCap,
 19 |   QrCode
 20 | } from 'lucide-react';
 21 | import { ClassroomQrModal } from '../../components/attendance/ClassroomQrModal';
 22 |
 23 | export const StaffAttendance = () => {
 24 |   const { currentUser, users } = useAuth();
 25 |   const { courses, subjectsMap, sessions, recordAttendanceSession } = useAttendance(
    );
 26 |   const { showToast } = useComplaints();
 27 |
 28 |   // Form Selections
 29 |   const [selectedCourse, setSelectedCourse] = useState('B.Tech Computer Science');
 30 |   const [selectedSubject, setSelectedSubject] = useState(subjectsMap['B.Tech Compute
    r Science']?.[0]?.name || '');
 31 |   const [selectedDate, setSelectedDate] = useState(new Date().toISOString().slice(0,
     10));
 32 |
 33 |   // Get students enrolled in selected course
 34 |   const enrolledStudents = (users.students || []).filter(
 35 |     s => s.course === selectedCourse || s.course.includes(selectedCourse.split(' ')[
    1] || 'Computer')
 36 |   );
 37 |
 38 |   // Local state for attendance records: { [studentId]: 'Present' | 'Absent' | 'On L
    eave' }
 39 |   const [attendanceMap, setAttendanceMap] = useState(() => {
 40 |     const initial = {};
 41 |     enrolledStudents.forEach(s => {
 42 |       initial[s.studentId] = 'Present';
 43 |     });
 44 |     return initial;
 45 |   });
 46 |
 47 |   const [isSubmitting, setIsSubmitting] = useState(false);
 48 |   const [isQrModalOpen, setIsQrModalOpen] = useState(false);
 49 |   const { activeQrSession } = useAttendance();
 50 |
```

```
  51 |   // Update subjects list when course changes
  52 |   const handleCourseChange = (e) => {
  53 |     const newCourse = e.target.value;
  54 |     setSelectedCourse(newCourse);
  55 |     const newSubjects = subjectsMap[newCourse] || [];
  56 |     if (newSubjects.length > 0) {
  57 |       setSelectedSubject(newSubjects[0].name);
  58 |     }
  59 |   };
  60 |
  61 |   const handleStatusChange = (studentId, status) => {
  62 |     setAttendanceMap(prev => ({
  63 |       ...prev,
  64 |       [studentId]: status
  65 |     }));
  66 |   };
  67 |
  68 |   const handleMarkAll = (status) => {
  69 |     const updated = {};
  70 |     enrolledStudents.forEach(s => {
  71 |       updated[s.studentId] = status;
  72 |     });
  73 |     setAttendanceMap(updated);
  74 |     showToast(`Marked all students as ${status}`, 'info');
  75 |   };
  76 |
  77 |   const handleSubmit = (e) => {
  78 |     e.preventDefault();
  79 |     if (enrolledStudents.length === 0) {
  80 |       showToast('No students enrolled in this selected class roster.', 'error');
  81 |       return;
  82 |     }
  83 |
  84 |     setIsSubmitting(true);
  85 |     setTimeout(() => {
  86 |       const recordsArray = enrolledStudents.map(s => ({
  87 |         studentId: s.studentId,
  88 |         studentName: s.name,
  89 |         status: attendanceMap[s.studentId] || 'Present'
  90 |       }));
  91 |
  92 |       recordAttendanceSession({
  93 |         date: selectedDate,
  94 |         course: selectedCourse,
  95 |         semester: '6th Semester',
  96 |         subject: selectedSubject,
  97 |         markedBy: currentUser?.name || 'Faculty Member',
  98 |         records: recordsArray
  99 |       });
 100 |
 101 |       setIsSubmitting(false);
 102 |       showToast(`Attendance recorded successfully for ${selectedSubject}!`, 'success
      ');
 103 |     }, 400);
 104 |   };
 105 |
 106 |   // Metrics for current session
 107 |   const totalStudents = enrolledStudents.length;
 108 |   const presentCount = enrolledStudents.filter(s => (attendanceMap[s.studentId] || '
     Present') === 'Present').length;
 109 |   const absentCount = enrolledStudents.filter(s => attendanceMap[s.studentId] === 'A
     bsent').length;
 110 |   const onLeaveCount = enrolledStudents.filter(s => attendanceMap[s.studentId] === '
     On Leave').length;
 111 |
 112 |   return (
 113 |     <div className="space-y-6 max-w-5xl mx-auto">
 114 |       {/* Classroom QR Code Modal */}
 115 |       <ClassroomQrModal
 116 |         isOpen={isQrModalOpen}
 117 |         onClose={() => setIsQrModalOpen(false)}
 118 |       />
 119 |
 120 |       {/* Header */}
 121 |       <div className="flex flex-col sm:flex-row items-start sm:items-center justify-
     between gap-4">
 122 |         <div>
 123 |           <div className="inline-flex items-center gap-1.5 px-2.5 py-0.5 rounded-ful
     l bg-blue-100 text-blue-800 text-xs font-semibold mb-1">
 124 |             <GraduationCap className="w-3.5 h-3.5" />
 125 |             <span>Sanjay Ghodawat University • Faculty Attendance Desk</span>
```

```
126 |           </div>
127 |           <h1 className="text-2xl font-bold text-slate-900">Lecture Attendance Marke
      r</h1>
128 |           <p className="text-xs sm:text-sm text-slate-500">
129 |             Select course, subject, and date to record and submit student attendance
130 |           </p>
131 |         </div>
132 |
133 |         <div className="flex items-center gap-3">
134 |           <button
135 |             onClick={() => setIsQrModalOpen(true)}
136 |             className="px-4 py-2.5 bg-gradient-to-r from-blue-600 to-indigo-600 hove
      r:from-blue-700 hover:to-indigo-700 text-white rounded-xl font-bold text-xs shadow-m
      d shadow-blue-500/20 transition flex items-center gap-2 cursor-pointer"
137 |           >
138 |             <QrCode className="w-4 h-4" />
139 |             <span>Generate Classroom QR</span>
140 |             {activeQrSession?.isActive && (
141 |               <span className="w-2 h-2 rounded-full bg-emerald-400 animate-pulse"></
      span>
142 |             )}
143 |           </button>
144 |         </div>
145 |       </div>
146 |
147 |       {/* Control Bar: Class, Subject, Date Selection */}
148 |       <div className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs spa
      ce-y-4">
149 |         <h3 className="text-xs font-bold uppercase tracking-wider text-slate-400">
150 |           Session Configuration
151 |         </h3>
152 |
153 |         <div className="grid grid-cols-1 sm:grid-cols-3 gap-4">
154 |           <div>
155 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
      b-1">
156 |               Select Class / Program
157 |             </label>
158 |             <select
159 |               value={selectedCourse}
160 |               onChange={handleCourseChange}
161 |               className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
       text-xs sm:text-sm font-medium focus:outline-none focus:ring-2 focus:ring-blue-500"
162 |             >
163 |               {courses.map(c => (
164 |                 <option key={c.id} value={c.name}>{c.name} ({c.semester})</option>
165 |               ))}
166 |             </select>
167 |           </div>
168 |
169 |           <div>
170 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
      b-1">
171 |               Subject / Course Code
172 |             </label>
173 |             <select
174 |               value={selectedSubject}
175 |               onChange={e => setSelectedSubject(e.target.value)}
176 |               className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
       text-xs sm:text-sm font-medium focus:outline-none focus:ring-2 focus:ring-blue-500"
177 |             >
178 |               {(subjectsMap[selectedCourse] || []).map(s => (
179 |                 <option key={s.code} value={s.name}>{s.name}</option>
180 |               ))}
181 |             </select>
182 |           </div>
183 |
184 |           <div>
185 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
      b-1">
186 |               Lecture Date
187 |             </label>
188 |             <input
189 |               type="date"
190 |               value={selectedDate}
191 |               onChange={e => setSelectedDate(e.target.value)}
192 |               className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
       text-xs sm:text-sm font-medium focus:outline-none focus:ring-2 focus:ring-blue-500
      font-mono"
193 |             />
194 |           </div>
```

```
195 |         </div>
196 |
197 |         {/* Real-time Tally Strip & Batch Actions */}
198 |         <div className="pt-4 border-t border-slate-100 flex flex-col sm:flex-row ite
      ms-start sm:items-center justify-between gap-3">
199 |           <div className="flex items-center gap-4 text-xs font-semibold">
200 |             <span className="text-slate-600">Total: <strong>{totalStudents}</strong>
      </span>
201 |             <span className="text-emerald-600">Present: <strong>{presentCount}</stro
      ng></span>
202 |             <span className="text-rose-600">Absent: <strong>{absentCount}</strong></
      span>
203 |             <span className="text-amber-600">On Leave: <strong>{onLeaveCount}</stron
      g></span>
204 |           </div>
205 |
206 |           <div className="flex items-center gap-2">
207 |             <button
208 |               type="button"
209 |               onClick={() => handleMarkAll('Present')}
210 |               className="px-3 py-1.5 bg-emerald-50 hover:bg-emerald-100 text-emerald
      -700 rounded-lg text-xs font-semibold flex items-center gap-1 transition"
211 |             >
212 |               <CheckCheck className="w-3.5 h-3.5" />
213 |               <span>Mark All Present</span>
214 |             </button>
215 |             <button
216 |               type="button"
217 |               onClick={() => handleMarkAll('Absent')}
218 |               className="px-3 py-1.5 bg-rose-50 hover:bg-rose-100 text-rose-700 roun
      ded-lg text-xs font-semibold flex items-center gap-1 transition"
219 |             >
220 |               <XCircle className="w-3.5 h-3.5" />
221 |               <span>Mark All Absent</span>
222 |             </button>
223 |           </div>
224 |         </div>
225 |       </div>
226 |
227 |       {/* Student Roster Marking Table */}
228 |       <div className="bg-white rounded-2xl border border-slate-200 shadow-xs overflo
      w-hidden">
229 |         <div className="px-6 py-4 border-b border-slate-200 flex items-center justif
      y-between">
230 |           <div>
231 |             <h3 className="text-base font-bold text-slate-900">Enrolled Student Rost
      er</h3>
232 |             <p className="text-xs text-slate-500">Mark attendance status for each st
      udent in the batch</p>
233 |           </div>
234 |           <span className="text-xs font-mono font-bold text-blue-700 bg-blue-50 px-2
      .5 py-1 rounded-lg">
235 |             {selectedCourse}
236 |           </span>
237 |         </div>
238 |
239 |         {enrolledStudents.length === 0 ? (
240 |           <div className="p-12 text-center text-slate-400 text-xs">
241 |             No students registered in this course. Please select another program.
242 |           </div>
243 |         ) : (
244 |           <div className="overflow-x-auto">
245 |             <table className="w-full text-left text-xs">
246 |               <thead className="bg-slate-50 text-slate-600 font-semibold border-b bo
      rder-slate-200">
247 |                 <tr>
248 |                   <th className="px-6 py-3.5">Roll / Student ID</th>
249 |                   <th className="px-6 py-3.5">Student Name</th>
250 |                   <th className="px-6 py-3.5">Semester & Hostel</th>
251 |                   <th className="px-6 py-3.5 text-center">Status Action</th>
252 |                 </tr>
253 |               </thead>
254 |               <tbody className="divide-y divide-slate-100 text-slate-700">
255 |                 {enrolledStudents.map(student => {
256 |                   const currentStatus = attendanceMap[student.studentId] || 'Present
      ';
257 |
258 |                   return (
259 |                     <tr key={student.id} className="hover:bg-slate-50/80 transition"
      >
260 |                       <td className="px-6 py-4 font-mono font-bold text-blue-700">
```

```
                        {student.studentId}
                      </td>
                      <td className="px-6 py-4">
                        <div className="flex items-center gap-2.5">
                          <img
                            src={student.avatar}
                            alt={student.name}
                            className="w-7 h-7 rounded-full object-cover ring-1 ring
-slate-200"
                          />
                          <span className="font-bold text-slate-900">{student.name}<
/span>
                        </div>
                      </td>
                      <td className="px-6 py-4 text-slate-500">
                        {student.semester} • {student.hostelBlock}
                      </td>
                      <td className="px-6 py-4">
                        <div className="flex items-center justify-center gap-2">
                          {/* Present Button */}
                          <button
                            type="button"
                            onClick={() => handleStatusChange(student.studentId, 'Pr
esent')}
                            className={`px-3 py-1.5 rounded-xl font-semibold text-xs
 flex items-center gap-1 transition ${
                              currentStatus === 'Present'
                                ? 'bg-emerald-600 text-white shadow-xs'
                                : 'bg-slate-100 text-slate-600 hover:bg-slate-200'
                            }`}
                          >
                            <CheckCircle2 className="w-3.5 h-3.5" />
                            <span>Present</span>
                          </button>

                          {/* Absent Button */}
                          <button
                            type="button"
                            onClick={() => handleStatusChange(student.studentId, 'Ab
sent')}
                            className={`px-3 py-1.5 rounded-xl font-semibold text-xs
 flex items-center gap-1 transition ${
                              currentStatus === 'Absent'
                                ? 'bg-rose-600 text-white shadow-xs'
                                : 'bg-slate-100 text-slate-600 hover:bg-slate-200'
                            }`}
                          >
                            <XCircle className="w-3.5 h-3.5" />
                            <span>Absent</span>
                          </button>

                          {/* On Leave Button */}
                          <button
                            type="button"
                            onClick={() => handleStatusChange(student.studentId, 'On
 Leave')}
                            className={`px-3 py-1.5 rounded-xl font-semibold text-xs
 flex items-center gap-1 transition ${
                              currentStatus === 'On Leave'
                                ? 'bg-amber-500 text-white shadow-xs'
                                : 'bg-slate-100 text-slate-600 hover:bg-slate-200'
                            }`}
                          >
                            <Clock className="w-3.5 h-3.5" />
                            <span>On Leave</span>
                          </button>
                        </div>
                      </td>
                    </tr>
                  );
                })}
              </tbody>
            </table>
          </div>
        )}

        <div className="p-4 bg-slate-50 border-t border-slate-200 flex justify-end">
          <button
            onClick={handleSubmit}
            disabled={isSubmitting || enrolledStudents.length === 0}
            className="px-6 py-2.5 bg-blue-600 hover:bg-blue-700 text-white rounded-
```

```
      xl text-xs sm:text-sm font-semibold flex items-center gap-2 transition shadow-md dis
      abled:opacity-50"
334 |           >
335 |             <Save className="w-4 h-4" />
336 |             <span>{isSubmitting ? 'Recording...' : 'Submit Attendance Record'}</span
      >
337 |           </button>
338 |         </div>
339 |       </div>
340 |
341 |       {/* Recent Lecture History Recorded by Faculty */}
342 |       <div className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs spa
      ce-y-4">
343 |         <div className="flex items-center gap-2">
344 |           <History className="w-4 h-4 text-slate-400" />
345 |           <h3 className="text-base font-bold text-slate-900">Recent Attendance Sessi
      ons Log</h3>
346 |         </div>
347 |
348 |         <div className="divide-y divide-slate-100 text-xs">
349 |           {sessions.slice(0, 4).map(sess => (
350 |             <div key={sess.id} className="py-3 flex items-center justify-between gap
      -3">
351 |               <div>
352 |                 <p className="font-bold text-slate-900">{sess.subject}</p>
353 |                 <p className="text-slate-500 text-[11px]">
354 |                   {sess.course} • Marked by {sess.markedBy} • {sess.records.length}
      students recorded
355 |                 </p>
356 |               </div>
357 |               <div className="text-right">
358 |                 <span className="font-mono text-slate-700 font-semibold">{sess.date}
      </span>
359 |                 <span className="block text-[10px] text-emerald-600 font-bold">Saved
       to LocalStorage</span>
360 |               </div>
361 |             </div>
362 |           ))}
363 |         </div>
364 |       </div>
365 |     </div>
366 |   );
367 | };
```

43. src/pages/staff/StaffProfile.jsx

Module: *Pages: Staff* | ***Lines:*** *181* | ***Size:*** *7.6 KB — Staff employee credentials & assigned department info*

```
  1 | import React, { useState } from 'react';
  2 | import { useAuth } from '../../context/AuthContext';
  3 | import { useComplaints } from '../../context/ComplaintContext';
  4 | import {
  5 |   User,
  6 |   Briefcase,
  7 |   Mail,
  8 |   Phone,
  9 |   Building,
 10 |   CheckCircle2,
 11 |   Clock,
 12 |   Save,
 13 |   ShieldCheck
 14 | } from 'lucide-react';
 15 |
 16 | export const StaffProfile = () => {
 17 |   const { currentUser, updateProfile } = useAuth();
 18 |   const { complaints, showToast } = useComplaints();
 19 |
 20 |   const [phone, setPhone] = useState(currentUser?.phone || '');
 21 |   const [designation, setDesignation] = useState(currentUser?.designation || '');
 22 |   const [isEditing, setIsEditing] = useState(false);
 23 |
 24 |   // Department metrics
 25 |   const deptComplaints = complaints.filter(
 26 |     c => c.department === currentUser?.department || c.assignedStaffId === currentUs
      er?.id
 27 |   );
 28 |   const resolved = deptComplaints.filter(c => c.status === 'Resolved').length;
 29 |   const inProgress = deptComplaints.filter(c => c.status === 'In Progress' || c.stat
      us === 'Under Review').length;
```

```
30 |   const resolutionRate = deptComplaints.length > 0 ? Math.round((resolved / deptComp
   laints.length) * 100) : 100;
31 |
32 |   const handleSave = (e) => {
33 |     e.preventDefault();
34 |     updateProfile({ phone, designation });
35 |     setIsEditing(false);
36 |     showToast('Staff profile updated successfully!', 'success');
37 |   };
38 |
39 |   return (
40 |     <div className="max-w-4xl mx-auto space-y-6">
41 |       {/* Header Profile Card */}
42 |       <div className="bg-white rounded-2xl border border-slate-200 p-6 sm:p-8 shadow
   -xs flex flex-col sm:flex-row items-center gap-6">
43 |         <img
44 |           src={currentUser?.avatar || 'https://images.unsplash.com/photo-14720996457
   85-5658abf4ff4e?w=150&auto=format&fit=crop&q=80'}
45 |           alt={currentUser?.name}
46 |           className="w-24 h-24 rounded-2xl object-cover ring-4 ring-purple-50 shadow
   -md"
47 |         />
48 |
49 |         <div className="flex-1 text-center sm:text-left space-y-1">
50 |           <div className="flex flex-wrap items-center justify-center sm:justify-star
   t gap-2">
51 |             <h1 className="text-2xl font-bold text-slate-900">{currentUser?.name}</h
   1>
52 |             <span className="px-2.5 py-0.5 bg-purple-100 text-purple-800 rounded-ful
   l text-xs font-bold uppercase tracking-wider">
53 |               Staff Member
54 |             </span>
55 |           </div>
56 |           <p className="text-xs sm:text-sm text-slate-600 font-medium">
57 |             {currentUser?.designation} • {currentUser?.department}
58 |           </p>
59 |           <p className="text-xs text-slate-400 font-mono">
60 |             Employee Code: {currentUser?.staffId}
61 |           </p>
62 |         </div>
63 |
64 |         <div className="flex sm:flex-col gap-3 text-center">
65 |           <div className="bg-slate-50 border border-slate-200 rounded-xl px-4 py-2">
66 |             <span className="block text-xl font-extrabold text-blue-600">{deptCompla
   ints.length}</span>
67 |             <span className="text-[11px] text-slate-500">Dept Tasks</span>
68 |           </div>
69 |           <div className="bg-slate-50 border border-slate-200 rounded-xl px-4 py-2">
70 |             <span className="block text-xl font-extrabold text-emerald-600">{resolut
   ionRate}%</span>
71 |             <span className="text-[11px] text-slate-500">Resolve Rate</span>
72 |           </div>
73 |         </div>
74 |       </div>
75 |
76 |       {/* Account Info */}
77 |       <div className="bg-white rounded-2xl border border-slate-200 p-6 sm:p-8 shadow
   -xs">
78 |         <div className="flex items-center justify-between mb-6 pb-4 border-b border-
   slate-100">
79 |           <div>
80 |             <h3 className="text-base font-bold text-slate-900">Department Roster Det
   ails</h3>
81 |             <p className="text-xs text-slate-500">Official college employee registry
   </p>
82 |           </div>
83 |           <button
84 |             onClick={() => setIsEditing(!isEditing)}
85 |             className="px-3.5 py-1.5 border border-slate-300 hover:border-slate-400
   rounded-xl text-xs font-semibold text-slate-700 transition"
86 |           >
87 |             {isEditing ? 'Cancel Edit' : 'Edit Contact Info'}
88 |           </button>
89 |         </div>
90 |
91 |         <form onSubmit={handleSave} className="space-y-6">
92 |           <div className="grid grid-cols-1 sm:grid-cols-2 gap-6">
93 |             <div>
94 |               <label className="block text-xs font-bold uppercase tracking-wider tex
   t-slate-500 mb-1">
95 |                 Full Name
```

```
 96 |               </label>
 97 |               <div className="p-2.5 bg-slate-50 border border-slate-200 rounded-xl t
      ext-xs sm:text-sm text-slate-800 font-medium">
 98 |                 {currentUser?.name}
 99 |               </div>
100 |             </div>
101 |
102 |             <div>
103 |               <label className="block text-xs font-bold uppercase tracking-wider tex
      t-slate-500 mb-1">
104 |                 Employee Identification
105 |               </label>
106 |               <div className="p-2.5 bg-slate-50 border border-slate-200 rounded-xl t
      ext-xs sm:text-sm text-slate-800 font-mono font-medium">
107 |                 {currentUser?.staffId}
108 |               </div>
109 |             </div>
110 |
111 |             <div>
112 |               <label className="block text-xs font-bold uppercase tracking-wider tex
      t-slate-500 mb-1">
113 |                 Department
114 |               </label>
115 |               <div className="p-2.5 bg-slate-50 border border-slate-200 rounded-xl t
      ext-xs sm:text-sm text-slate-800 font-medium">
116 |                 {currentUser?.department}
117 |               </div>
118 |             </div>
119 |
120 |             <div>
121 |               <label className="block text-xs font-bold uppercase tracking-wider tex
      t-slate-500 mb-1">
122 |                 Designation
123 |               </label>
124 |               {isEditing ? (
125 |                 <input
126 |                   type="text"
127 |                   value={designation}
128 |                   onChange={e => setDesignation(e.target.value)}
129 |                   className="w-full p-2.5 bg-white border border-blue-400 rounded-xl
       text-xs sm:text-sm text-slate-800 focus:outline-none focus:ring-2 focus:ring-blue-5
      00"
130 |                 />
131 |               ) : (
132 |                 <div className="p-2.5 bg-slate-50 border border-slate-200 rounded-xl
       text-xs sm:text-sm text-slate-800">
133 |                   {currentUser?.designation}
134 |                 </div>
135 |               )}
136 |             </div>
137 |
138 |             <div>
139 |               <label className="block text-xs font-bold uppercase tracking-wider tex
      t-slate-500 mb-1">
140 |                 Department Email
141 |               </label>
142 |               <div className="p-2.5 bg-slate-50 border border-slate-200 rounded-xl t
      ext-xs sm:text-sm text-slate-800 font-mono">
143 |                 {currentUser?.email}
144 |               </div>
145 |             </div>
146 |
147 |             <div>
148 |               <label className="block text-xs font-bold uppercase tracking-wider tex
      t-slate-500 mb-1">
149 |                 Extension / Phone
150 |               </label>
151 |               {isEditing ? (
152 |                 <input
153 |                   type="text"
154 |                   value={phone}
155 |                   onChange={e => setPhone(e.target.value)}
156 |                   className="w-full p-2.5 bg-white border border-blue-400 rounded-xl
       text-xs sm:text-sm text-slate-800 focus:outline-none focus:ring-2 focus:ring-blue-5
      00"
157 |                 />
158 |               ) : (
159 |                 <div className="p-2.5 bg-slate-50 border border-slate-200 rounded-xl
       text-xs sm:text-sm text-slate-800">
160 |                   {currentUser?.phone || 'Not provided'}
161 |                 </div>
```

```
162 |               )}
163 |             </div>
164 |           </div>
165 |
166 |           {isEditing && (
167 |             <div className="flex justify-end pt-4 border-t border-slate-100">
168 |               <button
169 |                 type="submit"
170 |                 className="px-5 py-2.5 bg-blue-600 hover:bg-blue-700 text-white font
    -semibold text-xs rounded-xl flex items-center gap-2 transition shadow-sm"
171 |               >
172 |                 <Save className="w-4 h-4" />
173 |                 <span>Save Profile Changes</span>
174 |               </button>
175 |             </div>
176 |           )}
177 |         </form>
178 |       </div>
179 |     </div>
180 |   );
181 | };
```

SECTION: PAGES: ADMIN

44. src/pages/admin/AdminDashboard.jsx

Module: *Pages: Admin* | ***Lines:*** *334* | ***Size:*** *13.4 KB — Executive overview, 6 KPIs & Recharts analytics*

```
  1 | import React from 'react';
  2 | import { Link, useNavigate } from 'react-router-dom';
  3 | import { useComplaints } from '../../context/ComplaintContext';
  4 | import { StatCard } from '../../components/common/StatCard';
  5 | import { StatusBadge } from '../../components/common/StatusBadge';
  6 | import { PriorityBadge } from '../../components/common/PriorityBadge';
  7 | import { CategoryIcon } from '../../components/common/CategoryIcon';
  8 | import { formatDate, timeAgo, isOverdue } from '../../utils/helpers';
  9 | import {
 10 |   FileText,
 11 |   CheckCircle2,
 12 |   Clock,
 13 |   Cog,
 14 |   AlertTriangle,
 15 |   Timer,
 16 |   ArrowRight,
 17 |   Shield,
 18 |   TrendingUp,
 19 |   BarChart3,
 20 |   Users,
 21 |   Building,
 22 |   AlertOctagon
 23 | } from 'lucide-react';
 24 | import {
 25 |   PieChart,
 26 |   Pie,
 27 |   Cell,
 28 |   ResponsiveContainer,
 29 |   BarChart,
 30 |   Bar,
 31 |   XAxis,
 32 |   YAxis,
 33 |   Tooltip,
 34 |   Legend
 35 | } from 'recharts';
 36 |
 37 | export const AdminDashboard = () => {
 38 |   const { complaints, categories, departments } = useComplaints();
 39 |   const navigate = useNavigate();
 40 |
 41 |   // 6 Required Statistics
 42 |   const total = complaints.length;
 43 |   const resolved = complaints.filter(c => c.status === 'Resolved').length;
 44 |   const pending = complaints.filter(c => c.status === 'Submitted' || c.status === 'U
    nder Review').length;
 45 |   const inProgress = complaints.filter(c => c.status === 'In Progress' || c.status =
    == 'Reopened' || c.status === 'Escalated').length;
 46 |   const overdueCount = complaints.filter(c => isOverdue(c)).length;
```

```
  47 |   const avgResolutionTime = '24.6 hrs';
  48 |
  49 |   // Overdue and escalated queue
  50 |   const urgentQueue = complaints.filter(
  51 |     c => (c.status === 'Escalated' || isOverdue(c) || c.priority === 'Urgent') && c.
     status !== 'Resolved'
  52 |   );
  53 |
  54 |   // Mini Chart Data: Complaints by Status for Donut
  55 |   const statusChartData = [
  56 |     { name: 'Resolved', value: resolved, color: '#16a34a' },
  57 |     { name: 'In Progress', value: inProgress, color: '#ea580c' },
  58 |     { name: 'Pending Review', value: pending, color: '#9333ea' },
  59 |     { name: 'Overdue / Escalated', value: overdueCount, color: '#dc2626' }
  60 |   ];
  61 |
  62 |   // Category Distribution Data (Top 5)
  63 |   const categoryData = categories.slice(0, 5).map(cat => ({
  64 |     name: cat.name.split(' ')[0],
  65 |     fullName: cat.name,
  66 |     count: complaints.filter(c => c.category === cat.name).length
  67 |   }));
  68 |
  69 |   return (
  70 |     <div className="space-y-8">
  71 |       {/* Executive Welcome Banner */}
  72 |       <div className="bg-gradient-to-r from-navy-950 via-slate-900 to-navy-900 round
     ed-2xl p-6 sm:p-8 text-white shadow-md flex flex-col md:flex-row items-start md:item
     s-center justify-between gap-6">
  73 |         <div>
  74 |           <div className="inline-flex items-center gap-2 px-3 py-1 rounded-full bg-r
     ose-500/20 text-rose-300 text-xs font-semibold mb-2 border border-rose-500/30">
  75 |             <Shield className="w-3.5 h-3.5" />
  76 |             <span>Campus Executive Administration</span>
  77 |           </div>
  78 |           <h1 className="text-2xl sm:text-3xl font-extrabold tracking-tight">
  79 |             Institutional Grievance Governance
  80 |           </h1>
  81 |           <p className="mt-1 text-xs sm:text-sm text-slate-300 max-w-xl">
  82 |             Real-time campus-wide monitoring, SLA escalation controls, and departmen
     tal performance auditing.
  83 |           </p>
  84 |         </div>
  85 |
  86 |         <div className="flex flex-wrap items-center gap-3">
  87 |           <Link
  88 |             to="/admin/analytics"
  89 |             className="px-4 py-2.5 bg-blue-600 hover:bg-blue-700 text-white font-sem
     ibold text-xs sm:text-sm rounded-xl shadow-xs transition flex items-center gap-2"
  90 |           >
  91 |             <BarChart3 className="w-4 h-4" />
  92 |             <span>Deep Analytics</span>
  93 |           </Link>
  94 |           <Link
  95 |             to="/admin/complaints"
  96 |             className="px-4 py-2.5 bg-slate-800 hover:bg-slate-700 text-white font-s
     emibold text-xs sm:text-sm rounded-xl border border-slate-700 transition"
  97 |           >
  98 |             <span>All Complaints</span>
  99 |           </Link>
 100 |         </div>
 101 |       </div>
 102 |
 103 |       {/* 6 Required Statistics Cards */}
 104 |       <div className="grid grid-cols-2 sm:grid-cols-3 lg:grid-cols-6 gap-3 sm:gap-4"
     >
 105 |         <StatCard
 106 |           title="Total Issues"
 107 |           value={total}
 108 |           icon={FileText}
 109 |           color="blue"
 110 |           subtext="Campus-wide logged"
 111 |         />
 112 |         <StatCard
 113 |           title="Resolved"
 114 |           value={resolved}
 115 |           icon={CheckCircle2}
 116 |           color="emerald"
 117 |           subtext="Successfully closed"
 118 |         />
 119 |         <StatCard
```

```
120 |           title="Pending"
121 |           value={pending}
122 |           icon={Clock}
123 |           color="purple"
124 |           subtext="Awaiting triage"
125 |         />
126 |         <StatCard
127 |           title="In Progress"
128 |           value={inProgress}
129 |           icon={Cog}
130 |           color="orange"
131 |           subtext="Active maintenance"
132 |         />
133 |         <StatCard
134 |           title="Overdue"
135 |           value={overdueCount}
136 |           icon={AlertTriangle}
137 |           color="rose"
138 |           subtext="Breached SLA target"
139 |         />
140 |         <StatCard
141 |           title="Avg Turnaround"
142 |           value={avgResolutionTime}
143 |           icon={Timer}
144 |           color="navy"
145 |           subtext="SLA benchmark"
146 |         />
147 |       </div>
148 |
149 |       {/* Overdue & Escalation Priority Alert Strip */}
150 |       {urgentQueue.length > 0 && (
151 |         <div className="bg-rose-50 border border-rose-200 rounded-2xl p-5 shadow-xs"
    >
152 |           <div className="flex items-center justify-between gap-2 mb-3">
153 |             <div className="flex items-center gap-2 text-rose-900 font-bold text-sm"
    >
154 |               <AlertOctagon className="w-4 h-4 text-rose-600" />
155 |               <span>High Priority Attention Needed ({urgentQueue.length} Complaints)
    </span>
156 |             </div>
157 |             <Link
158 |               to="/admin/escalations"
159 |               className="text-xs font-semibold text-rose-700 hover:text-rose-900 fle
    x items-center gap-1"
160 |             >
161 |               <span>Escalation Center</span>
162 |               <ArrowRight className="w-3.5 h-3.5" />
163 |             </Link>
164 |           </div>
165 |
166 |           <div className="grid grid-cols-1 md:grid-cols-3 gap-3">
167 |             {urgentQueue.slice(0, 3).map(item => (
168 |               <div
169 |                 key={item.id}
170 |                 className="bg-white p-3.5 rounded-xl border border-rose-200 shadow-2
    xs flex flex-col justify-between"
171 |               >
172 |                 <div>
173 |                   <div className="flex items-center justify-between gap-1 mb-1">
174 |                     <span className="font-mono text-xs font-bold text-rose-700">{ite
    m.trackingId}</span>
175 |                     <PriorityBadge priority={item.priority} size="sm" />
176 |                   </div>
177 |                   <h4 className="text-xs font-bold text-slate-900 truncate mb-1">{it
    em.title}</h4>
178 |                   <p className="text-[11px] text-slate-500 truncate">{item.departmen
    t} • {item.location}</p>
179 |                 </div>
180 |                 <div className="mt-3 pt-2 border-t border-slate-100 flex items-cente
    r justify-between">
181 |                   <span className="text-[10px] text-rose-600 font-bold">
182 |                     {isOverdue(item) ? 'SLA EXPIRED' : item.status}
183 |                   </span>
184 |                   <Link
185 |                     to={`/admin/complaints?search=${item.trackingId}`}
186 |                     className="text-xs text-blue-600 hover:underline font-semibold"
187 |                   >
188 |                     Manage →
189 |                   </Link>
190 |                 </div>
191 |               </div>
```

```
192 |             ))}
193 |           </div>
194 |         </div>
195 |       )}
196 |
197 |       {/* Snapshot Visual Charts (Recharts) */}
198 |       <div className="grid grid-cols-1 lg:grid-cols-2 gap-6">
199 |         {/* Resolution Donut Chart */}
200 |         <div className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs">
201 |           <div className="flex items-center justify-between mb-4">
202 |             <div>
203 |               <h3 className="text-base font-bold text-slate-900">Resolution Status O
    verview</h3>
204 |               <p className="text-xs text-slate-500">Live breakdown of all campus gri
    evances</p>
205 |             </div>
206 |             <span className="text-xs font-bold text-emerald-600 bg-emerald-50 px-2.5
     py-1 rounded-full">
207 |               {Math.round((resolved / total) * 100)}% Resolved
208 |             </span>
209 |           </div>
210 |
211 |           <div className="h-64 flex items-center justify-center">
212 |             <ResponsiveContainer width="100%" height="100%">
213 |               <PieChart>
214 |                 <Pie
215 |                   data={statusChartData}
216 |                   cx="50%"
217 |                   cy="50%"
218 |                   innerRadius={55}
219 |                   outerRadius={85}
220 |                   paddingAngle={4}
221 |                   dataKey="value"
222 |                 >
223 |                   {statusChartData.map((entry, index) => (
224 |                     <Cell key={`cell-${index}`} fill={entry.color} />
225 |                   ))}
226 |                 </Pie>
227 |                 <Tooltip
228 |                   formatter={(val, name) => [`${val} complaints`, name]}
229 |                   contentStyle={{ backgroundColor: '#fff', borderRadius: '12px', bor
    der: '1px solid #e2e8f0', fontSize: '12px' }}
230 |                 />
231 |                 <Legend
232 |                   verticalAlign="bottom"
233 |                   height={36}
234 |                   formatter={(val) => <span className="text-xs text-slate-700 font-m
    edium">{val}</span>}
235 |                 />
236 |               </PieChart>
237 |             </ResponsiveContainer>
238 |           </div>
239 |         </div>
240 |
241 |         {/* Top Categories Distribution */}
242 |         <div className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs">
243 |           <div className="flex items-center justify-between mb-4">
244 |             <div>
245 |               <h3 className="text-base font-bold text-slate-900">Top Issue Categorie
    s</h3>
246 |               <p className="text-xs text-slate-500">Highest volume infrastructure do
    mains</p>
247 |             </div>
248 |             <Link to="/admin/analytics" className="text-xs text-blue-600 hover:text-
    blue-800 font-semibold">
249 |               View All 10 →
250 |             </Link>
251 |           </div>
252 |
253 |           <div className="h-64">
254 |             <ResponsiveContainer width="100%" height="100%">
255 |               <BarChart data={categoryData} margin={{ top: 10, right: 10, left: -20,
     bottom: 0 }}>
256 |                 <XAxis dataKey="name" tick={{ fontSize: 11, fill: '#64748b' }} />
257 |                 <YAxis allowDecimals={false} tick={{ fontSize: 11, fill: '#64748b' }
    } />
258 |                 <Tooltip
259 |                   formatter={(val) => [`${val} complaints`, 'Total']}
260 |                   labelFormatter={(name) => `Category: ${name}`}
261 |                   contentStyle={{ backgroundColor: '#fff', borderRadius: '12px', bor
    der: '1px solid #e2e8f0', fontSize: '12px' }}
```

```
262 |                 />
263 |                 <Bar dataKey="count" fill="#2563eb" radius={[6, 6, 0, 0]} />
264 |               </BarChart>
265 |             </ResponsiveContainer>
266 |           </div>
267 |         </div>
268 |       </div>
269 |
270 |       {/* Quick Links & Department Workload Roster */}
271 |       <div className="bg-white rounded-2xl border border-slate-200 shadow-xs overflo
      w-hidden">
272 |         <div className="px-6 py-4 border-b border-slate-200 flex items-center justif
      y-between">
273 |           <div>
274 |             <h3 className="text-base font-bold text-slate-900">Department Workloads
      & Oversight</h3>
275 |             <p className="text-xs text-slate-500">Status across all 10 registered de
      gree college divisions</p>
276 |           </div>
277 |           <Link to="/admin/departments" className="text-xs font-semibold text-blue-6
      00 hover:text-blue-800">
278 |             Manage Departments →
279 |           </Link>
280 |         </div>
281 |
282 |         <div className="overflow-x-auto">
283 |           <table className="w-full text-left text-xs">
284 |             <thead className="bg-slate-50 text-slate-600 font-semibold border-b bord
      er-slate-200">
285 |               <tr>
286 |                 <th className="px-6 py-3.5">Department Name</th>
287 |                 <th className="px-6 py-3.5">Supervising Officer</th>
288 |                 <th className="px-6 py-3.5">Active Issues</th>
289 |                 <th className="px-6 py-3.5">Resolved Issues</th>
290 |                 <th className="px-6 py-3.5">Total Assigned</th>
291 |                 <th className="px-6 py-3.5 text-right">Action</th>
292 |               </tr>
293 |             </thead>
294 |             <tbody className="divide-y divide-slate-100 text-slate-700">
295 |               {departments.slice(0, 5).map(dept => {
296 |                 const deptAll = complaints.filter(c => c.department === dept.name);
297 |                 const deptActive = deptAll.filter(c => c.status !== 'Resolved' && c.
      status !== 'Rejected').length;
298 |                 const deptResolved = deptAll.filter(c => c.status === 'Resolved').le
      ngth;
299 |
300 |                 return (
301 |                   <tr key={dept.id} className="hover:bg-slate-50/80 transition">
302 |                     <td className="px-6 py-4 font-bold text-slate-900">
303 |                       {dept.name}
304 |                     </td>
305 |                     <td className="px-6 py-4 text-slate-600">
306 |                       {dept.head}
307 |                     </td>
308 |                     <td className="px-6 py-4 font-semibold text-orange-600">
309 |                       {deptActive}
310 |                     </td>
311 |                     <td className="px-6 py-4 font-semibold text-emerald-600">
312 |                       {deptResolved}
313 |                     </td>
314 |                     <td className="px-6 py-4 font-bold text-slate-800">
315 |                       {deptAll.length}
316 |                     </td>
317 |                     <td className="px-6 py-4 text-right">
318 |                       <Link
319 |                         to={`/admin/complaints?dept=${encodeURIComponent(dept.name)}
      `}
320 |                         className="text-xs font-semibold text-blue-600 hover:text-bl
      ue-800"
321 |                       >
322 |                         Inspect Queue
323 |                       </Link>
324 |                     </td>
325 |                   </tr>
326 |                 );
327 |               })}
328 |             </tbody>
329 |           </table>
330 |         </div>
331 |       </div>
332 |     </div>
```

```
333 |   );
334 | };
```

45. src/pages/admin/AllComplaints.jsx

Module: *Pages: Admin* | ***Lines:*** *472* | ***Size:*** *19.4 KB — University-wide grievance directory with department reassignment*

```
  1 | import React, { useState } from 'react';
  2 | import { useSearchParams, Link } from 'react-router-dom';
  3 | import { useComplaints } from '../../context/ComplaintContext';
  4 | import { useAuth } from '../../context/AuthContext';
  5 | import { StatusBadge } from '../../components/common/StatusBadge';
  6 | import { PriorityBadge } from '../../components/common/PriorityBadge';
  7 | import { CategoryIcon } from '../../components/common/CategoryIcon';
  8 | import { Modal } from '../../components/common/Modal';
  9 | import { formatDate, timeAgo, isOverdue } from '../../utils/helpers';
 10 | import {
 11 |   Search,
 12 |   Filter,
 13 |   Download,
 14 |   AlertTriangle,
 15 |   RotateCcw,
 16 |   Building,
 17 |   User,
 18 |   ArrowRight,
 19 |   ShieldAlert,
 20 |   Edit3,
 21 |   CheckCircle2,
 22 |   FileSpreadsheet
 23 | } from 'lucide-react';
 24 |
 25 | export const AllComplaints = () => {
 26 |   const [searchParams] = useSearchParams();
 27 |   const initialSearch = searchParams.get('search') || '';
 28 |   const initialDept = searchParams.get('dept') || 'All';
 29 |
 30 |   const { complaints, categories, departments, updateComplaintStatus, assignStaff, e
    scalateComplaint, showToast } = useComplaints();
 31 |   const { users, currentUser } = useAuth();
 32 |
 33 |   const [search, setSearch] = useState(initialSearch);
 34 |   const [selectedStatus, setSelectedStatus] = useState('All');
 35 |   const [selectedPriority, setSelectedPriority] = useState('All');
 36 |   const [selectedCategory, setSelectedCategory] = useState('All');
 37 |   const [selectedDept, setSelectedDept] = useState(initialDept);
 38 |
 39 |   // Reassignment Modal State
 40 |   const [isAssignModalOpen, setIsAssignModalOpen] = useState(false);
 41 |   const [targetComplaint, setTargetComplaint] = useState(null);
 42 |   const [newStaffId, setNewStaffId] = useState('');
 43 |   const [assignRemarks, setAssignRemarks] = useState('');
 44 |
 45 |   // Escalation Modal State
 46 |   const [isEscalateModalOpen, setIsEscalateModalOpen] = useState(false);
 47 |   const [escalateReason, setEscalateReason] = useState('');
 48 |
 49 |   // Filter complaints
 50 |   const filtered = complaints.filter(c => {
 51 |     const matchesSearch =
 52 |       c.trackingId.toLowerCase().includes(search.toLowerCase()) ||
 53 |       c.title.toLowerCase().includes(search.toLowerCase()) ||
 54 |       c.studentName.toLowerCase().includes(search.toLowerCase()) ||
 55 |       c.location.toLowerCase().includes(search.toLowerCase());
 56 |
 57 |     const matchesStatus = selectedStatus === 'All' || c.status.toLowerCase() === sel
    ectedStatus.toLowerCase();
 58 |     const matchesPriority = selectedPriority === 'All' || c.priority.toLowerCase() =
    == selectedPriority.toLowerCase();
 59 |     const matchesCategory = selectedCategory === 'All' || c.category === selectedCat
    egory;
 60 |     const matchesDept = selectedDept === 'All' || c.department === selectedDept;
 61 |
 62 |     return matchesSearch && matchesStatus && matchesPriority && matchesDept;
 63 |   });
 64 |
 65 |   const resetFilters = () => {
 66 |     setSearch('');
 67 |     setSelectedStatus('All');
 68 |     setSelectedPriority('All');
```

```
 69 |     setSelectedCategory('All');
 70 |     setSelectedDept('All');
 71 |   };
 72 |
 73 |   const handleOpenAssignModal = (complaint) => {
 74 |     setTargetComplaint(complaint);
 75 |     setNewStaffId(complaint.assignedStaffId || '');
 76 |     setAssignRemarks('');
 77 |     setIsAssignModalOpen(true);
 78 |   };
 79 |
 80 |   const handleOpenEscalateModal = (complaint) => {
 81 |     setTargetComplaint(complaint);
 82 |     setEscalateReason('Overdue resolution past SLA limits requiring direct dean over
    sight.');
 83 |     setIsEscalateModalOpen(true);
 84 |   };
 85 |
 86 |   const handleConfirmAssignment = (e) => {
 87 |     e.preventDefault();
 88 |     if (!targetComplaint || !newStaffId) return;
 89 |
 90 |     const staffObj = users.staff.find(s => s.id === newStaffId);
 91 |     if (staffObj) {
 92 |       assignStaff(
 93 |         targetComplaint.id,
 94 |         staffObj,
 95 |         assignRemarks || 'Assigned by Dean / Administration Office.',
 96 |         `${currentUser?.name || 'Admin'} (Dean Office)`
 97 |       );
 98 |       setIsAssignModalOpen(false);
 99 |       setTargetComplaint(null);
100 |     }
101 |   };
102 |
103 |   const handleConfirmEscalation = (e) => {
104 |     e.preventDefault();
105 |     if (!targetComplaint) return;
106 |
107 |     escalateComplaint(
108 |       targetComplaint.id,
109 |       escalateReason,
110 |       currentUser?.name || 'Dean of Student Welfare'
111 |     );
112 |     setIsEscalateModalOpen(false);
113 |     setTargetComplaint(null);
114 |   };
115 |
116 |   const handleExportCSV = () => {
117 |     const headers = ['TrackingID', 'Title', 'Category', 'Department', 'Priority', 'S
    tatus', 'StudentName', 'StudentID', 'SubmissionDate', 'TargetDate'];
118 |     const rows = filtered.map(c => [
119 |       c.trackingId,
120 |       `"${c.title.replace(/"/g, '""')}"`,
121 |       c.category,
122 |       c.department,
123 |       c.priority,
124 |       c.status,
125 |       c.isConfidential ? 'Confidential' : c.studentName,
126 |       c.isConfidential ? 'N/A' : c.studentId,
127 |       c.submissionDate,
128 |       c.targetResolutionDate
129 |     ]);
130 |
131 |     const csvContent = 'data:text/csv;charset=utf-8,' + [headers.join(','), ...rows.
    map(r => r.join(','))].join('\n');
132 |     const encodedUri = encodeURI(csvContent);
133 |     const link = document.createElement('a');
134 |     link.setAttribute('href', encodedUri);
135 |     link.setAttribute('download', `SmartCampus_Complaints_${new Date().toISOString()
    .slice(0, 10)}.csv`);
136 |     document.body.appendChild(link);
137 |     link.click();
138 |     document.body.removeChild(link);
139 |     showToast(`Exported ${filtered.length} complaints to CSV file`, 'success');
140 |   };
141 |
142 |   return (
143 |     <div className="space-y-6">
144 |       {/* Top Header */}
145 |       <div className="flex flex-col sm:flex-row items-start sm:items-center justify-
```

```
      between gap-4">
146 |         <div>
147 |           <h1 className="text-2xl font-bold text-slate-900">Campus-Wide Complaints C
      entral Register</h1>
148 |           <p className="text-xs sm:text-sm text-slate-500">
149 |             Audit, reassign, and escalate all {complaints.length} grievances across
      college divisions
150 |           </p>
151 |         </div>
152 |
153 |         <button
154 |           onClick={handleExportCSV}
155 |           className="px-4 py-2.5 bg-slate-900 hover:bg-slate-800 text-white rounded-
      xl text-xs font-semibold flex items-center gap-2 transition shadow-xs"
156 |         >
157 |           <Download className="w-4 h-4" />
158 |           <span>Export Data (CSV)</span>
159 |         </button>
160 |       </div>
161 |
162 |       {/* Filter Toolbar */}
163 |       <div className="bg-white rounded-2xl border border-slate-200 p-4 shadow-xs spa
      ce-y-3">
164 |         <div className="relative">
165 |           <Search className="w-4 h-4 text-slate-400 absolute left-3 top-3" />
166 |           <input
167 |             type="text"
168 |             value={search}
169 |             onChange={e => setSearch(e.target.value)}
170 |             placeholder="Search by Tracking ID, Title, Student Name, Location, or Ke
      yword..."
171 |             className="w-full pl-9 pr-3 py-2 bg-slate-50 border border-slate-200 rou
      nded-xl text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
172 |           />
173 |         </div>
174 |
175 |         <div className="grid grid-cols-2 sm:grid-cols-5 gap-2 pt-2 border-t border-s
      late-100 text-xs">
176 |           <div>
177 |             <label className="text-[10px] font-bold uppercase tracking-wider text-sl
      ate-400 block mb-1">
178 |               Status Filter
179 |             </label>
180 |             <select
181 |               value={selectedStatus}
182 |               onChange={e => setSelectedStatus(e.target.value)}
183 |               className="w-full px-2.5 py-1.5 bg-slate-50 border border-slate-200 ro
      unded-lg text-xs"
184 |             >
185 |               <option value="All">All Statuses</option>
186 |               <option value="Submitted">Submitted</option>
187 |               <option value="Under Review">Under Review</option>
188 |               <option value="In Progress">In Progress</option>
189 |               <option value="Resolved">Resolved</option>
190 |               <option value="Rejected">Rejected</option>
191 |               <option value="Escalated">Escalated</option>
192 |               <option value="Reopened">Reopened</option>
193 |             </select>
194 |           </div>
195 |
196 |           <div>
197 |             <label className="text-[10px] font-bold uppercase tracking-wider text-sl
      ate-400 block mb-1">
198 |               Priority Filter
199 |             </label>
200 |             <select
201 |               value={selectedPriority}
202 |               onChange={e => setSelectedPriority(e.target.value)}
203 |               className="w-full px-2.5 py-1.5 bg-slate-50 border border-slate-200 ro
      unded-lg text-xs"
204 |             >
205 |               <option value="All">All Priorities</option>
206 |               <option value="Urgent">Urgent</option>
207 |               <option value="High">High</option>
208 |               <option value="Medium">Medium</option>
209 |               <option value="Low">Low</option>
210 |             </select>
211 |           </div>
212 |
213 |           <div>
214 |             <label className="text-[10px] font-bold uppercase tracking-wider text-sl
```

```
      ate-400 block mb-1">
215 |               Category
216 |             </label>
217 |             <select
218 |               value={selectedCategory}
219 |               onChange={e => setSelectedCategory(e.target.value)}
220 |               className="w-full px-2.5 py-1.5 bg-slate-50 border border-slate-200 ro
      unded-lg text-xs"
221 |             >
222 |               <option value="All">All 10 Categories</option>
223 |               {categories.map(cat => (
224 |                 <option key={cat.id} value={cat.name}>{cat.name}</option>
225 |               ))}
226 |             </select>
227 |           </div>
228 |
229 |           <div>
230 |             <label className="text-[10px] font-bold uppercase tracking-wider text-sl
      ate-400 block mb-1">
231 |               Department
232 |             </label>
233 |             <select
234 |               value={selectedDept}
235 |               onChange={e => setSelectedDept(e.target.value)}
236 |               className="w-full px-2.5 py-1.5 bg-slate-50 border border-slate-200 ro
      unded-lg text-xs"
237 |             >
238 |               <option value="All">All Departments</option>
239 |               {departments.map(dept => (
240 |                 <option key={dept.id} value={dept.name}>{dept.name}</option>
241 |               ))}
242 |             </select>
243 |           </div>
244 |
245 |           <div className="flex items-end">
246 |             <button
247 |               onClick={resetFilters}
248 |               className="w-full px-3 py-1.5 text-xs text-slate-600 hover:text-slate-
      900 hover:bg-slate-100 border border-slate-200 rounded-lg flex items-center justify-
      center gap-1.5 transition"
249 |             >
250 |               <RotateCcw className="w-3.5 h-3.5 text-slate-400" />
251 |               <span>Reset Filters</span>
252 |             </button>
253 |           </div>
254 |         </div>
255 |       </div>
256 |
257 |       {/* Main Table */}
258 |       <div className="bg-white rounded-2xl border border-slate-200 shadow-xs overflo
      w-hidden">
259 |         {filtered.length === 0 ? (
260 |           <div className="p-12 text-center text-slate-400 text-xs">
261 |             No complaints found matching this criteria.
262 |           </div>
263 |         ) : (
264 |           <div className="overflow-x-auto">
265 |             <table className="w-full text-left text-xs">
266 |               <thead className="bg-slate-50 text-slate-600 font-semibold border-b bo
      rder-slate-200">
267 |                 <tr>
268 |                   <th className="px-6 py-3.5">Tracking ID</th>
269 |                   <th className="px-6 py-3.5">Complaint Title</th>
270 |                   <th className="px-6 py-3.5">Category & Dept</th>
271 |                   <th className="px-6 py-3.5">Student</th>
272 |                   <th className="px-6 py-3.5">Priority</th>
273 |                   <th className="px-6 py-3.5">Status</th>
274 |                   <th className="px-6 py-3.5">Assigned Officer</th>
275 |                   <th className="px-6 py-3.5 text-right">Admin Actions</th>
276 |                 </tr>
277 |               </thead>
278 |               <tbody className="divide-y divide-slate-100 text-slate-700">
279 |                 {filtered.map(item => {
280 |                   const overdue = isOverdue(item);
281 |                   return (
282 |                     <tr key={item.id} className="hover:bg-slate-50/80 transition">
283 |                       <td className="px-6 py-4 font-mono font-bold text-blue-700 whi
      tespace-nowrap">
284 |                         {item.trackingId}
285 |                       </td>
286 |                       <td className="px-6 py-4 max-w-xs">
```

```
287 |                         <div className="font-semibold text-slate-900 truncate">
288 |                           {item.title}
289 |                         </div>
290 |                         <div className="text-[11px] text-slate-500 truncate mt-0.5">
291 |                           {item.location}
292 |                         </div>
293 |                       </td>
294 |                       <td className="px-6 py-4 whitespace-nowrap">
295 |                         <div className="font-medium text-slate-800">{item.category}<
    /div>
296 |                         <div className="text-[11px] text-slate-400">{item.department
    }</div>
297 |                       </td>
298 |                       <td className="px-6 py-4 whitespace-nowrap">
299 |                         <div className="font-medium text-slate-800">
300 |                           {item.isConfidential ? 'Anonymous Student' : item.studentN
    ame}
301 |                         </div>
302 |                         <div className="text-[10px] text-slate-400 font-mono">
303 |                           {item.isConfidential ? 'Confidential' : item.studentId}
304 |                         </div>
305 |                       </td>
306 |                       <td className="px-6 py-4 whitespace-nowrap">
307 |                         <PriorityBadge priority={item.priority} size="sm" />
308 |                       </td>
309 |                       <td className="px-6 py-4 whitespace-nowrap">
310 |                         <StatusBadge status={item.status} size="sm" />
311 |                         {overdue && (
312 |                           <span className="block text-[10px] font-bold text-rose-600
     mt-1">
313 |                             OVERDUE
314 |                           </span>
315 |                         )}
316 |                       </td>
317 |                       <td className="px-6 py-4 whitespace-nowrap text-slate-700">
318 |                         {item.assignedStaffName || (
319 |                           <span className="text-amber-600 font-medium">Unassigned</s
    pan>
320 |                         )}
321 |                       </td>
322 |                       <td className="px-6 py-4 text-right whitespace-nowrap">
323 |                         <div className="flex items-center justify-end gap-1.5">
324 |                           <button
325 |                             onClick={() => handleOpenAssignModal(item)}
326 |                             className="px-2.5 py-1 text-xs font-semibold text-purple
    -700 bg-purple-50 hover:bg-purple-100 rounded-lg transition"
327 |                             title="Assign or reassign department staff"
328 |                           >
329 |                             Assign
330 |                           </button>
331 |
332 |                           {item.status !== 'Resolved' && item.status !== 'Escalated'
     && (
333 |                             <button
334 |                               onClick={() => handleOpenEscalateModal(item)}
335 |                               className="px-2.5 py-1 text-xs font-semibold text-rose
    -700 bg-rose-50 hover:bg-rose-100 rounded-lg transition"
336 |                               title="Escalate directly to Dean"
337 |                             >
338 |                               Escalate
339 |                             </button>
340 |                           )}
341 |
342 |                           <Link
343 |                             to={`/student/complaints/${item.id}`}
344 |                             className="px-2.5 py-1 text-xs font-semibold text-blue-7
    00 bg-blue-50 hover:bg-blue-100 rounded-lg transition"
345 |                           >
346 |                             View
347 |                           </Link>
348 |                         </div>
349 |                       </td>
350 |                     </tr>
351 |                   );
352 |                 })}
353 |               </tbody>
354 |             </table>
355 |           </div>
356 |         )}
357 |       </div>
358 |
```

```
359 |       {/* Reassign Staff Modal */}
360 |       <Modal
361 |         isOpen={isAssignModalOpen}
362 |         onClose={() => setIsAssignModalOpen(false)}
363 |         title={`Assign Staff: ${targetComplaint?.trackingId}`}
364 |         maxWidth="max-w-md"
365 |       >
366 |         <form onSubmit={handleConfirmAssignment} className="space-y-4">
367 |           <div>
368 |             <p className="text-xs font-semibold text-slate-900 mb-1">
369 |               Issue: {targetComplaint?.title}
370 |             </p>
371 |             <p className="text-xs text-slate-500">
372 |               Department: {targetComplaint?.department}
373 |             </p>
374 |           </div>
375 |
376 |           <div>
377 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
      b-1">
378 |               Select Staff Member / Officer <span className="text-rose-500">*</span>
379 |             </label>
380 |             <select
381 |               value={newStaffId}
382 |               onChange={e => setNewStaffId(e.target.value)}
383 |               required
384 |               className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
       text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
385 |             >
386 |               <option value="">Choose Staff Member</option>
387 |               {users.staff.map(s => (
388 |                 <option key={s.id} value={s.id}>
389 |                   {s.name} ({s.department} • {s.designation})
390 |                 </option>
391 |               ))}
392 |             </select>
393 |           </div>
394 |
395 |           <div>
396 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
      b-1">
397 |               Assignment Directive Remarks
398 |             </label>
399 |             <textarea
400 |               rows={3}
401 |               value={assignRemarks}
402 |               onChange={e => setAssignRemarks(e.target.value)}
403 |               placeholder="e.g. Please conduct priority inspection and submit fix by
       4 PM..."
404 |               className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
       text-xs focus:outline-none focus:ring-2 focus:ring-blue-500"
405 |             ></textarea>
406 |           </div>
407 |
408 |           <div className="flex justify-end gap-2 pt-2">
409 |             <button
410 |               type="button"
411 |               onClick={() => setIsAssignModalOpen(false)}
412 |               className="px-4 py-2 bg-slate-100 hover:bg-slate-200 text-slate-700 ro
      unded-xl text-xs font-semibold transition"
413 |             >
414 |               Cancel
415 |             </button>
416 |             <button
417 |               type="submit"
418 |               className="px-5 py-2 bg-purple-600 hover:bg-purple-700 text-white roun
      ded-xl text-xs font-semibold transition"
419 |             >
420 |               Confirm Assignment
421 |             </button>
422 |           </div>
423 |         </form>
424 |       </Modal>
425 |
426 |       {/* Escalate Modal */}
427 |       <Modal
428 |         isOpen={isEscalateModalOpen}
429 |         onClose={() => setIsEscalateModalOpen(false)}
430 |         title={`Dean Escalation: ${targetComplaint?.trackingId}`}
431 |         maxWidth="max-w-md"
432 |       >
```

```
433 |         <form onSubmit={handleConfirmEscalation} className="space-y-4">
434 |           <div className="p-3 bg-rose-50 border border-rose-200 rounded-xl text-xs t
    ext-rose-800">
435 |             <AlertTriangle className="w-4 h-4 text-rose-600 inline mr-1.5" />
436 |             Escalating will mark this complaint as <strong>Urgent Escalation</strong
    >, notify all senior officers, and highlight it on executive dashboards.
437 |           </div>
438 |
439 |           <div>
440 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
    b-1">
441 |               Escalation Justification <span className="text-rose-500">*</span>
442 |             </label>
443 |             <textarea
444 |               rows={4}
445 |               required
446 |               value={escalateReason}
447 |               onChange={e => setEscalateReason(e.target.value)}
448 |               placeholder="Explain justification for high-level escalation..."
449 |               className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
     text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-rose-500"
450 |             ></textarea>
451 |           </div>
452 |
453 |           <div className="flex justify-end gap-2 pt-2">
454 |             <button
455 |               type="button"
456 |               onClick={() => setIsEscalateModalOpen(false)}
457 |               className="px-4 py-2 bg-slate-100 hover:bg-slate-200 text-slate-700 ro
    unded-xl text-xs font-semibold transition"
458 |             >
459 |               Cancel
460 |             </button>
461 |             <button
462 |               type="submit"
463 |               className="px-5 py-2 bg-rose-600 hover:bg-rose-700 text-white rounded-
    xl text-xs font-semibold transition"
464 |             >
465 |               Confirm Escalation
466 |             </button>
467 |           </div>
468 |         </form>
469 |       </Modal>
470 |     </div>
471 |   );
472 | };
```

46. src/pages/admin/ManageUsers.jsx

Module: *Pages: Admin* | ***Lines:*** *572* | ***Size:*** *24.5 KB — User management: students, faculty, staff & admin with PII mask*

```
  1 | import React, { useState } from 'react';
  2 | import { useAuth } from '../../context/AuthContext';
  3 | import { useComplaints } from '../../context/ComplaintContext';
  4 | import { Modal } from '../../components/common/Modal';
  5 | import { maskPhoneNumber, maskEmail } from '../../utils/helpers';
  6 | import {
  7 |   Users,
  8 |   UserPlus,
  9 |   Search,
 10 |   GraduationCap,
 11 |   Briefcase,
 12 |   Shield,
 13 |   Mail,
 14 |   Phone,
 15 |   CheckCircle2,
 16 |   ExternalLink,
 17 |   Sparkles,
 18 |   Eye,
 19 |   EyeOff,
 20 |   Lock,
 21 |   ShieldCheck
 22 | } from 'lucide-react';
 23 |
 24 | export const ManageUsers = () => {
 25 |   const { users, addMockUser, quickLogin } = useAuth();
 26 |   const { complaints, showToast } = useComplaints();
 27 |
 28 |   const [activeTab, setActiveTab] = useState('students'); // 'students' | 'staff' |
```

```
    'admin'
 29 |   const [search, setSearch] = useState('');
 30 |   const [isAddModalOpen, setIsAddModalOpen] = useState(false);
 31 |   const [isMasked, setIsMasked] = useState(true); // Default to PII Masked with aste
    risks
 32 |
 33 |   // New User Form State
 34 |   const [newUserData, setNewUserData] = useState({
 35 |     name: '',
 36 |     role: 'student',
 37 |     username: '',
 38 |     password: 'password123',
 39 |     email: '',
 40 |     phone: '+91 98765 00099',
 41 |     studentId: '',
 42 |     course: 'B.Tech Computer Science',
 43 |     semester: '1st Semester',
 44 |     hostelBlock: 'Block-A (Aryabhatta)',
 45 |     roomNo: '101',
 46 |     staffId: '',
 47 |     department: 'Electrical Maintenance',
 48 |     designation: 'Technician'
 49 |   });
 50 |
 51 |   const studentsList = users.students || [];
 52 |   const staffList = users.staff || [];
 53 |   const adminObj = users.admin;
 54 |
 55 |   const filteredStudents = studentsList.filter(s =>
 56 |     s.name.toLowerCase().includes(search.toLowerCase()) ||
 57 |     s.studentId.toLowerCase().includes(search.toLowerCase()) ||
 58 |     s.course.toLowerCase().includes(search.toLowerCase()) ||
 59 |     s.email.toLowerCase().includes(search.toLowerCase())
 60 |   );
 61 |
 62 |   const filteredStaff = staffList.filter(s =>
 63 |     s.name.toLowerCase().includes(search.toLowerCase()) ||
 64 |     s.department.toLowerCase().includes(search.toLowerCase()) ||
 65 |     s.staffId.toLowerCase().includes(search.toLowerCase()) ||
 66 |     s.designation.toLowerCase().includes(search.toLowerCase())
 67 |   );
 68 |
 69 |   const handleAddUserSubmit = (e) => {
 70 |     e.preventDefault();
 71 |     if (!newUserData.name.trim() || !newUserData.username.trim()) return;
 72 |
 73 |     const userToAdd = {
 74 |       id: `usr-${Date.now()}`,
 75 |       name: newUserData.name,
 76 |       username: newUserData.username.toLowerCase(),
 77 |       password: newUserData.password,
 78 |       role: newUserData.role,
 79 |       email: newUserData.email || `${newUserData.username}@smartcampus.edu`,
 80 |       phone: newUserData.phone,
 81 |       avatar: 'https://images.unsplash.com/photo-1535713875002-d1d0cf377fde?w=150&au
    to=format&fit=crop&q=80',
 82 |       ...(newUserData.role === 'student' ? {
 83 |         studentId: newUserData.studentId || `ST2024-${Math.floor(100 + Math.random()
     * 900)}`,
 84 |         course: newUserData.course,
 85 |         semester: newUserData.semester,
 86 |         hostelBlock: newUserData.hostelBlock,
 87 |         roomNo: newUserData.roomNo
 88 |       } : {
 89 |         staffId: newUserData.staffId || `EMP-${Math.floor(100 + Math.random() * 900)
    }`,
 90 |         department: newUserData.department,
 91 |         designation: newUserData.designation
 92 |       })
 93 |     };
 94 |
 95 |     addMockUser(userToAdd);
 96 |     setIsAddModalOpen(false);
 97 |     showToast(`Account for ${userToAdd.name} (${userToAdd.role}) created successfull
    y!`, 'success');
 98 |
 99 |     // Reset
100 |     setNewUserData({
101 |       name: '',
102 |       role: 'student',
103 |       username: '',
```

```
104 |       password: 'password123',
105 |       email: '',
106 |       phone: '+91 98765 00099',
107 |       studentId: '',
108 |       course: 'B.Tech Computer Science',
109 |       semester: '1st Semester',
110 |       hostelBlock: 'Block-A (Aryabhatta)',
111 |       roomNo: '101',
112 |       staffId: '',
113 |       department: 'Electrical Maintenance',
114 |       designation: 'Technician'
115 |     });
116 |   };
117 |
118 |   return (
119 |     <div className="space-y-6">
120 |       {/* Top Header */}
121 |       <div className="flex flex-col sm:flex-row items-start sm:items-center justify-
      between gap-4">
122 |         <div>
123 |           <h1 className="text-2xl font-bold text-slate-900">Campus User Management</
      h1>
124 |           <p className="text-xs sm:text-sm text-slate-500">
125 |             Audit student, departmental staff, and administrative rosters across the
       university
126 |           </p>
127 |         </div>
128 |
129 |         <button
130 |           onClick={() => setIsAddModalOpen(true)}
131 |           className="px-4 py-2.5 bg-blue-600 hover:bg-blue-700 text-white rounded-xl
       text-xs font-semibold flex items-center gap-2 transition shadow-xs"
132 |         >
133 |           <UserPlus className="w-4 h-4" />
134 |           <span>Add Mock User Account</span>
135 |         </button>
136 |       </div>
137 |
138 |       {/* Tabs & Search */}
139 |       <div className="bg-white rounded-2xl border border-slate-200 p-4 shadow-xs fle
      x flex-col sm:flex-row items-center justify-between gap-4">
140 |         <div className="flex items-center gap-2 w-full sm:w-auto">
141 |           <button
142 |             onClick={() => setActiveTab('students')}
143 |             className={`px-4 py-2 rounded-xl text-xs font-semibold flex items-center
       gap-2 transition ${
144 |               activeTab === 'students'
145 |                 ? 'bg-blue-600 text-white shadow-xs'
146 |                 : 'bg-slate-100 text-slate-600 hover:bg-slate-200'
147 |             }`}
148 |           >
149 |             <GraduationCap className="w-4 h-4" />
150 |             <span>Students ({studentsList.length})</span>
151 |           </button>
152 |
153 |           <button
154 |             onClick={() => setActiveTab('staff')}
155 |             className={`px-4 py-2 rounded-xl text-xs font-semibold flex items-center
       gap-2 transition ${
156 |               activeTab === 'staff'
157 |                 ? 'bg-purple-600 text-white shadow-xs'
158 |                 : 'bg-slate-100 text-slate-600 hover:bg-slate-200'
159 |             }`}
160 |           >
161 |             <Briefcase className="w-4 h-4" />
162 |             <span>Staff Roster ({staffList.length})</span>
163 |           </button>
164 |
165 |           <button
166 |             onClick={() => setActiveTab('admin')}
167 |             className={`px-4 py-2 rounded-xl text-xs font-semibold flex items-center
       gap-2 transition ${
168 |               activeTab === 'admin'
169 |                 ? 'bg-navy-900 text-white shadow-xs'
170 |                 : 'bg-slate-100 text-slate-600 hover:bg-slate-200'
171 |             }`}
172 |           >
173 |             <Shield className="w-4 h-4" />
174 |             <span>Administration</span>
175 |           </button>
176 |         </div>
```

```
177 |
178 |         <div className="flex items-center gap-2.5 w-full sm:w-auto">
179 |           {/* Privacy Masking Toggle */}
180 |           <button
181 |             type="button"
182 |             onClick={() => {
183 |               setIsMasked(!isMasked);
184 |               showToast(isMasked ? 'Privacy Masking OFF: Showing full student phone
      & email' : 'Privacy Protection ON: Student PII masked with asterisks', 'info');
185 |             }}
186 |             className={`px-3 py-2 rounded-xl text-xs font-semibold flex items-center
       gap-1.5 transition border shadow-2xs ${
187 |               isMasked
188 |                 ? 'bg-amber-50 text-amber-800 border-amber-300 hover:bg-amber-100'
189 |                 : 'bg-slate-100 text-slate-700 border-slate-300 hover:bg-slate-200'
190 |             }`}
191 |             title="Toggle Privacy Masking for sensitive student contact details"
192 |           >
193 |             {isMasked ? <EyeOff className="w-3.5 h-3.5 text-amber-600" /> : <Eye cla
      ssName="w-3.5 h-3.5 text-slate-600" />}
194 |             <span className="hidden sm:inline">Privacy Masking:</span>
195 |             <span className="font-mono font-bold">{isMasked ? 'ON (***** )' : 'OFF'}
      </span>
196 |           </button>
197 |
198 |           <div className="relative w-full sm:w-64">
199 |             <Search className="w-4 h-4 text-slate-400 absolute left-3 top-3" />
200 |             <input
201 |               type="text"
202 |               value={search}
203 |               onChange={e => setSearch(e.target.value)}
204 |               placeholder="Search roster..."
205 |               className="w-full pl-9 pr-3 py-2 bg-slate-50 border border-slate-200 r
      ounded-xl text-xs focus:outline-none focus:ring-2 focus:ring-blue-500"
206 |             />
207 |           </div>
208 |         </div>
209 |       </div>
210 |
211 |       {/* Privacy Notice Banner */}
212 |       {isMasked && (
213 |         <div className="px-4 py-2.5 bg-blue-50/70 border border-blue-200 rounded-xl
      flex items-center justify-between text-xs text-blue-900">
214 |           <div className="flex items-center gap-2">
215 |             <ShieldCheck className="w-4 h-4 text-blue-600 flex-shrink-0" />
216 |             <span>
217 |               <strong>PII Privacy Protection Active:</strong> Student contact phone
      numbers & emails are masked with asterisks (<code>*****</code>). Click the toggle ab
      ove to reveal.
218 |             </span>
219 |           </div>
220 |         </div>
221 |       )}
222 |
223 |       {/* Students Table */}
224 |       {activeTab === 'students' && (
225 |         <div className="bg-white rounded-2xl border border-slate-200 shadow-xs overf
      low-hidden">
226 |           <div className="overflow-x-auto">
227 |             <table className="w-full text-left text-xs">
228 |               <thead className="bg-slate-50 text-slate-600 font-semibold border-b bo
      rder-slate-200">
229 |                 <tr>
230 |                   <th className="px-6 py-3.5">Student</th>
231 |                   <th className="px-6 py-3.5">Student ID</th>
232 |                   <th className="px-6 py-3.5">Academic Program</th>
233 |                   <th className="px-6 py-3.5">Hostel & Room</th>
234 |                   <th className="px-6 py-3.5">Phone (Masked)</th>
235 |                   <th className="px-6 py-3.5">Email (Masked)</th>
236 |                   <th className="px-6 py-3.5">Issues</th>
237 |                   <th className="px-6 py-3.5 text-right">Switch User</th>
238 |                 </tr>
239 |               </thead>
240 |               <tbody className="divide-y divide-slate-100 text-slate-700">
241 |                 {filteredStudents.map(student => {
242 |                   const studentCmps = complaints.filter(c => c.studentId === student
      .studentId).length;
243 |                   return (
244 |                     <tr key={student.id} className="hover:bg-slate-50/80 transition"
      >
245 |                       <td className="px-6 py-4">
```

```
246 |                         <div className="flex items-center gap-3">
247 |                           <img
248 |                             src={student.avatar}
249 |                             alt={student.name}
250 |                             className="w-8 h-8 rounded-full object-cover ring-1 ring
    -slate-200"
251 |                           />
252 |                           <div>
253 |                             <span className="font-bold text-slate-900 block">{studen
    t.name}</span>
254 |                             <span className="text-[10px] text-slate-400 font-mono">@
    {student.username}</span>
255 |                           </div>
256 |                         </div>
257 |                       </td>
258 |                       <td className="px-6 py-4 font-mono font-bold text-blue-700">
259 |                         {student.studentId}
260 |                       </td>
261 |                       <td className="px-6 py-4">
262 |                         <div className="font-medium text-slate-800">{student.course}
    </div>
263 |                         <div className="text-[11px] text-slate-400">{student.semeste
    r}</div>
264 |                       </td>
265 |                       <td className="px-6 py-4">
266 |                         <div className="text-slate-800 font-medium">{student.hostelB
    lock}</div>
267 |                         <div className="text-[11px] text-slate-400">Room: {student.r
    oomNo}</div>
268 |                       </td>
269 |                       <td className="px-6 py-4 font-mono text-slate-700 font-medium
    whitespace-nowrap">
270 |                         {isMasked ? maskPhoneNumber(student.phone) : student.phone}
271 |                       </td>
272 |                       <td className="px-6 py-4 font-mono text-slate-600 whitespace-n
    owrap">
273 |                         {isMasked ? maskEmail(student.email) : student.email}
274 |                       </td>
275 |                       <td className="px-6 py-4">
276 |                         <span className="px-2 py-0.5 rounded-full bg-slate-100 font-
    bold text-slate-700">
277 |                           {studentCmps}
278 |                         </span>
279 |                       </td>
280 |                       <td className="px-6 py-4 text-right">
281 |                         <button
282 |                           onClick={() => {
283 |                             quickLogin('student', student.id);
284 |                             showToast(`Switched active session to ${student.name}`,
    'info');
285 |                           }}
286 |                           className="px-2.5 py-1 text-xs font-semibold text-blue-700
     bg-blue-50 hover:bg-blue-100 rounded-lg transition"
287 |                           title="Simulate login as this student"
288 |                         >
289 |                           Switch
290 |                         </button>
291 |                       </td>
292 |                     </tr>
293 |                   );
294 |                 })}
295 |               </tbody>
296 |             </table>
297 |           </div>
298 |         </div>
299 |       )}
300 |
301 |       {/* Staff Table */}
302 |       {activeTab === 'staff' && (
303 |         <div className="bg-white rounded-2xl border border-slate-200 shadow-xs overf
    low-hidden">
304 |           <div className="overflow-x-auto">
305 |             <table className="w-full text-left text-xs">
306 |               <thead className="bg-slate-50 text-slate-600 font-semibold border-b bo
    rder-slate-200">
307 |                 <tr>
308 |                   <th className="px-6 py-3.5">Staff Officer</th>
309 |                   <th className="px-6 py-3.5">Employee ID</th>
310 |                   <th className="px-6 py-3.5">Department</th>
311 |                   <th className="px-6 py-3.5">Designation</th>
312 |                   <th className="px-6 py-3.5">Contact Phone</th>
```

```
313 |                   <th className="px-6 py-3.5">Official Email</th>
314 |                   <th className="px-6 py-3.5">Tasks</th>
315 |                   <th className="px-6 py-3.5 text-right">Switch User</th>
316 |                 </tr>
317 |               </thead>
318 |               <tbody className="divide-y divide-slate-100 text-slate-700">
319 |                 {filteredStaff.map(staff => {
320 |                   const staffTasks = complaints.filter(c => c.assignedStaffId === st
      aff.id).length;
321 |                   return (
322 |                     <tr key={staff.id} className="hover:bg-slate-50/80 transition">
323 |                       <td className="px-6 py-4">
324 |                         <div className="flex items-center gap-3">
325 |                           <img
326 |                             src={staff.avatar}
327 |                             alt={staff.name}
328 |                             className="w-8 h-8 rounded-full object-cover ring-1 ring
      -slate-200"
329 |                           />
330 |                           <div>
331 |                             <span className="font-bold text-slate-900 block">{staff.
      name}</span>
332 |                             <span className="text-[10px] text-slate-400 font-mono">@
      {staff.username}</span>
333 |                           </div>
334 |                         </div>
335 |                       </td>
336 |                       <td className="px-6 py-4 font-mono font-bold text-purple-700">
337 |                         {staff.staffId}
338 |                       </td>
339 |                       <td className="px-6 py-4 font-semibold text-slate-800">
340 |                         {staff.department}
341 |                       </td>
342 |                       <td className="px-6 py-4 text-slate-600">
343 |                         {staff.designation}
344 |                       </td>
345 |                       <td className="px-6 py-4 font-mono text-slate-700 font-medium
      whitespace-nowrap">
346 |                         {isMasked ? maskPhoneNumber(staff.phone) : staff.phone}
347 |                       </td>
348 |                       <td className="px-6 py-4 font-mono text-slate-600 whitespace-n
      owrap">
349 |                         {isMasked ? maskEmail(staff.email) : staff.email}
350 |                       </td>
351 |                       <td className="px-6 py-4">
352 |                         <span className="px-2 py-0.5 rounded-full bg-purple-50 text-
      purple-700 font-bold">
353 |                           {staffTasks}
354 |                         </span>
355 |                       </td>
356 |                       <td className="px-6 py-4 text-right">
357 |                         <button
358 |                           onClick={() => {
359 |                             quickLogin('staff', staff.id);
360 |                             showToast(`Switched active session to ${staff.name}`, 'i
      nfo');
361 |                           }}
362 |                           className="px-2.5 py-1 text-xs font-semibold text-purple-7
      00 bg-purple-50 hover:bg-purple-100 rounded-lg transition"
363 |                         >
364 |                           Switch
365 |                         </button>
366 |                       </td>
367 |                     </tr>
368 |                   );
369 |                 })}
370 |               </tbody>
371 |             </table>
372 |           </div>
373 |         </div>
374 |       )}
375 |
376 |       {/* Admin Tab View */}
377 |       {activeTab === 'admin' && (
378 |         <div className="bg-white rounded-2xl border border-slate-200 p-6 sm:p-8 shad
      ow-xs max-w-xl">
379 |           <div className="flex items-center gap-4 mb-6">
380 |             <img
381 |               src={adminObj.avatar}
382 |               alt={adminObj.name}
383 |               className="w-16 h-16 rounded-2xl object-cover ring-4 ring-rose-50"
```

```
384 |             />
385 |             <div>
386 |               <span className="px-2.5 py-0.5 bg-rose-100 text-rose-800 rounded-full
      text-xs font-bold uppercase tracking-wider">
387 |                 Chief Administrator
388 |               </span>
389 |               <h3 className="text-lg font-bold text-slate-900 mt-1">{adminObj.name}<
      /h3>
390 |               <p className="text-xs text-slate-500">{adminObj.designation}</p>
391 |             </div>
392 |           </div>
393 |
394 |           <div className="space-y-3 text-xs border-t border-slate-100 pt-4">
395 |             <div className="flex justify-between py-1 border-b border-slate-50">
396 |               <span className="text-slate-400">Admin Code:</span>
397 |               <span className="font-mono font-bold text-slate-800">{adminObj.adminId
      }</span>
398 |             </div>
399 |             <div className="flex justify-between py-1 border-b border-slate-50">
400 |               <span className="text-slate-400">Username:</span>
401 |               <span className="font-mono font-bold text-slate-800">{adminObj.usernam
      e}</span>
402 |             </div>
403 |             <div className="flex justify-between py-1 border-b border-slate-50">
404 |               <span className="text-slate-400">Email:</span>
405 |               <span className="font-mono text-slate-800">{adminObj.email}</span>
406 |             </div>
407 |             <div className="flex justify-between py-1">
408 |               <span className="text-slate-400">Emergency Phone:</span>
409 |               <span className="font-mono text-slate-800">{adminObj.phone}</span>
410 |             </div>
411 |           </div>
412 |         </div>
413 |       )}
414 |
415 |       {/* Add User Modal */}
416 |       <Modal
417 |         isOpen={isAddModalOpen}
418 |         onClose={() => setIsAddModalOpen(false)}
419 |         title="Add Mock User Account"
420 |         maxWidth="max-w-md"
421 |       >
422 |         <form onSubmit={handleAddUserSubmit} className="space-y-4">
423 |           <div>
424 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
      b-1">
425 |               User Role <span className="text-rose-500">*</span>
426 |             </label>
427 |             <div className="grid grid-cols-2 gap-2">
428 |               <button
429 |                 type="button"
430 |                 onClick={() => setNewUserData({ ...newUserData, role: 'student' })}
431 |                 className={`py-2 text-xs font-semibold rounded-xl border transition
      ${
432 |                   newUserData.role === 'student'
433 |                     ? 'border-blue-600 bg-blue-50 text-blue-700'
434 |                     : 'border-slate-200 bg-slate-50 text-slate-700'
435 |                 }`}
436 |               >
437 |                 Student Account
438 |               </button>
439 |               <button
440 |                 type="button"
441 |                 onClick={() => setNewUserData({ ...newUserData, role: 'staff' })}
442 |                 className={`py-2 text-xs font-semibold rounded-xl border transition
      ${
443 |                   newUserData.role === 'staff'
444 |                     ? 'border-purple-600 bg-purple-50 text-purple-700'
445 |                     : 'border-slate-200 bg-slate-50 text-slate-700'
446 |                 }`}
447 |               >
448 |                 Staff Account
449 |               </button>
450 |             </div>
451 |           </div>
452 |
453 |           <div>
454 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
      b-1">
455 |               Full Name <span className="text-rose-500">*</span>
456 |             </label>
```

```
457 |             <input
458 |               type="text"
459 |               required
460 |               value={newUserData.name}
461 |               onChange={e => setNewUserData({ ...newUserData, name: e.target.value }
    )}
462 |               placeholder="e.g. Vikramaditya Rathore"
463 |               className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
     text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
464 |             />
465 |           </div>
466 |
467 |           <div>
468 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
    b-1">
469 |               Username (Login) <span className="text-rose-500">*</span>
470 |             </label>
471 |             <input
472 |               type="text"
473 |               required
474 |               value={newUserData.username}
475 |               onChange={e => setNewUserData({ ...newUserData, username: e.target.val
    ue })}
476 |               placeholder="e.g. student11 or staff06"
477 |               className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
     text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
478 |             />
479 |           </div>
480 |
481 |           {newUserData.role === 'student' ? (
482 |             <>
483 |               <div>
484 |                 <label className="block text-xs font-semibold text-slate-700 upperca
    se mb-1">
485 |                   Academic Degree Course
486 |                 </label>
487 |                 <input
488 |                   type="text"
489 |                   value={newUserData.course}
490 |                   onChange={e => setNewUserData({ ...newUserData, course: e.target.v
    alue })}
491 |                   placeholder="e.g. B.Tech Computer Science"
492 |                   className="w-full p-2.5 bg-slate-50 border border-slate-200 rounde
    d-xl text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
493 |                 />
494 |               </div>
495 |
496 |               <div className="grid grid-cols-2 gap-3">
497 |                 <div>
498 |                   <label className="block text-xs font-semibold text-slate-700 upper
    case mb-1">
499 |                     Hostel Block
500 |                   </label>
501 |                   <input
502 |                     type="text"
503 |                     value={newUserData.hostelBlock}
504 |                     onChange={e => setNewUserData({ ...newUserData, hostelBlock: e.t
    arget.value })}
505 |                     placeholder="Block-A"
506 |                     className="w-full p-2.5 bg-slate-50 border border-slate-200 roun
    ded-xl text-xs"
507 |                   />
508 |                 </div>
509 |                 <div>
510 |                   <label className="block text-xs font-semibold text-slate-700 upper
    case mb-1">
511 |                     Room No
512 |                   </label>
513 |                   <input
514 |                     type="text"
515 |                     value={newUserData.roomNo}
516 |                     onChange={e => setNewUserData({ ...newUserData, roomNo: e.target
    .value })}
517 |                     placeholder="204"
518 |                     className="w-full p-2.5 bg-slate-50 border border-slate-200 roun
    ded-xl text-xs"
519 |                   />
520 |                 </div>
521 |               </div>
522 |             </>
523 |           ) : (
```

```
524 |             <>
525 |               <div>
526 |                 <label className="block text-xs font-semibold text-slate-700 upperca
    se mb-1">
527 |                   Assigned Department
528 |                 </label>
529 |                 <input
530 |                   type="text"
531 |                   value={newUserData.department}
532 |                   onChange={e => setNewUserData({ ...newUserData, department: e.targ
    et.value })}
533 |                   placeholder="e.g. Electrical Maintenance"
534 |                   className="w-full p-2.5 bg-slate-50 border border-slate-200 rounde
    d-xl text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
535 |                 />
536 |               </div>
537 |
538 |               <div>
539 |                 <label className="block text-xs font-semibold text-slate-700 upperca
    se mb-1">
540 |                   Designation
541 |                 </label>
542 |                 <input
543 |                   type="text"
544 |                   value={newUserData.designation}
545 |                   onChange={e => setNewUserData({ ...newUserData, designation: e.tar
    get.value })}
546 |                   placeholder="e.g. Electrical Supervisor"
547 |                   className="w-full p-2.5 bg-slate-50 border border-slate-200 rounde
    d-xl text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
548 |                 />
549 |               </div>
550 |             </>
551 |           )}
552 |
553 |           <div className="flex justify-end gap-2 pt-2">
554 |             <button
555 |               type="button"
556 |               onClick={() => setIsAddModalOpen(false)}
557 |               className="px-4 py-2 bg-slate-100 hover:bg-slate-200 text-slate-700 ro
    unded-xl text-xs font-semibold transition"
558 |             >
559 |               Cancel
560 |             </button>
561 |             <button
562 |               type="submit"
563 |               className="px-5 py-2 bg-blue-600 hover:bg-blue-700 text-white rounded-
    xl text-xs font-semibold transition"
564 |             >
565 |               Create Account
566 |             </button>
567 |           </div>
568 |         </form>
569 |       </Modal>
570 |     </div>
571 |   );
572 | };
```

47. src/pages/admin/ManageDepartments.jsx

Module: *Pages: Admin* | ***Lines:*** *197* | ***Size:*** *7.7 KB — Manage 10 campus departments, heads & workload monitoring*

```
 1 | import React, { useState } from 'react';
 2 | import { useComplaints } from '../../context/ComplaintContext';
 3 | import { Modal } from '../../components/common/Modal';
 4 | import {
 5 |   Building,
 6 |   PlusCircle,
 7 |   Mail,
 8 |   Phone,
 9 |   User,
10 |   CheckCircle2,
11 |   AlertTriangle,
12 |   ArrowRight
13 | } from 'lucide-react';
14 | import { Link } from 'react-router-dom';
15 |
16 | export const ManageDepartments = () => {
17 |   const { departments, complaints, addDepartment } = useComplaints();
```

```
18 |   const [isAddModalOpen, setIsAddModalOpen] = useState(false);
19 |   const [newDept, setNewDept] = useState({
20 |     name: '',
21 |     head: '',
22 |     email: '',
23 |     phone: '+91 98765 00000'
24 |   });
25 |
26 |   const handleAddSubmit = (e) => {
27 |     e.preventDefault();
28 |     if (!newDept.name.trim() || !newDept.head.trim()) return;
29 |
30 |     addDepartment(newDept);
31 |     setIsAddModalOpen(false);
32 |     setNewDept({ name: '', head: '', email: '', phone: '+91 98765 00000' });
33 |   };
34 |
35 |   return (
36 |     <div className="space-y-6">
37 |       {/* Header */}
38 |       <div className="flex flex-col sm:flex-row items-start sm:items-center justify-
   between gap-4">
39 |         <div>
40 |           <h1 className="text-2xl font-bold text-slate-900">Campus Departments & Ser
   vice Divisions</h1>
41 |           <p className="text-xs sm:text-sm text-slate-500">
42 |             Configure institutional service units, responsible heads of department,
   and active caseloads
43 |           </p>
44 |         </div>
45 |
46 |         <button
47 |           onClick={() => setIsAddModalOpen(true)}
48 |           className="px-4 py-2.5 bg-blue-600 hover:bg-blue-700 text-white rounded-xl
    text-xs font-semibold flex items-center gap-2 transition shadow-xs"
49 |         >
50 |           <PlusCircle className="w-4 h-4" />
51 |           <span>Register New Department</span>
52 |         </button>
53 |       </div>
54 |
55 |       {/* Department Cards Grid */}
56 |       <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
57 |         {departments.map(dept => {
58 |           const deptComplaints = complaints.filter(c => c.department === dept.name);
59 |           const active = deptComplaints.filter(c => c.status !== 'Resolved' && c.sta
   tus !== 'Rejected').length;
60 |           const resolved = deptComplaints.filter(c => c.status === 'Resolved').lengt
   h;
61 |
62 |           return (
63 |             <div
64 |               key={dept.id}
65 |               className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs
   hover:border-blue-300 transition flex flex-col justify-between"
66 |             >
67 |               <div>
68 |                 <div className="flex items-center justify-between gap-2 mb-3">
69 |                   <div className="w-10 h-10 rounded-xl bg-blue-50 text-blue-600 flex
    items-center justify-center font-bold">
70 |                     <Building className="w-5 h-5" />
71 |                   </div>
72 |                   <span className="px-2.5 py-0.5 rounded-full bg-slate-100 text-slat
   e-700 font-bold text-xs">
73 |                     {deptComplaints.length} Total Issues
74 |                   </span>
75 |                 </div>
76 |
77 |                 <h3 className="text-base font-bold text-slate-900 mb-1">
78 |                   {dept.name}
79 |                 </h3>
80 |                 <p className="text-xs text-slate-600 flex items-center gap-1.5 mb-4"
   >
81 |                   <User className="w-3.5 h-3.5 text-slate-400" />
82 |                   <span>Supervisor: <strong>{dept.head}</strong></span>
83 |                 </p>
84 |
85 |                 <div className="space-y-1.5 text-xs text-slate-500 font-mono border-
   t border-slate-100 pt-3">
86 |                   <p className="flex items-center gap-2">
87 |                     <Mail className="w-3.5 h-3.5 text-slate-400" />
```

```
 88 |                     <span>{dept.email}</span>
 89 |                   </p>
 90 |                   <p className="flex items-center gap-2">
 91 |                     <Phone className="w-3.5 h-3.5 text-slate-400" />
 92 |                     <span>{dept.phone}</span>
 93 |                   </p>
 94 |                 </div>
 95 |               </div>
 96 |
 97 |               <div className="mt-6 pt-3 border-t border-slate-100 flex items-center
    justify-between text-xs">
 98 |                 <div className="flex items-center gap-3">
 99 |                   <span className="text-orange-600 font-bold">{active} Active</span>
100 |                   <span className="text-emerald-600 font-bold">{resolved} Resolved</
    span>
101 |                 </div>
102 |                 <Link
103 |                   to={`/admin/complaints?dept=${encodeURIComponent(dept.name)}`}
104 |                   className="font-semibold text-blue-600 hover:text-blue-800 flex it
    ems-center gap-1"
105 |                 >
106 |                   <span>Queue</span>
107 |                   <ArrowRight className="w-3 h-3" />
108 |                 </Link>
109 |               </div>
110 |             </div>
111 |           );
112 |         })}
113 |       </div>
114 |
115 |       {/* Add Department Modal */}
116 |       <Modal
117 |         isOpen={isAddModalOpen}
118 |         onClose={() => setIsAddModalOpen(false)}
119 |         title="Register New College Department"
120 |         maxWidth="max-w-md"
121 |       >
122 |         <form onSubmit={handleAddSubmit} className="space-y-4">
123 |           <div>
124 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
    b-1">
125 |               Department Name <span className="text-rose-500">*</span>
126 |             </label>
127 |             <input
128 |               type="text"
129 |               required
130 |               value={newDept.name}
131 |               onChange={e => setNewDept({ ...newDept, name: e.target.value })}
132 |               placeholder="e.g. Sports & Gymnasium Facilities"
133 |               className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
     text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
134 |             />
135 |           </div>
136 |
137 |           <div>
138 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
    b-1">
139 |               Head of Department / Officer <span className="text-rose-500">*</span>
140 |             </label>
141 |             <input
142 |               type="text"
143 |               required
144 |               value={newDept.head}
145 |               onChange={e => setNewDept({ ...newDept, head: e.target.value })}
146 |               placeholder="e.g. Dr. Harish Chandra"
147 |               className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
     text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
148 |             />
149 |           </div>
150 |
151 |           <div>
152 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
    b-1">
153 |               Official Email
154 |             </label>
155 |             <input
156 |               type="email"
157 |               required
158 |               value={newDept.email}
159 |               onChange={e => setNewDept({ ...newDept, email: e.target.value })}
160 |               placeholder="sports@smartcampus.edu"
```

```
161 |               className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
       text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
162 |             />
163 |           </div>
164 |
165 |           <div>
166 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
      b-1">
167 |               Phone / Helpline
168 |             </label>
169 |             <input
170 |               type="text"
171 |               value={newDept.phone}
172 |               onChange={e => setNewDept({ ...newDept, phone: e.target.value })}
173 |               placeholder="+91 98765 00000"
174 |               className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
       text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
175 |             />
176 |           </div>
177 |
178 |           <div className="flex justify-end gap-2 pt-2">
179 |             <button
180 |               type="button"
181 |               onClick={() => setIsAddModalOpen(false)}
182 |               className="px-4 py-2 bg-slate-100 hover:bg-slate-200 text-slate-700 ro
      unded-xl text-xs font-semibold transition"
183 |             >
184 |               Cancel
185 |             </button>
186 |             <button
187 |               type="submit"
188 |               className="px-5 py-2 bg-blue-600 hover:bg-blue-700 text-white rounded-
      xl text-xs font-semibold transition"
189 |             >
190 |               Save Department
191 |             </button>
192 |           </div>
193 |         </form>
194 |       </Modal>
195 |     </div>
196 |   );
197 | };
```

48. src/pages/admin/ManageCategories.jsx

Module: *Pages: Admin* | ***Lines:*** *174* | ***Size:*** *6.9 KB — Manage complaint categories, department mappings & SLA hours*

```
  1 | import React, { useState } from 'react';
  2 | import { useComplaints } from '../../context/ComplaintContext';
  3 | import { CategoryIcon } from '../../components/common/CategoryIcon';
  4 | import { Modal } from '../../components/common/Modal';
  5 | import {
  6 |   Tag,
  7 |   Clock,
  8 |   Building,
  9 |   Edit2,
 10 |   PlusCircle,
 11 |   CheckCircle2,
 12 |   FileText
 13 | } from 'lucide-react';
 14 |
 15 | export const ManageCategories = () => {
 16 |   const { categories, departments, complaints, updateCategory, addCategory } = useCo
      mplaints();
 17 |
 18 |   const [editCategory, setEditCategory] = useState(null);
 19 |   const [slaHours, setSlaHours] = useState(24);
 20 |   const [department, setDepartment] = useState('');
 21 |   const [isEditModalOpen, setIsEditModalOpen] = useState(false);
 22 |
 23 |   const handleOpenEdit = (cat) => {
 24 |     setEditCategory(cat);
 25 |     setSlaHours(cat.slaHours);
 26 |     setDepartment(cat.department);
 27 |     setIsEditModalOpen(true);
 28 |   };
 29 |
 30 |   const handleSaveEdit = (e) => {
 31 |     e.preventDefault();
```

```
32 |     if (!editCategory) return;
33 |
34 |     updateCategory(editCategory.id, {
35 |       slaHours: Number(slaHours),
36 |       department
37 |     });
38 |     setIsEditModalOpen(false);
39 |   };
40 |
41 |   return (
42 |     <div className="space-y-6">
43 |       {/* Header */}
44 |       <div>
45 |         <h1 className="text-2xl font-bold text-slate-900">Complaint Categories & SLA
    Configuration</h1>
46 |         <p className="text-xs sm:text-sm text-slate-500">
47 |           Configure default department mappings and target resolution turnaround hou
   rs across all 10 grievance categories
48 |         </p>
49 |       </div>
50 |
51 |       {/* Categories Grid */}
52 |       <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
53 |         {categories.map(cat => {
54 |           const categoryComplaints = complaints.filter(c => c.category === cat.name)
   ;
55 |           const resolved = categoryComplaints.filter(c => c.status === 'Resolved').l
   ength;
56 |
57 |           return (
58 |             <div
59 |               key={cat.id}
60 |               className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs
   hover:border-blue-300 transition flex flex-col justify-between"
61 |             >
62 |               <div>
63 |                 <div className="flex items-center justify-between gap-2 mb-3">
64 |                   <div className="w-10 h-10 rounded-xl bg-blue-50 text-blue-600 flex
    items-center justify-center font-bold">
65 |                     <CategoryIcon iconName={cat.iconName} categoryName={cat.name} cl
   assName="w-5 h-5" />
66 |                   </div>
67 |                   <span className="px-2.5 py-1 rounded-full bg-blue-100 text-blue-80
   0 font-bold text-xs">
68 |                     {cat.slaHours} Hours SLA
69 |                   </span>
70 |                 </div>
71 |
72 |                 <h3 className="text-base font-bold text-slate-900 mb-1">
73 |                   {cat.name}
74 |                 </h3>
75 |                 <p className="text-xs text-slate-500 mb-4 line-clamp-2 leading-relax
   ed">
76 |                   {cat.description}
77 |                 </p>
78 |
79 |                 <div className="p-3 bg-slate-50 rounded-xl border border-slate-100 s
   pace-y-2 text-xs">
80 |                   <div className="flex items-center justify-between">
81 |                     <span className="text-slate-400">Target Dept:</span>
82 |                     <span className="font-semibold text-slate-800 truncate max-w-[15
   0px]">{cat.department}</span>
83 |                   </div>
84 |                   <div className="flex items-center justify-between">
85 |                     <span className="text-slate-400">Total Logged:</span>
86 |                     <span className="font-bold text-slate-900">{categoryComplaints.l
   ength} issues</span>
87 |                   </div>
88 |                   <div className="flex items-center justify-between">
89 |                     <span className="text-slate-400">Resolved Rate:</span>
90 |                     <span className="font-bold text-emerald-600">
91 |                       {categoryComplaints.length > 0 ? Math.round((resolved / catego
   ryComplaints.length) * 100) : 100}%
92 |                     </span>
93 |                   </div>
94 |                 </div>
95 |               </div>
96 |
97 |               <div className="mt-5 pt-3 border-t border-slate-100 flex justify-end">
98 |                 <button
99 |                   onClick={() => handleOpenEdit(cat)}
```

```
100 |                   className="px-3 py-1.5 bg-slate-100 hover:bg-slate-200 text-slate-
    700 rounded-lg text-xs font-semibold flex items-center gap-1.5 transition"
101 |                 >
102 |                   <Edit2 className="w-3.5 h-3.5 text-slate-500" />
103 |                   <span>Configure SLA & Dept</span>
104 |                 </button>
105 |               </div>
106 |             </div>
107 |           );
108 |         })}
109 |       </div>
110 |
111 |       {/* Edit Category Modal */}
112 |       <Modal
113 |         isOpen={isEditModalOpen}
114 |         onClose={() => setIsEditModalOpen(false)}
115 |         title={`Configure Category: ${editCategory?.name}`}
116 |         maxWidth="max-w-md"
117 |       >
118 |         <form onSubmit={handleSaveEdit} className="space-y-4">
119 |           <div>
120 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
    b-1">
121 |               Mapped Department <span className="text-rose-500">*</span>
122 |             </label>
123 |             <select
124 |               value={department}
125 |               onChange={e => setDepartment(e.target.value)}
126 |               className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
     text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500"
127 |             >
128 |               {departments.map(d => (
129 |                 <option key={d.id} value={d.name}>{d.name}</option>
130 |               ))}
131 |             </select>
132 |             <span className="text-[10px] text-slate-400 mt-1 block">
133 |               New complaints under this category will automatically be assigned to t
    his department.
134 |             </span>
135 |           </div>
136 |
137 |           <div>
138 |             <label className="block text-xs font-semibold text-slate-700 uppercase m
    b-1">
139 |               Standard SLA Target Resolution (Hours) <span className="text-rose-500"
    >*</span>
140 |             </label>
141 |             <input
142 |               type="number"
143 |               min="1"
144 |               max="168"
145 |               required
146 |               value={slaHours}
147 |               onChange={e => setSlaHours(e.target.value)}
148 |               className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
     text-xs sm:text-sm focus:outline-none focus:ring-2 focus:ring-blue-500 font-mono"
149 |             />
150 |             <span className="text-[10px] text-slate-400 mt-1 block">
151 |               Issues exceeding this SLA will be flagged as Overdue and escalated to
    the Dean.
152 |             </span>
153 |           </div>
154 |
155 |           <div className="flex justify-end gap-2 pt-2">
156 |             <button
157 |               type="button"
158 |               onClick={() => setIsEditModalOpen(false)}
159 |               className="px-4 py-2 bg-slate-100 hover:bg-slate-200 text-slate-700 ro
    unded-xl text-xs font-semibold transition"
160 |             >
161 |               Cancel
162 |             </button>
163 |             <button
164 |               type="submit"
165 |               className="px-5 py-2 bg-blue-600 hover:bg-blue-700 text-white rounded-
    xl text-xs font-semibold transition"
166 |             >
167 |               Save Configuration
168 |             </button>
169 |           </div>
170 |         </form>
```

```
171 |       </Modal>
172 |     </div>
173 |   );
174 | };
```

49. src/pages/admin/ComplaintAnalytics.jsx

Module: *Pages: Admin* | ***Lines:*** *320* | ***Size:*** *14.3 KB — Deep analytics: 5 Recharts graphs & trend visualizations*

```
  1 | import React from 'react';
  2 | import { useComplaints } from '../../context/ComplaintContext';
  3 | import { isOverdue } from '../../utils/helpers';
  4 | import {
  5 |   BarChart,
  6 |   Bar,
  7 |   PieChart,
  8 |   Pie,
  9 |   Cell,
 10 |   XAxis,
 11 |   YAxis,
 12 |   Tooltip,
 13 |   Legend,
 14 |   ResponsiveContainer,
 15 |   CartesianGrid
 16 | } from 'recharts';
 17 | import {
 18 |   BarChart3,
 19 |   PieChart as PieIcon,
 20 |   TrendingUp,
 21 |   Download,
 22 |   Calendar,
 23 |   Layers,
 24 |   ShieldCheck,
 25 |   CheckCircle2,
 26 |   Clock,
 27 |   AlertTriangle
 28 | } from 'lucide-react';
 29 |
 30 | export const ComplaintAnalytics = () => {
 31 |   const { complaints, categories, departments, showToast } = useComplaints();
 32 |
 33 |   // 1. Complaints by Category (Pie Chart)
 34 |   const categoryChartColors = [
 35 |     '#2563eb', '#7c3aed', '#db2777', '#ea580c', '#16a34a',
 36 |     '#0284c7', '#ca8a04', '#0d9488', '#e11d48', '#4b5563'
 37 |   ];
 38 |
 39 |   const categoryData = categories.map((cat, index) => ({
 40 |     name: cat.name,
 41 |     count: complaints.filter(c => c.category === cat.name).length,
 42 |     color: categoryChartColors[index % categoryChartColors.length]
 43 |   }));
 44 |
 45 |   // 2. Monthly Complaint Submissions (Bar Chart)
 46 |   // Generating realistic monthly timeline distribution
 47 |   const monthlyData = [
 48 |     { month: 'Jun', submissions: 14, resolved: 14 },
 49 |     { month: 'Jul', submissions: 19, resolved: 18 },
 50 |     { month: 'Aug', submissions: 28, resolved: 26 },
 51 |     { month: 'Sep', submissions: 32, resolved: 30 },
 52 |     { month: 'Oct', submissions: complaints.length, resolved: complaints.filter(c =>
      c.status === 'Resolved').length },
 53 |     { month: 'Nov (Proj)', submissions: 22, resolved: 19 }
 54 |   ];
 55 |
 56 |   // 3. Complaint Resolution Statistics (Donut Chart)
 57 |   const resolvedCount = complaints.filter(c => c.status === 'Resolved').length;
 58 |   const inProgressCount = complaints.filter(c => c.status === 'In Progress' || c.sta
    tus === 'Reopened' || c.status === 'Escalated').length;
 59 |   const pendingCount = complaints.filter(c => c.status === 'Submitted' || c.status =
    == 'Under Review').length;
 60 |   const rejectedCount = complaints.filter(c => c.status === 'Rejected').length;
 61 |
 62 |   const resolutionData = [
 63 |     { name: 'Resolved', value: resolvedCount, color: '#16a34a' },
 64 |     { name: 'In Progress', value: inProgressCount, color: '#ea580c' },
 65 |     { name: 'Under Review / New', value: pendingCount, color: '#9333ea' },
 66 |     { name: 'Rejected', value: rejectedCount, color: '#dc2626' }
 67 |   ];
```

```
 68 |
 69 |   // 4. Complaint Priority Distribution (Bar Chart)
 70 |   const urgentCount = complaints.filter(c => c.priority === 'Urgent').length;
 71 |   const highCount = complaints.filter(c => c.priority === 'High').length;
 72 |   const mediumCount = complaints.filter(c => c.priority === 'Medium').length;
 73 |   const lowCount = complaints.filter(c => c.priority === 'Low').length;
 74 |
 75 |   const priorityData = [
 76 |     { priority: 'Urgent', count: urgentCount, fill: '#dc2626' },
 77 |     { priority: 'High', count: highCount, fill: '#ea580c' },
 78 |     { priority: 'Medium', count: mediumCount, fill: '#d97706' },
 79 |     { priority: 'Low', count: lowCount, fill: '#64748b' }
 80 |   ];
 81 |
 82 |   // 5. Department-wise Complaint Statistics (Bar Chart)
 83 |   const departmentData = departments.map(d => {
 84 |     const deptAll = complaints.filter(c => c.department === d.name);
 85 |     return {
 86 |       department: d.name.length > 15 ? d.name.slice(0, 14) + '...' : d.name,
 87 |       fullName: d.name,
 88 |       total: deptAll.length,
 89 |       resolved: deptAll.filter(c => c.status === 'Resolved').length,
 90 |       active: deptAll.filter(c => c.status !== 'Resolved' && c.status !== 'Rejected'
    ).length
 91 |     };
 92 |   });
 93 |
 94 |   const handlePrint = () => {
 95 |     window.print();
 96 |     showToast('Preparing analytics document for printing / PDF export', 'info');
 97 |   };
 98 |
 99 |   return (
100 |     <div className="space-y-8">
101 |       {/* Header */}
102 |       <div className="flex flex-col sm:flex-row items-start sm:items-center justify-
    between gap-4">
103 |         <div>
104 |           <h1 className="text-2xl font-bold text-slate-900">Institutional Grievance
    Analytics & Insights</h1>
105 |           <p className="text-xs sm:text-sm text-slate-500">
106 |             Statistical breakdown of resolution rates, category loads, and departmen
    tal compliance
107 |           </p>
108 |         </div>
109 |
110 |         <button
111 |           onClick={handlePrint}
112 |           className="px-4 py-2 bg-slate-900 hover:bg-slate-800 text-white rounded-xl
     text-xs font-semibold flex items-center gap-2 transition no-print shadow-xs"
113 |         >
114 |           <Download className="w-4 h-4" />
115 |           <span>Generate Official Report</span>
116 |         </button>
117 |       </div>
118 |
119 |       {/* Top 3 Metric Callouts */}
120 |       <div className="grid grid-cols-1 sm:grid-cols-3 gap-4">
121 |         <div className="bg-white p-5 rounded-2xl border border-slate-200 shadow-xs f
    lex items-center gap-4">
122 |           <div className="w-12 h-12 rounded-xl bg-emerald-50 text-emerald-600 flex i
    tems-center justify-center font-bold">
123 |             <CheckCircle2 className="w-6 h-6" />
124 |           </div>
125 |           <div>
126 |             <span className="text-xs text-slate-400 uppercase font-semibold">Institu
    tional Clearance Rate</span>
127 |             <h3 className="text-2xl font-extrabold text-slate-900">
128 |               {Math.round((resolvedCount / (complaints.length || 1)) * 100)}%
129 |             </h3>
130 |             <span className="text-[11px] text-emerald-600 font-medium">+4.2% vs prev
    ious semester</span>
131 |           </div>
132 |         </div>
133 |
134 |         <div className="bg-white p-5 rounded-2xl border border-slate-200 shadow-xs f
    lex items-center gap-4">
135 |           <div className="w-12 h-12 rounded-xl bg-blue-50 text-blue-600 flex items-c
    enter justify-center font-bold">
136 |             <Clock className="w-6 h-6" />
137 |           </div>
```

```
138 |           <div>
139 |             <span className="text-xs text-slate-400 uppercase font-semibold">Average
       Resolution Time</span>
140 |             <h3 className="text-2xl font-extrabold text-slate-900">24.6 Hours</h3>
141 |             <span className="text-[11px] text-blue-600 font-medium">Well within 48h
    campus SLA mandate</span>
142 |           </div>
143 |         </div>
144 |
145 |         <div className="bg-white p-5 rounded-2xl border border-slate-200 shadow-xs f
    lex items-center gap-4">
146 |           <div className="w-12 h-12 rounded-xl bg-purple-50 text-purple-600 flex ite
    ms-center justify-center font-bold">
147 |             <Layers className="w-6 h-6" />
148 |           </div>
149 |           <div>
150 |             <span className="text-xs text-slate-400 uppercase font-semibold">Active
    Service Departments</span>
151 |             <h3 className="text-2xl font-extrabold text-slate-900">{departments.leng
    th} Units</h3>
152 |             <span className="text-[11px] text-purple-600 font-medium">100% digital t
    riage enabled</span>
153 |           </div>
154 |         </div>
155 |       </div>
156 |
157 |       {/* Row 1: Donut (Resolution) & Pie (Category) */}
158 |       <div className="grid grid-cols-1 lg:grid-cols-2 gap-6">
159 |         {/* Chart 1: Resolution Statistics (Donut Chart) */}
160 |         <div className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs">
161 |           <div className="mb-4">
162 |             <h3 className="text-base font-bold text-slate-900">Complaint Resolution
    Statistics</h3>
163 |             <p className="text-xs text-slate-500">Distribution of resolution lifecyc
    le states</p>
164 |           </div>
165 |
166 |           <div className="h-72 flex items-center justify-center">
167 |             <ResponsiveContainer width="100%" height="100%">
168 |               <PieChart>
169 |                 <Pie
170 |                   data={resolutionData}
171 |                   cx="50%"
172 |                   cy="50%"
173 |                   innerRadius={60}
174 |                   outerRadius={95}
175 |                   paddingAngle={5}
176 |                   dataKey="value"
177 |                 >
178 |                   {resolutionData.map((entry, index) => (
179 |                     <Cell key={`cell-${index}`} fill={entry.color} />
180 |                   ))}
181 |                 </Pie>
182 |                 <Tooltip
183 |                   formatter={(val, name) => [`${val} complaints`, name]}
184 |                   contentStyle={{ backgroundColor: '#fff', borderRadius: '12px', bor
    der: '1px solid #e2e8f0', fontSize: '12px' }}
185 |                 />
186 |                 <Legend
187 |                   verticalAlign="bottom"
188 |                   height={36}
189 |                   formatter={(val) => <span className="text-xs text-slate-700 font-m
    edium">{val}</span>}
190 |                 />
191 |               </PieChart>
192 |             </ResponsiveContainer>
193 |           </div>
194 |         </div>
195 |
196 |         {/* Chart 2: Complaints by Category (Pie Chart) */}
197 |         <div className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs">
198 |           <div className="mb-4">
199 |             <h3 className="text-base font-bold text-slate-900">Complaints by Categor
    y (10 Divisions)</h3>
200 |             <p className="text-xs text-slate-500">Volume proportion across grievance
       domains</p>
201 |           </div>
202 |
203 |           <div className="h-72 flex items-center justify-center">
204 |             <ResponsiveContainer width="100%" height="100%">
205 |               <PieChart>
```

```
206 |                 <Pie
207 |                   data={categoryData}
208 |                   cx="50%"
209 |                   cy="50%"
210 |                   outerRadius={90}
211 |                   dataKey="count"
212 |                   label={({ name, percent }) => percent > 0.08 ? `${name.slice(0, 8)
    } ${(percent * 100).toFixed(0)}%` : ''}
213 |                   labelLine={false}
214 |                 >
215 |                   {categoryData.map((entry, index) => (
216 |                     <Cell key={`cell-${index}`} fill={entry.color} />
217 |                   ))}
218 |                 </Pie>
219 |                 <Tooltip
220 |                   formatter={(val, name) => [`${val} complaints`, name]}
221 |                   contentStyle={{ backgroundColor: '#fff', borderRadius: '12px', bor
    der: '1px solid #e2e8f0', fontSize: '12px' }}
222 |                 />
223 |               </PieChart>
224 |             </ResponsiveContainer>
225 |           </div>
226 |         </div>
227 |       </div>
228 |
229 |       {/* Row 2: Monthly Trend (Bar Chart) & Priority Breakdown (Bar Chart) */}
230 |       <div className="grid grid-cols-1 lg:grid-cols-2 gap-6">
231 |         {/* Chart 3: Monthly Complaint Submissions (Bar Chart) */}
232 |         <div className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs">
233 |           <div className="mb-4">
234 |             <h3 className="text-base font-bold text-slate-900">Monthly Complaint Sub
    missions & Output</h3>
235 |             <p className="text-xs text-slate-500">6-Month historical intake vs resol
    ved output</p>
236 |           </div>
237 |
238 |           <div className="h-72">
239 |             <ResponsiveContainer width="100%" height="100%">
240 |               <BarChart data={monthlyData} margin={{ top: 10, right: 10, left: -20,
    bottom: 0 }}>
241 |                 <CartesianGrid strokeDasharray="3 3" vertical={false} stroke="#f1f5f
    9" />
242 |                 <XAxis dataKey="month" tick={{ fontSize: 11, fill: '#64748b' }} />
243 |                 <YAxis allowDecimals={false} tick={{ fontSize: 11, fill: '#64748b' }
    } />
244 |                 <Tooltip
245 |                   contentStyle={{ backgroundColor: '#fff', borderRadius: '12px', bor
    der: '1px solid #e2e8f0', fontSize: '12px' }}
246 |                 />
247 |                 <Legend
248 |                   verticalAlign="top"
249 |                   align="right"
250 |                   height={32}
251 |                   formatter={(val) => <span className="text-xs text-slate-700 font-m
    edium capitalize">{val}</span>}
252 |                 />
253 |                 <Bar dataKey="submissions" fill="#3b82f6" radius={[4, 4, 0, 0]} name
    ="Submissions" />
254 |                 <Bar dataKey="resolved" fill="#10b981" radius={[4, 4, 0, 0]} name="R
    esolved" />
255 |               </BarChart>
256 |             </ResponsiveContainer>
257 |           </div>
258 |         </div>
259 |
260 |         {/* Chart 4: Complaint Priority Distribution */}
261 |         <div className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs">
262 |           <div className="mb-4">
263 |             <h3 className="text-base font-bold text-slate-900">Complaint Priority Di
    stribution</h3>
264 |             <p className="text-xs text-slate-500">Caseload urgency breakdown across
    the institution</p>
265 |           </div>
266 |
267 |           <div className="h-72">
268 |             <ResponsiveContainer width="100%" height="100%">
269 |               <BarChart data={priorityData} margin={{ top: 10, right: 10, left: -20,
     bottom: 0 }}>
270 |                 <CartesianGrid strokeDasharray="3 3" vertical={false} stroke="#f1f5f
    9" />
271 |                 <XAxis dataKey="priority" tick={{ fontSize: 11, fill: '#64748b' }} /
```

```
      >
272 |                 <YAxis allowDecimals={false} tick={{ fontSize: 11, fill: '#64748b' }
      } />
273 |                 <Tooltip
274 |                   formatter={(val) => [`${val} complaints`, 'Volume']}
275 |                   contentStyle={{ backgroundColor: '#fff', borderRadius: '12px', bor
      der: '1px solid #e2e8f0', fontSize: '12px' }}
276 |                 />
277 |                 <Bar dataKey="count" radius={[6, 6, 0, 0]}>
278 |                   {priorityData.map((entry, index) => (
279 |                     <Cell key={`cell-${index}`} fill={entry.fill} />
280 |                   ))}
281 |                 </Bar>
282 |               </BarChart>
283 |             </ResponsiveContainer>
284 |           </div>
285 |         </div>
286 |       </div>
287 |
288 |       {/* Row 3: Department-wise Complaint Statistics (Bar Chart) */}
289 |       <div className="bg-white rounded-2xl border border-slate-200 p-6 shadow-xs">
290 |         <div className="mb-4">
291 |           <h3 className="text-base font-bold text-slate-900">Department-Wise Complai
      nt Statistics</h3>
292 |           <p className="text-xs text-slate-500">Workload, ongoing repairs, and resol
      utions across all 10 campus departments</p>
293 |         </div>
294 |
295 |         <div className="h-80">
296 |           <ResponsiveContainer width="100%" height="100%">
297 |             <BarChart data={departmentData} margin={{ top: 10, right: 10, left: -10,
       bottom: 25 }}>
298 |               <CartesianGrid strokeDasharray="3 3" vertical={false} stroke="#f1f5f9"
       />
299 |               <XAxis dataKey="department" tick={{ fontSize: 10, fill: '#64748b' }} a
      ngle={-25} textAnchor="end" />
300 |               <YAxis allowDecimals={false} tick={{ fontSize: 11, fill: '#64748b' }}
      />
301 |               <Tooltip
302 |                 formatter={(val, name, item) => [`${val} complaints`, name === 'reso
      lved' ? 'Resolved' : 'Active Repair']}
303 |                 labelFormatter={(name, payload) => payload?.[0]?.payload?.fullName |
      | name}
304 |                 contentStyle={{ backgroundColor: '#fff', borderRadius: '12px', borde
      r: '1px solid #e2e8f0', fontSize: '12px' }}
305 |               />
306 |               <Legend
307 |                 verticalAlign="top"
308 |                 align="right"
309 |                 height={32}
310 |                 formatter={(val) => <span className="text-xs text-slate-700 font-med
      ium capitalize">{val}</span>}
311 |               />
312 |               <Bar dataKey="active" fill="#f97316" radius={[4, 4, 0, 0]} name="Activ
      e Repairs" />
313 |               <Bar dataKey="resolved" fill="#10b981" radius={[4, 4, 0, 0]} name="Res
      olved" />
314 |             </BarChart>
315 |           </ResponsiveContainer>
316 |         </div>
317 |       </div>
318 |     </div>
319 |   );
320 | };
```

50. src/pages/admin/AdminAttendance.jsx

Module: *Pages: Admin* | ***Lines:*** *554* | ***Size:*** *25.0 KB — Attendance compliance center, defaulters table & Wi-Fi audit logs*

```
 1 | import React, { useState } from 'react';
 2 | import { useAttendance } from '../../context/AttendanceContext';
 3 | import { useComplaints } from '../../context/ComplaintContext';
 4 | import { useAuth } from '../../context/AuthContext';
 5 | import {
 6 |   BarChart,
 7 |   Bar,
 8 |   XAxis,
 9 |   YAxis,
10 |   Tooltip,
```

```
11 |   ResponsiveContainer,
12 |   CartesianGrid,
13 |   Cell
14 | } from 'recharts';
15 | import {
16 |   Users,
17 |   AlertTriangle,
18 |   Download,
19 |   Send,
20 |   CheckCircle2,
21 |   Calendar,
22 |   GraduationCap,
23 |   BookOpen,
24 |   Filter,
25 |   FileSpreadsheet,
26 |   Search,
27 |   QrCode,
28 |   Wifi,
29 |   ShieldCheck,
30 |   ShieldAlert,
31 |   Smartphone
32 | } from 'lucide-react';
33 | import { formatDate } from '../../utils/helpers';
34 |
35 | export const AdminAttendance = () => {
36 |   const {
37 |     getLowAttendanceStudents,
38 |     studentMetrics,
39 |     sessions,
40 |     courses,
41 |     qrAuditLogs,
42 |     wifiConfig
43 |   } = useAttendance();
44 |   const { showToast } = useComplaints();
45 |   const { users } = useAuth();
46 |
47 |   const [activeTab, setActiveTab] = useState('defaulters'); // 'defaulters' | 'qrAud
   it'
48 |   const [search, setSearch] = useState('');
49 |   const [selectedCourseFilter, setSelectedCourseFilter] = useState('All');
50 |
51 |   // Low-attendance students (< 75%)
52 |   const lowAttendanceList = getLowAttendanceStudents();
53 |
54 |   // All students attendance list
55 |   const allStudentsList = Object.keys(studentMetrics).map(id => {
56 |     const student = studentMetrics[id];
57 |     let total = 0;
58 |     let attended = 0;
59 |     student.subjects.forEach(s => {
60 |       total += s.total;
61 |       attended += s.attended;
62 |     });
63 |     const percentage = total > 0 ? Math.round((attended / total) * 1000) / 10 : 0;
64 |     return {
65 |       studentId: student.studentId,
66 |       studentName: student.studentName,
67 |       course: student.course,
68 |       semester: student.semester,
69 |       totalClasses: total,
70 |       attendedClasses: attended,
71 |       percentage,
72 |       isBelowThreshold: percentage < 75
73 |     };
74 |   });
75 |
76 |   const filteredDefaulters = lowAttendanceList.filter(s => {
77 |     const matchesSearch =
78 |       s.studentName.toLowerCase().includes(search.toLowerCase()) ||
79 |       s.studentId.toLowerCase().includes(search.toLowerCase());
80 |     const matchesCourse = selectedCourseFilter === 'All' || s.course === selectedCou
   rseFilter;
81 |     return matchesSearch && matchesCourse;
82 |   });
83 |
84 |   // Recharts: Department / Course average attendance
85 |   const courseAverages = [
86 |     { name: 'CSE (6th Sem)', average: 81.2, fill: '#2563eb' },
87 |     { name: 'IT (4th Sem)', average: 90.3, fill: '#10b981' },
88 |     { name: 'Mech (8th Sem)', average: 69.1, fill: '#ef4444' }, // Below 75
89 |     { name: 'ECE (4th Sem)', average: 94.2, fill: '#10b981' },
```

```
 90 |     { name: 'DS (2nd Sem)', average: 87.8, fill: '#2563eb' }
 91 |   ];
 92 |
 93 |   // Overall campus metrics
 94 |   const totalStudents = Object.keys(studentMetrics).length;
 95 |   const defaultersCount = lowAttendanceList.length;
 96 |   const complianceRate = Math.round(((totalStudents - defaultersCount) / totalStuden
    ts) * 100);
 97 |
 98 |   const handleSendWarning = (student) => {
 99 |     showToast(
100 |       `Statutory Warning Letter generated & dispatched to ${student.studentName} (${
    student.overallPercentage}% attendance). Shortfall: ${(75 - student.overallPercentag
    e).toFixed(1)}%`,
101 |       'warning'
102 |     );
103 |   };
104 |
105 |   const handleSendAllWarnings = () => {
106 |     showToast(
107 |       `Bulk Notice Broadcasted: Official Warning Letters dispatched to all ${default
    ersCount} students below 75% attendance threshold.`,
108 |       'warning'
109 |     );
110 |   };
111 |
112 |   const handleExportCSV = () => {
113 |     const headers = ['Student ID', 'Student Name', 'Course', 'Semester', 'Classes At
    tended', 'Total Classes', 'Attendance %', 'Status'];
114 |     const rows = filteredDefaulters.map(s => [
115 |       s.studentId,
116 |       `"${s.studentName}"`,
117 |       `"${s.course}"`,
118 |       `"${s.semester}"`,
119 |       s.attendedClasses,
120 |       s.totalClasses,
121 |       `${s.overallPercentage}%`,
122 |       'DEBARMENT RISK (< 75%)'
123 |     ]);
124 |
125 |     const csvContent = 'data:text/csv;charset=utf-8,' + [headers.join(','), ...rows.
    map(e => e.join(','))].join('\n');
126 |     const encodedUri = encodeURI(csvContent);
127 |     const link = document.createElement('a');
128 |     link.setAttribute('href', encodedUri);
129 |     link.setAttribute('download', `SGU_Attendance_Defaulters_${new Date().toISOStrin
    g().slice(0, 10)}.csv`);
130 |     document.body.appendChild(link);
131 |     link.click();
132 |     document.body.removeChild(link);
133 |
134 |     showToast('Defaulters attendance report exported as CSV.', 'success');
135 |   };
136 |
137 |   const handleExportQrLogs = () => {
138 |     const headers = ['Audit ID', 'Timestamp', 'Student ID', 'Student Name', 'Subject
    ', 'Connected Wi-Fi SSID', 'Client IP', 'Status', 'Device'];
139 |     const rows = (qrAuditLogs || []).map(l => [
140 |       l.id,
141 |       `"${formatDate(l.timestamp)}"`,
142 |       l.studentId,
143 |       `"${l.studentName}"`,
144 |       `"${l.subject}"`,
145 |       `"${l.wifiSSID}"`,
146 |       l.clientIp,
147 |       l.status,
148 |       `"${l.device}"`
149 |     ]);
150 |
151 |     const csvContent = 'data:text/csv;charset=utf-8,' + [headers.join(','), ...rows.
    map(e => e.join(','))].join('\n');
152 |     const encodedUri = encodeURI(csvContent);
153 |     const link = document.createElement('a');
154 |     link.setAttribute('href', encodedUri);
155 |     link.setAttribute('download', `SGU_WiFi_QR_Audit_Trail_${new Date().toISOString(
    ).slice(0, 10)}.csv`);
156 |     document.body.appendChild(link);
157 |     link.click();
158 |     document.body.removeChild(link);
159 |
160 |     showToast('Classroom Wi-Fi check-in audit logs exported to CSV.', 'success');
```

```
161 |   };
162 |
163 |   const verifiedQrScans = (qrAuditLogs || []).filter(l => l.status === 'VERIFIED').l
      ength;
164 |   const blockedProxyAttempts = (qrAuditLogs || []).filter(l => l.status.includes('BL
      OCKED')).length;
165 |
166 |   return (
167 |     <div className="space-y-6 max-w-7xl mx-auto pb-8">
168 |       {/* Header */}
169 |       <div className="flex flex-col sm:flex-row items-start sm:items-center justify-
      between gap-4">
170 |         <div>
171 |           <div className="inline-flex items-center gap-1.5 px-2.5 py-0.5 rounded-ful
      l bg-blue-100 text-blue-800 text-xs font-semibold mb-1">
172 |             <GraduationCap className="w-3.5 h-3.5" />
173 |             <span>Sanjay Ghodawat University • Academic Attendance & Compliance Cent
      er</span>
174 |           </div>
175 |           <h1 className="text-2xl font-bold text-slate-900">Attendance Monitoring &
      Audit</h1>
176 |           <p className="text-xs sm:text-sm text-slate-500">
177 |             University-wide attendance compliance oversight, low-attendance interven
      tions, and classroom Wi-Fi verification
178 |           </p>
179 |         </div>
180 |
181 |         <div className="flex items-center gap-3">
182 |           <button
183 |             onClick={activeTab === 'defaulters' ? handleExportCSV : handleExportQrLo
      gs}
184 |             className="px-4 py-2.5 bg-white hover:bg-slate-50 border border-slate-30
      0 text-slate-800 rounded-xl text-xs font-semibold shadow-2xs transition flex items-c
      enter gap-2 cursor-pointer"
185 |           >
186 |             <Download className="w-4 h-4 text-blue-600" />
187 |             <span>{activeTab === 'defaulters' ? 'Export Defaulters CSV' : 'Export Wi
      -Fi Logs CSV'}</span>
188 |           </button>
189 |         </div>
190 |       </div>
191 |
192 |       {/* 4 Executive KPI Cards */}
193 |       <div className="grid grid-cols-2 lg:grid-cols-4 gap-4">
194 |         <div className="bg-white p-5 rounded-2xl border border-slate-200 shadow-xs">
195 |           <div className="flex items-center justify-between">
196 |             <span className="text-xs font-semibold text-slate-500 uppercase tracking
      -wider">Campus Compliance</span>
197 |             <div className="w-8 h-8 rounded-lg bg-emerald-100 text-emerald-700 flex
      items-center justify-center">
198 |               <CheckCircle2 className="w-4 h-4" />
199 |             </div>
200 |           </div>
201 |           <div className="mt-2 flex items-baseline gap-2">
202 |             <span className="text-2xl sm:text-3xl font-extrabold text-slate-900">{co
      mplianceRate}%</span>
203 |             <span className="text-xs text-emerald-600 font-semibold">&gt; 75% Criter
      ia</span>
204 |           </div>
205 |           <span className="text-[11px] text-slate-400 mt-1 block">Students exam elig
      ible</span>
206 |         </div>
207 |
208 |         <div className="bg-white p-5 rounded-2xl border border-rose-200 shadow-xs">
209 |           <div className="flex items-center justify-between">
210 |             <span className="text-xs font-semibold text-rose-600 uppercase tracking-
      wider">Defaulters (&lt; 75%)</span>
211 |             <div className="w-8 h-8 rounded-lg bg-rose-100 text-rose-700 flex items-
      center justify-center">
212 |               <AlertTriangle className="w-4 h-4" />
213 |             </div>
214 |           </div>
215 |           <div className="mt-2 flex items-baseline gap-2">
216 |             <span className="text-2xl sm:text-3xl font-extrabold text-rose-600">{def
      aultersCount}</span>
217 |             <span className="text-xs text-rose-600 font-semibold">Immediate Action</
      span>
218 |           </div>
219 |           <span className="text-[11px] text-slate-400 mt-1 block">Debarment risk stu
      dents</span>
220 |         </div>
```

```
221 |
222 |         <div className="bg-white p-5 rounded-2xl border border-slate-200 shadow-xs">
223 |           <div className="flex items-center justify-between">
224 |             <span className="text-xs font-semibold text-blue-600 uppercase tracking-
      wider">QR Wi-Fi Check-ins</span>
225 |             <div className="w-8 h-8 rounded-lg bg-blue-100 text-blue-700 flex items-
      center justify-center">
226 |               <Wifi className="w-4 h-4" />
227 |             </div>
228 |           </div>
229 |           <div className="mt-2 flex items-baseline gap-2">
230 |             <span className="text-2xl sm:text-3xl font-extrabold text-blue-700">{ver
      ifiedQrScans}</span>
231 |             <span className="text-xs text-blue-600 font-semibold">Verified</span>
232 |           </div>
233 |           <span className="text-[11px] text-slate-400 mt-1 block">{wifiConfig.author
      izedSSID}</span>
234 |         </div>
235 |
236 |         <div className="bg-white p-5 rounded-2xl border border-slate-200 shadow-xs">
237 |           <div className="flex items-center justify-between">
238 |             <span className="text-xs font-semibold text-slate-500 uppercase tracking
      -wider">Lectures Recorded</span>
239 |             <div className="w-8 h-8 rounded-lg bg-purple-100 text-purple-700 flex it
      ems-center justify-center">
240 |               <Calendar className="w-4 h-4" />
241 |             </div>
242 |           </div>
243 |           <div className="mt-2 flex items-baseline gap-2">
244 |             <span className="text-2xl sm:text-3xl font-extrabold text-slate-900">{se
      ssions.length}</span>
245 |             <span className="text-xs text-slate-500 font-semibold">Sessions</span>
246 |           </div>
247 |           <span className="text-[11px] text-slate-400 mt-1 block">Across 5 engineeri
      ng branches</span>
248 |         </div>
249 |       </div>
250 |
251 |       {/* Recharts Analytics Chart */}
252 |       <div className="bg-white p-6 rounded-2xl border border-slate-200 shadow-xs">
253 |         <div className="flex items-center justify-between mb-4">
254 |           <div>
255 |             <h3 className="text-sm font-bold text-slate-900">Branch-Wise Average Att
      endance Comparison</h3>
256 |             <p className="text-xs text-slate-500">Benchmark comparison against Sanja
      y Ghodawat University 75% standard</p>
257 |           </div>
258 |           <span className="text-xs font-semibold px-2.5 py-1 bg-blue-50 text-blue-70
      0 rounded-lg border border-blue-200">
259 |             75% Mandatory Benchmark
260 |           </span>
261 |         </div>
262 |
263 |         <div className="h-64">
264 |           <ResponsiveContainer width="100%" height="100%">
265 |             <BarChart data={courseAverages} margin={{ top: 10, right: 10, left: -20,
       bottom: 0 }}>
266 |               <CartesianGrid strokeDasharray="3 3" vertical={false} stroke="#f1f5f9"
       />
267 |               <XAxis dataKey="name" tick={{ fontSize: 11, fill: '#64748b' }} />
268 |               <YAxis domain={[0, 100]} tick={{ fontSize: 11, fill: '#64748b' }} />
269 |               <Tooltip
270 |                 formatter={(val) => [`${val}%`, 'Attendance Average']}
271 |                 contentStyle={{ backgroundColor: '#fff', borderRadius: '12px', borde
      r: '1px solid #e2e8f0', fontSize: '12px' }}
272 |               />
273 |               <Bar dataKey="average" radius={[6, 6, 0, 0]}>
274 |                 {courseAverages.map((entry, index) => (
275 |                   <Cell key={`cell-${index}`} fill={entry.average < 75 ? '#dc2626' :
       '#2563eb'} />
276 |                 ))}
277 |               </Bar>
278 |             </BarChart>
279 |           </ResponsiveContainer>
280 |         </div>
281 |       </div>
282 |
283 |       {/* Module Navigation Tabs */}
284 |       <div className="flex items-center gap-2 border-b border-slate-200 pb-2">
285 |         <button
286 |           onClick={() => setActiveTab('defaulters')}
```

```
287 |           className={`px-4 py-2 rounded-xl text-xs font-bold transition flex items-c
    enter gap-2 cursor-pointer ${
288 |             activeTab === 'defaulters'
289 |               ? 'bg-rose-600 text-white shadow-sm'
290 |               : 'bg-white text-slate-600 hover:text-slate-900 border border-slate-20
    0'
291 |           }`}
292 |         >
293 |           <AlertTriangle className="w-3.5 h-3.5" />
294 |           <span>Low Attendance Defaulters</span>
295 |           <span className={`px-1.5 py-0.2 rounded-full text-[10px] ${activeTab === '
    defaulters' ? 'bg-white/20 text-white' : 'bg-rose-100 text-rose-800'}`}>
296 |             {defaultersCount}
297 |           </span>
298 |         </button>
299 |
300 |         <button
301 |           onClick={() => setActiveTab('qrAudit')}
302 |           className={`px-4 py-2 rounded-xl text-xs font-bold transition flex items-c
    enter gap-2 cursor-pointer ${
303 |             activeTab === 'qrAudit'
304 |               ? 'bg-blue-600 text-white shadow-sm'
305 |               : 'bg-white text-slate-600 hover:text-slate-900 border border-slate-20
    0'
306 |           }`}
307 |         >
308 |           <QrCode className="w-3.5 h-3.5" />
309 |           <span>QR & Wi-Fi Check-In Audit Logs</span>
310 |           <span className={`px-1.5 py-0.2 rounded-full text-[10px] ${activeTab === '
    qrAudit' ? 'bg-white/20 text-white' : 'bg-blue-100 text-blue-800'}`}>
311 |             {(qrAuditLogs || []).length}
312 |           </span>
313 |         </button>
314 |       </div>
315 |
316 |       {/* TAB 1: Low Attendance Defaulters Table (< 75%) */}
317 |       {activeTab === 'defaulters' && (
318 |         <div className="bg-white rounded-2xl border border-rose-200 shadow-sm overfl
    ow-hidden">
319 |           <div className="px-6 py-4 bg-rose-50/70 border-b border-rose-200 flex flex
    -col sm:flex-row items-start sm:items-center justify-between gap-3">
320 |             <div>
321 |               <div className="flex items-center gap-2">
322 |                 <AlertTriangle className="w-5 h-5 text-rose-600" />
323 |                 <h3 className="text-base font-bold text-rose-950">
324 |                   Low Attendance Defaulters List (&lt; 75% Threshold)
325 |                 </h3>
326 |               </div>
327 |               <p className="text-xs text-rose-800">
328 |                 Students at risk of semester examination debarment requiring immedia
    te intervention
329 |               </p>
330 |             </div>
331 |
332 |             {defaultersCount > 0 && (
333 |               <button
334 |                 onClick={handleSendAllWarnings}
335 |                 className="px-3.5 py-2 bg-rose-600 hover:bg-rose-700 text-white roun
    ded-xl text-xs font-bold transition flex items-center gap-1.5 shadow-xs whitespace-n
    owrap cursor-pointer"
336 |               >
337 |                 <Send className="w-3.5 h-3.5" />
338 |                 <span>Dispatch Warning to All Defaulters</span>
339 |               </button>
340 |             )}
341 |           </div>
342 |
343 |           {/* Filter Toolbar */}
344 |           <div className="p-4 border-b border-slate-100 flex flex-col sm:flex-row it
    ems-center justify-between gap-3">
345 |             <div className="relative flex-1 w-full">
346 |               <Search className="w-4 h-4 text-slate-400 absolute left-3 top-3" />
347 |               <input
348 |                 type="text"
349 |                 value={search}
350 |                 onChange={e => setSearch(e.target.value)}
351 |                 placeholder="Search defaulter by name or student ID..."
352 |                 className="w-full pl-9 pr-3 py-2 bg-slate-50 border border-slate-200
     rounded-xl text-xs focus:outline-none focus:ring-2 focus:ring-rose-500"
353 |               />
354 |             </div>
```

```
355 |
356 |             <div className="w-full sm:w-auto">
357 |               <select
358 |                 value={selectedCourseFilter}
359 |                 onChange={e => setSelectedCourseFilter(e.target.value)}
360 |                 className="w-full p-2 bg-slate-50 border border-slate-200 rounded-xl
       text-xs font-medium"
361 |               >
362 |                 <option value="All">All Branches</option>
363 |                 {courses.map(c => (
364 |                   <option key={c.id} value={c.name}>{c.name}</option>
365 |                 ))}
366 |               </select>
367 |             </div>
368 |           </div>
369 |
370 |           {filteredDefaulters.length === 0 ? (
371 |             <div className="p-12 text-center text-slate-400 text-xs">
372 |               No defaulter students found matching this criteria.
373 |             </div>
374 |           ) : (
375 |             <div className="overflow-x-auto">
376 |               <table className="w-full text-left text-xs">
377 |                 <thead className="bg-slate-50 text-slate-600 font-semibold border-b
      border-slate-200">
378 |                   <tr>
379 |                     <th className="px-6 py-3.5">Roll / Student ID</th>
380 |                     <th className="px-6 py-3.5">Student Name</th>
381 |                     <th className="px-6 py-3.5">Branch & Semester</th>
382 |                     <th className="px-6 py-3.5">Classes Attended</th>
383 |                     <th className="px-6 py-3.5">Current Attendance</th>
384 |                     <th className="px-6 py-3.5">Shortfall to 75%</th>
385 |                     <th className="px-6 py-3.5 text-right">Intervention Action</th>
386 |                   </tr>
387 |                 </thead>
388 |                 <tbody className="divide-y divide-slate-100 text-slate-700">
389 |                   {filteredDefaulters.map(student => {
390 |                     const shortfall = (75 - student.overallPercentage).toFixed(1);
391 |
392 |                     return (
393 |                       <tr key={student.studentId} className="hover:bg-rose-50/30 tra
      nsition">
394 |                         <td className="px-6 py-4 font-mono font-bold text-rose-700 w
      hitespace-nowrap">
395 |                           {student.studentId}
396 |                         </td>
397 |                         <td className="px-6 py-4 font-bold text-slate-900">
398 |                           {student.studentName}
399 |                         </td>
400 |                         <td className="px-6 py-4 text-slate-600">
401 |                           {student.course} ({student.semester})
402 |                         </td>
403 |                         <td className="px-6 py-4 text-slate-600">
404 |                           <strong>{student.attendedClasses}</strong> / {student.tota
      lClasses} classes
405 |                         </td>
406 |                         <td className="px-6 py-4 whitespace-nowrap">
407 |                           <span className="font-mono font-black text-rose-700 bg-ros
      e-100 px-2.5 py-1 rounded-lg">
408 |                             {student.overallPercentage}%
409 |                           </span>
410 |                         </td>
411 |                         <td className="px-6 py-4 font-bold text-rose-600 whitespace-
      nowrap">
412 |                           -{shortfall}% deficit
413 |                         </td>
414 |                         <td className="px-6 py-4 text-right whitespace-nowrap">
415 |                           <button
416 |                             onClick={() => handleSendWarning(student)}
417 |                             className="px-3 py-1.5 bg-rose-600 hover:bg-rose-700 tex
      t-white rounded-lg font-semibold text-xs transition shadow-2xs flex items-center gap
      -1.5 ml-auto cursor-pointer"
418 |                           >
419 |                             <Send className="w-3 h-3" />
420 |                             <span>Send Warning</span>
421 |                           </button>
422 |                         </td>
423 |                       </tr>
424 |                     );
425 |                   })}
426 |                 </tbody>
```

```
427 |              </table>
428 |            </div>
429 |          )}
430 |        </div>
431 |      )}
432 |
433 |      {/* TAB 2: QR Code & Campus Wi-Fi Check-In Audit Logs */}
434 |      {activeTab === 'qrAudit' && (
435 |        <div className="bg-white rounded-2xl border border-slate-200 shadow-sm overf
    low-hidden space-y-4">
436 |          {/* Header */}
437 |          <div className="px-6 py-4 bg-slate-900 text-white flex flex-col sm:flex-ro
    w items-start sm:items-center justify-between gap-3">
438 |            <div>
439 |              <div className="flex items-center gap-2">
440 |                <Wifi className="w-5 h-5 text-blue-400" />
441 |                <h3 className="text-base font-bold text-white">
442 |                  Classroom QR & Campus Wi-Fi Verification Log
443 |                </h3>
444 |              </div>
445 |              <p className="text-xs text-slate-400">
446 |                Tamper-resistant audit trail with client IP, SSID matching, and prox
    y rejection tracking
447 |              </p>
448 |            </div>
449 |
450 |            <div className="flex items-center gap-3">
451 |              <span className="px-3 py-1 bg-emerald-500/20 text-emerald-300 border b
    order-emerald-500/30 rounded-full text-xs font-mono font-semibold">
452 |                Authorized SSID: {wifiConfig.authorizedSSID}
453 |              </span>
454 |            </div>
455 |          </div>
456 |
457 |          {/* Quick Metrics Bar */}
458 |          <div className="px-6 grid grid-cols-1 sm:grid-cols-3 gap-3">
459 |            <div className="p-3 bg-emerald-50 border border-emerald-200 rounded-xl f
    lex items-center justify-between">
460 |              <div className="flex items-center gap-2">
461 |                <ShieldCheck className="w-4 h-4 text-emerald-600" />
462 |                <span className="text-xs font-semibold text-emerald-950">Verified Ch
    eck-Ins</span>
463 |              </div>
464 |              <span className="font-mono font-bold text-emerald-700">{verifiedQrScan
    s}</span>
465 |            </div>
466 |
467 |            <div className="p-3 bg-rose-50 border border-rose-200 rounded-xl flex it
    ems-center justify-between">
468 |              <div className="flex items-center gap-2">
469 |                <ShieldAlert className="w-4 h-4 text-rose-600" />
470 |                <span className="text-xs font-semibold text-rose-950">Blocked Proxy
    Attempts</span>
471 |              </div>
472 |              <span className="font-mono font-bold text-rose-700">{blockedProxyAttem
    pts}</span>
473 |            </div>
474 |
475 |            <div className="p-3 bg-blue-50 border border-blue-200 rounded-xl flex it
    ems-center justify-between">
476 |              <div className="flex items-center gap-2">
477 |                <Wifi className="w-4 h-4 text-blue-600" />
478 |                <span className="text-xs font-semibold text-blue-950">Classroom Gate
    way IP</span>
479 |              </div>
480 |              <span className="font-mono font-bold text-blue-700">{wifiConfig.gatewa
    yIp}</span>
481 |            </div>
482 |          </div>
483 |
484 |          {/* Table */}
485 |          <div className="overflow-x-auto">
486 |            <table className="w-full text-left text-xs">
487 |              <thead className="bg-slate-50 text-slate-600 font-semibold border-b bo
    rder-slate-200">
488 |                <tr>
489 |                  <th className="px-6 py-3.5">Timestamp</th>
490 |                  <th className="px-6 py-3.5">Student ID & Name</th>
491 |                  <th className="px-6 py-3.5">Subject / Lecture</th>
492 |                  <th className="px-6 py-3.5">Connected Wi-Fi SSID</th>
493 |                  <th className="px-6 py-3.5">Client IP</th>
```

```
494 |                   <th className="px-6 py-3.5">Device</th>
495 |                   <th className="px-6 py-3.5 text-right">Verification Status</th>
496 |                 </tr>
497 |               </thead>
498 |               <tbody className="divide-y divide-slate-100 text-slate-700">
499 |                 {(qrAuditLogs || []).map(log => {
500 |                   const isVerified = log.status === 'VERIFIED';
501 |
502 |                   return (
503 |                     <tr key={log.id} className="hover:bg-slate-50 transition">
504 |                       <td className="px-6 py-3.5 font-mono text-slate-500 whitespace
      -nowrap">
505 |                         {formatDate(log.timestamp)}
506 |                       </td>
507 |                       <td className="px-6 py-3.5 whitespace-nowrap">
508 |                         <span className="font-bold text-slate-900 block">{log.studen
      tName}</span>
509 |                         <span className="font-mono text-[11px] text-slate-500">{log.
      studentId}</span>
510 |                       </td>
511 |                       <td className="px-6 py-3.5 text-slate-700 font-medium">
512 |                         {log.subject}
513 |                       </td>
514 |                       <td className="px-6 py-3.5 font-mono">
515 |                         <span
516 |                           className={`px-2 py-0.5 rounded font-bold ${
517 |                             isVerified
518 |                               ? 'bg-emerald-100 text-emerald-800'
519 |                               : 'bg-rose-100 text-rose-800'
520 |                           }`}
521 |                         >
522 |                           {log.wifiSSID}
523 |                         </span>
524 |                       </td>
525 |                       <td className="px-6 py-3.5 font-mono text-slate-600">
526 |                         {log.clientIp}
527 |                       </td>
528 |                       <td className="px-6 py-3.5 text-slate-500 text-[11px]">
529 |                         {log.device}
530 |                       </td>
531 |                       <td className="px-6 py-3.5 text-right whitespace-nowrap">
532 |                         {isVerified ? (
533 |                           <span className="inline-flex items-center gap-1 px-2.5 py-
      1 bg-emerald-100 text-emerald-800 rounded-full font-bold text-[11px]">
534 |                             <CheckCircle2 className="w-3 h-3 text-emerald-600" />
535 |                             VERIFIED
536 |                           </span>
537 |                         ) : (
538 |                           <span className="inline-flex items-center gap-1 px-2.5 py-
      1 bg-rose-100 text-rose-800 rounded-full font-bold text-[11px]">
539 |                             <ShieldAlert className="w-3 h-3 text-rose-600" />
540 |                             BLOCKED (PROXY)
541 |                           </span>
542 |                         )}
543 |                       </td>
544 |                     </tr>
545 |                   );
546 |                 })}
547 |               </tbody>
548 |             </table>
549 |           </div>
550 |         </div>
551 |       )}
552 |     </div>
553 |   );
554 | };
```

51. src/pages/admin/EscalationReports.jsx

Module: *Pages: Admin* | ***Lines:*** *320* | ***Size:*** *13.5 KB — Dean escalation center for SLA breached & critical complaints*

```
1 | import React, { useState } from 'react';
2 | import { Link } from 'react-router-dom';
3 | import { useComplaints } from '../../context/ComplaintContext';
4 | import { useAuth } from '../../context/AuthContext';
5 | import { StatusBadge } from '../../components/common/StatusBadge';
6 | import { PriorityBadge } from '../../components/common/PriorityBadge';
7 | import { Modal } from '../../components/common/Modal';
8 | import { formatDate, timeAgo, isOverdue } from '../../utils/helpers';
```

```
 9 | import {
10 |   AlertOctagon,
11 |   AlertTriangle,
12 |   Clock,
13 |   ShieldCheck,
14 |   Building,
15 |   User,
16 |   ArrowRight,
17 |   Send,
18 |   CheckCircle2,
19 |   Filter
20 | } from 'lucide-react';
21 |
22 | export const EscalationReports = () => {
23 |   const { complaints, updateComplaintStatus, assignStaff, showToast } = useComplaint
   s();
24 |   const { users, currentUser } = useAuth();
25 |
26 |   // Find all escalated or overdue issues
27 |   const escalatedList = complaints.filter(c => c.status === 'Escalated');
28 |   const overdueList = complaints.filter(c => isOverdue(c));
29 |   const combinedAtRisk = complaints.filter(
30 |     c => (c.status === 'Escalated' || isOverdue(c) || c.priority === 'Urgent') && c.
   status !== 'Resolved' && c.status !== 'Rejected'
31 |   );
32 |
33 |   const [activeTab, setActiveTab] = useState('all-risk'); // 'all-risk' | 'escalated
   ' | 'overdue'
34 |
35 |   // Intervention Modal
36 |   const [selectedComplaint, setSelectedComplaint] = useState(null);
37 |   const [isActionModalOpen, setIsActionModalOpen] = useState(false);
38 |   const [interventionNote, setInterventionNote] = useState('');
39 |   const [reassignedStaff, setReassignedStaff] = useState('');
40 |   const [closeResolved, setCloseResolved] = useState(false);
41 |
42 |   const displayedList = activeTab === 'escalated'
43 |     ? escalatedList
44 |     : activeTab === 'overdue'
45 |     ? overdueList
46 |     : combinedAtRisk;
47 |
48 |   const handleOpenIntervention = (complaint) => {
49 |     setSelectedComplaint(complaint);
50 |     setInterventionNote('Dean executive review conducted. Expedited clearance author
   ized.');
51 |     setReassignedStaff(complaint.assignedStaffId || '');
52 |     setCloseResolved(false);
53 |     setIsActionModalOpen(true);
54 |   };
55 |
56 |   const handleConfirmIntervention = (e) => {
57 |     e.preventDefault();
58 |     if (!selectedComplaint) return;
59 |
60 |     if (closeResolved) {
61 |       updateComplaintStatus(
62 |         selectedComplaint.id,
63 |         'Resolved',
64 |         `Dean Executive Clearance: ${interventionNote}`,
65 |         'Dean of Student Welfare'
66 |       );
67 |     } else {
68 |       if (reassignedStaff && reassignedStaff !== selectedComplaint.assignedStaffId)
   {
69 |         const staffObj = users.staff.find(s => s.id === reassignedStaff);
70 |         if (staffObj) {
71 |           assignStaff(
72 |             selectedComplaint.id,
73 |             staffObj,
74 |             `Dean Intervention Directive: ${interventionNote}`,
75 |             'Dean of Student Welfare'
76 |           );
77 |         }
78 |       }
79 |       updateComplaintStatus(
80 |         selectedComplaint.id,
81 |         'In Progress',
82 |         `Dean Directive: ${interventionNote}`,
83 |         'Dean Office'
84 |       );
```

```
 85 |     }
 86 |
 87 |     setIsActionModalOpen(false);
 88 |     setSelectedComplaint(null);
 89 |     showToast('Executive directive logged and dispatched to department.', 'success')
    ;
 90 |   };
 91 |
 92 |   return (
 93 |     <div className="space-y-6">
 94 |       {/* Header */}
 95 |       <div>
 96 |         <h1 className="text-2xl font-bold text-slate-900">Escalation Center & SLA Co
    mpliance Audit</h1>
 97 |         <p className="text-xs sm:text-sm text-slate-500">
 98 |           Executive monitoring of breached SLAs, persistent student grievances, and
    urgent campus incidents
 99 |         </p>
100 |       </div>
101 |
102 |       {/* 3 Metric Cards */}
103 |       <div className="grid grid-cols-1 sm:grid-cols-3 gap-4">
104 |         <div className="bg-white p-5 rounded-2xl border border-rose-200 shadow-xs fl
    ex items-center gap-4">
105 |           <div className="w-12 h-12 rounded-xl bg-rose-50 text-rose-700 flex items-c
    enter justify-center font-bold">
106 |             <AlertOctagon className="w-6 h-6" />
107 |           </div>
108 |           <div>
109 |             <span className="text-xs text-slate-400 uppercase font-semibold">Active
    Escalations</span>
110 |             <h3 className="text-2xl font-extrabold text-rose-700">{escalatedList.len
    gth}</h3>
111 |             <span className="text-[11px] text-rose-600 font-medium">Under direct dea
    n observation</span>
112 |           </div>
113 |         </div>
114 |
115 |         <div className="bg-white p-5 rounded-2xl border border-amber-200 shadow-xs f
    lex items-center gap-4">
116 |           <div className="w-12 h-12 rounded-xl bg-amber-50 text-amber-600 flex items
    -center justify-center font-bold">
117 |             <Clock className="w-6 h-6" />
118 |           </div>
119 |           <div>
120 |             <span className="text-xs text-slate-400 uppercase font-semibold">Overdue
     Breaches</span>
121 |             <h3 className="text-2xl font-extrabold text-amber-700">{overdueList.leng
    th}</h3>
122 |             <span className="text-[11px] text-amber-600 font-medium">Passed category
     turnaround SLA</span>
123 |           </div>
124 |         </div>
125 |
126 |         <div className="bg-white p-5 rounded-2xl border border-emerald-200 shadow-xs
     flex items-center gap-4">
127 |           <div className="w-12 h-12 rounded-xl bg-emerald-50 text-emerald-600 flex i
    tems-center justify-center font-bold">
128 |             <ShieldCheck className="w-6 h-6" />
129 |           </div>
130 |           <div>
131 |             <span className="text-xs text-slate-400 uppercase font-semibold">SLA Com
    pliance Rate</span>
132 |             <h3 className="text-2xl font-extrabold text-emerald-700">92.4%</h3>
133 |             <span className="text-[11px] text-emerald-600 font-medium">Compliant wit
    h UGC norms</span>
134 |           </div>
135 |         </div>
136 |       </div>
137 |
138 |       {/* Tabs */}
139 |       <div className="flex items-center gap-2 border-b border-slate-200">
140 |         <button
141 |           onClick={() => setActiveTab('all-risk')}
142 |           className={`pb-2.5 px-3 text-xs font-semibold transition border-b-2 ${
143 |             activeTab === 'all-risk'
144 |               ? 'border-blue-600 text-blue-600'
145 |               : 'border-transparent text-slate-500 hover:text-slate-800'
146 |           }`}
147 |         >
148 |           All High-Risk / Critical ({combinedAtRisk.length})
```

```
149 |         </button>
150 |         <button
151 |           onClick={() => setActiveTab('escalated')}
152 |           className={`pb-2.5 px-3 text-xs font-semibold transition border-b-2 ${
153 |             activeTab === 'escalated'
154 |               ? 'border-rose-600 text-rose-600'
155 |               : 'border-transparent text-slate-500 hover:text-slate-800'
156 |           }`}
157 |         >
158 |           Formally Escalated ({escalatedList.length})
159 |         </button>
160 |         <button
161 |           onClick={() => setActiveTab('overdue')}
162 |           className={`pb-2.5 px-3 text-xs font-semibold transition border-b-2 ${
163 |             activeTab === 'overdue'
164 |               ? 'border-amber-600 text-amber-600'
165 |               : 'border-transparent text-slate-500 hover:text-slate-800'
166 |           }`}
167 |         >
168 |           Overdue SLA ({overdueList.length})
169 |         </button>
170 |       </div>
171 |
172 |       {/* Escalation Table */}
173 |       <div className="bg-white rounded-2xl border border-slate-200 shadow-xs overflo
      w-hidden">
174 |         {displayedList.length === 0 ? (
175 |           <div className="p-12 text-center text-slate-400 text-xs">
176 |             <CheckCircle2 className="w-10 h-10 text-emerald-500 mx-auto mb-2" />
177 |             <p className="font-semibold text-slate-800 text-sm">No Active Escalation
      s</p>
178 |             <p className="text-slate-500 mt-0.5">All complaints are within acceptabl
      e SLA parameters.</p>
179 |           </div>
180 |         ) : (
181 |           <div className="overflow-x-auto">
182 |             <table className="w-full text-left text-xs">
183 |               <thead className="bg-slate-50 text-slate-600 font-semibold border-b bo
      rder-slate-200">
184 |                 <tr>
185 |                   <th className="px-6 py-3.5">Tracking ID</th>
186 |                   <th className="px-6 py-3.5">Title & Location</th>
187 |                   <th className="px-6 py-3.5">Department</th>
188 |                   <th className="px-6 py-3.5">Student</th>
189 |                   <th className="px-6 py-3.5">Priority</th>
190 |                   <th className="px-6 py-3.5">Status</th>
191 |                   <th className="px-6 py-3.5">Target SLA</th>
192 |                   <th className="px-6 py-3.5 text-right">Intervention</th>
193 |                 </tr>
194 |               </thead>
195 |               <tbody className="divide-y divide-slate-100 text-slate-700">
196 |                 {displayedList.map(item => {
197 |                   const overdue = isOverdue(item);
198 |                   return (
199 |                     <tr key={item.id} className="hover:bg-slate-50/80 transition">
200 |                       <td className="px-6 py-4 font-mono font-bold text-rose-700 whi
      tespace-nowrap">
201 |                         {item.trackingId}
202 |                       </td>
203 |                       <td className="px-6 py-4 max-w-xs">
204 |                         <div className="font-semibold text-slate-900 truncate">
205 |                           {item.title}
206 |                         </div>
207 |                         <div className="text-[11px] text-slate-500 truncate mt-0.5">
208 |                           {item.location}
209 |                         </div>
210 |                       </td>
211 |                       <td className="px-6 py-4 whitespace-nowrap font-medium text-sl
      ate-800">
212 |                         {item.department}
213 |                       </td>
214 |                       <td className="px-6 py-4 whitespace-nowrap">
215 |                         {item.isConfidential ? 'Anonymous' : item.studentName}
216 |                       </td>
217 |                       <td className="px-6 py-4">
218 |                         <PriorityBadge priority={item.priority} size="sm" />
219 |                       </td>
220 |                       <td className="px-6 py-4 whitespace-nowrap">
221 |                         <StatusBadge status={item.status} size="sm" />
222 |                       </td>
223 |                       <td className="px-6 py-4 whitespace-nowrap">
```

```
224 |                       <span className={`text-[11px] ${overdue ? 'text-rose-600 fon
    t-bold' : 'text-slate-500'}`}>
225 |                         {overdue ? 'BREACHED' : timeAgo(item.targetResolutionDate)
    }
226 |                       </span>
227 |                     </td>
228 |                     <td className="px-6 py-4 text-right whitespace-nowrap">
229 |                       <button
230 |                         onClick={() => handleOpenIntervention(item)}
231 |                         className="px-3 py-1.5 bg-rose-600 hover:bg-rose-700 text-
    white rounded-lg text-xs font-semibold transition shadow-xs"
232 |                       >
233 |                         Dean Directive
234 |                       </button>
235 |                     </td>
236 |                   </tr>
237 |                 );
238 |               })}
239 |             </tbody>
240 |           </table>
241 |         </div>
242 |       )}
243 |     </div>
244 |
245 |     {/* Dean Intervention Modal */}
246 |     <Modal
247 |       isOpen={isActionModalOpen}
248 |       onClose={() => setIsActionModalOpen(false)}
249 |       title={`Dean Executive Intervention: ${selectedComplaint?.trackingId}`}
250 |       maxWidth="max-w-md"
251 |     >
252 |       <form onSubmit={handleConfirmIntervention} className="space-y-4">
253 |         <div className="p-3 bg-slate-50 border border-slate-200 rounded-xl text-xs
     space-y-1">
254 |           <p className="font-bold text-slate-900">{selectedComplaint?.title}</p>
255 |           <p className="text-slate-500">Dept: {selectedComplaint?.department} • Pr
    iority: {selectedComplaint?.priority}</p>
256 |         </div>
257 |
258 |         <div>
259 |           <label className="block text-xs font-semibold text-slate-700 uppercase m
    b-1">
260 |             Executive Directive Remarks <span className="text-rose-500">*</span>
261 |           </label>
262 |           <textarea
263 |             rows={3}
264 |             required
265 |             value={interventionNote}
266 |             onChange={e => setInterventionNote(e.target.value)}
267 |             placeholder="Specify instructions or emergency procurement approval...
    "
268 |             className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
     text-xs focus:outline-none focus:ring-2 focus:ring-rose-500"
269 |           ></textarea>
270 |         </div>
271 |
272 |         <div>
273 |           <label className="block text-xs font-semibold text-slate-700 uppercase m
    b-1">
274 |             Reassign to Specific Officer
275 |           </label>
276 |           <select
277 |             value={reassignedStaff}
278 |             onChange={e => setReassignedStaff(e.target.value)}
279 |             className="w-full p-2.5 bg-slate-50 border border-slate-200 rounded-xl
     text-xs"
280 |           >
281 |             <option value="">Leave Current Assignment ({selectedComplaint?.assigne
    dStaffName})</option>
282 |             {users.staff.map(s => (
283 |               <option key={s.id} value={s.id}>{s.name} ({s.department})</option>
284 |             ))}
285 |           </select>
286 |         </div>
287 |
288 |         <div className="p-3 bg-emerald-50 border border-emerald-200 rounded-xl fle
    x items-center gap-2">
289 |           <input
290 |             type="checkbox"
291 |             id="closeResolvedCheck"
292 |             checked={closeResolved}
```

```
293 |               onChange={e => setCloseResolved(e.target.checked)}
294 |               className="h-4 w-4 text-emerald-600 rounded"
295 |             />
296 |             <label htmlFor="closeResolvedCheck" className="text-xs text-emerald-900
      font-semibold cursor-pointer">
297 |               Mark as Resolved immediately (Dean direct sign-off)
298 |             </label>
299 |           </div>
300 |
301 |           <div className="flex justify-end gap-2 pt-2">
302 |             <button
303 |               type="button"
304 |               onClick={() => setIsActionModalOpen(false)}
305 |               className="px-4 py-2 bg-slate-100 hover:bg-slate-200 text-slate-700 ro
      unded-xl text-xs font-semibold transition"
306 |             >
307 |               Cancel
308 |             </button>
309 |             <button
310 |               type="submit"
311 |               className="px-5 py-2 bg-rose-600 hover:bg-rose-700 text-white rounded-
      xl text-xs font-semibold transition"
312 |             >
313 |               Execute Directive
314 |             </button>
315 |           </div>
316 |         </form>
317 |       </Modal>
318 |     </div>
319 |   );
320 | };
```