portfolio

2019-2026

niki jasko

02 Contents

02 Contents
03 CV
04 Prologue
05 Footbridge no.2
08 Footbridge no.3
10 Apartment complex Strážna
14 High school Bernolákovská
18 Nová Matadorka
23 Dordrecht masterplan concept
27 Kapitulská landscape
31 Viikki residential area
41 Gullbergsvass
52 Gullbergsvass - street design
58 The market of time
62 Designing for emergence

03 CV



Work experience

2022 - 2024 Compass architekti
Junior architect
Work on large-scale projects (Vydrica, Nová Matadorka, Nové Lido), interventions (Jasná), landscape design (Kapitulská)

2022 P-T
Internship
Work on a shopping centre (Žitavia)

2019 - 2022 AOCR
Assistant construction supervisor
Control of construction processes and compliance with the project

Volunteering experience

2022 - Erasmus Student Network
Various positions, currently President of ESN Sweden
Responsible for the education and advocacy portfolios, contact with national stakeholders (UHR, SFS, LSU), analysis of ESNsurvey data and presentation of findings, policy coordination

Education

2024 - 2026 Chalmers University of Technology
Architecture and Urban Design

2023 TU Delft
Summer School
Planning and Design for the Just City

2022 Vilnius Tech
Erasmus+ exchange

2019 - 2024 Slovak University of Technology in Bratislava
Building Construction and Architecture

Skills

Microsoft Office	●●●●•
Adobe Photoshop	●●●••
Adobe Illustrator	●●●••
Adobe Indesign	●●●●•
Autocad	●●●●•
Archicad	●●●●•
Sketchup	●●●●•
Rhino	●●●••
QGIS	●●●••

Slovak	native
English	C2
Swedish	A2
French	A2

04 Prologue

A reflection of my journey and personal growth in architecture school and the architecture profession.

Looking back at the selected projects, I am reminded of the stories behind each of them, the mindset I had while working on them, and how I imagined the future at the time.

Choosing architecture school was a decision made with the intention of making the space around me better than I found it. Looking through these projects today, I believe this intention is reflected in them, particularly in the way each project relates to its surroundings. Whether dealing with small interventions or housing for thousands of people, my attention always turned towards how a project contributes to the city as a whole.

Throughout the years, I was looking for ways to contribute in a way that felt meaningful, and where I would feel at home.

This eventually led me to my master thesis, where I took a step towards urban planning. It describes my vision of how planning should engage with the built environment, and how cities can be approached as evolving systems.

Through this thesis, I understood more clearly what my strengths are and where I can make a difference. Understanding, or rather trying to understand, complex systems is some of the most rewarding work I have done. Most importantly, it taught me that imperfections are what make our cities lively. That we need to give up some of our need for control and, at some point, simply let things be. By doing so, we may see forms of growth far more beautiful than any predetermined outcome.

05 Footbridge no.2

School project
Workshop 1

Collaboration:
Ing. arch. Zuzana Nádaská PhD.
Ing. Mgr. Art. Pavol Pilař ArtD.
Ing. Filip Bránický PhD.
Ing. Jakub Hanzl
Bc. Peter Dúbravka
Bc. Marián Kiaba
Bc. Dajana Goda


06/2021

As part of a voluntary course, we picked an architectural competition in Bratislava. It was for four footbridges across a creek flowing through a whole city district. We chose two locations and implemented similar designs in both of them.

Apart from visual works, my biggest contribution was the shape of the cross section. For structural purposes, majority of the mass is concentrated along the longitudinal axis, while the flanks are thinning out to the edges. Viewers only perceive the thin sides, which gives the footbridges and elegant thinness. For subtlety, we chose raw materials such as exposed concrete and corten steel. Our entry was the only one, which introduced additional amenities, such as the public bathrooms.

Looking back, the most interesting aspect of the project was not the bridge itself, but its relationship to the surrounding public spaces. The design was developed as part of a wider sequence of urban places, connecting existing and future destinations across the site.






Site plan showcasing connection to axes on both sides

06 Footbridge no.2


School project
Workshop 1

Collaboration:
Ing. arch. Zuzana Nádaská PhD.
Ing. Mgr. Art. Pavol Pilař ArtD.
Ing. Filip Bránický PhD.
Ing. Jakub Hanzl
Bc. Peter Dúbravka
Bc. Marián Kiaba
Bc. Dajana Goda

06/2021



Bottom floor with the amenities on the right side




Top floor

07 Footbridge no.2


School project
Workshop 1

Collaboration:
Ing. arch. Zuzana Nádaská PhD.
Ing. Mgr. Art. Pavol Pilař ArtD.
Ing. Filip Bránický PhD.
Ing. Jakub Hanzl
Bc. Peter Dúbravka
Bc. Marián Kiaba
Bc. Dajana Goda

06/2021



Longitudinal cross section



Transverse cross section


08 Footbridge no.3

School project
Workshop 1

Collaboration:
Ing. arch. Zuzana Nádaská PhD.
Ing. Mgr. Art. Pavol Pilař ArtD.
Ing. Filip Bránický PhD.
Ing. Jakub Hanzl
Bc. Peter Dúbravka
Bc. Marián Kiaba
Bc. Dajana Goda

06/2021






Site plan

09 Footbridge no.3


School project
Workshop 1

Collaboration:
Ing. arch. Zuzana Nádaská PhD.
Ing. Mgr. Art. Pavol Pilař ArtD.
Ing. Filip Bránický PhD.
Ing. Jakub Hanzl
Bc. Peter Dúbravka
Bc. Marián Kiaba
Bc. Dajana Goda

06/2021



Floorplan



Longitudinal cross section

10 Apartment complex Strážna

School project
Design studio 2

Supervised by:
Ing. Mgr. Art. Pavol Pilař ArtD.

09/2021
- 02/2022

Awards:
A+ prize for the best design studio project

The neighbourhood consists mostly of detached houses and smaller apartment buildings, with great areas of greenery. The goal was to create a uniform concept that reflects its position within the surroundings, the view, and the position of the sun.

Looking at individual buildings, the simplicity of the base mass is complemented by the steel support structure on the south side, which provides space for balconies and movable sun shades. The common spaces on the north side are open, which lightens the appearance of the volume, while the corner position of the elevator keeps it uniform. The movable elements allow the appearance of the buildings to change continuously through everyday use, introducing variation and adaptation into an otherwise simple architectural framework.

The apartment layouts provide airy open spaces, while clearly adhering to the line between personal and common areas.



Divided internal spaces with level surfaces and greenery



Views of the city were an important factor for the urban forms

11 Apartment complex Strážna

School project
Design studio 2

Supervised by:
Ing. Mgr. Art. Pavol Pilař ArtD.

09/2021
- 02/2022

Awards:
A+ prize for the best design studio project



The buildings are arranged to preserve openness, views and solar access

12 Apartment complex Strážna

School project
Design studio 2

Supervised by:
Ing. Mgr. Art. Pavol Pilař ArtD.

09/2021
- 02/2022

Awards:
A+ prize for the best design studio project



Site plan


13 Apartment complex Strážna

School project
Design studio 2

Supervised by:
Ing. Mgr. Art. Pavol Pilař ArtD.

09/2021
- 02/2022

Awards:
A+ prize for the best design studio project



The apartment on the first floor with access to a private garden



Apartments within modules, with a clear division between private and social spaces

14 High school Bernolákovská

Student competition

12/2022
- 04/2023

Collaboration:
Matej Grman

awards:
Stavby s vůní dreva -
Stora Enso prize

Located between Bernolákovo and Ivánka pri Dunaji, the proposal responds to the growing need for educational infrastructure in an area experiencing rapid residential development. The school was conceived as a shared part of the urban structure, creating spaces for both learning and community activities.

The design focuses on openness, both in its spatial organisation and in the way the building expresses its construction. Structural and technical systems remain visible throughout the building, allowing students to better understand the environment they occupy. The project was developed in considerable technical detail, including a prefabricated timber-concrete structural system consisting of CLT panels, GLT columns and beams, Peikko Deltabeams, and reinforced concrete cores.





A welcoming foyer with views of the courtyard



Open common spaces, with the library in the background


15 High school Bernolákovská

Student competition

12/2022
- 04/2023

Collaboration:
Matej Grman

awards:
Stavby s vůní dreva -
Stora Enso prize



Slanted roofs bring the school closer to its surroundings





Structural systems remain visible


16 High school Bernolákovská

Student competition


12/2022
- 04/2023

Collaboration:
Matej Grman


awards:
Stavby s vůní dreva -
Stora Enso prize



The site contributes to the connection between two growing municipalities



Second floor, which incldes the library and a viewing space for the sportshall



Third floor with the auditorium, language classrooms and a roof garden


17 High school Bernolákovská

Student competition


12/2022
- 04/2023

Collaboration:
Matej Grman


awards:
Stavby s vůní dreva -
Stora Enso prize



Exploded axonometry of the load-bearing members



Detail of a module, including double floors for installations



Detail of a slanted roof joint

18 Nová Matadorka

Work project

Team:
Ing. arch. Matej Grébert
Ing. arch. Juraj Benetin
Ing. arch. Rado Volmut
Ing. arch. Martin Hudec
Ing. arch. Tomáš Baričič
Ing. arch. Marek Šmotlák
Ing. arch. Rastislav Hreha

04/2023
- 10/2023

The Redevelopment strategy for these former rubber, enameling, and calendering plants had already been established when I joined the project. My role was to further develop selected buildings and test alternative configurations capable of maximising the development potential permitted by the zoning plan.

In addition to contributing to layouts and coordination, I was responsible for the design of two buildings from early studies through to the submitted zoning permit documentation. Working within strict regulatory, spatial, and technical constraints required balancing density, functionality, circulation, and future constructability. One of the most challenging aspects was resolving the fire escape strategy, particularly where multiple evacuation routes converged at ground level.

The drawings shown represent parts of the project that remained in the final proposal and which I followed from concept development to submission.



Drone photo with the highlighted brownfield



Site plan


19 Nová Matadorka

Work project


Team:
Ing. arch. Matej Grébert
Ing. arch. Juraj Benetin
Ing. arch. Rado Volmut
Ing. arch. Martin Hudec
Ing. arch. Tomáš Baričič
Ing. arch. Marek Šmotlák
Ing. arch. Rastislav Hreha

04/2023
- 10/2023

Object G4 - offices



First underground floor dedicated to parking



First floor, mostly commercial area




Typical floor

20 Nová Matadorka

Work project

Team:
Ing. arch. Matej Grébert
Ing. arch. Juraj Benetin
Ing. arch. Rado Volmut
Ing. arch. Martin Hudec
Ing. arch. Tomáš Baričič
Ing. arch. Marek Šmotlák
Ing. arch. Rastislav Hreha

04/2023
- 10/2023



Northeast elevation



Transverse cross section


21 Nová Matadorka

Work project

Team:
Ing. arch. Matej Grébert
Ing. arch. Juraj Benetin
Ing. arch. Rado Volmut
Ing. arch. Martin Hudec
Ing. arch. Tomáš Baričič
Ing. arch. Marek Šmotlák
Ing. arch. Rastislav Hreha

04/2023
- 10/2023

Object H1 - residential, H2 - offices



First underground floor



First floor, mostly commercial area




Typical floor, H2 on the top as the office building, H1 on the bottom as the residential

22 Nová Matadorka

Work project

Team:
Ing. arch. Matej Grébert
Ing. arch. Juraj Benetin
Ing. arch. Rado Volmut
Ing. arch. Martin Hudec
Ing. arch. Tomáš Baričič
Ing. arch. Marek Šmotlák
Ing. arch. Rastislav Hreha

04/2023
- 10/2023


+56.500
+48.500
+27.000
+24.000
+0.000
+0.000
3.50
3.50
3.50

23 Dordrecht masterplan concept


Summer school project

Collaboration:
Monet Maters
Mickey Chang
Hadeel Abuzaid
Nopasin Chaiparichat

07/2023

While the assignment itself seemed to be straightforward, I was taken aback by the many interpretations. Our project aimed to be specific, with the goal to bring a certain atmosphere to the audience, while raising questions at the same time. From the analyses, it was clear that the area is important as an evacuation point in times of emergency. To make our cities greener, population density is an important factor, therefore we decided to use most of the area for residential purposes. We also highlighted some issues that have to be solved into the future, such as effective water management, building social capital, restricting car use, and making adaptive spaces.

This project marked a shift from designing individual buildings towards thinking about urban structure, movement, and long-term spatial development at the scale of the city.



Stakeholders analysis, highlighting the many different actors



SWOT analysis

24 Dordrecht masterplan concept

Summer school project

Collaboration:
Monet Maters
Mickey Chang
Hadeel Abuzaid
Nopasin Chaiparichat

07/2023









Visualised timeline

25 Dordrecht masterplan concept

Summer school project

Collaboration:
Monet Maters
Mickey Chang
Hadeel Abuzaid
Nopasin Chaiparichat

07/2023








Mood boards within the timeline

26 Dordrecht masterplan concept


Summer school project

Collaboration:
Monet Maters
Mickey Chang
Hadeel Abuzaid
Nopasin Chaiparichat

07/2023



Courtyard usage variations



Promenade cross section, including water management proposals

27 Kapitulská landscape

Work project

Supervised by:
Ing. arch. Matej Grébert
Ing. arch. Juraj Benetin
Andrea Londáková
arkitekt SAR/MSA

10/2023
- 11/2023

Our office was tasked with the reconstruction of a theological faculty campus. Located in the heart of the historical core, this national heritage site consits of several buildings, with outdoor spaces in between them. Currently they are divided by parcel walls, but with the agreement of the Regional heritage office, the idea is to perforate them and connect the spaces.

My task was to design spaces marked as two through four. Number one is the courtyard of the main building, with only little greenery. The concept is to gradually increase the amount of greenery all the way to number five, which is the already revitalised charity garden.

The final design is simple and showcases the current jungle-like atmosphere as well, with only one main path throughout the yards. It includes space for community gardening, relaxation, studying and also an outdoor auditorium.

During this process, I consulted my ideas and thoughts with the project leader and office partners, however the concept and design are my own work.



Drone photo



Campus courtyards

28 Kapitulská landscape

Work project

Supervised by:
Ing. arch. Matej Grébert
Ing. arch. Juraj Benetin
Andrea Londáková
arkitekt SAR/MSA

10/2023
- 11/2023



Preliminary sketch - paths



Final design

29 Kapitulská landscape

Work project

Supervised by:
Ing. arch. Matej Grébert
Ing. arch. Juraj Benetin
Andrea Londáková
arkitekt SAR/MSA

10/2023
- 11/2023





30 Kapitulská landscape

Work project

Supervised by:
Ing. arch. Matej Grébert
Ing. arch. Juraj Benetin
Andrea Londáková
arkitekt SAR/MSA

10/2023
- 11/2023









31 Viikki residential area

Bachelor thesis

Saint-Gobain architecture student contest

Supervised by: Ing. arch. Ing. Roman Ruhig, PhD.

09/2023 - 06/2024

As my bachelor project I was assigned the task of the Saint-Gobain architecture student contest. The area in question is in Viikki, a suburbian area in Helsinki, in the vicinity of a nature reservation, a university campus and an experimental urban project - Eco-Viikki. The plan is to urbanise this area, and the task plays a role in this development.

My goal was to create a transition between the urbanised zones and the nature, going from typical city structures to smaller buildings spread in nature. Conservation of greenery was one of the main focuses, as well as leaving space for communities to form and develop.

First semester, I developed the area as a whole and then continues with building "B" in the second semester, hence it is more detailed.



Location within Viikki, Helsinki



Promenade view

32 Viikki residential area

Bachelor thesis

Saint-Gobain architecture student contest


Supervised by:
Ing. arch. Ing. Roman Ruhig, PhD.

09/2023 - 06/2024


Design principles




Removing roads and parking spaces




New connecting road




Creating an active city street



Main foot paths



Conserving existing greenery



Circle - the identity of the area


33 Viikki residential area

Bachelor thesis

Saint-Gobain architecture student contest

Supervised by:
Ing. arch. Ing. Roman Ruhig, PhD.


09/2023 - 06/2024



Site plan

Objects:

A - new flat house/student housing
B - new flat house
C - new flat house
D - new flat house
E - conversion of an existing office building to student housing
G - new parking house
M - conversion of a dysfunctional museum to saunas
Gardenia - integrated into the design w/o interventions



Area cross-section

34 Viikki residential area


Bachelor thesis


Saint-Gobain architecture student contest


Supervised by:
Ing. arch. Ing. Roman Ruhig, PhD.


09/2023 - 06/2024


Water management schemes















35 Viikki residential area

Bachelor thesis


Saint-Gobain architecture student contest

Supervised by:
Ing. arch. Ing. Roman Ruhig, PhD.


09/2023 - 06/2024



Southern axonometry



Northeastern axonometry



Northwestern axonometry


36 Viikki residential area

Bachelor thesis


Saint-Gobain architecture student contest

Supervised by:
Ing. arch. Ing. Roman Ruhig, PhD.


09/2023 - 06/2024




Object A floorplans



Object D floorplans



Object C floorplans



Object E floorplans



Object M floorplans

Parking Housing Common Spaces Civic Amenities Technical Spaces

37 Viikki residential area


Bachelor thesis

Saint-Gobain architecture student contest


Supervised by: Ing. arch. Ing. Roman Ruhig, PhD.

09/2023 - 06/2024


Object B



First floor, dedicated to a café, grocery sttore, a small office and bike storage.



Typical residential floor



Roof with a sauna, common gardening spaces and a leisure area

38 Viikki residential area

Bachelor thesis

Saint-Gobain architecture student contest

Supervised by: Ing. arch. Ing. Roman Ruhig, PhD.

09/2023 - 06/2024



Southern elevation



Northern elevation



Eastern and western elevations

39 Viikki residential area

Bachelor thesis


Saint-Gobain architecture student contest

Supervised by:
Ing. arch. Ing. Roman Ruhig, PhD.

09/2023 - 06/2024



Longitudinal cross-section



Transverse cross-sections

40 Viikki residential area

Bachelor thesis

Saint-Gobain architecture student contest

Supervised by:
Ing. arch. Ing. Roman Ruhig, PhD.

09/2023 - 06/2024







41 Gullbergsvass housing

Housing inventions 1
Design studio


Supervised by:
Kaj Granath
Marli Swanepoel
Marcus Andersson

11/2024 - 01/2025

Gulbergsvass, seemingly a blank sheet of paper, has long been a site of ideas, few of which have been realised, since Dutch engineers first transformed its marshes into buildable land. Our site is marked by the now-demolished Gasklockan, a cultural and physical landmark, the future cooling tower with a winning design, and the ship colony, which defines the area's atmosphere.

The challenge lies in combining a functioning community with large-scale development and generous public spaces that respond to the water. Here, the focus is on visual connections and the unique presence of the ships, essential to the genius loci and therefore worth preserving.

Semi-enclosed urban forms offer semi-private courtyards in this highly frequented neighbourhood. With adjusted volumes, most apartments gain water views. The massing complements the cooling tower and public spaces, rising towards the tower and stepping down to meet the promenade.



Gothenburg, late 1800's



Aerial photo of the area


42 Gullbergsvass housing

Housing inventions 1
Design studio


Supervised by:
Kaj Granath
Marli Swanepoel
Marcus Andersson

11/2024 - 01/2025


Urban principles




Internal footpath



Connected greenery



Openings towards water



Traffic scheme

Existing buildings
Masterplan design
Site design


Promenade
Explorative path
Car traffic
Public transport

43 Gullbergsvass housing

Housing inventions 1
Design studio

Supervised by:
Kaj Granath
Marli Swanepoel
Marcus Andersson

11/2024 - 01/2025



Site plan, with the former gasometer outline serving as the connection point


44 Gullbergsvass housing


Housing inventions 1
Design studio

Supervised by:
Kaj Granath
Marli Swanepoel
Marcus Andersson

11/2024 - 01/2025

Flood areas scheme





45 Gullbergsvass housing

Housing inventions 1
Design studio

Supervised by:
Kaj Granath
Marli Swanepoel
Marcus Andersson

11/2024 - 01/2025




Southern axonometry



Northwestern axonometry



Northeaster axonometry




Balconies view

46 Gullbergsvass housing


Housing inventions 1
Design studio

Supervised by:
Kaj Granath
Marli Swanepoel
Marcus Andersson


11/2024 - 01/2025




First floor




Second floor



Third floor



Fourth floor




47 Gullbergsvass housing


Housing inventions 1
Design studio

Supervised by:
Kaj Granath
Marli Swanepoel
Marcus Andersson


11/2024 - 01/2025




Fifth floor




Sixth floor



Seventh floor



Eighth floor




48 Gullbergsvass housing

Housing inventions 1
Design studio


Supervised by:
Kaj Granath
Marli Swanepoel
Marcus Andersson

11/2024 - 01/2025


Detailed floorplans




First floor




Third floor



1 BR Ap 01



1 BR Ap 02



2 BR Ap

49 Gullbergsvass housing

Housing inventions 1
Design studio

Supervised by:
Kaj Granath
Marli Swanepoel
Marcus Andersson

11/2024 - 01/2025









50 Gullbergsvass housing

Housing inventions 1
Design studio

Supervised by:
Kaj Granath
Marli Swanepoel
Marcus Andersson

11/2024 - 01/2025







51 Gullbergsvass - street design

Design systems

Supervised by:
Ioanna Stavroulaki
Evgenya Bobkova


01/2025 - 04/2025

After completing the design studio, I had the opportunity to further develop and evaluate the urban proposal in the Design Systems course. Building on the earlier work and the city's redevelopment plans, I expanded the scope to encompass the entire area designated for transformation. Drawing on the theoretical and practical knowledge gained during the course, I designed a street network, structured around a hierarchy based on the anticipated intensity of pedestrian use.



Initial masterplan with a orthomap overlay

To inform and validate the design, I utilized the Urban Calculator and conducted angular betweenness analysis. These tools allowed me to assess spatial accessibility and identify key movement corridors, helping to refine the layout in alignment with existing urban flows and preferred connections. The outcome was a system of streets that not only supports efficient circulation but also fosters walkability and urban coherence at multiple scales.



Main connections through the area, concept by the city

52 Gullbergsvass - street design

Design systems

Supervised by:
Ioanna Stavroulaki
Evgenya Bobkova

01/2025 - 04/2025



Proposed street network in the area, city concept overlay



Proposed street network in the area, orthomap overlay

53 Gullbergsvass - street design

Design systems

Supervised by:
Ioanna Stavroulaki
Evgenya Bobkova

01/2025 - 04/2025



5km radius angular betweenness centrality analysis, orthomap overlay



2km radius angular betweenness centrality analysis, orthomap overlay

54 Gullbergsvass - street design

Design systems

Supervised by:
Ioanna Stavroulaki
Evgenya Bobkova

01/2025 - 04/2025



Street category	Betweeness 5km	Betweeness 2km	Street characteristics
Busy shopping	High	Medium-high	Significant streets across the scales, ideal for public transport and any commerce with a high demand for movement.
Busy transit	High	Medium	Streets that are significant on the city scale but partly lose their significance on the local scale. Ideal for public transport and commerce of city scale, that does not have a high demand for movement.
Medium	Medium	Medium-low	Used by the general public, suitable for commerce of neighbourhood signifiance and with a higher demand of movement.
Calm	Low	Low	Rarely used by the general public, streets are suitable for shared residential spaces and possibly commercial spaces of local significance and with a lower demand for movement.
Inner network	Very low	Very low	Inner courtyards and streets that are insignificant in terms of betweeness, therefore their position can be changed. Typically not used by the public, suitable for shared residential spaces and private gardens.
No interaction	-	-	Ship colony - community of people that have docked their boats on the quay, and work on them. This area is segregated to preserve this unique social context.

Street hierarchy division

Illustrations of street types



Busy



Medium



Calm



Inner network

source: Designguide för Smarta gator, 2022, KTH, Chalmers, VTI, Spacescape, Sweco & White Arkitekter, ISBN: 978-91-8040-257-6

source: https://www.behance.net/gallery/65751431/Court-yard-Apartment-Scheme/modules/384872061

55 Gullbergsvass - street design

Design systems

Supervised by:
Ioanna Stavroulaki
Evgenya Bobkova

01/2025 - 04/2025

Street frontages based in street type interaction




Busy



Medium




Calm



Inner network

Building height and typology based in street type interaction



Busy/medium

Calm/inner


56 Gullbergsvass - street design


Design systems


Supervised by:
Ioanna Stavroulaki
Evgenya Bobkova

01/2025 - 04/2025

design proposal based on established principles







57 The market of time

Building on building


Supervised by:
Naima Callenberg
Peter Christensson


04/2025 - 06/2025

A transformation is not a change in appearance or function. It is a shift in the relations it provides.Between things, people, animals and place. It communicates continuity and discontinuity at once. While the spaces become something else, they will always carry their story.

We often mistake transformation for renovation, adaptation, or replacement. But it can also mean re-seeing, re-framing, re-valuing. A wall becomes a threshold. Waste becomes structure. A tree becomes a question. These aren't changes in form, but in meaning and in perception.

Transformation works through time. It tells the story not of a finished object but an ongoing act. Open to erosion, reinterpretation, and use. It is about allowing space for things to unfold differently. Differently than anyone has planned.






58 The market of time

Building on building

Supervised by:
Naima Callenberg
Peter Christensson

04/2025 - 06/2025

The building begins defined by closure and silence. The red wall stands as a physical and symbolic barrier. Separating city from market, consumer from producer. Behind this sealed façade lies a hidden process, a complex exchange frozen out of sight. This stage reflects disconnection, a moment where potential remains unrealised.




59 The market of time

Building on building

Supervised by:
Naima Callenberg
Peter Christensson

04/2025 - 06/2025

The wall peels away, fragment by fragment, removing boundaries and revealing hints of life within. This opening is tentative, exploratory. A physical act mirroring social and spatial reconnection. Small interventions activate the surrounding space, showcasing potential for life. Here, the building begins to speak, inviting curiosity and tentative interaction.




60 The market of time

Building on building

Supervised by:
Naima Callenberg
Peter Christensson

04/2025 - 06/2025

The transformation gains momentum. The market is uncovered fully. The architecture reflects opennes and flow, initiating encounters and exchanges that extend beyond the market. Public spaces improve, becoming places of gathering, celebration, and collective belonging. The building shifts from an enclosure to an open ecosystem. An active participant in the life of the city.




61 The market of time

Building on building

Supervised by:
Naima Callenberg
Peter Christensson

04/2025 - 06/2025

Time becomes more obvious. The building loses to natural forces, its structure dissolving into the landscape as rising waters reclaim the site. A part of the transformation, what once was rigid becomes fluid, welcoming new human activity. People engaging directly with the environment in a renewed, reciprocal relationship. The narrative completes a full circle, from division to openness, and finally, to symbiosis.



62 The market of time

Building on building

Supervised by:
Naima Callenberg
Peter Christensson

04/2025 - 06/2025

This axonometric brings the four stages into a seamless story, where time is layered and lived. The building transforms into a vessel of ongoing stories. Each stage is a thread in the fabric of the building's existence, revealing how architecture is inseparable from human activity, nature, and time.

Through this image, viewers are invited to enter a process of unfolding. To engage with the layers of becoming and reflect on how place, memory, and transformation together make the life of a building.



63 Designing for emergence

Master thesis

Supervised by:
Job van Eldijjk

Examiner:
Lars Marcus

01/2026 - 06/2026


How can urban planning structure spatial conditions that enable and sustain emergence through self-organisation?

Urban life is not incidental but spatially conditioned. Environments with visible activity and overlapping movement support co-presence, producing both social vitality and systemic resilience. Where movement networks are permeable and uses are mixed, interactions accumulate and reinforce each other over time. These feedback processes are not only socially desirable but structurally necessary, as they enable urban systems to adapt and evolve instead of stabilising into a single dominant pattern.


This thesis adopts an alternative position, understanding cities as evolving systems rather than designed objects. Urban patterns emerge through the accumulation of local interactions between heterogeneous actors, rather than through central coordination. From this perspective, design cannot determine outcomes directly but can influence the conditions under which processes unfold. Spatial configuration becomes critical, as it structures movement and encounter, thereby shaping the intensity and distribution of interactions.

For these processes to continue, a balance must be maintained. If interactions are too weak, patterns fail to develop, if they become too dominant, the system loses its capacity to adapt. The role of design is therefore not to prescribe form, but to operate within this balance, supporting conditions that enable both the materialisation and long-term sustainability of self-organising urban processes.

This thesis brings configurational analysis into relation with theories of self-organisation by translating spatial relationships into measurable conditions. In doing so, it becomes possible to work with emergent urban processes without directly modelling their internal dynamics. Instead than opposing planning, the work reframes its role, from prescribing fixed outcomes to shaping the conditions under which development can unfold. It therefore aligns with a more adaptive, just-in-time approach, where interventions remain responsive to ongoing urban change. Spatial configuration is treated as a practical tool, allowing planning to guide development while still leaving room for incremental adaptation and continuous transformation.



From local interactions to order



An example of a feedback loop, between attraction and movement.

Adapted from Hillier (1993)

64 Designing for emergence

Master thesis

Supervised by:
Job van Eldijjk

Examiner:
Lars Marcus

01/2026 - 06/2026

The analytical framework translates the theoretical principles into measurable spatial conditions. It focuses on the observable effects in the built environment, movement, functional distribution, and built intensity. Each category isolates a specific aspect of how spatial configuration supports or constrains interaction, using comparative and statistical measures to enable evaluation across cases and scales. The analyses were carried out in three contexts, representing different processes. First one was Vauban, Freiburg as a case of small scale development of a former military site with regulated planning. Second is Tsukishima, Tokyo, as an example of a grid system filled by small actors. Third is a case of modernist planning in Biljmermeer, Amsterdam

Interaction potential
Captures the capacity of the spatial network to support co-presence. Multiscalar angular betweenness is used to evaluate centrality across radii, reflecting different movement scales. Values are classified into relative bands and combined into profiles to assess the presence of strong interaction potential.

Reinforcement
Examines the relationship between movement potential and street-level activity. By comparing centrality classes with active edges, it evaluates whether movement flows are supported by functional intensity. Length-weighted proportions account for the spatial significance of segments.

Functional differentiation
Assesses the diversity of functions materialised in the built environment. Shannon entropy quantifies the distribution of primary uses, capturing both richness and evenness. This is complemented by active edge share to test whether diversity is expressed at the street level.

Balance
Evaluates the distribution of movement potential and built intensity in relation to insufficiency and dominance. Measures such as top-share concentration and interquartile range describe both extremes and spread, assessing whether conditions support sustained interaction without fragmentation or over-concentration.

Category	Type	Dataset	Question	Analysis	Indicator	Method	Read on	Output
Interaction potential	Conditions	AB (1km, 2km, 5km), segment length	Does the area have sufficient potential for movement and repeated co-presence?	Multiscalar centrality	Share of high-centrality segments	Non-zero AB classified into L/M/H using Jenks per radius, length-weighted % of H segments	Study area +300m	% of network length in H per radius
Reinforcement	Relationship	AB (2 km), ground-floor interface, segment length	Are active uses aligned with movment potential?	Active edges per centrality class	Share of active edges per centrality class	Non-zero AB classified into L/M/H using quantiles, length-weighted % of active edges within each class	Study area	% of active edges in different centrality streets
Functional differentiation	Materialisation	Primary uses	What range of fuctions has materialised?	Primary uses mix (entropy)	Shannon entropy	Shannon entropy (0-1)	Study area	Differntiation value
		Active edge share, segment length	Is the materliased diversity active at the street level?	Active edges share	Share of active edges	Length-weighted %	Study area	% of active edges
Balance	Conditions	AB (2km), segment length	Is movement potential distributed within a range that avoids both insufficiency and dominance?	Distribution of movement potential	Top 20% share, IQR/ median	Value-based ranking (20%) + quartile-based spread (length-weighted)	Study area +300m	% of centrality in top 20% elements, relative IQR
		GFA	Is built intensity distributed within a range that avoids both insufficiency and dominance?	Distribution of built intensity	Top 20% share, IQR/ median	Value-based ranking (20%) + quartile-based spread	Study area	% of GFA in top 20% elements, relative IQR

65 Designing for emergence

Master thesis

Supervised by:
Job van Eldijjk

Examiner:
Lars Marcus

01/2026 - 06/2026

An example of maps shown in the master thesis. One per analysis is shown



Interaction potential
Map of Vauban, Freiburg, highlighting segments classified as high in each radius




Functional Differentiation
Map of Vauban, Freiburg, showing primary uses of buildings



Balance
Map of Bijlmermeer, Amsterdam, highlighting the top 20% segments ranked by centrality



Reinforcement
Map of Tsukishima, Tokyo, highlighting buildings with an active ground floor and segment centrality classes



Functional differentiation
Map of Vauban, Freiburg, highlighting active segments and buildings with an active ground floor



Balance
Map of Bijlmermeer, Amsterdam, highlighting the top 20% buildings ranked by GFA

Case study	1km	2km	5km
Vauban	2,2%	2,5%	0,0%
Tsukishima	5,2%	0,5%	2,1%
Bijlmermeer	12,8%	7,8%	3,0%

Interaction potential
Percentage of network length classified as H in each radius

Case study	L	M	H
Vauban	2,8%	3,8%	13,0%
Tsukishima	20,1%	42,1%	67,9%
Bijlmermeer	3,4%	4,8%	5,2%

Reinforcement
Percentage of active street segments in each class

Case study	AB	GFA
Vauban	86,6%	65,7%
Tsukishima	66,4%	85,0%
Bijlmermeer	85,5%	75,2%

Balance
Percentage of values held by the top 20% of elements

66 Designing for emergence

Master thesis

Supervised by:
Job van Eldijjk


Examiner:
Lars Marcus

01/2026 - 06/2026

The implementation site is located within a modernist urban structure in northern Gothenburg. Despite its proximity to major movement corridors, the area is characterised by large development parcels, separated functions, and unevenly distributed urban intensity. These conditions provide an opportunity to test how spatial structure can support continued adaptation while remaining compatible with contemporary planning practice.

Movement potential is concentrated along a limited number of routes, reducing opportunities for co-presence across the wider area. Urban activity is only partially aligned with movement flows, weakening reinforcement between accessibility and materialisation. Functional diversity remains limited and unevenly distributed, while both movement potential and built intensity display tendencies towards concentration and underutilisation.

The proposed network restructures movement potential across the site by introducing new pedestrian and local street connections. These interventions increase permeability, reduce dependence on a limited number of routes, and strengthen connections between the site and its surroundings. Rather than maximising accessibility uniformly, the network creates a wider range of movement conditions, supporting both local activity and integration into larger urban flows.



Highlighted adjustments to the non-motorised street network.

67 Designing for emergence


Master thesis

Supervised by:
Job van Eldijjk

Examiner:
Lars Marcus

01/2026 - 06/2026

Building on the modified network, the detailed plan establishes a fine-grained urban structure based on smaller plots. Built intensity and active uses are distributed in relation to the movement structure, creating stronger relationships between accessibility and urban activity. The proposal introduces greater spatial and functional differentiation while maintaining a coherent framework capable of accommodating future development and change.



Symbols


- Implementation site
- Unbuilt area
- Main road
- Land-use boundary
- Regulation boundary - block
- Plot line
- Setback line

Land use

- B — Residential use on minimum 80% of plots per block
- BC1 — Residential and centre use. Residential use on minimum 80% of plots. Minimum 3 active ground-floor uses per block.
- BC2 — Residential and centre use. Residential use on minimum 80% of plots. Maximum 2 active ground-floor uses per block.

Block regulation boundary

- p_1 — All entrances facing side streets
- p_2 — Active ground-floor uses with at least one entrance facing main street
- e_1 — Maximum 60% plot coverage
- e_2 — Maximum 70% plot coverage
- f_1 — Building frontage not behind designated setback line
- f_2 — Building frontage maximum 2 m from main street boundary



68 Designing for emergence

Master thesis

Supervised by:
Job van Eldijjk

Examiner:
Lars Marcus

01/2026 - 06/2026

The speculative outcomes explore how the proposed spatial structure could support future urban development over time. They illustrate a range of possible materialisations that may emerge as different actors respond to changing social, economic, and spatial conditions. The proposed structure is intended to maintain conditions that support interaction, functional diversification, and incremental transformation.

By combining a fine-grained plot structure with a differentiated movement network and distributed development potential, the proposal seeks to support multiple development trajectories while maintaining coherence at the larger urban scale. In this sense, change is understood as an ongoing process occurring within a stable spatial framework, allowing the area to evolve through successive cycles of development without relying on a single predetermined future.





69 Designing for emergence

Master thesis

Supervised by:
Job van Eldijjk

Examiner:
Lars Marcus

01/2026 - 06/2026

The project suggests that urban design can contribute to long-term adaptability by focusing on the spatial conditions that support interaction, differentiation, and change. While spatial configuration alone cannot determine urban outcomes, it can influence the likelihood that self-organising processes materialise and persist over time. The work therefore argues for a planning approach that combines strategic coordination with sufficient openness to accommodate future uncertainty and adaptation.



70 Designing for emergence

Master thesis

Supervised by:
Job van Eldijjk

Examiner:
Lars Marcus

01/2026 - 06/2026

Finishing with the exhibition, the space provided an opportunity not only to present the project, but also to involve visitors in its concept. Based on the principles in the masterplan, a set of simple rules invited participants to place wooden blocks onto the model, collectively simulating processes of emergence. The installation transformed the proposal from a static representation into an evolving urban landscape, demonstrating how different outcomes can arise from local interactions within a shared spatial framework.

Beyond its findings, the thesis represents a personal transition from thinking primarily about buildings and spaces towards understanding the broader systems through which cities develop, adapt, and change. It strengthened the idea that the role of design may lie less in defining outcomes and more in shaping the conditions under which they emerge.

