

Cybersecurity Page — Spacing Audit

Prepared for Srimathi | Source files: `cybersecurity.css` (identical to `cybersecurity_page.css`), `globals.css`, `layout.tsx`, `CybersecurityPage.tsx` No changes made — audit only.

0. Decision needed from you first: Option A or B

The Design System (Section 04) defines spacing entirely as **Tailwind utility classes on JSX elements** — `py-12 md:py-16 lg:py-24`, `px-4 md:px-6 lg:px-10`, `gap-4`/`gap-6` — not as CSS custom properties. Colour, by contrast, is defined as CSS variables in `globals.css`.

This page is built as hand-written CSS classes (`.wts`, `.gs`, `.cs` etc.) injected via `dangerouslySetInnerHTML`, so none of its spacing goes through Tailwind at all right now — every value below is a raw px number by construction, not a missed step in the token cleanup.

Two ways to bring it in line:

- **A.** Rebuild this page's markup as real JSX with Tailwind classNames (matches how new pages are being built — no more raw HTML checkpoints). More upfront work, but afterward this page follows the exact same system as every other page with no translation layer.
- **B.** Keep the current CSS-class architecture, but add a formal spacing token block to `globals.css` `:root`/`@theme inline` (mirroring how colour tokens work), so the hardcoded numbers below become `var(--token-name)` instead of a bare px value. Smaller, faster change, but this page stays structurally different from the rest of the site.

Please pick whichever you think is right given time and priority, and let Niki know which one and why — that decision determines how every line item below gets actioned (add a className vs. add a var()), so it's worth deciding before working through the rest of this doc.

`layout.tsx` and `CybersecurityPage.tsx` — no hardcoded spacing in either file. Nothing to action there.

1. Section padding — audit against 48/64/96 scale

Selector	Mobile	Tablet (768px)	Desktop (1024px)	Status
<code>.wts .container</code>	48px	64px	96px	✓ Matches scale
<code>.gs .container</code>	48px	64px	96px	✓ Matches scale
<code>.cs .container</code>	48px	64px	96px	✓ Matches scale
<code>.our-approach .container</code>	48px	64px	96px	✓ Matches scale
<code>.stats .container</code>	48px	64px	96px	✓ Matches scale
<code>.prevention .container</code>	48px	64px	96px	✓ Matches scale
<code>.recovery .container</code>	64px	64px	96px	➤ Bug — see below
<code>.hero .container</code>	48px / pb 64px	pt 64px / pb 80px	96px / 96px	➤ Asymmetric — fix required, see below

➤ `.recovery` container padding bug (lines ~551-564)

css

```
.recovery .container { padding-top:64px; padding-bottom:64px; }  
@media(min-width:1024px){  
  .prevention .container,.recovery .container { padding-top:64px; padding-bottom:64px; }  
}  
@media(min-width:1024px){  
  .prevention .container,.recovery .container { padding-top:96px; padding-bottom:96px; }  
}
```

Problems:

1. `.recovery` never gets the 48px **mobile** value — it starts at 64px and stays there through tablet, unlike every other section on the page.
2. There are **two separate** `@media(min-width:1024px)` **blocks** targeting the same selectors — the first (64px) is dead code, immediately overridden by the second

(96px). Harmless today, but confusing and easy to break during future edits.

Fix:

CSS

```
.prevention .container,  
.recovery .container { padding-top:48px; padding-bottom:48px; }  
@media(min-width:768px){  
  .prevention .container,  
  .recovery .container { padding-top:64px; padding-bottom:64px; }  
}  
@media(min-width:1024px){  
  .prevention .container,  
  .recovery .container { padding-top:96px; padding-bottom:96px; }  
}
```

As Tailwind classes: `py-12 md:py-16 lg:py-24` on both.

► `.hero .container` asymmetric padding (lines 363–366) — fix required

Every other section uses matching top/bottom values from the 48/64/96 scale. Hero currently uses 48/64 (mobile), 64/80 (tablet), 96/96 (desktop) — bottom padding is larger than top at every breakpoint except desktop.

This should not be asymmetric. Please standardise it to match every other section:

CSS

```
.hero .container { padding-top:48px; padding-bottom:48px; }  
@media(min-width:768px){ .hero .container{ padding-top:64px; padding-bottom:64px; }  
@media(min-width:1024px){ .hero .container{ padding-top:96px; padding-bottom:96px; }  
}
```

As a Tailwind class: `py-12 md:py-16 lg:py-24`, same as `.wts`, `.gs`, `.cs`, `.stats`, `.our-approach`, `.prevention`, `.recovery`.

2. Component-level spacing — full list

Legend:  = maps cleanly to a standard Tailwind utility (no new token needed).  = value isn't in Tailwind's default spacing scale

(0,1,2,4,6,8,10,12,14,16,20,24,28,32,36,40,44,48,56,64,80,96...) and needs either an arbitrary value `[Npx]` or a new named token.

Where to Start (`.wts`)

Element	Value	Tailwind class	Status
<code>.wts-head</code> margin-bottom	40px → 56px (lg)	<code>mb-10 lg:mb-14</code>	✓
<code>.wts-layout</code> gap (lg only)	48px	<code>lg:gap-12</code>	✓
<code>.wts-rings</code> sticky top	132px	—	NEW See §3
<code>.wts-card</code> padding	24px 28px	<code>py-6 px-7</code>	✓
<code>.wts-card</code> margin-bottom (lg)	32px	<code>lg:mb-8</code>	✓
<code>.wts-card-eyebrow</code> margin-bottom	12px	<code>mb-3</code>	✓
<code>.wts-card-heading</code> margin-bottom	10px	<code>mb-2.5</code>	✓
<code>.wts-card-body</code> margin-bottom	10px	<code>mb-2.5</code>	✓
<code>.wts-card-footer</code> margin/padding-top	16px	<code>mt-4 pt-4</code>	✓
<code>.wts-card-footer-label</code> margin-bottom	4px	<code>mb-1</code>	✓
<code>.wts-connector</code> height / margin-left	48px / 28px	<code>h-12 ml-7</code>	✓
<code>.wts-bridge p</code> margin-bottom	8px	<code>mb-2</code>	✓

Get Started (`.gs`)

Element	Value	Tailwind class	Status
<code>.gs-head</code> margin-bottom	40px (no responsive step)	—	⚠ Fix required — see §4
<code>.gs-grid</code> gap	20px → 24px (md)	<code>gap-5 md:gap-6</code>	✓
<code>.gs-block</code> padding	36px	<code>p-9</code>	✓

Element	Value	Tailwind class	Status
<code>.gs-block-label</code> margin-bottom	12px	<code>mb-3</code>	✓
<code>.gs-block-heading</code> margin-bottom	14px	<code>mb-3.5</code>	✓
<code>.gs-block-body</code> margin-bottom	28px	<code>mb-7</code>	✓

Buttons — `.btn-primary-l`, `.btn-primary`, `.sec-cta-link-l`, `.sec-cta-btn-d`

Element	Value	Status
Padding	11px 22px	NEW Not on default scale, but matches the documented Medium button spec (<code>py-[11px] px-[22px]</code>) from the design system's button table. Not a violation — flagging because the exact same 11px/22px pair is retyped across 5+ separate selectors. Worth a shared <code>.btn-base</code> class or a token (<code>--btn-py-md: 11px; --btn-px-md: 22px</code>) so it can't drift if the spec ever changes.
<code>.btn-hero</code> padding/gap	14px 30px / 10px gap	NEW 30px not on scale, but matches documented Large button spec (<code>py-[14px] px-[30px]</code>). Same duplication note applies.
<code>.site-nav-cta</code> padding	9px 18px	NEW Doesn't match Small (7px/14px), Medium (11px/22px), or Large (14px/30px) from the design system's button table — sits almost exactly halfway between Small and Medium. Please match it to whichever documented size it's closest to and update the padding (and font-size if needed) to that spec exactly, rather than keeping this in-between value.

Logo strip (`.pf`)

Element	Value	Tailwind class	Status
Track spacing	8px (pb/mt)	<code>pb-2 / mt-2</code>	✓
<code>.pf-logo-item</code> height / padding	80px / 0 28px	<code>h-20 px-7</code>	✓

Client Stories (**.cs**)

Element	Value	Tailwind class	Status
.cs-grid gap / margin-top	24px → 28px (md) / 40px	gap-6 md:gap-7 mt-10	✓
.cs-card padding	28px 28px 24px	pt-7 px-7 pb-6	✓
.cs-badge margin-bottom	16px	mb-4	✓
.cs-eyebrow margin-bottom	12px	mb-3	✓
.cs-stat margin-bottom	4px	mb-1	✓
.cs-stat-caption / .cs-outcome margin-bottom	20px	mb-5	✓
.cs-body margin-bottom	10px	mb-2.5	✓
.cs-pills gap / margin-bottom	8px / 24px	gap-2 mb-6	✓
.cs-pill padding	5px 12px	px-3 + NEW for the 5px	5px isn't on the default scale (nearest are 4px/6px) — arbitrary py-[5px] or new token
.cs-cta padding-top	16px	pt-4	✓

Hero

Element	Value	Tailwind class	Status
.hero-eyebrow margin-bottom	20px	mb-5	✓

Element	Value	Tailwind class	Status
<code>.hero-headline</code> margin-bottom / max-width	24px / 880px	<code>mb-6 max-w-[880px]</code>	✅ (880px matches Appendix C exactly)
<code>.hero-subtext</code> margin-bottom / max-width	36px / 640px	<code>mb-9 max-w-[640px]</code>	✅ (640px matches Appendix C exactly)
<code>.btn-hero</code> gap	10px	<code>gap-2.5</code>	✅

Stats

Element	Value	Tailwind class	Status
<code>.stats-grid</code> gap	40px → 0 (md)	<code>gap-10 md:gap-0</code>	✅
<code>.stats-left/right</code> padding	40px (md) → 64px (lg)	<code>md:pr-10 lg:pr-16</code> / <code>md:pl-10 lg:pl-16</code>	✅
<code>.stats-eyebrow</code> / <code>.stats-heading</code> margin-bottom	12px / 14px	<code>mb-3</code> / <code>mb-3.5</code>	✅
<code>.stats-right</code> gap	12px	<code>gap-3</code>	✅
<code>.stat-card</code> padding	20px 24px	<code>py-5 px-6</code>	✅
<code>.stat-number</code> margin-bottom	6px	<code>mb-1.5</code>	✅

Subnav

Element	Value	Tailwind class	Status
<code>.subnav-list</code> height	52px	—	NEW Not on scale. See §3 (structural constant)
<code>.subnav-tab</code> padding	0 20px	<code>px-5</code>	✅
Scroll-margin-top (5 IDs)	116px	—	NEW See §3

Our Approach

Element	Value	Tailwind class	Status
<code>.hiw-eyebrow</code> margin-bottom	24px	<code>mb-6</code>	✓
<code>.hiw-stat</code> margin-bottom	72px	—	NEW Not on default scale (jumps 64→80)
<code>.q1-block</code> margin-bottom / max-width	40px / 440px	<code>mb-10 max-w-[440px]</code>	✓
<code>.q1-intro</code> margin-bottom	12px	<code>mb-3</code>	✓
<code>.q2-block</code> margin-top / max-width	32px / 500px	<code>mt-8 max-w-[500px]</code>	✓
<code>.q2-intro</code> margin-bottom	18px	—	NEW Not on scale (jumps 16→20)
<code>.q2-q</code> margin-bottom	22px	—	NEW Not on scale (jumps 20→24)
<code>.bridge-wrap</code> padding	18px 0	—	NEW
<code>.part-b-head</code> margin-top/bottom	12px	<code>mt-3 mb-3</code>	✓
<code>.pb-sub</code> margin-top / max-width	12px / 380px	<code>mt-3 max-w-[380px]</code>	✓

Pillar cards

Element	Value	Tailwind class	Status
<code>.pillar-card</code> padding	32px	<code>p-8</code>	✓
<code>.card-icon</code> size / margin-bottom	48px / 16px	<code>w-12 h-12 mb-4</code>	✓
<code>.card-eyebrow</code> margin-bottom	8px	<code>mb-2</code>	✓
<code>.card-heading</code> margin-bottom	10px	<code>mb-2.5</code>	✓

Element	Value	Tailwind class	Status
<code>.card-body</code> margin-bottom	18px	—	 Not on scale

Prevention / Recovery shared header

Element	Value	Tailwind class	Status
<code>.sec-eyebrow-*</code> margin-bottom	12px	<code>mb-3</code>	✓
<code>.sec-heading-*</code> margin-bottom	10px	<code>mb-2.5</code>	✓
<code>.sec-sub-*</code> margin-bottom / max-width	28px / 640px	<code>mb-7 max-w-[640px]</code>	✓
<code>.sec-header-flex</code> gap / margin-bottom	24px / 28px	<code>gap-6 mb-7</code>	✓

Carousel & tiles

Element	Value	Tailwind class	Status
<code>.carousel-wrap</code> margin-bottom	24px	<code>mb-6</code>	✓
<code>.carousel-wrap::after</code> width	60px	—	 Not on scale (jumps 56→64)
<code>.carousel-track</code> gap / padding-bottom	10px / 4px	<code>gap-2.5 pb-1</code>	✓
<code>.tile-prev/.tile-rec</code> padding	20px	<code>p-5</code>	✓
<code>.tile-icon-*</code> margin-bottom / size	16px / 48px	<code>mb-4 w-12 h-12</code>	✓
<code>.tile-name-*</code> margin-bottom	10px	<code>mb-2.5</code>	✓
<code>.tile-connector</code> min-height / padding	40px / 8px / 0	<code>min-h-10 py-2</code>	✓
<code>.tile-pills</code> gap	4px	<code>gap-1</code>	✓
<code>.pill-w/.pill-d</code> padding	3px 8px	<code>px-2</code> +  for 3px	3px not on scale (nearest 2px/4px)

OT callout & section CTAs

Element	Value	Tailwind class	Status
<code>.ot-callout</code> padding / margin-bottom / max-width	20px 24px / 28px / 680px	<code>py-5 px-6 mb-7 max-w-[680px]</code>	✓
<code>.ot-heading</code> margin-bottom	8px	<code>mb-2</code>	✓
<code>.ot-callout .ghost-link</code> margin-top	16px	<code>mt-4</code>	✓
<code>.sec-cta-question-l/d</code> margin-bottom	12px / 14px	<code>mb-3</code> / <code>mb-3.5</code>	✓
Arrows: <code>.sec-arrows</code> gap	8px	<code>gap-2</code>	✓
<code>.arrow-btn</code> size	36px	<code>w-9 h-9</code>	✓

Footer (`globals.css`)

Element	Value	Tailwind class	Status
<code>.site-footer-inner</code> padding	64px 24px 0	<code>pt-16 px-6</code>	✓
<code>.footer-logo</code> margin-bottom	20px	<code>mb-5</code>	✓
<code>.footer-tagline</code> margin-bottom	36px	<code>mb-9</code>	✓
<code>.footer-links</code> margin-bottom	56px	<code>mb-14</code>	✓
<code>.footer-link</code> padding	0 22px	—	 Not on scale
<code>.footer-bottom</code> padding	18px 24px	—	 18px not on scale

3. New tokens — approved, please add

These three values are **derived from other layout constants** (nav height + subnav height, sometimes plus clearance). Right now they're independently hardcoded in two places, which means if the nav or subnav height ever changes, both numbers have to be manually

found and updated — easy to miss one and silently break sticky positioning. Niki's approved adding these as named tokens regardless of the A/B decision above.

Recommended token	Value	Used in	Formula
<code>--uw-subnav-height</code>	52px	<code>.subnav-list { height }</code>	fixed
<code>--uw-scroll-offset</code>	116px	<code>scroll-margin-top</code> on 5 section IDs	nav (64) + subnav (52)
<code>--uw-sticky-rings-top</code>	132px	<code>.wts-rings { top }</code>	nav (64) + subnav (52) + 16px clearance

Recommend adding these to `globals.css` `:root` alongside a comment explaining the formula, same way `--uw-*` colour tokens are documented today.

4. Other inconsistencies worth a second look

1. `.gs-head` — **fix required**. Get Started has cards sitting right under its header, same as Prevention, Recovery, and Client Stories. It should follow that same "header directly above cards" pattern rather than `.wts-head`'s pattern (which needs the extra desktop margin because of the ring diagram sitting below it on that section only). One thing to flag while you do this: the three sections Niki pointed to don't all currently agree with each other either — Prevention/Recovery's header-to-content gap is 28px (via `.sec-sub-l/d` margin-bottom), while Client Stories' header-to-grid gap is 40px (via `.cs-grid` margin-top). Please reconcile those two first, then bring `.gs-head` in line with whichever is correct — flag back to Niki if you're not sure which of the two should win.
2. **Button padding duplication** — the Medium (11px/22px) and Large (14px/30px) button padding pairs are retyped raw in 5+ places rather than coming from one shared class or token. Not wrong today, but a maintenance risk.
3. `.site-nav-cta` padding (9px/18px) — **fix required**. See the Buttons table above — match to the closest documented size.
4. **No spacing tokens exist anywhere in `globals.css`** — every colour has a named CSS variable; no spacing value does. This is consistent with how the design system doc itself is written (Tailwind classes, not CSS vars) but means this page's raw CSS has nothing to reference. See §0.

Summary counts

- Section padding: 6 of 8 sections match the 48/64/96 scale correctly. 1 confirmed bug (`.recovery`) and 1 required fix (`.hero`) — both have fixes provided above, ready to action.
- ~85 individual spacing declarations audited.
- ~70 map cleanly to existing default Tailwind utility classes (no new token needed).
- ~15 values fall outside Tailwind's default scale and need either an arbitrary value or a new token — full list in the tables above (marked ).
- 3 structural constants approved as new named tokens (§3).
- 2 items need your judgment call before actioning: the Option A/B architecture decision (§0), and reconciling Prevention/Recovery vs. Client Stories header spacing before fixing `.gs-head` (§4).