



MINGW64:/d/Git/Day\_2\_Task\_3 

```
Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day_2_Task_3 (master)
$ git status
On branch master
No commits yet
Changes to be committed:
 (use "git rm --cached <file>..." to unstage)
        new file: file1.txt
new file: file2.txt
Nikita@LAPTOP-HBQKGDAV MINGW64 /d/Git/Day_2_Task_3 (master)
$ git commit -m "1 & 2 commiting" file1.txt file2.txt
[master (root-commit) 7176aa4] 1 & 2 commiting
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file1.txt
create mode 100644 file2.txt
Nikita@LAPTOP-HBOKGOAV MINGW64 /d/Git/Day 2 Task_3 (master)
$ git status
On branch master
nothing to commit, working tree clean
Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day_2_Task_3 (master)
$ git branch develop
Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day_2_Task_3 (master)
$ git checkout develop
Switched to branch 'develop'
Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day_2_Task_3 (develop)
$ git add
Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day_2_Task_3 (develop)
$ git commit _m "committing" file_dev.txt
error: pathspec '_m' did not match any file(s) known to git
error: pathspec 'committing' did not match any file(s) known to git
Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day_2_Task_3 (develop)
$ git commit -m "committing" file_dev.txt
[develop 1b44e9f] committing
1 file changed, 0 insertions(+), 0 deletions(-) create mode 100644 file_dev.txt
Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day_2_Task_3 (develop)
$ git checkout master
Switched to branch 'master'
Nikita@LAPTOP-HBOKGOAV MINGW64 /d/Git/Day_2_Task_3 (master)
$ git status
On branch master
Untracked files:
 (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
```





























MINGW64:/d/Git/Day\_2\_Task\_3 ikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day\_2\_Task\_3 (develop) \$ git commit -m "committing" file\_dev.txt [develop 1b44e9f] committing 1 file changed, 0 insertions(+), 0 deletions(-) create mode 100644 file\_dev.txt Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day\_2\_Task\_3 (develop) \$ git checkout master Switched to branch 'master' Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day\_2\_Task\_3 (master) \$ git status On branch master Untracked files: (use "git add <file>..." to include in what will be committed) nothing added to commit but untracked files present (use "git add" to track) Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day\_2\_Task\_3 (master) \$ git add file3.txt Nikita@LAPTOP-HBOKGOAV MINGW64 /d/Git/Day\_2\_Task\_3 (master)
\$ git commit -m "committing" file3.txt [master 6d1f5d0] committing 1 file changed, 0 insertions(+), 0 deletions(-) create mode 100644 file3.txt \$ git config core.editor notepad Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day\_2\_Task\_3 (master) \$ git merge develop hint: Waiting for your editor to close the file... unix2dos: converting file D:/ Git/Day\_2\_Task\_3/.git/MERGE\_MSG to DOS format... dos2unix: converting file D:/Git/Day\_2\_Task\_3/.git/MERGE\_MSG to Unix format... Merge made by the 'ort' strategy. file\_dev.txt | 0 1 file changed, 0 insertions(+), 0 deletions(-) create mode 100644 file\_dev.txt Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day\_2\_Task\_3 (master) \$ git checkout develop Switched to branch 'develop' Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day\_2\_Task\_3 (develop) \$ git config core.editor notepad Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day\_2\_Task\_3 (develop) \$ git merge master Updating 1b44e9f..91138ea Fast-forward file3.txt | 0 1 file changed, 0 insertions(+), 0 deletions(-) create mode 100644 file3.txt Nikita@LAPTOP-HBQKGOAV MINGW64 /d/Git/Day\_2\_Task\_3 (develop) 🔎 🗖 📵 🧿 🔘 🚞 📹 🔷 🥸

Cloudy