1. The online cake ordering system allows users to browse a variety of cakes by category, flavor, and occasion, complete with detailed descriptions and images. Users can register, log in, and manage their orders through a personal dashboard. The ordering process includes selecting a cake, customizing options like size and message, entering delivery details, and making secure payments via an integrated payment gateway. Admins can manage cake inventory, track orders, and handle user accounts through an admin panel. Users receive order confirmation emails and can track delivery status. The website is fully responsive, providing a seamless shopping experience on all devices. Buy a Cake is a portal which allows admin in developing counters to advertise and sell their cake. This would permit rural communities to make their wares available to the rest of the world. The proposed system is to develop the website for cake store. User can buy the nearby cake available in app. An E Com App is a portal which allows admin in developing products to promote and sell their goods. This would permit rural communities to make their wares available to the rest of the world.

CODE:

```
<!DOCTYPE html>
<html>
<head>
  <title>Online Cake Ordering System</title>
  <style>
    body {
      margin: 0;
      font-family: Arial, sans-serif;
      background: #fff5f7;
    }
    header {
      background: #ad1457;
      color: white;
      text-align: center;
      padding: 20px;
    }
    nav {
      background: #880e4f;
      padding: 12px;
      text-align: center;
    }
    nav button {
      padding: 10px 15px;
      margin: 4px;
      border: none;
      border-radius: 5px;
```

```
    cursor: pointer;
}
section {
    display: none;
    padding: 25px;
    max-width: 900px;
    margin: auto;
}
#home {
    display: block;
}
.card {
    background: white;
    padding: 18px;
    margin: 15px 0;
    border-radius: 8px;
    box-shadow: 0 2px 7px #ddd;
}
input, select {
    padding: 10px;
    width: 95%;
    margin: 8px 0;
    border: 1px solid #ccc;
    border-radius: 5px;
}
.action {
    background: #ad1457;
    color: white;
    padding: 10px 16px;
    border: none;
    border-radius: 5px;
    cursor: pointer;
}
.remove {
    background: #d32f2f;
    color: white;
    padding: 8px;
    border: none;
    border-radius: 5px;
    cursor: pointer;
}
h2 {
    color: #ad1457;
}
```

```
        .cake {
            display: inline-block;
            vertical-align: top;
            width: 40%;
        }
    </style>
</head>
<body>
<header>
    <h1>🎂 Sweet Treats Cake Shop</h1>
    <p>Order Delicious Cakes Online</p>
</header>
<nav>
    <button onclick="showPage('home')">Home</button>
    <button onclick="showPage('cakes')">View Cakes</button>
    <button onclick="showPage('cart')">My Cart</button>
    <button onclick="showPage('orders')">My Orders</button>
    <button onclick="showPage('admin')">Admin</button>
</nav>
<!-- HOME -->
<section id="home">
    <div class="card">
        <h2>Welcome to Sweet Treats!</h2>
        <p>Choose your favourite cake and order it online.</p>
        <button class="action" onclick="showPage('cakes')">
            Explore Cakes
        </button>
    </div>
</section>
<!-- CAKE LIST -->
<section id="cakes">
    <h2>Available Cakes</h2>
    <input type="text" id="searchCake"
        placeholder="Search cakes..."
        onkeyup="displayCakes()">
    <div id="cakeList"></div>
</section>
<!-- CART -->
<section id="cart">
    <h2>Shopping Cart</h2>
    <div id="cartList"></div>
    <h3 id="totalAmount">Total: ₹0</h3>
    <button class="action" onclick="placeOrder()">
```

```
        Place Order
    </button>
</section>
<!-- ORDERS -->
<section id="orders">
    <h2>My Orders</h2>
    <div id="orderList"></div>
</section>
<!-- ADMIN -->
<section id="admin">
    <div class="card">
        <h2>Admin - Add New Cake</h2>
        <input type="text" id="cakeName"
            placeholder="Cake Name">
        <input type="text" id="cakeType"
            placeholder="Cake Type">
        <input type="number" id="cakePrice"
            placeholder="Price">
        <input type="number" id="cakeStock"
            placeholder="Available Stock">
        <button class="action" onclick="addCake()">
            Add Cake
        </button>
    </div>
    <div id="adminList"></div>
</section>
<script>
// Cake details
let cakes = [
    {
        id: 1,
        name: "Chocolate Cake",
        type: "Chocolate",
        price: 600,
        stock: 10
    },
    {
        id: 2,
        name: "Black Forest Cake",
        type: "Cream",
        price: 750,
        stock: 8
    },
    {
```

```
        id: 3,
        name: "Vanilla Cake",
        type: "Vanilla",
        price: 500,
        stock: 12
    },
    {
        id: 4,
        name: "Red Velvet Cake",
        type: "Velvet",
        price: 900,
        stock: 5
    },
    {
        id: 5,
        name: "Strawberry Cake",
        type: "Fruit",
        price: 650,
        stock: 7
    }
];
let cart = [];
let orders = [];
function showPage(page) {
    document.querySelectorAll("section").forEach(s => {
        s.style.display = "none";
    });
    document.getElementById(page).style.display = "block";
    if (page === "cakes") displayCakes();
    if (page === "cart") displayCart();
    if (page === "orders") displayOrders();
    if (page === "admin") displayAdmin();
}
// Display cakes
function displayCakes() {
    let search = document.getElementById("searchCake")
        .value.toLowerCase();
    let list = document.getElementById("cakeList");
    let filtered = cakes.filter(c =>
        c.name.toLowerCase().includes(search)
    );
    list.innerHTML = "";
    if (filtered.length === 0) {
        list.innerHTML = "<p>No cakes found.</p>";
```

```
        return;
    }
    filtered.forEach(c => {
        list.innerHTML += `
            <div class="card cake">
                <h3>🎂 ${c.name}</h3>
                <p>Type: ${c.type}</p>
                <p>Price: ₹${c.price}</p>
                <p>Available Stock: ${c.stock}</p>
                <input type="number"
                    id="qty${c.id}"
                    value="1"
                    min="1"
                    max="${c.stock}">
                <button class="action"
                    onclick="addToCart(${c.id})">
                    Add to Cart
                </button>
            </div>
        `;
    });
}
// Add cake to cart
function addToCart(id) {
    let cake = cakes.find(c => c.id === id);
    let quantity = Number(
        document.getElementById("qty" + id).value
    );
    if (quantity < 1 || quantity > cake.stock) {
        alert("Please enter a valid quantity!");
        return;
    }
    let existing = cart.find(item => item.id === id);
    if (existing) {
        if (existing.quantity + quantity > cake.stock) {
            alert("Not enough stock available!");
            return;
        }
        existing.quantity += quantity;
    } else {
        cart.push({
            id: cake.id,
            name: cake.name,
            price: cake.price,
```

```
            quantity: quantity
        });
    }

    alert("Cake added to cart successfully!");
}

// Display cart
function displayCart() {

    let list = document.getElementById("cartList");
    let total = 0;

    list.innerHTML = "";

    if (cart.length === 0) {
        list.innerHTML = "<p>Your cart is empty.</p>";
    }

    cart.forEach((item, index) => {

        let amount = item.price * item.quantity;
        total += amount;

        list.innerHTML += `
            <div class="card">
                <h3>${item.name}</h3>
                <p>Price: ₹${item.price}</p>
                <p>Quantity: ${item.quantity}</p>
                <p>Amount: ₹${amount}</p>

                <button class="remove"
                    onclick="removeItem(${index})">
                    Remove
                </button>
            </div>
        `;
    });

    document.getElementById("totalAmount").innerText =
        "Total: ₹" + total;
}

// Remove cart item
```

```
function removeItem(index) {
    cart.splice(index, 1);
    displayCart();
}

// Place order
function placeOrder() {

    if (cart.length === 0) {
        alert("Please add cakes to your cart!");
        return;
    }

    let customer = prompt("Enter your name:");

    if (!customer || !customer.trim()) {
        alert("Please enter your name!");
        return;
    }

    let address = prompt("Enter delivery address:");

    if (!address || !address.trim()) {
        alert("Please enter your delivery address!");
        return;
    }

    // Check stock before confirming
    for (let item of cart) {
        let cake = cakes.find(c => c.id === item.id);

        if (!cake || cake.stock < item.quantity) {
            alert("Insufficient stock for " + item.name);
            return;
        }
    }

    let total = 0;

    cart.forEach(item => {
        let cake = cakes.find(c => c.id === item.id);

        cake.stock -= item.quantity;
        total += item.price * item.quantity;
```

```
    });

    let order = {
        orderId: "ORD" + Date.now(),
        customer: customer.trim(),
        address: address.trim(),
        items: cart.map(item => ({...item})),
        total: total,
        status: "Confirmed"
    };

    orders.push(order);

    cart = [];

    alert("Order placed successfully!\nOrder ID: " + order.orderId);

    displayOrders();
    displayCart();
}

// Display orders
function displayOrders() {

    let list = document.getElementById("orderList");

    list.innerHTML = "";

    if (orders.length === 0) {
        list.innerHTML = "<p>No orders placed yet.</p>";
        return;
    }

    orders.forEach(order => {

        let items = order.items.map(item =>
            item.name + " x " + item.quantity
        ).join(", ");

        list.innerHTML += `
            <div class="card">
                <h3>Order ID: ${order.orderId}</h3>
                <p>Customer: ${order.customer}</p>
                <p>Address: ${order.address}</p>
```

```
            <p>Cakes: ${items}</p>
            <p>Total: ₹${order.total}</p>
            <p>Status: ${order.status}</p>
          </div>
        `;
    });
}

// Admin add cake
function addCake() {

    let name = document.getElementById("cakeName").value.trim();
    let type = document.getElementById("cakeType").value.trim();
    let price = Number(document.getElementById("cakePrice").value);
    let stock = Number(document.getElementById("cakeStock").value);

    if (!name || !type || price <= 0 || stock <= 0) {
        alert("Please enter valid cake details!");
        return;
    }

    cakes.push({
        id: Date.now(),
        name: name,
        type: type,
        price: price,
        stock: stock
    });

    alert("New cake added successfully!");

    document.getElementById("cakeName").value = "";
    document.getElementById("cakeType").value = "";
    document.getElementById("cakePrice").value = "";
    document.getElementById("cakeStock").value = "";

    displayAdmin();
}

// Display admin cake details
function displayAdmin() {

    let list = document.getElementById("adminList");
```

```
    list.innerHTML = "<h2>Available Cake Details</h2>";

    cakes.forEach(c => {
        list.innerHTML += `
            <div class="card">
                <h3>${c.name}</h3>
                <p>Type: ${c.type}</p>
                <p>Price: ₹${c.price}</p>
                <p>Stock: ${c.stock}</p>
            </div>
        `;
    });
}
displayCakes();
</script>
</body>
</html>
```

OUTPUT:

