1. **In an effort to streamline the appointment process and enhance patient experience, MedCare Hospital has developed an online appointment booking system. This platform allows patients to book appointments with doctors from various specialties at their convenience. Key functionalities include user registration and login, browsing available doctors and appointment slots, booking and canceling appointments, and receiving appointment reminders via email or SMS. Patients can also view their appointment history and update their personal details. The system ensures data security and compliance with healthcare regulations to protect patient information. This online service aims to reduce wait times, minimize paperwork, and provide a seamless experience for patients and healthcare providers alike. This website helps the patient to search any hospital and book appointments as they prefer.**

    - Search Module
    - Appointment Booking
    - Check-in form Submitting
    - Appointment management
    - Schedule a timing
    - Past appointment Management

    Admin Features

    - Manage appointments
    - Manage doctors
    - View Appointments statistics
    - Rating Details

    Patient Features

    - Signup/Login.
    - Can choose and book an appointment at the flexible time and date.
    - Can search for doctor according to specialty and location.
    - Can write reviews about the doctor and can select doctors according to other user feedback.
    - Can access all previous check-in details and medical past appointment

    User

    - User Registration
    - User Login
    - Search Location wise
    - View Hosptial list
    - Book Appointment
    - View status
    - View google map for single hospital

    Hospital

    - Hospital Registration
    - Hosptial login

- Create hostpital details
- Update details
- Update location

Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>MedCare Hospital Appointment System</title>

  <style>
    body {
      margin: 0;
      font-family: Arial, sans-serif;
      background: #eef7ff;
    }

    header {
      background: #087e8b;
      color: white;
      text-align: center;
      padding: 20px;
    }

    nav {
      background: #05668d;
      text-align: center;
      padding: 12px;
    }

    nav button {
      padding: 10px 15px;
      margin: 4px;
      border: none;
      border-radius: 5px;
      cursor: pointer;
    }

    section {
      display: none;
      max-width: 900px;
      margin: auto;
      padding: 25px;
```

```
    }

    #home {
        display: block;
    }

    .card {
        background: white;
        padding: 20px;
        margin: 15px 0;
        border-radius: 8px;
        box-shadow: 0 2px 7px #ccc;
    }

    input, select {
        width: 95%;
        padding: 10px;
        margin: 8px 0;
        border: 1px solid #ccc;
        border-radius: 5px;
    }

    .action {
        background: #087e8b;
        color: white;
        padding: 10px 16px;
        border: none;
        border-radius: 5px;
        cursor: pointer;
    }

    .cancel {
        background: #d32f2f;
        color: white;
        padding: 8px 12px;
        border: none;
        border-radius: 5px;
        cursor: pointer;
    }

    h2 {
        color: #087e8b;
    }
</style>
```

```
</head>

<body>

<header>
  <h1> MedCare Hospital</h1>
  <p>Your Health, Our Priority</p>
</header>

<nav>
  <button onclick="showPage('home')">Home</button>
  <button onclick="showPage('doctors')">Our Doctors</button>
  <button onclick="showPage('booking')">Book Appointment</button>
  <button onclick="showPage('appointments')">My Appointments</button>
  <button onclick="showPage('admin')">Admin</button>
</nav>

<!-- HOME PAGE -->
<section id="home">
  <div class="card">
    <h2>Welcome to MedCare Hospital</h2>
    <p>Book appointments with experienced doctors easily.</p>
    <p>We provide quality healthcare services for everyone.</p>

    <button class="action" onclick="showPage('doctors')">
      View Doctors
    </button>
  </div>
</section>

<!-- DOCTORS PAGE -->
<section id="doctors">
  <h2>Available Doctors</h2>

  <input type="text" id="searchDoctor"
    placeholder="Search doctor or department..."
    onkeyup="displayDoctors()">

  <div id="doctorList"></div>
</section>

<!-- BOOKING PAGE -->
<section id="booking">
  <div class="card">
```

```
        <h2>Book Doctor Appointment</h2>

        <label>Patient Name:</label>
        <input type="text" id="patientName"
          placeholder="Enter patient name">

        <label>Age:</label>
        <input type="number" id="patientAge"
          placeholder="Enter age" min="1" max="120">

        <label>Mobile Number:</label>
        <input type="tel" id="mobile"
          placeholder="Enter 10-digit mobile number"
          maxlength="10">

        <label>Select Doctor:</label>
        <select id="doctorSelect"></select>

        <label>Appointment Date:</label>
        <input type="date" id="appointmentDate">

        <label>Appointment Time:</label>
        <select id="appointmentTime">
          <option value="">Select Time</option>
          <option>09:00 AM</option>
          <option>10:00 AM</option>
          <option>11:00 AM</option>
          <option>12:00 PM</option>
          <option>02:00 PM</option>
          <option>03:00 PM</option>
          <option>04:00 PM</option>
        </select>

        <button class="action" onclick="bookAppointment()">
          Confirm Appointment
        </button>
    </div>
</section>

<!-- MY APPOINTMENTS -->
<section id="appointments">
    <h2>My Appointments</h2>
    <div id="appointmentList"></div>
</section>
```

```
<!-- ADMIN PAGE -->
<section id="admin">
  <div class="card">
    <h2>Admin - Add New Doctor</h2>

    <input type="text" id="doctorName"
      placeholder="Doctor Name">

    <input type="text" id="department"
      placeholder="Department">

    <input type="text" id="qualification"
      placeholder="Qualification">

    <input type="number" id="consultationFee"
      placeholder="Consultation Fee">

    <button class="action" onclick="addDoctor()">
      Add Doctor
    </button>
  </div>

  <div id="adminList"></div>
</section>

<script>

// Doctor details
let doctors = [
  {
    id: 1,
    name: "Dr. Arun Kumar",
    department: "Cardiology",
    qualification: "MBBS, MD",
    fee: 500
  },
  {
    id: 2,
    name: "Dr. Priya Sharma",
    department: "Dermatology",
    qualification: "MBBS, MD",
    fee: 400
  },
```

```
    {
        id: 3,
        name: "Dr. Ravi Kumar",
        department: "Orthopedics",
        qualification: "MBBS, MS",
        fee: 600
    },
    {
        id: 4,
        name: "Dr. Meena",
        department: "Pediatrics",
        qualification: "MBBS, MD",
        fee: 450
    },
    {
        id: 5,
        name: "Dr. Karthik",
        department: "Neurology",
        qualification: "MBBS, DM",
        fee: 700
    }
];

let appointments = [];

// Navigation
function showPage(page) {

    document.querySelectorAll("section").forEach(s => {
        s.style.display = "none";
    });

    document.getElementById(page).style.display = "block";

    if (page === "doctors") displayDoctors();
    if (page === "booking") loadDoctors();
    if (page === "appointments") displayAppointments();
    if (page === "admin") displayAdmin();
}

// Display doctors
function displayDoctors() {

    let search = document.getElementById("searchDoctor")
```

```
        .value.toLowerCase();

    let list = document.getElementById("doctorList");

    let filtered = doctors.filter(d =>
        d.name.toLowerCase().includes(search) ||
        d.department.toLowerCase().includes(search)
    );

    list.innerHTML = "";

    if (filtered.length === 0) {
        list.innerHTML = "<p>No doctors found.</p>";
        return;
    }

    filtered.forEach(d => {

        list.innerHTML += `
            <div class="card">
                <h3>${d.name}</h3>
                <p>Department: ${d.department}</p>
                <p>Qualification: ${d.qualification}</p>
                <p>Consultation Fee: ₹${d.fee}</p>

                <button class="action"
                    onclick="selectDoctor(${d.id})">
                    Book Appointment
                </button>
            </div>
        `;
    });
}

// Load doctors in dropdown
function loadDoctors() {

    let select = document.getElementById("doctorSelect");

    select.innerHTML = '<option value="">Select Doctor</option>';

    doctors.forEach(d => {

        select.innerHTML += `
```

```
            <option value="${d.id}">
                ${d.name} - ${d.department}
            </option>
        `;
    });
}

// Select doctor
function selectDoctor(id) {

    showPage("booking");

    document.getElementById("doctorSelect").value = id;
}

// Book appointment
function bookAppointment() {

    let name = document.getElementById("patientName").value.trim();
    let age = Number(document.getElementById("patientAge").value);
    let mobile = document.getElementById("mobile").value.trim();
    let doctorId = Number(document.getElementById("doctorSelect").value);
    let date = document.getElementById("appointmentDate").value;
    let time = document.getElementById("appointmentTime").value;

    let doctor = doctors.find(d => d.id === doctorId);

    if (!name || age < 1 || age > 120 ||
        !/^[0-9]{10}$/.test(mobile) ||
        !doctor || !date || !time) {

        alert("Please enter all valid details!");
        return;
    }

    let today = new Date();
    today.setHours(0, 0, 0, 0);

    let selectedDate = new Date(date + "T00:00:00");

    if (selectedDate < today) {
        alert("Please select today or a future date!");
        return;
    }
```

```
    // Check doctor availability
    let alreadyBooked = appointments.some(a =>
        a.doctorId === doctorId &&
        a.date === date &&
        a.time === time &&
        a.status === "Confirmed"
    );

    if (alreadyBooked) {
        alert("Doctor is already booked for this time slot!");
        return;
    }

    let appointment = {
        id: "MED" + Date.now(),
        patient: name,
        age: age,
        mobile: mobile,
        doctorId: doctor.id,
        doctor: doctor.name,
        department: doctor.department,
        date: date,
        time: time,
        fee: doctor.fee,
        status: "Confirmed"
    };

    appointments.push(appointment);

    alert("Appointment booked successfully!\nAppointment ID: " + appointment.id);

    document.getElementById("patientName").value = "";
    document.getElementById("patientAge").value = "";
    document.getElementById("mobile").value = "";
    document.getElementById("doctorSelect").value = "";
    document.getElementById("appointmentDate").value = "";
    document.getElementById("appointmentTime").value = "";

    showPage("appointments");
}

// Display appointments
function displayAppointments() {
```

```
    let list = document.getElementById("appointmentList");

    list.innerHTML = "";

    if (appointments.length === 0) {
        list.innerHTML = "<p>No appointments booked yet.</p>";
        return;
    }

    appointments.forEach((a, index) => {

        list.innerHTML += `
            <div class="card">
                <h3>${a.doctor}</h3>
                <p>Appointment ID: ${a.id}</p>
                <p>Patient: ${a.patient}</p>
                <p>Age: ${a.age}</p>
                <p>Department: ${a.department}</p>
                <p>Date: ${a.date}</p>
                <p>Time: ${a.time}</p>
                <p>Consultation Fee: ₹${a.fee}</p>
                <p>Status: ${a.status}</p>

                ${a.status === "Confirmed" ?
                `<button class="cancel"
                    onclick="cancelAppointment(${index})">
                    Cancel Appointment
                </button>` : ""}
            </div>
        `;
    });
}

// Cancel appointment
function cancelAppointment(index) {

    if (confirm("Are you sure you want to cancel?")) {

        appointments[index].status = "Cancelled";

        alert("Appointment cancelled successfully!");

        displayAppointments();
```

```
    }
}

// Admin add doctor
function addDoctor() {

    let name = document.getElementById("doctorName").value.trim();
    let department = document.getElementById("department").value.trim();
    let qualification = document.getElementById("qualification").value.trim();
    let fee = Number(document.getElementById("consultationFee").value);

    if (!name || !department || !qualification || fee <= 0) {
        alert("Please enter valid doctor details!");
        return;
    }

    doctors.push({
        id: Date.now(),
        name: name,
        department: department,
        qualification: qualification,
        fee: fee
    });

    alert("Doctor added successfully!");

    document.getElementById("doctorName").value = "";
    document.getElementById("department").value = "";
    document.getElementById("qualification").value = "";
    document.getElementById("consultationFee").value = "";

    displayAdmin();
}

// Admin doctor list
function displayAdmin() {

    let list = document.getElementById("adminList");

    list.innerHTML = "<h2>Doctor Details</h2>";

    doctors.forEach(d => {

        list.innerHTML += `
```

```
        <div class="card">
          <h3>${d.name}</h3>
          <p>Department: ${d.department}</p>
          <p>Qualification: ${d.qualification}</p>
          <p>Fee: ₹${d.fee}</p>
        </div>
      `;
    });
}
// Initial display
displayDoctors();
</script>
</body>
</html>
```

Output:

