2. The online hotel room booking website allows users to search for hotels based on destination, dates, and number of guests, offering detailed listings with room options, prices, amenities, and reviews. Users can create accounts, log in, and manage their bookings through a user-friendly dashboard. The booking process includes checking room availability, filling out a booking form, and completing secure payments via an integrated payment gateway. Post- booking, users receive confirmation emails and can leave reviews and ratings. Admins manage hotel listings, room availability, and user accounts through a dedicated admin panel. The website is fully responsive, ensuring seamless access on all devices.

Functionalities:

Users.

1. Users can register at the hotel and then they can view or modify their profile.

2. Users can book a room on any specific date.

3. Users can view all their booking history at the hotel.

4. Users can change the booking at any time 3 days before the arrival date.

5. Users can cancel the booking at any time 3 days before the arrival date.

6. Users can check the room availability at the hotel before they book a room.

Administrator

7. Administrators can change the quantity and price of all four types of rooms.

8. Administrators can change any specific booking details.

9. Administrators can cancel any specific booking.

10. Administrators can modify the details of static pages including room information, about us information, contact us information, customer service Q&A details, local travel and shipping guide, and privacy policy after login.

11. It should also contain a basic room type introduction, contact information, customer service Q&A, local travel and shipping guide, and a privacy policy

Code:

```
<!DOCTYPE html>
<html>
<head>
<title>Hotel Room Booking System</title>
<style>
body {
  font-family: Arial;
  margin: 0;
  background: #f2f5f9;
}
header {
  background: #174b65;
  color: white;
  padding: 22px;
  text-align: center;
}
```

```
nav {
    background: #10394e;
    padding: 12px;
    text-align: center;
}
nav button {
    padding: 10px 15px;
    margin: 5px;
    border: none;
    cursor: pointer;
    border-radius: 5px;
}
.container {
    width: 85%;
    margin: 25px auto;
    background: white;
    padding: 22px;
    border-radius: 10px;
}
input, select {
    width: 90%;
    padding: 10px;
    margin: 8px;
}
.action {
    background: #174b65;
    color: white;
    border: none;
    padding: 10px 15px;
    cursor: pointer;
    border-radius: 5px;
}
.room {
    background: #e9f3f7;
    padding: 15px;
    margin: 12px;
    border-radius: 8px;
}
section {
    display: none;
}
#home {
    display: block;
}
```

```
</style>
</head>

<body>

<header>
<h1>Online Hotel Room Booking</h1>
<p>Book Your Comfortable Stay</p>
</header>

<nav>
<button onclick="show('home')">Home</button>
<button onclick="show('search')">Search Rooms</button>
<button onclick="show('bookings')">My Bookings</button>
<button onclick="show('admin')">Admin</button>
</nav>

<div class="container">

<section id="home">
<h2>Welcome to Our Hotel</h2>
<p>Find and book your favorite hotel rooms easily.</p>
<h3>Our Facilities</h3>
<ul>
<li>Comfortable Rooms</li>
<li>Free Wi-Fi</li>
<li>Restaurant</li>
<li>Room Service</li>
<li>Online Booking</li>
</ul>
</section>

<section id="search">
<h2>Search Available Rooms</h2>

<label>Destination</label>
<input type="text" id="destination"
placeholder="Enter destination">

<label>Check-in Date</label>
<input type="date" id="checkin">

<label>Check-out Date</label>
<input type="date" id="checkout">
```

```
<label>Number of Guests</label>
<input type="number" id="guests" min="1" value="1">

<button class="action" onclick="searchRooms()">
Search Rooms
</button>

<div id="roomList"></div>
</section>

<section id="bookings">
<h2>My Booking History</h2>
<div id="bookingList"></div>
</section>

<section id="admin">
<h2>Administrator Dashboard</h2>

<h3>Add New Room</h3>

<input type="text" id="roomName"
placeholder="Room Type">

<input type="number" id="roomPrice"
placeholder="Room Price">

<input type="number" id="quantity"
placeholder="Available Quantity">

<button class="action" onclick="addRoom()">
Add Room
</button>

<h3>Manage Rooms</h3>
<div id="adminList"></div>
</section>

</div>

<script>

let rooms = [
{name:"Standard Room",price:2000,quantity:5},
```

```
{name:"Deluxe Room",price:3500,quantity:4},
{name:"Luxury Suite",price:5000,quantity:3},
{name:"Family Room",price:4500,quantity:2}
];

let bookings = [];

function show(id) {
   document.querySelectorAll("section").forEach(s=>{
      s.style.display="none";
   });

   document.getElementById(id).style.display="block";

   if(id==="admin") adminRooms();
   if(id==="bookings") viewBookings();
}

function searchRooms() {

   let destination =
   document.getElementById("destination").value;

   let checkin =
   document.getElementById("checkin").value;

   let checkout =
   document.getElementById("checkout").value;

   let guests =
   Number(document.getElementById("guests").value);

   if(!destination || !checkin || !checkout ||
      !guests || guests < 1) {
      alert("Please enter all details");
      return;
   }

   if(new Date(checkout)<=new Date(checkin)) {
      alert("Check-out must be after check-in");
      return;
   }

   let output="";
```

```
    rooms.forEach((room,index)=>{

        if(room.quantity>0) {
            output += `
            <div class="room">
            <h3>${room.name}</h3>
            <p>Price: ₹${room.price} per night</p>
            <p>Available Rooms: ${room.quantity}</p>
            <button class="action"
            onclick="bookRoom(${index})">
            Book Now
            </button>
            </div>`;
        }

    });

    document.getElementById("roomList").innerHTML =
    output || "No rooms available.";
}

function bookRoom(index) {

    let room=rooms[index];

    if(room.quantity<=0) {
        alert("Room not available");
        return;
    }

    let name=prompt("Enter Customer Name:");

    if(!name || !name.trim()) return;

    let checkin=document.getElementById("checkin").value;
    let checkout=document.getElementById("checkout").value;
    let destination=document.getElementById("destination").value;
    let guests=Number(document.getElementById("guests").value);

    let days=(new Date(checkout)-new Date(checkin))
    /(1000*60*60*24);

    let total=days*room.price;
```

```
    room.quantity--;

    bookings.push({
        name:name,
        room:room.name,
        destination:destination,
        checkin:checkin,
        checkout:checkout,
        guests:guests,
        total:total,
        status:"Confirmed"
    });

    alert("Room Booked Successfully!\nTotal Amount: ₹"+total);

    searchRooms();
}

function viewBookings() {

    let output="";

    bookings.forEach((b,index)=>{

        output+=`
        <div class="room">
        <h3>${b.room}</h3>
        <p>Customer: ${b.name}</p>
        <p>Destination: ${b.destination}</p>
        <p>Guests: ${b.guests}</p>
        <p>Check-in: ${b.checkin}</p>
        <p>Check-out: ${b.checkout}</p>
        <p>Total: ₹${b.total}</p>
        <p>Status: ${b.status}</p>

        <button class="action"
        onclick="cancelBooking(${index})">
        Cancel Booking
        </button>
        </div>`;
    });

    document.getElementById("bookingList").innerHTML =
```

```
    output || "No bookings available.";
}

function cancelBooking(index) {

    if(confirm("Are you sure you want to cancel?")) {

        let booking=bookings[index];

        let room=rooms.find(r=>r.name===booking.room);

        if(room) room.quantity++;

        bookings.splice(index,1);

        viewBookings();

        alert("Booking Cancelled Successfully");
    }
}

function addRoom() {

    let name=document.getElementById("roomName").value;
    let price=Number(document.getElementById("roomPrice").value);
    let quantity=Number(document.getElementById("quantity").value);

    if(!name || price<=0 || quantity<=0) {
        alert("Enter valid room details");
        return;
    }

    rooms.push({
        name:name,
        price:price,
        quantity:quantity
    });

    alert("Room Added Successfully");

    document.getElementById("roomName").value="";
    document.getElementById("roomPrice").value="";
    document.getElementById("quantity").value="";
```

```
    adminRooms();
}

function adminRooms() {

    document.getElementById("adminList").innerHTML =
    rooms.map((r,i)=>`
    <div class="room">
    <b>${r.name}</b>
    <p>Price: ₹${r.price}</p>
    <p>Quantity: ${r.quantity}</p>
    <button class="action"
    onclick="deleteRoom(${i})">Delete</button>
    </div>
    `).join("");
}

function deleteRoom(index) {

    if(confirm("Delete this room?")) {
        rooms.splice(index,1);
        adminRooms();
    }
}

</script>

</body>
</html>
```

OUTPUT:

