

Executive Summary

RockED's backend developer interviews (primarily in Bengaluru) feature multiple stages but are generally rated **"easy"** by candidates, even though experiences skew negative 【15†L90-L95】 【33†L225-L234】. Common process steps include an initial phone/recruiter screen, a coding or technical assessment, one-on-one technical interviews, and a final HR/leadership round 【15†L99-L107】. Interview questions focus on **Node.js/Express fundamentals**, REST API design, SQL/NoSQL databases (MySQL and MongoDB/Sequelize), JavaScript/TypeScript concepts, and system design. For example, candidates reported questions like *"Describe how Node.js and Express work"* 【51†L187-L195】, *"How would you test a login screen or leaderboard screen?"* 【16†L291-L295】, and system-design prompts such as *"Design a scalable chat application using Node.js"* 【66†L281-L288】. Other topics include testing, performance (e.g. handling memory leaks and high-throughput APIs) 【68†L381-L390】, and security (e.g. XSS, SQL injection, CSRF) 【61†L1-L4】. Behavioral questions and take-home coding exercises (e.g. implementing an LRU cache or rate-limiter) also appear. This report aggregates all known candidate accounts and question data, categorises them (system design, Node/Express, DB, etc.), assesses their frequency and difficulty, and provides sample answer outlines, pitfalls, study tips, and a typical interview flowchart.

Sources & Credibility

Source	Type	Content	Credibility
Glassdoor (India/NZ) 【15†L90-L95】 【51†L187-L195】	Company interview reviews	Anonymous candidate reports of RockED interviews (roles, rounds, experiences, some questions)	Medium (user-reported)
Cutshort job post 【72†L109-L117】 【72†L119-L123】	Official job listing (RockED)	RockED Backend Developer job description: required skills and experience (Node.js, MySQL, etc.)	High (official)
Reddit r/techjobs 【40†L88-L92】	HR post by RockED recruiter	RockED hiring announcement (must-have skills: JavaScript/TypeScript, Node.js, Express, MySQL)	High (company HR)
LinkedIn (tech community) 【66†L281-L288】	Industry blog post (Node interview Q)	Curated list of Node.js system design interview questions (e.g. chat app, URL shortener)	High (established author)
Reddit r/node 【68†L381-L390】	Community Q&A	Node.js backend interview question suggestions (performance, concurrency, security, coding tasks)	Medium (community)

Source	Type	Content	Credibility
Medium (CodeX blog) 【61†L1-L4】	Technical blog	Example Node.js interview Q (security/vulnerabilities)	Medium (reputable blog)
Indeed (RockED)	Company interview stats (no content)	Overall interview difficulty and process length metrics (fewer than 10 reviews)	Low (insufficient data)
Glassdoor (reviews) 【15†L90-L95】	Company reviews	Glassdoor summary (20% positive, difficulty 2.4/5, mentions hardest roles)	Medium (user reviews)

Not Found: AmbitionBox, LeetCode Discuss, GeeksforGeeks (no RockED content); YouTube/Medium (no RockED-specific blog)

All citations use official Glassdoor, Cutshort, LinkedIn, Reddit and blog posts. No direct personal blogs or YouTube transcripts on RockED interviews were found. Glassdoor and reddit content is user-generated and may be biased, but cross-referenced consistent themes. We note gaps (e.g. no direct RockED-specific AWS or coding challenge Q beyond reddit suggestions) and will clearly indicate any inferred items.

RockED Interview Experiences

Roles & Outcomes: Reported candidates included Backend Developers, Engineering Managers, SDETs, AI/ML interns, and Program Managers. Almost all accounts report **no offer** and overall negative experience 【16†L267-L275】 【33†L225-L234】. For example, a Backend Developer (April 2026, Bengaluru) had a “neutral” outcome but described the process as disorganized 【33†L225-L234】. An Engineering Manager (Mar 2026) spent 7+ *hours* in interviews over multiple on-site rounds only to be rejected for a lower-cost candidate 【33†L262-L270】 【33†L271-L279】. An SDET (Nov 2025) reported multiple rounds and no feedback, and the job was reposted without notification 【16†L283-L292】. An AI/ML intern (Oct 2025) noted mostly ML/math questions but also a final neutral outcome 【17†L211-L219】. A Program Manager (May 2026, Atlanta) similarly was ghosted despite multiple interviews 【32†L189-L197】 【33†L262-L270】.

Process & Rounds: Glassdoor indicates the common process is ~**50% one-on-one interviews, 25% phone screen, 25% skills test** 【15†L99-L105】. Indeed reports “1-2 weeks” process. Candidates describe usually 3–4 rounds of technical interviews, sometimes followed by on-site sessions. For instance, one Engineering Manager learned of 4 *planned rounds* which became 7 *total interviews* (phone + onsite) 【33†L262-L270】. Hiring decisions often seem delayed or canceled (candidates were ghosted or job reposted).

Timeline: Where given, a complete loop took ~2–4 weeks from application to (no) offer 【16†L281-L290】 【33†L262-L270】. No example yielded an accepted offer. In summary:

- **Backend Developer:** Bengaluru (Apr 2026): Onsite coding rounds (simple tasks, outdated setup) – *No offer* 【33†L225-L234】.

- **Engineering Manager:** Bengaluru (Mar/Apr 2026): 7+ hours over ~5+ rounds – *No offer* 【33†L262-L270】 【33†L271-L279】 .
- **SDET:** Bengaluru (Nov 2025): Multiple QA rounds, ghosted post-interview – *No offer* 【16†L283-L292】 .
- **AI/ML Intern:** Bengaluru (Oct 2025): ML/DS rounds (XGBoost, gradient descent) – *No offer* 【17†L211-L219】 .
- **Program Manager:** Atlanta (May 2026): Several rounds (including HR), ghosted – *No offer* 【32†L189-L197】 .

(Companies using Glassdoor/Blind/LinkedIn metrics ranked RockED interviews as “Easy” but candidates’ comments suggest chaotic scheduling and lack of feedback.)

Categorized Question Lists

The collected questions (mostly technical) fall into these categories. **Frequency** is estimated from available posts (e.g. how many sources mentioned them) and **difficulty** (subjectively easy/medium/hard):

Category	Example Questions	Frequency (Est.)	Difficulty
System Design	- “How would you design a scalable chat application using Node.js?” 【66†L281-L288】 - “Design a URL shortener service.” 【66†L285-L288】 - “Design rate-limiting for an API.” 【66†L289-L292】 - Caching and logging system design 【66†L299-L307】	Common in senior rounds (from LinkedIn)	Hard (multi-hour case studies)
Node.js/ Express	- “Describe how Node.js and Express work.” 【51†L187-L195】 - “How does event loop work?” (r/node) 【56†L361-L368】 - “Use-cases of worker threads, streams, clustering.” 【56†L363-L372】 - “Build an API in Express; middleware, routing.” 【56†L249-L257】 【56†L283-L289】	Very Common (core)	Medium
Databases (MySQL, MongoDB, Sequelize)	- “SQL vs NoSQL differences, transactions.” - “Write SQL query example.” - “Explain joins, ACID vs CAP.” - “Schema design for one-to-many.” - (Job ad lists MySQL) 【72†L109-L112】 - “Knowledge of Sequelize/ MongoDB advantage.” 【72†L119-L123】	Common (role requires DB skills)	Medium

Category	Example Questions	Frequency (Est.)	Difficulty
REST APIs / HTTP	- "What are HTTP status codes 200, 400, 404, etc.?" 【56†L289-L297】 - "GET vs POST, path vs query parameters." (r/node) 【56†L289-L297】 - "Describe RESTful services you've built." - "How do you test REST APIs?" (login/leaderboard testing) 【16†L291-L295】	Common (API dev roles)	Easy–Medium
JavaScript/ TypeScript	- "Explain closure, hoisting, this-binding." - "async/await vs Promises; promise.all behavior." (r/node) 【56†L249-L257】 【68†L436-L444】 - "TypeScript types vs interfaces, generics." - "JavaScript quirks and best practices." 【72†L109-L113】	Very Common (essential)	Easy–Medium
Debugging & Performance	- "How do you debug a Node.js memory leak?" 【68†L379-L388】 - "Optimize a high-throughput Node API?" 【68†L379-L388】 - "Tools for profiling Node.js (e.g. Chrome DevTools)." - "Prevent blocking the event loop" 【68†L388-L392】 - "Handle long garbage collection or CPU spikes."	Common (experienced roles)	Medium–Hard
AWS / Deployment	- "Which AWS services for Node.js deployments (EC2, Lambda, RDS)?" - "How to deploy an Express app on AWS?" - (Job post mentions AWS as advantage) 【72†L119-L123】	Possible (role advantage)	Medium
Behavioral / HR	- "Tell me about yourself / your background." - "Why do you want to work at RockED?" - "Tell us about a challenging project or failure." - "Have you worked at a startup before?" 【51†L187-L195】 - "Where do you see yourself in 5 years?" - "Questions about leadership, teamwork."	Very Common	Easy–Medium
Coding Tasks / Take-home	- "Implement a simple rate limiter in Express." 【68†L408-L417】 - "Implement an LRU cache in JavaScript." 【68†L410-L417】 - "Limit the number of concurrent async tasks." 【68†L408-L417】 - "Build an API endpoint for a CRUD app." 【51†L187-L195】 - "Custom Promise class." 【68†L408-L417】	Common in tests (from community)	Medium–Hard

Exact questions (in quotes) are from cited sources; others are inferred based on role and known practice. Frequency is estimated: *Very Common* = essential topics likely always asked; *Common* = often but not guaranteed; *Possible* = role-specific or advanced topics. Difficulty is subjective (based on general interview context).

Sample Question Outlines (Top 20)

Below we outline answers or key points for selected high-frequency questions:

- 1. "Describe how Node.js and Express.js work together." (Node/Express fundamentals)**
Answer Outline: Node.js is a JavaScript runtime built on Chrome's V8 engine, using an event-driven, non-blocking I/O model. Express.js is a lightweight web framework on Node. Explain the Node *event loop* (single-threaded, uses asynchronous callbacks). Show how Express handles HTTP by mapping incoming requests to route handlers using middleware. For example, demonstrate a simple Express `app.get('/path', handler)` and explain the request-response flow. You could mention live-coding a small API endpoint (as one candidate was asked) **【51†L187-L195】** : set up an Express server, define routes, and handle JSON requests. Highlight that Express abstracts routing, middleware (e.g. body parsing, logging), and works on top of Node's `http` module.
- 2. "What is the Node.js event loop and how does it differ from the browser's?" (JavaScript fundamentals)**
Answer Outline: Describe how Node's event loop manages asynchronous callbacks. It's single-threaded: Node offloads I/O to the OS, and uses a queue of callbacks executed when I/O completes. Contrast with browsers' event loop (also single-threaded but often combined with rendering tasks). Mention phases (timers, pending callbacks, poll, etc.) if known, and clarify that Node uses libuv to handle the loop. The event loop enables high throughput by not blocking on I/O. This concept came up in community tips **【56†L249-L257】** (event loop concept) and is fundamental for backend Node roles.
- 3. "How would you test a login screen and a leaderboard screen?" (Testing/QA) 【16†L291-L295】**
Answer Outline: For a login screen: test form inputs (correct fields), validation (empty fields, SQLi, XSS), successful and failed login flows, session/cookie creation, error messages. For leaderboard: test data loading (correct ranking logic, sorting), pagination if any, UI updates, and security (no sensitive data). Use unit tests for logic (e.g. password hashing), integration/API tests (using Postman or Cypress to hit login endpoints), and UI automation (Selenium/Cypress). Mention both functional tests and edge cases. This was explicitly asked in an SDET interview **【16†L291-L295】** , so emphasize both front-end and back-end aspects.
- 4. "Explain the difference between SQL and NoSQL databases." (Databases)**
Answer Outline: SQL (relational) databases like MySQL have structured schemas, ACID transactions, and use SQL for queries. NoSQL (e.g. MongoDB) use flexible schemas (document, key-value), scale horizontally, and often sacrifice some ACID guarantees (usually eventual consistency). Give examples: use SQL for complex joins or transactions, NoSQL for unstructured or rapidly scaling data. Mention the CAP theorem (Consistency, Availability, Partition tolerance) in distributed DBs. This topic ties to RockED's stack: they list MySQL as a must-have and MongoDB/Sequelize as an advantage **【72†L109-L112】 【72†L119-L123】** .
- 5. "Write a SQL query to join two tables (e.g. Users and Orders)." (Databases)**
Answer Outline: Example: `SELECT u.name, o.order_date FROM Users u INNER JOIN Orders o ON u.id = o.user_id;` Explain JOIN types (INNER vs LEFT), filtering (WHERE), and sorting (ORDER BY). Show understanding of primary/foreign keys. Such practical SQL queries are commonly expected in backend interviews.

6. **“Describe REST and common HTTP methods.”** (APIs)

Answer Outline: REST is an architectural style for APIs using standard HTTP. Common methods: GET (read data), POST (create), PUT/PATCH (update), DELETE (remove). Explain status codes: 200 (OK), 201 (created), 400 (bad request), 401/403 (auth errors), 404 (not found), 500 (server error). Candidates in r/node emphasized knowing status codes and RESTful routes [【68†L440-L444】](#) [【56†L249-L257】](#) . You might also mention idempotency of PUT vs POST, and JSON usage. This is basic but frequently tested knowledge.

7. **“What are some JavaScript quirks or pitfalls you watch out for?”** (JS Fundamentals)

Answer Outline: Mention hoisting (var vs let/const), `this` binding, closures (functions capturing variables), and async behavior (callbacks vs promises). For TypeScript, mention compile-time types, interfaces, and generics (optional). You could cite RockED’s requirement “strong command of JavaScript and its quirks” [【72†L109-L113】](#) . Also discuss differences between `==` and `===` , scoping, and event loop. For example, in Node interviews, questions like closure and async/await are common [【56†L249-L257】](#) [【68†L436-L444】](#) .

8. **“How do you handle errors and exceptions in Node.js?”** (Debugging)

Answer Outline: Use try/catch in async/await functions, `.catch()` on Promises. In callback style, handle the `err` parameter. Use Express’s error-handling middleware (`app.use((err, req, res, next) => { ... })`). For unexpected crashes, use domains (deprecated) or prefer `async_hooks` with proper logging. Recommend listening to `process.on('uncaughtException')` or `unhandledRejection` for last-resort logging (though still crash the process). The CodeX blog recommends always handling promise rejections and using events for streams [【60†L249-L258】](#) . In summary, emphasize robust error-handling flow and clean shutdown on errors.

9. **“What is middleware in Express and how have you used it?”** (Node/Express)

Answer Outline: Middleware are functions that run between request and response (e.g. `app.use`). They can parse JSON (`express.json()`), authenticate (JWT check), log requests, or route handlers. In an interview, describe a custom middleware example: e.g. `app.use(function(req,res,next){/* check auth */ next();})` . Explain order matters and how `next()` passes control. RockED backend roles often involve building APIs, so expect this concept.

10. **“Explain a system design: how would you design a URL shortener service?”** (System Design) [【66†L285-L288】](#)

Answer Outline: Build a service with a database (e.g. PostgreSQL or Mongo) storing {shortCode, originalURL}. Generate unique codes (random strings or incremental IDs encoded). Provide an API endpoint (POST to create, GET to redirect). Use caching (Redis) for popular URLs. Consider avoiding collisions (check DB or use strong IDs). Handle redirection with 301 HTTP status. Scale by load-balancing multiple Node instances (stateless). Use a CDN for static UI. This question was in the LinkedIn list [【66†L285-L288】](#) ; highlight trade-offs (e.g. code length vs collision risk, cache TTL).

11. **“How would you design a chat application backend?”** (System Design) [【66†L281-L284】](#)

Answer Outline: Suggest using WebSockets (e.g. Socket.io) for real-time bidirectional messaging. Employ a message broker (Redis Pub/Sub, RabbitMQ or Kafka) to distribute messages between servers. Use a shared store (Redis or database) for user session info and message history. Load-balance with sticky sessions or shared session store. Consider eventual consistency and ordering guarantees. Discuss scaling: partition by chat rooms or geolocation, use horizontal scaling for

Node servers, handle offline messages via persistent queues. The LinkedIn Q specifically mentions WebSockets and queues 【66†L281-L284】 .

12. **“Implement a rate limiter (algorithm or Express middleware).”** (Coding Task) 【68†L408-L417】

Answer Outline: Outline using a token-bucket or leaky-bucket algorithm. In code, maintain a counter (in-memory or Redis) per user/IP that increments on each request. If count exceeds limit (say 100 req/min), reject with 429 status. Use `setTimeout` or a periodic reset to reset counters. In Express, you could write middleware: check/increment counter from `req.ip` and call `next()` or send an error. Mention npm packages (e.g. `express-rate-limit`) but be prepared to code a simple version. Reddit suggests this as a common take-home 【68†L413-L417】 .

13. **“How do you optimize a Node.js application for performance?”** (Performance)

Answer Outline: Profile and identify bottlenecks (use Chrome DevTools, `node --inspect`, or `clinic.js`). Offload CPU-intensive tasks to worker threads or separate microservices. Use caching (Redis) for repeated queries. Enable clustering (Node’s `cluster` module) or run multiple instances in containers behind a load balancer to utilize multi-core CPUs 【66†L307-L310】 . Reduce synchronous/blocking calls (use `async/fs` streaming for I/O), and optimize database queries (indexes). Use CDN for static content and compress responses. Monitor memory usage to avoid leaks (via heap snapshots). These align with r/node recommendations 【68†L379-L388】 .

14. **“What AWS services might you use for this backend?”** (Cloud/Deployment)

Answer Outline: Possible stack: deploy Node app on AWS EC2 instances or Elastic Beanstalk (managed servers). Use AWS RDS for MySQL, or DynamoDB as a NoSQL alternative. Use S3 for storing assets or lessons content. Use AWS Lambda + API Gateway for serverless functions (if appropriate). For caching, AWS ElastiCache (Redis/Memcached). Use CloudWatch for logging/monitoring. Tie in knowledge: the RockED job ad lists AWS knowledge as a plus 【72†L119-L123】 , so candidates should mention at least these core services and deployment strategies (CI/CD pipelines, Docker on ECS/EKS, etc.).

15. **“Tell me about a time you resolved a difficult bug or outage.”** (Behavioral)

Answer Outline: STAR structure: Situation (briefly describe context), Task (what needed fixing), Action (step-by-step solution), Result (outcome and lesson). For example, “In a past project we had a Node memory leak under high load. I traced it using heap profilers, found an unclosed DB connection, fixed it by properly releasing resources and adding monitoring, which resolved the crash.” The key is demonstrating problem-solving, debugging skills, and accountability. No direct RockED source, but such behavioural Qs are standard and test fit. Also be ready for “Why RockED?” – align your answer with their automotive learning mission or startup culture.

16. **“Have you worked at a startup before?”** (Behavioral) 【33†L262-L270】

Answer Outline: The Glassdoor feedback mentions this question and a confusing context (data structures vs MySQL) 【33†L262-L270】 . A good answer: highlight any startup or scaleup experience you have (roles, fast-paced environment). If not, emphasize adaptability, learning mindset, and examples of thriving with minimal process. For example, “At my previous company (a growing startup), I regularly took ownership of new features end-to-end, which is similar to what RockED expects” – tying back to “modern backend stacks, long-term vision” from the job post 【72†L109-L117】 .

17. **“What is Sequelize and how have you used it?”** (ORM/DB)

Answer Outline: Sequelize is a Node.js ORM for SQL databases (e.g. MySQL/PostgreSQL). It provides models, migrations, and query builders in JS/TS. Explain defining models (e.g. `User.findAll({ where: {active: true} })`). Discuss how associations (hasMany, belongsTo) enforce relationships. If possible, mention any performance caveats (N+1 queries) and use of raw queries when needed. RockED mentions Sequelize as a plus [72†L119-L123], so showing familiarity or ability to learn is favorable.

18. **“Describe how you would implement a simple caching layer.”** (Performance/Cache)

Answer Outline: Use an in-memory cache like Redis. For example, before querying the database for user data, check `cache.get(userId)`. If present, return it; if not, fetch from DB and then `cache.set(userId, userData, TTL)`. Use appropriate TTL (time-to-live) to avoid stale data. In Express, wrap routes with cache middleware. Also mention client-side (CDN) or browser caching for static assets. Consider cache invalidation: e.g. clear or update cache after a write. This relates to system design (caching question) [66†L299-L303].

19. **“How do you prevent security issues like SQL injection or XSS?”** (Security) [61†L1-L4]

Answer Outline: For SQL injection, always use parameterized queries or ORMs (like Sequelize) to avoid concatenating user input into SQL. Sanitize/validate inputs. For XSS, encode output when rendering HTML or use templating that auto-escapes. Use libraries (e.g. `helmet` middleware in Express) to set secure headers. For CSRF, use tokens (e.g. CSRF cookies) or same-site cookies, although REST APIs often avoid by requiring tokens. The Medium blog question explicitly covers XSS, SQLi, CSRF [61†L1-L4], so mention each and mitigation strategies (e.g. `res.locals` sanitization, HTTPS).

20. **“Whiteboard coding: build a URL shortener backend.”** (Coding Problem)

Answer Outline: Similar to the design Q, but focused on implementable code. Sketch an Express app with two routes: `POST /shorten` that accepts a long URL, generates a random slug (or increments counter), saves to a Map or DB (`{slug: longUrl}`), and returns `http://service/{slug}`. `GET /:slug` looks up the slug and redirects (`res.redirect(longUrl)`). Show minimal code in Node (e.g. using `express`). Mention using `crypto` or incremental ID (base62) for slug. Emphasize error handling for missing slug. This demonstrates practical Node/Express and REST skills.

(Out of these, all except #15 and #16 were explicitly or implicitly gathered from sources above. Behavioral/HR answers require personal experience but align with known questions. Coding tasks are typical backend exercises.)

Common Pitfalls & Tips


- **Environment Setup:** As one candidate noted, RockED’s coding setup was outdated (CommonJS) requiring on-the-fly fixes [33†L225-L234]. **Tip:** Ask before interview what stack/version you’ll use, or be ready for legacy code. Confirm whether modules should be imported via `require` or `import`.
- **Clarify Questions:** The Engineering Manager interview highlighted confusion over “data structures vs MySQL” [33†L262-L270]. **Tip:** When asked ambiguous terms (e.g. “prepare data structures?”), clarify immediately. Don’t assume they mean algorithmic DS if they hint at databases.

- **Handle Interruptions:** The same candidate experienced frequent interruptions about using a second screen [33†L229-L234] . **Tip:** Set expectations (e.g. “I have two monitors; should I disable one?”). Politely refocus on the problem if distracted.
- **Follow-Up Professionalism:** SDET interviewees were ghosted without feedback [16†L283-L292] . **Tip:** Always send a thank-you note post-interview. If waiting, a concise follow-up email in 1–2 weeks is acceptable. If there’s still no response, move on but stay polite.
- **Start-up Culture Questions:** RockED values startup experience [72†L113-L117] . **Tip:** Even if you lack startup history, emphasize adaptability (e.g. “We were a 10-person team so I often wore multiple hats”). Show readiness to take broad ownership.
- **AI/Innovation Focus:** The job repeatedly mentions leveraging AI/ML [50†L87-L95] [72†L121-L123] . **Tip:** Review any AI/ML initiatives at RockED (e.g. “automotive training via AI”). Be prepared to discuss using AI tools or any ML/AI knowledge, even at a high level (no candidate account specifically asked AI questions, but it’s a theme).
- **Technical Breadth:** Candidates report tasks “were simple” but expected broad knowledge [33†L229-L234] . **Tip:** Review basics thoroughly: Node/Express coding, SQL queries, REST CRUD operations. Expect easy-to-medium algorithm questions too, since Glassdoor notes backend roles rated “hardest” (though the one cited simply found tasks trivial) [15†L90-L95] .

Suggested Study Plan & Mock Checklist

- **Weeks 1–2:** Refresh core JavaScript/TypeScript: closures, async/await, promises, event loop. Practice Node basics: build small Express APIs (CRUD endpoints). Review SQL queries (joins, GROUP BY) and schema design.
- **Weeks 3–4:** Focus on system design fundamentals: read up on designing scalable services (use [66†] style questions as practice prompts). Do mock designs: e.g. draw and explain architecture for chat app, notification service, etc.
- **Weeks 5:** Algorithm and coding practice: implement common data structures (LRU cache, queue) and solve Node-specific problems (e.g. promise utilities, rate limiter middleware). Use sites like LeetCode for backend problems (hash tables, concurrency).
- **Week 6:** DevOps/Cloud: brush up on deploying Node (AWS: EC2, Lambda, RDS, S3). Review containerization (Docker) and CI/CD basics.
- **Interview Simulation:** Use a friend or platform (Pramp, interviewing.io) to do a full mock: technical questions + system design + behavioral. Ensure you can explain past projects succinctly.
- **Checklist:**
 - [] Can code basic Express routes with middleware.
 - [] Comfortable converting callback code to async/await.
 - [] Can design a simple REST API from scratch.
 - [] Reviewed asynchronous debugging (e.g. `node --inspect`).
 - [] Prepared examples for behavioral (teamwork, conflict, leadership).
 - [] Researched RockED’s product (automotive e-learning) and culture (startup, US/India).
 - [] Tested interview setup: IDE, internet, VSCode, linters.

Interview Process Flow (Example)



This chart represents a **typical RockED interview flow**: a recruiter screen followed by a coding test (25% of candidates) 【15†L99-L105】 , then two to three one-on-one tech interviews (50%) 【15†L99-L105】 including system design, and finally HR/cultural rounds. Note that actual steps can vary (e.g. Eng Manager faced 7 rounds 【33†L262-L270】) and some steps (like a take-home) may occur. Throughout, candidates should anticipate both broad technical questions and role-specific scenarios.

Question Frequency & Difficulty (Summary Table)

Topic	Example Questions	Approx. Frequency	Difficulty
JavaScript Fundamentals	Event loop? Promises vs async/await? 【56†L249-L257】 【68†L392-L400】	Very High	Easy-Medium
Node.js/Express	Describe Node.js/Express workflow. 【51†L187-L195】 ; middleware, routing	Very High	Medium

Topic	Example Questions	Approx. Frequency	Difficulty
System Design	Design chat app, URL shortener, caching. 【66†L281-L288】 【66†L299-L307】	Medium-High (senior rounds)	Hard
Databases (MySQL/Mongo)	SQL joins? ACID vs CAP? 【72†L109-L112】	High	Medium
REST/API	HTTP codes? Implement API endpoints. 【16†L291-L295】 【56†L249-L257】	Very High	Easy-Medium
Performance/Debugging	Memory leaks? Event loop blocking? 【68†L379-L388】	Medium	Medium-Hard
Security	XSS/SQLi/CSRF prevention? 【61†L1-L4】	Medium	Medium
Behavioral/HR	Tell me about yourself. Why RockED? 【51†L187-L195】	Very High	Easy-Medium
Coding Problems	LRU cache? Rate limiter? Concurrency handling? 【68†L408-L417】	Medium	Medium-Hard
AWS/Deployment	AWS Node deployment? 【72†L119-L123】	Low-Medium	Medium

(Frequency: Very High = core expected topics, Medium = likely asked if relevant, Low-Medium = niche or advantage topics. Difficulty: based on conceptual depth and expected knowledge.)

Gaps & Confidence

Most of the above is drawn from first-hand reports or well-known Node interview resources. **Gaps include:** no direct candidate quotes on AWS questions, little on front-end frameworks (not asked), and sparse details on coding rounds. Where sources lacked specifics, we used common backend interview norms. Items like system design questions are inferred from LinkedIn lists 【66†L281-L288】 rather than actual RockED interviews, so frequency is assumed. The credibility of Glassdoor and LinkedIn is medium-to-high for factual content, while reddit provides community consensus (medium credibility). Any low-confidence points (e.g. exact breakdown of question frequencies) are noted as estimates.