


Отчет

Сальников Никита 3832


Создание репозитория и добавление файла .gitignore



The screenshot displays the Visual Studio Code interface. The Explorer sidebar on the left shows a folder named 'CH' containing files: '.gitignore', 'text1.txt', 'text2.txt', and 'новый репозит...'. The main editor area shows the content of the '.gitignore' file, which contains two lines: '*.png' and a blank line. The Terminal panel at the bottom shows the execution of the following commands in a PowerShell session:

```
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH> git config user.name "никита сальников"
fatal: not in a git directory
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH> git config user.name "Никита Сальников"
fatal: not in a git directory
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH> git config user.name "CH"
fatal: not in a git directory
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH> git init
Initialized empty Git repository in //srv-gis/work/!TK_ИС_3 курс\РКИС ТИС\3832\CH/.git/
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH> git config user.name "никита сальников"
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH> git config user.email Nikitka10883@gmail.com
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH>
```

Создание новой ветки для изменений



The screenshot shows the Visual Studio Code interface with a file explorer on the left and a terminal at the bottom. The file explorer shows a folder named 'CH' containing files: '.gitignore', '1.PNG', 'text1.txt', 'text2.txt', and 'новый репозиторий ...'. The terminal window shows the following commands and output:

```
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH> git config user.name "никита сальников"
fatal: not in a git directory
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH> git config user.name "Никита Сальников"
fatal: not in a git directory
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH> git config user.name "CH"
fatal: not in a git directory
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH> git init
Initialized empty Git repository in //srv-gis/work/!TK_ИС_3 курс\РКИС ТИС\3832\CH/.git/
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH> git config user.name "никита сальников"
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH> git config user.email Nikitka10883@gmail.com
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH> git add .
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH> git commit -m "изменение ветки"
[master (root-commit) ef1c69d] изменение ветки
5 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 .gitignore
create mode 100644 1.PNG
create mode 100644 text1.txt
create mode 100644 text2.txt
create mode 100644 "\320\275\320\276\320\262\321\213\320\271 \321\200\320\265\320\277\320\276\320\26
7\320\270\321\202\320\276\321\200\320\270\320\271 \320\270 \321\202\320\265\320\272\321\201\321\202\3
20\276\320\262\321\213\320\265 \321\204\320\260\320\271\320\273\321\213.PNG"
PS Z:\!TK_ИС_3 курс\РКИС ТИС\3832\CH>
```


At the bottom of the terminal window, there is a small grey box with the text 'Прямоугольник' (Rectangle).

Слияние с новой веткой

The screenshot displays the Visual Studio Code interface. The Explorer view on the left shows a file tree for a project named 'CH' located at 'C:\Users\user\source\repos\CH'. The files listed are '.gitignore', '1.PNG', '2.PNG', 'text1.txt', and 'text12.txt'. The main editor area shows the content of 'text12.txt', which is currently empty. The TERMINAL view at the bottom shows a PowerShell session with the following commands and output:

```
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git config user.name "Никита Сальников"
fatal: not in a git directory
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git config user.name "CH"
fatal: not in a git directory
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git init
Initialized empty Git repository in //srv-gis/work/!TK_IC_3 курс\РКИС ТИС\3832\CH/.git/
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git config user.name "никита сальников"
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git config user.email Nikitka10883@gmail.com
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git add .
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git commit -m "изменение ветки"
[master (root-commit) ef1c69d] изменение ветки
 5 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 .gitignore
 create mode 100644 1.PNG
 create mode 100644 text1.txt
 create mode 100644 text2.txt
 create mode 100644 "320\275\320\276\320\262\321\213\320\271 \321\200\320\265\320\277\320\276\320\26
7\320\270\321\202\320\276\321\200\320\270\320\271 \320\270 \321\202\320\265\320\272\321\201\321\202\3
20\276\320\262\321\213\320\265 \321\204\320\260\320\271\320\273\321\213.PNG"
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git add .
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git commit -m "изменение файла"
[master 91c6b2d] изменение файла
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 2.PNG
 rename text1.txt => text12.txt (100%)
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git branch "vetka2"
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git status
On branch master
nothing to commit, working tree clean
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git add .
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git checkout vetka2
Switched to branch 'vetka2'
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git merge "master"
Already up to date.
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH>
```

Слияние и последующее выполнение с ошибкой




The screenshot shows the Visual Studio Code interface with a terminal window open. The Explorer pane on the left shows a file structure with a folder named 'CH' containing several files: .gitignore, 1.PNG, 2.PNG, 3.PNG, text21.txt, text123.txt, and a new repository. The terminal window shows the following commands and output:

```
Fast-forward
 3.PNG | Bin 0 -> 79178 bytes
text2.txt => text21.txt | 0
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 3.PNG
rename text2.txt => text21.txt (100%)
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git add .
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git commit -m "изменение в основной ветке"
[master ec03374] изменение в основной ветке
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 4.PNG
rename text12.txt => text123.txt (100%)
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git checkout vetka2
Switched to branch 'vetka2'
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git add .
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git commit -m "ошибка"
[vetka2 9e899cb] ошибка
1 file changed, 0 insertions(+), 0 deletions(-)
rename text12.txt => text123.txt (100%)
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git add .
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> got commit -m "ошибка"
got : Имя "got" не распознано как имя командлета, функции, файла сценария или выполняемой программы.
Проверьте правильность написания имени, а также наличие и правильность пути, после чего повторите п
опытку.
строка:1 знак:1
+ got commit -m "ошибка"
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (got:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git add .
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git commit -m "ошибка"
On branch vetka2
nothing to commit, working tree clean
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH>
```

История изменения



The screenshot shows the Visual Studio Code interface with a terminal window open. The Explorer sidebar on the left shows a file tree for a repository named 'CH' containing files like .gitignore, 1.PNG, 2.PNG, 3.PNG, 5.PNG, text21.txt, and text123.txt. The main editor area shows the content of text123.txt, which contains the number '1'. The terminal window, titled 'powershell', displays the output of several git commands:


```
+ ~~~~
+ CategoryInfo          : ObjectNotFound: (got:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

PS Z:\!TK_ИС_3 курс\ПКИС ТИС\3832\CH> git add .
PS Z:\!TK_ИС_3 курс\ПКИС ТИС\3832\CH> git commit -m "ошибка"
On branch vetka2

PS Z:\!TK_ИС_3 курс\ПКИС ТИС\3832\CH> git log --graph
* commit 9e899cb464323c3dde0c5c65a254f9e8f2166e55 (HEAD -> vetka2)
| Author: никита сальников <Nikitka10883@gmail.com>
| Date: Sat Sep 12 12:06:59 2026 +0300
|
| ошибка
|
* commit 36b1986b028eea271d170aad1f4f65e47da614ce
| Author: никита сальников <Nikitka10883@gmail.com>
| Date: Sat Sep 12 12:02:25 2026 +0300
|
| слияние веток
|
* commit 91c6b2de80ce4df76897f9480d3e7285f1b37fd8
| Author: никита сальников <Nikitka10883@gmail.com>
| Date: Sat Sep 12 11:58:09 2026 +0300
|
| изменение файла
|
* commit ef1c69d77fe2d6f7a05287e0defe29fe10641c54
| Author: никита сальников <Nikitka10883@gmail.com>
| Date: Sat Sep 12 11:56:39 2026 +0300
|
| изменение ветки
PS Z:\!TK_ИС_3 курс\ПКИС ТИС\3832\CH>
```

The status bar at the bottom indicates the current branch is 'vetka2*', the cursor is at line 1, column 1, and the file encoding is UTF-8. The system clock shows 14:55 on 16.09.2026.

Подключение гитхаба



The screenshot shows the Visual Studio Code interface with a terminal window open. The Explorer pane on the left shows a file structure with a folder 'CH' containing files like .gitignore, 1.PNG, 2.PNG, 3.PNG, 5.PNG, 6.PNG, text21.txt, and text123.txt. The terminal window displays the following output:


```
* commit ef1c69d77fe2d6f7a05287e0defe29fe10641c54
Author: никита сальников <Nikitka10883@gmail.com>
Date: Sat Sep 12 11:56:39 2026 +0300

изменение ветки
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git remote add origin https://github.com/nikitka10883-oss/lol.git
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git branch -M main
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git push -u origin main
remote: Permission to nikitka10883-oss/lol.git denied to GypsyCrusaderLover.
fatal: unable to access 'https://github.com/nikitka10883-oss/lol.git/': The requested URL returned error: 403
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 13, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 4 threads
Compressing objects: 100% (12/12), done.
Writing objects: 100% (13/13), 161.90 KiB | 9.52 MiB/s, done.
Total 13 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), done.
To https://github.com/nikitka10883-oss/lol.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH> pull
pull : Имя "pull" не распознано как имя командлета, функции, файла сценария или выполняемой программы. Проверьте правильность написания имени, а также наличие и правильность пути, после чего повторите попытку.
строка:1 знак:1
+ pull
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (pull:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException


PS Z:\!TK_IC_3 курс\РКИС ТИС\3832\CH>
```

The status bar at the bottom shows the current file is 'main*', the encoding is UTF-8, and the language is Russian (РУС). The date and time are 15:05 on 16.09.2026.

Создал README.md и сохранил его



Получил изменения с GitHub с помощью команды pull , чтобы скачать файл README.md .



The screenshot shows the Visual Studio Code interface with a terminal window open at the bottom. The Explorer panel on the left shows a file structure with a folder named 'CH' containing several files: .gitignore, 1.PNG, 2.PNG, 3.PNG, 5.PNG, 6.PNG, 7.PNG, text21.txt, text123.txt, and a 'новый репозиторий ...' (new repository ...) icon. The main editor area shows the content of 'text123.txt', which contains the number '1'. The terminal window is titled 'powershell' and shows the following commands and output:

```
PS Z:\!TK_ИС_3 курс\ПКИС ТИС\3832\CH> git remote add origin https://github.com/nikitka10883-oss/lol.git
PS Z:\!TK_ИС_3 курс\ПКИС ТИС\3832\CH> git branch -M main
PS Z:\!TK_ИС_3 курс\ПКИС ТИС\3832\CH> git push -u origin main
remote: Permission to nikitka10883-oss/lol.git denied to GypsyCrusaderLover.
fatal: unable to access 'https://github.com/nikitka10883-oss/lol.git/': The requested URL returned error: 403
PS Z:\!TK_ИС_3 курс\ПКИС ТИС\3832\CH> git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 13, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 4 threads
Compressing objects: 100% (12/12), done.
Writing objects: 100% (13/13), 161.90 KiB | 9.52 MiB/s, done.
Total 13 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), done.
To https://github.com/nikitka10883-oss/lol.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
PS Z:\!TK_ИС_3 курс\ПКИС ТИС\3832\CH> pull
pull : имя "pull" не распознано как имя командлета, функции, файла сценария или выполняемой программы. Проверьте правильность написания имени, а также наличие и правильность пути, после чего повторите попытку.
строка:1 знак:1
+ pull
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (pull:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

PS Z:\!TK_ИС_3 курс\ПКИС ТИС\3832\CH> git pull
Already up to date.
PS Z:\!TK_ИС_3 курс\ПКИС ТИС\3832\CH>
```

The status bar at the bottom shows 'Ln 1, Col 1', 'Spaces: 4', 'UTF-8', 'CRLF', 'Plain Text', 'Go Live', and the time '15:09' on '16.09.2026'.