

REPORT ON FOOD DELIVERY

**Submitted in the partial Fulfilment of Master of
Computer Application**

To

UTTARANCHAL UNIVERSITY



Under the supervision of

Dr. Rajiv Kumar

Associate Professor

Dept. of Computers Application
UIM

Submitted by

Km. Saloni

MCA 6th SEM

RollNo:0820000013

TABLE OF CONTENT

i. Acknowledgement	
ii. Declaration	
iii. Certificate of Originality	
vi. Certificate	
1. Introduction.....	1
2. Objective.....	2
3. System Analysis.....	3-18
• Identification of need.....	3
• Preliminary investigation.....	4
• Feasibility study.....	5-6
• Project planning.....	7
• Project scheduling.....	8-9
➤ Pert Chart.....	8
➤ Gantt Chart.....	9
• Software Requirement Specification.....	10-12
• Software Engineering Paradigm.....	13-19
➤ Activity Diagram.....	15
➤ DFD	18-19
➤ ER Diagram.....	16-17
• System Design.....	19-27
➤ Modularization details.....	19-20
➤ Data integrity & constraints.....	20-21
➤ Database design.....	21-23
➤ User interface design.....	23-27
• Testing.....	27-29
• System Security Measures.....	30
• Reports.....	30
• Future Scope and Further Enhancement.....	32
• Appendices.....	33-46
➤ Coding.....	33-98
➤ Bibliography.....	99-100

ACKNOWLEDGEMENT

The most awaited moment of any Endeavour is successful completion, but nothing can be done successfully if done alone. Success is the outcome of contribution and consistent help of various persons and we thank those ones who helped us in successful completion of this project.

First and foremost, we would like to “**Dr. PRADEEP SURI**”, Dean , UIM for providing a healthy and encouraging environment to study.

We profusely thankful to the “**Dr. SONAL SHARMA**” HOD Dept. IT and our guide “**Dr Rajiv Kumar**”. Both have been generous enough to provide us an opportunity and accepting our candidature for the most valuable guidance and affordable treatment given to us at every stage to boost our morale. We express our sincere gratitude to our colleagues with whom we have fruitful discussions which have helped us a lot in giving a final shape to the program.

Student Name:

Km. Saloni

Roll No: 0820000013

MCA 6th SEM

DECLARATION

I hereby declare that the project work entitled “**FOOD DELIVERY ” submitted** to the “**Uttaranchal Institute of Management**”, is a record of an original work done by me under the guidance of “DR RAJIV KUMAR” and this project work has not performed the basis for the award of any Degree or diploma/ associate ship/fellowship and similar project if any.

Student Name:

Km. Saloni

Roll No: 0820000013

MCA 6thSEM

CERTIFICATE OF ORIGINALITY

This is to certify that Km. Saloni student of 6th semester under doing MCA, have completed the Project Entitled **“FOOD DELIVERY”**, **Uttaranchal Institute of Management, Dehradun**.

For the Batch (2019-2021)

Under the guidance of:

DR RAJIV KUMAR

Associate Professor

Dept. of computer application

Uttaranchal University, Dehradun

CERTIFICATE

REMARK SKILL EDUCATION



Course Completion Certificate

We are honored to present this certificate to

Km Saloni

On successful completion of Remark Skill Live Online
Industrial Training & Internship Program
from 4th Mrch to 4th June 2021

COURSE

DATA SCIENCE USING PYTHON



Hitesh Kumar
Co-Founder

Madhu Das
Co-Founder

1.INTRODUCTION: -

In today's global world our fooding habits have changed a lot. We all propose to have readymade food that serves our cravings now and then. The culture of food has changed a lot over time. We all demand different food, at different times. Also, the food must be readily available as per our taste and moods. We live in a generation where we are loaded with technology and want everything in our footsteps. The concept of Food has changed as Food itself has become a community.

The purpose of this project is to design a platform is to create a link in food, food providers, and food customers. This project will be a unique mix of Food-related activities Where the café and restaurants can update their menu which is available for their customers, the customers can order their favorite food from their favorite fooding place.

With the increase in population and increase in Fooding demands it is hard to keep telephonic records of the orders and payment activities. So this FOODHUB provides an all-in-one platform for orders, payments, and records of all our fooding needs.

Whenever people visit a city they experience the city with their food and culture, so this website is the experience and a free tour to the type of food available for the people there. Just logging in can give you all the information about the café around and all you need to do is just order it and wait for it.

The project takes the queue system out, Just order and relax. Food ordered online is also a great experience as the growing virus system, it is unsafe to go out, and have your favorite food. This system provides an elevated platform for meaningful social and culinary engagement to build a strong connection with city food.

1.1. **OBJECTIVES: -**

The Food Hub's major goal is to control the food orders and their payment activities. The customer must be able to order his/her favorite food just by staying at home and from his favorite place.

The basic objective of this project is: -

- It is a way to order food over the Internet.
- This makes it easy to browse all the available food.
- This gives a brief idea of all the restaurants available around with their menu.
- Helps you get the food at your doorstep.
- This manages the delivery and orders.
- The payments can be made online.
- Integration of all the information related to the order.

2 SYSTEM ANALYSIS: -

System Analysis is a process to determine the attributes used to meet the needs of the project. These attributes determine how we will manage to reach the goal of our project and what process will be used. It indicates all the tools and techniques used to make the project in the best possible working state.

System analysis is done to propose the creation and development of the website. This is the study that how the website will function currently. This is to specify the problems of the proposed system and its requirements.

System analysis is conducted with the following purposes in mind: -

- Recognize consumer's need.
- Assess system opinion for feasibility.
- Carry out technical and economic analysis.
- Setup cost and schedule attributes.
- Create a system specification that will serve as the foundation for all later engineering effort.

2.1 Identification of need: -

The basic need to propose this project was to create a platform for customers to: -

Earlier one has to visit the hotel, restaurant, or café to order the food and pay, they have to be present physically to order the food for themselves.

- This method also reduces the operating cost.
- This enables the collection of the order in a well-managed way.
- The customer and the provider will be very sure of what is ordered and also in what quantity as there is a record of that.
- Also the benefits of online payments.

The key advantage of my system is that it greatly simplifies the ordering process for both the consumer and the restaurant, as well as drastically reducing the workload on the restaurant's end, as the entire ordering process is automated.

2.2 Preliminary Investigation: -

This project is proposed due to the increase in cultural food which opens a lot of options for a variety of food. The customers have the capability now to choose from loads of available options that what he wants to eat and also from where he wants to eat. The problem was visiting restaurant to restaurant for their favorite food, now all the customer has to do is to add all he wants in the cart, and voila, the food is on the doorstep.

The project can take the customer on a tour of all food options he has available in the nearby market. Earlier the customer has to roam about for all the food he needs, and ordering them from different places was such a mess, now all he has to do is to add them in his cart and done.

We can develop a better system and lower the chance of project failure if we have a clear grasp of the problem. It also states what resources must be made available to the project. The project's term of reference refers to three crucial factors: the project aim, project bounds, and resource restrictions.

2.3 Proposed System: -

The FOOD HUB is a very friendly software which helps the users to place the online order of food whichever they want to eat. There was no existing system, the customer used to give orders via telephone, which requires someone to take calls. Also, there can be many communication errors during the time of order placement.

The System allows the customer and the restaurant owner to keep a perfect record of all the orders.

Mainly the requirements of this website are categories into: -

- Functional requirements
- Non-functional requirements

2.3.1 Functional requirements of this project: -

- Login
- Register
- Cart Management

- Payment

2.3.1 Non-Functional Requirement: -

- Portability
- Reliability
- Ease of Use
- Security
- Attractive and Interactive
- Provide Better Services

2.4 Feasibility Study: -

The website is a solution to the manual problem of reaching every cafe or restaurant for order placements, as the customer can have a look at all the available options by just clicking on the website.

Now we will have a look at how this project is feasible by all means.

2.4.1 Technical Feasibility: -

The technology which can be used to generate this website is a handful and can be used from any system. the main technologies used for this project are: -

- Html
- CSS
- JavaScript
- MY SQL

As we all use the internet in today's era we can easily access the website and use it to order our food online. The technology is safe and secure for people to use. The technical skills required to manage the project are very easy.

Initially, the website will be hosted on free web hosting space, But for later implementation, it will be deployed on a paid web hosting page.

2.4.2 Economic Feasibility: -

We require a low-cost Domain and Hosting for the establishment of an online website. The only investment and monthly cost of maintaining the website domain or hosting necessary on an online platform are the domain and hosting costs..

Project Benefits: -

- Faster and reliable.
- Easy to access.

Project Cost: -

- Update database and maintained webpage.
- Domain and hosting maintenance.

Benefits: -

- Scope and scale of project.
- When end user traffic increases so the benefits also increase

2.4.3 Operational Feasibility: -


This software is very easy to operate as it is made user friendly with the help of very effective GUI tools. The system is easily operable, the customer just need to log in and register, and then add the local address to get access to all nearby fooding places.

2.4 Project Planning: -

- At First, we created the idea of how our website will work, and how our platform will be created.
- Next, we acknowledge the needs and requirements for the development of a website that can shape this process more quickly and easily.
- Food Hub is a website for customers to order food online around their locality.
- We choose the language or platform for the development of this system based on the system's requirements, and we understand that bootstrap is appropriate for this project.
- Next, we choose the modules and sub-modules essential for the system and the work to be accomplished by each module.
- Next, we generate the blueprint or the data models for the system.
- Next, we develop the project's front-end using BOOTSTRAP, JAVASCRIPT, and HTML.
- Next, we design the database, tables, and attributes and designed the back-end My SQL.

2.5 PROJECT SCHEDULING: -

2.5.1 PERT CHART: -



A – Information Gathering

B – Analysis

C – Designing

D – Designing Front-end


E – Designing Back-end

F - Coding

G – Testing

H- Final Project

2.5.2 GANTT CHART: -



2.6 Software Requirements Specification (SRS): -

2.6.1 Introduction: -

This system is just not used to place online orders they give the customers the capability to view the dishes from home and also their price, so they can choose easily what to order and in what quantity.

This system simplifies the complexity for both customers and restaurants.

Customers can check the detail, and quantity ordered before checking out, and it makes easy for a restaurant to keep the perfect record of the order placed.

The SRS document's next section provides an overview of the full SRS.

Purpose:

The project's goal is to provide information on all of the culinary options accessible in their area. This software will help the admin to maintain the details of the orders of the customers.

Scope:

The software will be used by the Seller and Customers. The customers are likely to place order and the admin to keep the track of orders. Because the data will be saved in a database, it will be secure.

Benefits:

This system reduces complexity while increasing efficiency, accessibility, and time savings.

2.6.2 Hardware and Software Used: -

HARDWARE REQUIREMENTS: -

The hardware for the implementation of the proposed system is as follows:

- Intel processor is recommended.
- 1 Gigabyte (GB) or higher of RAM recommended. minimum 512 MB
- 60GB or higher of HOD recommended.
- Internet or a local host.
- SVGA monitor

SOFTWARE REQUIREMENTS: -

The software requirements are as follows:

- Apache server with configuration.
- MYSQL database management software
- Microsoft internet explorer or any other web browser
- Windows XP or higher operating system

Software language used: -

Fronted: Java Script, HTML, Bootstrap.

Backend: MYSQL Server


2.8 Software

2.8.1 WATERFALL MODEL: -

Development Life Cycle Model

The waterfall model was selected as the SDLC model due to the following reasons:

- Requirements were very well documented, clear and fixed.
- Technology was adequately understood.
- Simple and easy to understand and use.
- There were no ambiguous requirements.
- Easy to manage due to the rigidity of the model. Each phase has specific deliverables and a review process.
- Clearly defined stages.
- Well understood milestones. Easy to arrange tasks.



Flow Chart:

A flowchart is a type of diagram that represents a workflow or process. A flowchart also can be defined as a diagrammatic representation of an algorithm, a step-by-step approach to solving a task.[6]




Fig. 4.5

4.6 USE CASE DIAGRAM:

Use case diagram is a graphical depiction of user's possible interactions with a system. A use case diagram shows various use cases and different types of users the system has and will often be accompanied by the other types of diagrams as well.




Fig. 4.6

4.7 USER ACTIVITY DIAGRAM

User activity diagram is a graphical representation of user's actions and activities. It is intended to model both computational and organizational processes(i.e., workflow).[8]




Fig. 4.7

4.8 ADMIN ACTIVITY DIAGRAM

Admin activity diagram is a graphical representation of admin actions and activities. Activities model can be sequential and concurrent.





Fig. 4.8

4.9 E-R DIAGRAM:


An entity-relationship version describes interrelated matters of hobby in a selected area of knowledge. An basic ER model is composed of entity types and specifies relationship that exist between entities.[0]

Fig. 4.9



4.10 Data Flow Diagram (DFD):


Dfd (Data Flow Diagram) is a way of representing a flow of data through a process or a system. The DFD also provide information about the outputs and inputs of ech entity and the process itself. It has no control flow, there are no decision rules and no loops.[10]



0


Level Dfd

Fig. 4.10.1



Level 1Dfd for customer

Fig. 4.10.2



Level 2 Dfd for Admin

Fig. 4.10.3

5. SYSTEM DESIGN

5.1 Modularization details:

1. Admin:

- Manage users
- Manage Category of food and restaurant
- Manage coupon
- View order request from customers.
- View feedback was given by customers.
- Manage employee
- Report generation

2. User:

- Manage profile
- View food and restaurant categories
- View coupon packages
- View services
- Give feedback

3. Restaurants:

- View orders
- View feedback
- View sales

4. Guest Users:

- View food and restaurant categories
- View coupon packages
- View services
- Give feedback

5.2 Data Integrity And Constraints

Unit checking out, additionally called factor checking out refers to exams that affirm the capability of a selected phase of code, normally on the feature level. In an object-orientated environment, that is normally on the magnificence level, and the minimum unit exam sen compass the constructors and destructors.

VALIDATION AND CONSTRAINTS:-

If you did not input any value than error will generate in registration:

The screenshot shows a web browser window with the URL `localhost/online_food_ordering_system/vendor-new.php`. The page is titled "Food Hunt" and has a navigation bar with links: Home, About, Services, and Contact. The registration form contains the following fields and values:

- Email: `doondb@gmail.com`
- Password: `*****`
- Mobile: `8393829191`
- Phone: `0111234567`
- Address: `Enter Address`
- File Upload: "Choose File" button, "No file chosen" text, and an "Upload Logo" button.

A blue border highlights the "Address" field. A tooltip message says "Please fill out this field." Below the form is a "Register" button. The footer contains two sections: "ADMIN SECTION" with a link to "Admin Login" and "HOTEL LINKS" with a link to "Register On food hunt".

Fig 5.2.1

If you input wrong values than error will generate in login:

The screenshot shows the same registration form as Fig 5.2.1, but with an error message. The "Phone" field now contains `011123`. A tooltip message with an exclamation mark icon says "Please match the requested format." The "Address" field now contains `Clock tower, Dehradun`. The "File Upload" section remains the same. The "Register" button is still present. The footer is identical to the previous figure.

Fig 5.2.2

5.3 Database Design:

Admin registration:

This table stored the record of the Admin.

Options				fld_id	fld_username	fld_password
<input type="checkbox"/>				1	admin	admin@123

Fig 5.3.1

Hotel registration:

This table stored the list of Hotel:

Options									fldvendor_id	fld_name	fld_email	fld_password	fld_mob	fld_phone	fld_address	fld_logo
<input type="checkbox"/>									22	Hotel Radison	vendor1@gmail.com	vendor1	7503515386	114565457	noida	46388969.jpg
<input type="checkbox"/>									23	Hotel Picasso	vendor2@gmail.com	vendor2	7503515385	114565457	C-33, SWARN PARK, MUNDKA	46388969.jpg
<input type="checkbox"/>									24	Kalra Sweet Shop	kalra@gmail.com	12345678	9997271968	111234567	Tyagi market, Premnagar, Dehradun	hameedi12.jpg
<input type="checkbox"/>									25	Taneja Restaurant	taneja@gmail.com	12345678	8273455682	111234567	premnagar chowk, Dehradun	best-nonveg-restaurants-in-ramanathapuram-500x500....
<input type="checkbox"/>									26	Doon Darbar	doondb@gmail.com	123456789	8393829191	111234567	Clock tower, Dehradun	chicken-curry-recipe.jpg

Fig 5.3.2

Customer registration:

This table stored the record of customer.

Options							fld_cust_id	fld_name	fld_email	fld_mobile	password
<input type="checkbox"/>							1	gajender	customer1@gmail.com	7503515382	customer1
<input type="checkbox"/>							2	sanjay	customer2@gmail.com	7503515386	customer2
<input type="checkbox"/>							3	saana	customer3@gmail.com	7503515383	customer3
<input type="checkbox"/>							4	bharat	jovep36677@itymail.com	9639638507	bharat
<input type="checkbox"/>							5	Hemant Mehra	tepog25791@exserver.top	9639638507	himmi@123
<input type="checkbox"/>							6	Hemant Mehra	hemantmehra047@gmail.com	9639638507	hemant@123

Fig 5.3.3

Order:

This table stored the record of all the orders:

Options		fld_order_id	fld_cart_id	fldvendor_id	fld_food_id	fld_email_id	fld_payment	fldstatus
<input type="checkbox"/>	Edit Copy Delete	1	1	21	1	customer3@gmail.com	50	Delivered
<input type="checkbox"/>	Edit Copy Delete	2	2	22	3	customer3@gmail.com	20	Out Of Stock
<input type="checkbox"/>	Edit Copy Delete	3	3	22	4	jovp36677@itymail.com	100	cancelled
<input type="checkbox"/>	Edit Copy Delete	4	4	23	6	jovp36677@itymail.com	300	cancelled
<input type="checkbox"/>	Edit Copy Delete	5	5	23	5	jovp36677@itymail.com	100	cancelled
<input type="checkbox"/>	Edit Copy Delete	6	1	24	9	hemantmehra047@gmail.com	50	In Process
<input type="checkbox"/>	Edit Copy Delete	7	2	25	10	hemantmehra047@gmail.com	200	In Process
<input type="checkbox"/>	Edit Copy Delete	8	1	23	6	hemantmehra047@gmail.com	300	In Process

Fig 5.3.4

5.4 User Interface:

User:

Welcome page: This is our welcome.




Fig 5.4.1

Login page:-

This is our login page for new user

Material Login Form

localhost / MySQL / dbfood / tb...

localhost/online_food_ordering_system/form/index.php

Food Hunt

Home About Services Contact

Log In Create New Account

Email address:

Password:

Login In

ADMIN SECTION
Admin Login

HOTEL LINKS
Register On Food Hunt
Hotel Account Login

chicken-curry-recipe.jpg

Show all

Fig 5.4.2

Registration page:

Hotel can register yourself just clicking on sing up

Hotel Registration Form

localhost / MySQL / dbfood / tb...

localhost/online_food_ordering_system/vendor-new.php

Food Hunt

Home About Services Contact

Register Log In

Name:

Enter Restaurant Name

Email Id:

Enter Email

Password:

Enter Password

Mobile:

9123456578

Phone:

011-1234567

Address:

Enter Address

chicken-curry-recipe.jpg

Show all

Fig 5.4.3

My services page:-

This is the service page provided by the admin to the customers and user




Fig 5.4.4

Add to cart page:-

This is the view of add to cart page.




Fig 5.4.5

Profile page:

This is the profile page of restaurant:




Fig 5.4.6

Admin:

Login page:-This is the login page of admin:





Fig 5.4.7

Front view page:-

This the main view of admin page.



6. TESTING

6.1 Testing Techniques And Testing Reports

Unit Testing:

Unit testing, also known as component testing, refers to tests that verify the functioning of a single portion of code, often at the function level. This is commonly done at the class level in an object-oriented environment, and the constructors and destructors are included in the minimum unit tests.

4.1.2 Objectives of Testing:

- Testing is the procedure of running a software in order to detect a mistake.
- An excellent test case is one that has a high chance of exposing a previously undetected error.
- A successful test is one that finds an error that is yet undiscovered.

6.2 Test Cases

Test case 1:

Suppose we fill a wrong and null value, it generate

The screenshot shows a web browser window with the URL `localhost/online_food_ordering_system/vendor-new.php`. The page is titled "Food Hunt" and has a navigation bar with links: Home, About, Services, and Contact. The registration form contains the following fields and values:

- Email: `doondb@gmail.com`
- Password: `*****`
- Mobile: `8393829191`
- Phone: `011123` (highlighted with a blue border)
- Address: `Clock tower, Dehradun`

A validation error message is displayed above the Phone field: "Please match the requested format." Below the form, there are two sections: "ADMIN SECTION" with a link "Admin Login" and "HOTEL LINKS" with a link "Register On food hunt".

Fig 6.2.1

All the fields are mandatory and should be filled with details.

The screenshot shows the same web browser window as Fig 6.2.1. The registration form contains the following fields and values:

- Email: `doondb@gmail.com`
- Password: `*****`
- Mobile: `8393829191`
- Phone: `0111234567`
- Address: `Enter Address` (highlighted with a blue border)

A validation error message is displayed above the Address field: "Please fill out this field." Below the form, there are two sections: "ADMIN SECTION" with a link "Admin Login" and "HOTEL LINKS" with a link "Register On food hunt".

Fig 6.2.2

7. SYSTEM SECURITY MEASURES

Secure And Robust Programming:

At the programming level, there are several system failures and security vulnerabilities. Inadequate handling of uncommon cases, a lack of awareness of the nuances of the programming language in use, weak descriptions of component interfaces, and weak protection in the curing of concurrency and threading difficulties are all common causes.

In this application, extraordinary precautions have been made during software programming to ensure that the software does not become corrupted or encounter any fatal errors while in use.

Data Security And Privacy:

As the amount of data collected grows, a database idea has been developed to address concerns about the security of personal data. The security and privacy of its users are taken care of by the system package. It gives its customers a safe area to save their personal information or data without danger of it being misused.

For the security mechanism in this application, the user will be given a unique number.

9. LIST OF REPORTS GENERATED

The website is an information sharing platform which generated a hard copy of any reports

HOTEL PAGE




Fig 9.1

ADMIN PAGE




Fig 9.2

7.1.FUTURE SCOPE / FURTHER ENHANCEMENT

The software package allows for a platform to implement the following new things in the coming future: -.

- Improvement of Algorithm for management of slots.
- User feedback-based evolution of data base.
- Android Platform.
- Customers to be able to pay through the online mode of payments.
- Allow to process an order as a Guest.
- Show the active orders to the Seller.

Coding:

```
<?php
session_start();
include("connection.php");
extract($_REQUEST);
$arr=array();
if(isset($_GET['msg']))
{
    $loginmsg=$_GET['msg'];
}
else
{
    $loginmsg="";
}
if(isset($_SESSION['cust_id']))
{
    $cust_id=$_SESSION['cust_id'];
    $query=mysqli_query($con,"select * from tblcustomer where fld_email='$cust_id'");
    $result=mysqli_fetch_array($query);
}
else
{
    $cust_id="";
}
```

```

$query=mysqli_query($con,"selecttblvendor.fld_name,tblvendor.fldvendor_id,tblvendor.fld_email,
tblvendor.fld_mob,tblvendor.fld_address,tblvendor.fld_logo,tbfood.food_id,tbfood.foodname,tbfood.cost,
tbfood.cuisines,tbfood.paymentmode
fromtblvendor inner join tbfood on tblvendor.fldvendor_id=tbfood.fldvendor_id;");
while($row=mysqli_fetch_array($query))
{
    $arr[]=$row['food_id'];
    shuffle($arr);
}

//print_r($arr);

if(isset($addtocart))
{
    if(!empty($_SESSION['cust_id']))
    {
        header("location:form/cart.php?product=$addtocart");
    }
    else
    {
        header("location:form/?product=$addtocart");
    }
}

if(isset($login))

```



```

{
    header("location:form/index.php");
}
if(isset($logout))
{
    session_destroy();
    header("location:index.php");
}
$query=mysqli_query($con,"select
tbfood.foodname,tbfood.fldvendor_id,tbfood.cost,tbfood.cuisines,tbfood.fldimage,tblcart.fld_car
t_id,tblcart.fld_product_id,tblcart.fld_customer_id from tbfood inner join tblcart on
tbfood.food_id=tblcart.fld_product_id where tblcart.fld_customer_id='$cust_id'");

$re=mysqli_num_rows($query);
if(isset($message))
{

    if(mysqli_query($con,"insert into tblmessage(fld_name,fld_email,fld_phone,fld_msg)
values ('$nm','$em','$ph','$txt')"))
    {
        echo "<script> alert('We will be Connecting You shortly')</script>";
    }
    else
    {
        echo "failed";
    }
}

?>
<html>
<head>
<title>Home</title>

```

```

<!--bootstrap files-->

<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">

<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>

<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-
UO2eT0CpHqdsJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1"
crossorigin="anonymous"></script>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
crossorigin="anonymous"></script>

<!--bootstrap files-->

<link href="https://fonts.googleapis.com/css?family=Lobster" rel="stylesheet">

<link rel="stylesheet" href="path/to/font-awesome/css/font-awesome.min.css">

<link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.1/css/all.css"
integrity="sha384-
50oBUHEmvpQ+1lW4y57PTFmhCaXp0ML5d60M1M7uH2+nqUivzIebhndOJK28anvf"
crossorigin="anonymous">

<script src="https://ajax.googleapis.com/ajax/libs/jquery/2.1.3/jquery.min.js"></script>

<link href="https://fonts.googleapis.com/css?family=Great+Vibes|Permanent+Marker"
rel="stylesheet">

<script>
//search product function

$(document).ready(function(){

    $("#search_text").keypress(function()
    {
        load_data();
    }

```

```

functionload_data(query)
    {
        $.ajax({
            url:"fetch2.php",
            method:"post",
            data:{query:query},
            success:function(data)
                {
                    $('#result').html(data);
                }
            });
        }

        $('#search_text').keyup(function(){
var search = $(this).val();
if(search != "")
        {
            load_data(search);
        }
else
        {
            $('#result').html(data);
        }
        });
    });
});

//hotel search
$(document).ready(function(){

```

```

        $("#search_hotel").keypress(function()
        {
load_data();
functionload_data(query)
        {
            $.ajax({
url:"fetch.php",
method:"post",
data:{query:query},
success:function(data)
                {
                    $('#resulthotel').html(data);
                }
            });
        }

        $('#search_hotel').keyup(function(){
var search = $(this).val();
if(search != "")
        {
load_data(search);
        }
else
        {
load_data();
        }
        });
        });
        });
</script>

```

```

<style>
//body{
background-image:url("img/main_spice2.jpg");
    background-repeat: no-repeat;
    background-attachment: fixed;
    background-position: center;
}
ul li {list-style:none;}
ul li a{color:black; font-weight:bold;}
ul li a:hover{text-decoration:none;}

</style>
</head>
    <body>
<div id="result" style="position:fixed;top:300; right:500;z-index:
3000;width:350px;background:white;"></div>
<div id="resulthotel" style=" margin:0px auto; position:fixed; top:150px;right:750px;
background:white; z-index: 3000;"></div>

<nav class="navbarnavbar-expand-lgnavbar-light bg-light fixed-top">

<a class="navbar-brand" href="index.php"><span style="color:green;font-family: 'Permanent
Marker', cursive;">Food Hunt</span></a>

<?php
    if(!empty($cust_id))
    {
        ?>
        <a class="navbar-brand" style="color:black; text-decoratio:none;"><i class="far fa-
user"><?php echo $cresult['fld_name']; ?></i></a>
        <?php

```

```

    }
    ?>

    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-
label="Toggle navigation">

<span class="navbar-toggler-icon"></span>

</button>

<div class="collapse navbar-collapse" id="navbarResponsive">

<ul class="navbar-nav ml-auto">

    <li class="nav-item"><!--hotel search-->

        <a href="#" class="nav-link"><form method="post"><input type="text"
name="search_hotel" id="search_hotel" placeholder="Search Hotels " class="form-control "
/></form></a>

    </li>

<li class="nav-item">

        <a href="#" class="nav-link"><form method="post"><input type="text"
name="search_text" id="search_text" placeholder="Search by Food Name " class="form-control
" /></form></a>

    </li>

<li class="nav-item active">

<a class="nav-link" href="index.php">Home

</a>

</li>

<li class="nav-item">

<a class="nav-link" href="aboutus.php">About</a>

</li>

<li class="nav-item">

<a class="nav-link" href="services.php">Services</a>

</li>

```

41 | Page

</div>

</nav>

<!--menu ends-->

<div id="demo" class="carousel slide" data-ride="carousel">

<ul class="carousel-indicators">

<li data-target="#demo" data-slide-to="0" class="active">

<li data-target="#demo" data-slide-to="1">

<li data-target="#demo" data-slide-to="2">

<div class="carousel-inner">

<div class="carousel-item active">

<div class="carousel-caption">

<h3>Dehradun</h3>

<p>We had such a great time in Dehradun</p>

</div>

</div>

<div class="carousel-item">

<imgsrc="img/coffee_cup_saucer_grains_foam_73571_1920x1080.jpg" alt="Delhi" class="d-block w-100">

<div class="carousel-caption">

<h3>Delhi</h3>

<p>Thank you, Delhi!</p>

</div>

</div>

<div class="carousel-item">


```


<div class="carousel-caption">
<h3>Shimla</h3>
<p>We love the Big Apple!</p>
</div>
</div>
</div>
<a class="carousel-control-prev" href="#demo" data-slide="prev">
<span class="carousel-control-prev-icon"></span>
</a>
<a class="carousel-control-next" href="#demo" data-slide="next">
<span class="carousel-control-next-icon"></span>
</a>
</div>
<!--slider ends-->
<!--container 1 starts-->

<br><br>
<div class="container-fluid">
<div class="row">

<div class="col-sm-6">
    <div class="container-fluid">
        <imgsrc="img/istockphoto-516324258-612x612.jpg" height="300px" width="100%">
    </div>
    <div class="container">
        <p style="font-family: 'Lobster', cursive; font-weight:light; font-size:25px;">Food hunt
        provides you the </p>
    </div>

```

</div>

<div class="col-sm-6">

<div class="container-fluid rounded" style="border:solid 1px #F0F0F0;">

<?php

\$food_id=\$arr[0];

\$query=mysqli_query(\$con,"selecttblvendor.fld_email,tblvendor.fld_name,tblvendor.fld_mob,

tblvendor.fld_phone,tblvendor.fld_address,tblvendor.fldvendor_id,tblvendor.fld_logo,tbfood.foo
d_id,tbfood.foodname,tbfood.cost,

tbfood.cuisines,tbfood.paymentmode,tbfood.fldimage from tblvendor inner join

tbfood on tblvendor.fldvendor_id=tbfood.fldvendor_id where
tbfood.food_id='\$food_id'");

while(\$res=mysqli_fetch_assoc(\$query))

{

\$hotel_logo= "image/restaurant/".\$res['fld_email']."/".\$res['fld_logo'];

\$food_pic=

"image/restaurant/".\$res['fld_email']."/foodimages/".\$res['fldimage'];

?>

<div class="container-fluid">

<div class="container-fluid">

<div class="row" style="padding:10px; ">

<div class="col-sm-2"><imgsrc="<?php echo \$hotel_logo; ?>" class="rounded-
circle" height="50px" width="50px" alt="Cinque Terre"></div>

<div class="col-sm-5">

<a href="search.php?vendor_id=<?php echo \$res['fldvendor_id']; ?>"><span
style="font-family: 'Miriam Libre', sans-serif; font-size:28px;color:#CB202D;">

<?php echo \$res['fld_name']; ?>

</div>

```

                <div class="col-sm-3"><i style="font-size:20px;" class="fasfa-rupee-
sign"></i>&nbsp;<span style="color:green; font-size:25px;"><?php echo $res['cost'];
?></span></div>

```

```

                <form method="post">
                    <div class="col-sm-2" style="text-align:left;padding:10px; font-
size:25px;"><button type="submit" name="addtocart" value="<?php echo
$res['food_id'];?>)"><span style="color:green;"<i class="fafa-shopping-cart" aria-
hidden="true"></i></span></button></div>

```

```

                </form>
            </div>

```

```

        </div>
        <div class="container-fluid">
            <div class="row" style="padding:10px;padding-top:0px;padding-right:0px; padding-
left:0px;">
                <div class="col-sm-12"><imgsrc="<?php echo $food_pic; ?>" class="rounded"
height="250px" width="100%" alt="Cinque Terre"></div>

```

```

                </div>
            </div>
            <div class="container-fluid">
                <div class="row" style="padding:10px; ">
                    <div class="col-sm-6">
                        <span><li><?php echo $res['cuisines']; ?></li></span>
                        <span><li><?php echo "Rs ".$res['cost']; ?>&nbsp;<for 1</li></span>
                        <span><li>Up To 60 Minutes</li></span>
                    </div>
                    <div class="col-sm-6" style="padding:20px;">
                        <h3><?php echo "(".$res['foodname'].")"?></h3>
                    </div>
                </div>

```

```
        </div>

<!DOCTYPE html>
<html>
<head>
<title></title>

<style type="text/css">
@import url(https://fonts.googleapis.com/css?family=Roboto:300);

.login-page {
    width: 360px;
    padding: 8% 0 0;
    margin: auto;
}
.form {
    position: relative;
    z-index: 1;
    background: #FFFFFF;
    max-width: 360px;
    margin: 0 auto 100px;
    padding: 45px;
    text-align: center;
    box-shadow: 0 0 20px 0 rgba(0, 0, 0, 0.2), 0 5px 5px 0 rgba(0, 0, 0, 0.24);
}
.form input {
    font-family: "Roboto", sans-serif;
    outline: 0;
    background: #f2f2f2;
    width: 100%;
    border: 0;
    margin: 0 0 15px;
```

```
padding: 15px;
box-sizing: border-box;
font-size: 14px;
}

.form button {
font-family: "Roboto", sans-serif;
text-transform: uppercase;
outline: 0;
background: #4CAF50;
width: 100%;
border: 0;
padding: 15px;
color: #FFFFFF;
font-size: 14px;
-webkit-transition: all 0.3 ease;
transition: all 0.3 ease;
cursor: pointer;
}

.form button:hover,.form button:active,.form button:focus {
background: #43A047;
}

.form .message {
margin: 15px 0 0;
color: #b3b3b3;
font-size: 12px;
}

.form .message a {
color: #4CAF50;
text-decoration: none;
}

.form .register-form {
```

```
display: none;
}
.container {
  position: relative;
  z-index: 1;
  max-width: 300px;
  margin: 0 auto;
}
.container:before, .container:after {
  content: "";
  display: block;
  clear: both;
}
.container .info {
  margin: 50px auto;
  text-align: center;
}
.container .info h1 {
  margin: 0 0 15px;
  padding: 0;
  font-size: 36px;
  font-weight: 300;
  color: #1a1a1a;
}
.container .info span {
  color: #4d4d4d;
  font-size: 12px;
}
.container .info span a {
  color: #000000;
  text-decoration: none;
```

```

}
.container .info span .fa {
  color: #EF3B3A;
}
body {
  background: #76b852; /* fallback for old browsers */
  background: -webkit-linear-gradient(right, #76b852, #8DC26F);
  background: -moz-linear-gradient(right, #76b852, #8DC26F);
  background: -o-linear-gradient(right, #76b852, #8DC26F);
  background: linear-gradient(to left, #76b852, #8DC26F);
  font-family: "Roboto", sans-serif;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
}
</style>
</head>
<body>
<div class="login-page">
  <div class="form">
    <form class="register-form">
      <input type="text" placeholder="name"/>
      <input type="password" placeholder="password"/>
      <input type="text" placeholder="email address"/>
      <button>create</button>
      <p class="message">Already registered? <a href="#">Sign In</a></p>
    </form>
    <form class="login-form" action="login.php" method="post">
      <input type="text" name="uname" placeholder="username"/>
      <input type="password" name="pwd" placeholder="password"/>
      <button>login</button>
      <p class="message">Not registered? <a href="#">Create an account</a></p>

```

```
</form>
</div>
</div>
</body>
</html>
```

Home.php

```
<!DOCTYPE html>
<html>
<head>
<title>Admin home</title>
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
<!-- The above 3 meta tags *must* come first in the head; any other head content must come
*after* these tags -->
<link href="admin.css" rel="stylesheet" type="text/css">
<!--Font As-->
<link rel="stylesheet" href="font awesome/css/font-awesome.css">
<!-- Bootstrap -->
  <link href="bootstrap/css/bootstrap.css" rel="stylesheet">
<!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
  <script src="script/jquery-3.2.1.js"></script>
<!-- Include all compiled plugins (below), or include individual files as needed -->
  <script src="bootstrap/js/bootstrap.js"></script>

</head>
<body>

<?php
```



```

session_start();
include('func.php');
if(isset($_SESSION["validuser"])){
$id=$_SESSION["validuser"];
$conn=db_conect();
//$sql="select * from users where NOT `type` = 'A'";
$sql="select * from admin where `aid` =$id ";
$result=mysqli_query($conn,$sql);
while($row=mysqli_fetch_assoc($result)){
}

<div class="row">
    <div class="col-md-3">
        <div id="sidenav">
            <div id="top">
                <h1>Admin Panel</h1>
                
            </div>
            <div id="sidnavbtn">
                <ul class="nav">
                    <li style="background-color:#222;"><a href="adminhome.php"><span
class="fa fa-home"></span> </a></li>
                    <li><a href="reguser.php"><span class="fa fa-edit"></span> Edit
user</a></li>
                    <li><a href="mails.php"><span class="fa fa-envelope-o"></span>
Mails</a></li>
                    <li><a href="newsletter.php"><span class="fa fa-envelope-
open"></span> </a></li>
                    <li><a href="cc.php"><span class="fa fa-envelope-open"></span>
</a></li>

```

```
                <li><a href="adminprofile.php"><span class="fa fa-user-circle-
o"></span> </a></li>
```

```
                <li><a href="logout.php"><span class="fa fa-lock"></span>
Logout</a></li>
```

```
            </ul>
```

```
        </div>
```

```
    </div>
```

```
    </div>
```

```
    <div class="col-md-9">
```

```
        <h1 align="center">Welcome to Admin Panel</h1>
```

```
    </div>
```

```
</div>
```

```
</body>
```

```
</html>
```

```
<?php
```

```
}
```

```
else{
```

```
    echo'error';
```

```
}
```

```
?>
```

Login.php

```
<?php
session_start();
include ('func.php');
$username = $_POST["uname"];
$password = $_POST["pwd"];

$con = db_connect();
$sql = "SELECT * FROM `admin` WHERE `name`='$username' AND
`password`='$password'";
$result = mysqli_query($con,$sql)or die('Unable to connect');
$count = mysqli_num_rows($result);
if($count==1){
while ($row = mysqli_fetch_assoc($result)) {
    $validuser = $row["aid"];
    $_SESSION["validuser"] = $validuser;
}echo
Valid");window.location.href="http://localhost/xampp/admin/home.php";</script>';
}else{
echo
invalid
user");window.location.href="http://localhost/xampp/admin/index.php";</script>';
}
?>
```

Mails.php

```
<?php
session_start();
include ('func.php');
$username = $_POST["uname"];
$password = $_POST["pwd"];
```

```

$con = db_connect();
$sql = "SELECT * FROM `admin` WHERE `name`='$username' AND
`password`='$password'";
$result = mysqli_query($con,$sql)or die('Unable to connect');
$count = mysqli_num_rows($result);
if($count==1){
while ($row = mysqli_fetch_assoc($result)) {
    $validuser = $row["aid"];
    $_SESSION["validuser"] = $validuser;
}echo ' <script>alert("User
Valid");window.location.href="http://localhost/xampp/admin/home.php";</script>';
}else{
echo ' <script>alert("invalid
user");window.location.href="http://localhost/xampp/admin/index.php";</script>';
}
?>

```

Reguser.php

```

<!DOCTYPE html>
<html>
<head>
<title>Admin home</title>
<meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
<!-- The above 3 meta tags *must* come first in the head; any other head content must come
*after* these tags -->
<link href="admin.css" rel="stylesheet" type="text/css">
<!--Font As-->
<link rel="stylesheet" href="font awesome/css/font-awesome.css">
<!-- Bootstrap -->

```

```

    <link href="bootstrap/css/bootstrap.css" rel="stylesheet">
<!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
    <script src="script/jquery-3.2.1.js"></script>
<!-- Include all compiled plugins (below), or include individual files as needed -->
    <script src="bootstrap/js/bootstrap.js"></script>

</head>
<body>

<?php
session_start();
include('func.php');
if(isset($_SESSION["validuser"])){
$id=$_SESSION["validuser"];
$conn=db_conect();
//$sql="select * from users where NOT `type` = 'A'";
$sql="select * from admin where `aid` = $id ";
    $result=mysqli_query($conn,$sql);
    while($row=mysqli_fetch_assoc($result)){
        }

?>

<div class="row">
    <div class="col-md-3">
        <div id="sidenav">
            <div id="top">
                <h1>Admin Panel</h1>
                

```

```

        </div>
<div id="sidnavbtn">
<ul class="nav">
    <li><a href="home.php"><span class="fa fa-home"></span></li>
    <li style="background-color:#222;"><a href="reguser.php"><span
class="fa fa-edit"></span> Edit user</a></li>
    <li><a href="mails.php"><span class="fa fa-envelope-o"></span>
Mails</a></li>
    <li><a href="newsletter.php"><span class="fa fa-envelope-
open"></span> </a></li>
    <li><a href="adminprofile.php"><span class="fa fa-user-circle-
o"></span> </a></li>
    <li><a href="logout.php"><span class="fa fa-lock"></span>
Logout</a></li>
</ul>
</div>
</div>
</div>
<div class="col-md-9">
    <h1 align="center">Welcome to Admin Panel</h1>
    <h1 align="center">User info</h1></br></br>
    <table class="table table-hover table-responsive">
        <thead>
            <tr>
                <th>First name</th>
                <th>Last Name</th>
                <th>Country</th>
                <th>Subject</th>
                <th>Address</th>
            </tr>
        </thead>

```

```

        <?php
            $connection=db_conect();
            $sql="select * from volunteer";
            $result=mysqli_query($connection,$sql)or die('unable to
connect'.mysql_errno());
            while($row=mysqli_fetch_assoc($result)){
                $id=$row["vid"];
                echo"<tbody><tr>";
                echo"<td><a
href='edituser.php?q=$id>".$row["fname"]."</a></td>";
                echo"<td><a
href='edituser.php?q=$id>".$row["lname"]."</a></td>";
                echo"<td>".$row["country"]."</td>";
                echo"<td>".$row["subject"]."</td>";
                echo"<td>".$row["address"]."</td>";
                echo"</tr>";
            }?>
        </tbody>
    </table>
</div>
</div>
</div>

</body>
</html>
<?php
}
else{
    echo'error';
}
?>

```

cc.php

```
<?php
include 'func.php';

$conn=db_conect();

//$sql="select * from users where NOT `type` = 'A'";
$sql="SELECT * FROM contact";

$result=mysqli_query($conn,$sql);
echo '<table border="0.1">';
while($row=mysqli_fetch_assoc($result)){

    echo          '<tr><td>'.$row['name'].'</td><td>'.$row['email'].'</td><td>'.$row['phone
no.'].'</td><td>'.$row['message'].'</td></tr>';

    }
    echo '</table>';
```

contact.php

```
<?php
include ('func.php');
if(isset($_POST['csubmit'])){
$name = $_POST["uname"];
$email = $_POST["uemail"];
$uphone = $_POST["uphone"];
$umsg = $_POST["umsg"];
$con = db_conect();
$sql = "INSERT INTO contact VALUES ('$name', '$email', '$uphone', '$umsg')";
if (mysqli_query($con, $sql)) {
    echo "New record created successfully";
    echo '<script>window.location.href="http://localhost/xampp/index.html";</script>';
}
}else{
```



```

$name = $_POST["name"];
$email = $_POST["email"];
$phone_no = $_POST["phone no."];
$message = $_POST["message"];

$con = db_connect();
$sql = "INSERT INTO `volunter` (`name`, `email`, `phone no.`, `message`) VALUES (NULL, '$name', '$email', '$phone no.', '$message') ";
if (mysqli_query($con, $sql)) {
    echo "New record created successfully";
    echo '<script>window.location.href="http://localhost/xampp/index.html";</script>';
} else {
    echo "Error: " . $sql . "<br>" . mysqli_error($con);
}

```

Function.php

```

<?php
function db_connect(){
    $host="localhost";
    $user="root";
    $pwd="";
    $db="pws";

    $conn=mysqli_connect($host,$user,$pwd,$db) or die("unable to connect");
    //echo"db conected";
    return $conn;
}
?>

```

Index.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="utf-8">
```

```
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
  <title>NGO website</title>
```

```
  <link href="css/bootstrap.min.css" rel="stylesheet"
```

```
  <link href="css/custom.css" rel="stylesheet">
```

```
  <link
```

```
    href='http://fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,800italic,400,300,600,700,800' rel='stylesheet' type='text/css'>
```

```
</head>
```

```
<body>
```

```
  <nav id="siteNav" class="navbar navbar-default navbar-fixed-top" role="navigation">
```

```
    <div class="container">
```

```
      <!-- Logo and responsive toggle -->
```

```
      <div class="navbar-header">
```

```
        <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#navbar">
```

```
          <span class="sr-only">Toggle navigation</span>
```

```
          <span class="icon-bar"></span>
```

```
          <span class="icon-bar"></span>
```

```
          <span class="icon-bar"></span>
```

```
        </button>
```

```
        <a class="navbar-brand" href="#">
```

```
          <span class="glyphicon glyphicon-fire"></span>
```

```

        <a class="navbar-brand" href="#">

        Pratibha Welfare Society

    </a>
</div>

<div class="collapse navbar-collapse" id="navbar">
    <ul class="nav navbar-nav navbar-right">
        <li>
            <a href="index.html">Home</a>
            <a href="team.html">Team</a>
        </li>
        <li>
            <a href="activities.html">Activities</a>
            <a href="contact.html">Contact</a>
        </li>
        <li>
            <a href="donate.html">Donate</a>
        </li>
        <li>
            <a href="volunteer2.html">Volunteer</a>
        </li>
    </ul>

</div><!-- /.navbar-collapse -->
</div><!-- /.container -->
</nav>

```

<header>

<div class="header-content">

<div class="header-content-inner">

<p>"we can't help everyone,but everyone can help someone".

<p>Started on 15th August' 2016 with an aim to provide children education and work on social and environmental issues.</p>

Donate Now

</div>

</div>

</header>

<section class="intro">

<div class="container">

<div class="row">

<div class="col-lg-8 col-lg-offset-2">

<h2 class="section-heading">About Us</h2>

<p>Pratibha Welfare Society started on 15th August' 2016 with an aim to provide children education and work on social and environmental issues. We join our hands together to help unprivileged children and raise our voice towards the betterment of the society.</p>

<p>(Education is both the means as well as the end to a better life: the means because it empowers an individual to earn his/her livelihood and the end because it increases one's awareness on a range of issues – from healthcare to appropriate social behaviour to understanding one's rights – and in the process help him/her evolve as a better citizen.

Doubtless, education is the most powerful catalyst for social transformation. But child education cannot be done in isolation. A child will go to school only if the family, particularly the mother, is assured of healthcare and empowered. Moreover, when an elder sibling is relevantly skilled to

be employable and begins earning, the journey of empowerment continues beyond the present generation). </div>

</p>

</div>

</div>

</section>

<section class="intro">

</section>

<!DOCTYPE html>

<html>

<meta name="viewport" content="width=device-width, initial-scale=1">

<style>

body {

font-family: Arial;

margin: 0;

}

* {

box-sizing: border-box;

}

img {

vertical-align: middle;

}

/* Position the image container (needed to position the left and right arrows) */

.container {

position: relative;

}

```
/* Hide the images by default */
.mySlides {
  display: none;
}

/* Add a pointer when hovering over the thumbnail images */
.cursor {
  cursor: pointer;
}

/* Next & previous buttons */
.prev,
.next {
  cursor: pointer;
  position: absolute;
  top: 40%;
  width: auto;
  padding: 16px;
  margin-top: -50px;
  color: white;
  font-weight: bold;
  font-size: 20px;
  border-radius: 0 3px 3px 0;
  user-select: none;
  -webkit-user-select: none;
}

/* Position the "next button" to the right */
.next {
  right: 0;
```

```

border-radius: 3px 0 0 3px;
}

/* On hover, add a black background color with a little bit see-through */
.prev:hover,
.next:hover {
    background-color: rgba(0, 0, 0, 0.8);
}

/* Number text (1/3 etc) */
.numbertext {
    color: #f2f2f2;
    font-size: 12px;
    padding: 8px 12px;
    position: absolute;
    top: 0;
}

/* Container for image text */
.caption-container {
    text-align: center;
    background-color: #222;
    padding: 2px 16px;
    color: white;
}

.row:after {
    content: "";
    display: table;
    clear: both;
}

```

```

/* Six columns side by side */
.column {
  float: left;
  width: 16.66%;
}

/* Add a transparency effect for thumbnail images */
.demo {
  opacity: 0.6;
}

.active,
.demo:hover {
  opacity: 1;
}
</style>
<body>

<h2 style="text-align:center"> NGO  Gallery</h2>

<div class="container">
  <div class="mySlides">
    <div class="numbertext">1 / 6</div>
    
  </div>

  <div class="mySlides">
    <div class="numbertext">2 / 6</div>
    
  </div>

```



```
<div class="mySlides">
  <div class="numbertext">3 / 6</div>
  
</div>
```

```
<div class="mySlides">
  <div class="numbertext">4 / 6</div>
  
</div>
```

```
<div class="mySlides">
  <div class="numbertext">5 / 6</div>
  
</div>
```

```
<div class="mySlides">
  <div class="numbertext">6 / 6</div>
  
</div>
```

```
<a class="prev" onclick="plusSlides(-1)">⏪ </a>
<a class="next" onclick="plusSlides(1)">⏩ </a>
```

```
<div class="caption-container">
  <p id="caption"></p>
</div>
```

```
<div class="row">
  <div class="column2">
```

```

        
    </div>
    <div class="column2">
        
    </div>
    <div class="column2">
        
    </div>
    <div class="column2">
        
    </div>
    <div class="column2">
        
    </div>
    <div class="column2">
        
    </div>
</div>

<script>
var slideIndex = 1;
showSlides(slideIndex);

function plusSlides(n) {

```

```

    showSlides(slideIndex += n);
}

function currentSlide(n) {
    showSlides(slideIndex = n);
}

function showSlides(n) {
    var i;
    var slides = document.getElementsByClassName("mySlides");
    var dots = document.getElementsByClassName("demo");
    var captionText = document.getElementById("caption");
    if (n > slides.length) {slideIndex = 1}
    if (n < 1) {slideIndex = slides.length}
    for (i = 0; i < slides.length; i++) {
        slides[i].style.display = "none";
    }
    for (i = 0; i < dots.length; i++) {
        dots[i].className = dots[i].className.replace(" active", "");
    }
    slides[slideIndex-1].style.display = "block";
    dots[slideIndex-1].className += " active";
    captionText.innerHTML = dots[slideIndex-1].alt;
}
</script>

</body>
</html>

```

```

<!-- Content 1 -->

```

```
<section class="content">
```

```
<div class="container">
```

```
<div class="row">
```

```
<div class="col-sm-6">
```

```

```

```
</div>
```

```
<div class="col-sm-6">
```

```
<h2>About Our Missions</h2><br>
```

```
<h2 class="section-header">(1)Jal Bachao Mission</h2>
```

```
<p class="lead text-muted">Our NGO completed a project on Jal Bhachao Kal  
Bachao with Dainik Jagran to aware the society towards the water. Invited by Dainik  
Jagran..</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- Content 2 -->
```

```
<section class="content content-2">
```

```
<div class="container">
```

```
<div class="row">
```

```
<div class="col-sm-6">
```

```
<h2 class="section-header">(2) Rispana mission</h2>
```

```
<p class="lead text-light"> Mission Rispana to Rishiparna, in this campaign  
society planted 50 plant saplings with an aim to revive river Rispana. By completing this  
mission District magistrate of Dehradun gave certificate to the members of our NGO.</p>
```

```
</div>
```

```

        <div class="col-sm-6">
            
        </div>

    </div>
</div>
</section>

<!-- Content 1 -->
<section class="content">
    <div class="container">
        <div class="row">
            <div class="col-sm-6">
                
            </div>
            <div class="col-sm-6">
                <h2 class="section-header">(3)Admissions In School</h2>
                <p class="lead text-muted"> Our  NGO  is  mainly  focused  on  the  children
education.so, we also complete  one of our mission with Admission of poor girls in S.S Girls
High School  .</p>

            </div>

        </div>

    </div>
</div>
</section>

<!-- Content 3 -->
<section class="content content-3">

```

```

<div class="container">

    <a href="activities.html" class="btn btn-primary btn-lg">Read About
    Activities</a>

</div>

</div>

</section>

```

```

<!-- Content 3 -->
<section class="content content-3">
    <div class="container">
        <h2 class="section-header"><span class="glyphicon glyphicon-pushpin text-
        primary"></span><br>Get Involved</h2>
        <p class="lead text-muted">We believes that unless members of the civil society
        are involved proactively in the process of development, sustainable change will not happen. We
        encourage and invite volunteers to be an active part of our organization and share the same
        vision and purpose as us – to work for the welfare of children and their families. Volunteers are
        the backbone of every organization – they not only carry the organization’s ideals within them,
        but also spread the message far and beyond, sensitizing the society towards the cause.</p>
        <a href="volunteer2.html" class="btn btn-primary btn-lg">Volunteer Now</a>
    </div>
</div>
</section>

```

```

<!-- Footer -->
<footer class="page-footer">

    <!-- Contact Us -->
    <div class="contact">
        <div class="container">

```

```

        <h2 class="section-heading">Contact Us</h2>
        <p><span      class="glyphicon glyphicon-earphone"></span><br>
8171276890</p>
        <p><span      class="glyphicon glyphicon-envelope"></span><br>
ayushi17107@gmail.com</p>
    </div>
</div>

<!-- Copyright etc -->
<div class="small-print">
    <div class="container">
        <p>Copyright &copy; 2019</p>
    </div>
</div>
    <a href="index.html" class="btn btn-primary btn-lg">Home</a>
</footer>
<!-- jQuery -->
<script src="js/jquery-1.11.3.min.js"></script>

<!-- Bootstrap Core JavaScript -->
<script src="js/bootstrap.min.js"></script>

<!-- Plugin JavaScript -->
<script src="js/jquery.easing.min.js"></script>

<!-- Custom Javascript -->
<script src="js/custom.js"></script>

</body>

</html>

```

Contact.html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1">

<title>NGO website</title>

<link href="css/bootstrap.min.css" rel="stylesheet">

<link href="css/custom.css" rel="stylesheet">

<link

href='http://fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,800italic,400,300,600,700,800' rel='stylesheet' type='text/css'>

<!-- Navigation -->

<nav id="siteNav" class="navbar navbar-default navbar-fixed-top" role="navigation">

<div class="container">

<!-- Logo and responsive toggle -->

<div class="navbar-header">

<button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#navbar">

Toggle navigation

</button>


```

        <span class="glyphicon glyphicon-fire"></span>
        Pratibha Welfare Society
    </a>

</div>

<!-- Navbar links -->
<div class="collapse navbar-collapse" id="navbar">
<ul class="nav navbar-nav navbar-right">
    <li>
        <a href="index.html">Home</a>
    </li>
    <li>
        <a href="team.html">Team</a>
    </li>
    <li>
        <a href="activities.html">Activities</a>
    </li>
    <li>
        <a href="contact.html">Contact</a>
    </li>
    <li>
        <a href="donate.html">Donate</a>
    </li>
    <li>
        <a href="volunteer2.html">Volunteer</a>
    </li>
</ul>

</div><!-- /.navbar-collapse -->

```

```
</div><!-- /.container -->
</nav>
```

```
<!-- Header -->
<header>
  <div class="header-content">
    <div class="header-content-inner">
      <h1>Contact Us</h1>

    </div>
  </div>
</header>
```

```
<!-- Content 1 -->
<section class="content">
  <div class="container">
    <div class="row">
      <div class="col-sm-6">
        
      </div>
      <div class="col-sm-6">
        <h2 class="section-header">(President)</h2>
        <p class="lead text-muted">Ayushi Gupta  <br>
          contact no.-8171200916<br>
          Email id:-ayushi17107@gmail.com<br>
          Visit to us:-Pratibha Welfare Society(NGO)<br>87d park
road,near wonderland academy, patel nagar(dehradun)
```

</section>

<h1><marquee direction="right" bgcolor="green">you are free to write any suggestion or any advice for our ngo.</marquee></h1>

<div class="container3">

<form id="contact" action="contact.php" method="post">

<h3>Write to us</h3>

<fieldset>

<input placeholder="Your name" name="uname" type="text" tabindex="1" required autofocus>

</fieldset>

<fieldset>

<input placeholder="Your Email Address" name="uemail" type="email" tabindex="2" required>

</fieldset>

<fieldset>

<input placeholder="Your Phone Number (optional)" name="uphone" type="tel" tabindex="3" required>

</fieldset>

<fieldset>

<textarea placeholder="Type your message here...." name="umsg" tabindex="5" required></textarea>

</fieldset>

<fieldset>

<button name="csubmit" type="submit" id="contact-submit" data-submit="...Sending">Submit</button>

</fieldset>

```

<!-- Footer -->
<footer class="page-footer">

    <!-- Contact Us -->
    <div class="contact">
        <div class="container">
            <h2 class="section-heading">Contact Us</h2>
            <p><span      class="glyphicon glyphicon-earphone"></span><br>
8171276890</p>
            <p><span      class="glyphicon glyphicon-
envelope"></span><br>ayushi17107@gmail.com</p>
        </div>
    </div>

    <!-- Copyright etc -->
    <div class="small-print">
        <div class="container">
            <p>Copyright &copy; 2019</p>
        </div>
    </div>

</footer>
<!-- jQuery -->
<script src="js/jquery-1.11.3.min.js"></script>

<!-- Bootstrap Core JavaScript -->
<script src="js/bootstrap.min.js"></script>

<!-- Plugin JavaScript -->
<script src="js/jquery.easing.min.js"></script>

```

```
<!-- Custom Javascript -->  
<script src="js/custom.js"></script>
```

```
</body>
```

```
</html>
```

Volunteer2.html

```
<!DOCTYPE html>
```

```
<!-- Template by Quackit.com -->
```

```
<!-- Images by various sources under the Creative Commons CC0 license and/or the Creative Commons Zero license.
```

```
Although you can use them, for a more unique website, replace these images with your own. -->
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<!-- The above 3 meta tags *must* come first in the head; any other head content must come  
*after* these tags -->
```

```
<title>Business 2</title>
```

```
<!-- Bootstrap Core CSS -->
```

```
<link href="css/bootstrap.min.css" rel="stylesheet">
```

```
<!-- Custom CSS: You can use this stylesheet to override any Bootstrap styles and/or apply  
your own styles -->
```

```
<link href="css/custom.css" rel="stylesheet">
```

```

<!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries -->
<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
<!--[if lt IE 9]>
    <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
    <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
<![endif]-->

<!-- Custom Fonts from Google -->
<link
href='http://fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,800italic,400,300,600,700,800' rel='stylesheet' type='text/css'>

</head>

<body>

<!-- Navigation -->
<nav id="siteNav" class="navbar navbar-default navbar-fixed-top" role="navigation">
    <div class="container">
        <!-- Logo and responsive toggle -->
        <div class="navbar-header">
            <button type="button" class="navbar-toggle" data-toggle="collapse" data-
target="#navbar">
                <span class="sr-only">Toggle navigation</span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
            </button>
            <a class="navbar-brand" href="#">

```

Pratibha Welfare Society

</div>

<!-- Navbar links -->

<div class="collapse navbar-collapse" id="navbar">

<ul class="nav navbar-nav navbar-right">

<li class="active">

Home

Team

Activities

Contact

Donate

Volunteer


```
        </div><!-- /.navbar-collapse -->
    </div><!-- /.container -->
</nav>
```

```
<!-- Header -->
<header>
    <div class="header-content">
        <div class="header-content-inner">
            <h1>Volunteer</h1>

        </div>
    </div>
</header>
```

```
    <h1><marquee direction="right" bgcolor="yellow">important note:-if you want to join this
ngo you have to pay 1100 rupees annually.</marquee></h1>
```

```
<div class="container2">
    <form action="vol.php" method="post">
        <div class="row">
            <div class="col-25">
                <label for="fname">First Name </label>
            </div>
            <div class="col-75">
                <input type="text" id="fname" name="firstname" placeholder="Your name.."required>
            </div>
        </div>
        <div class="row">
            <div class="col-25">
                <label for="lname">Last Name</label>
```



```

</div>
<div class="col-75">
  <input type="text" id="lname" name="lastname" placeholder="Your last name.."required>
</div>
</div>
<div class="row">
  <div class="col-25">
    <label for="country">Country</label>
  </div>
  <div class="col-75">
    <select id="country" name="country"required>
      <option value="australia">Australia</option>
      <option value="canada">Canada</option>
      <option value="usa">USA</option>
    </select>
  </div>
</div>
<div class="row">
  <div class="col-25">
    <label for="subject">Subject</label>
  </div>
  <div class="col-75">
    <textarea id="subject" name="subject" placeholder="Write something.."
style="height:200px"></textarea>
  </div>
</div>
<div class="row">
  <div class="col-25">
    <label for="subject">Add.</label>
  </div>
  <div class="col-75">

```

```
        <input type="text" id="address" name="address" placeholder="Enter your add"required>
    </div>
</div>
<div class="row">
    <input type="submit" value="Submit">
</div>
</form>
</div>
```

```
<!-- Footer -->
<footer class="page-footer">
```

```
    <!-- Copyright etc -->
    <div class="small-print">
        <div class="container">
            <p>Copyright &copy; 2019</p>
        </div>
    </div>
```

```
</footer>
```

```
<!-- jQuery -->
<script src="js/jquery-1.11.3.min.js"></script>
```

```
<!-- Bootstrap Core JavaScript -->
<script src="js/bootstrap.min.js"></script>
```

```
<!-- Plugin JavaScript -->
```

```
<script src="js/jquery.easing.min.js"></script>
```

```
<!-- Custom Javascript -->
```

```
<script src="js/custom.js"></script>
```

```
</body>
```

```
</html>
```

Activities.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<title>NGO website</title>
```

```
<link href="css/bootstrap.min.css" rel="stylesheet">
```

```
<link href="css/custom.css" rel="stylesheet">
```

```

<link
href='http://fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,
800italic,400,300,600,700,800' rel='stylesheet' type='text/css'>

</head>

<body>

<!-- Navigation -->
<nav id="siteNav" class="navbar navbar-default navbar-fixed-top" role="navigation">
  <div class="container">
    <!-- Logo and responsive toggle -->
    <div class="navbar-header">
      <button type="button" class="navbar-toggle" data-toggle="collapse" data-
target="#navbar">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand" href="#">
        <span class="glyphicon glyphicon-fire"></span>
        Pratibha Welfare Society
      </a>
    </div>
    <!-- Navbar links -->
    <div class="collapse navbar-collapse" id="navbar">
      <ul class="nav navbar-nav navbar-right">
        <li>
          <a href="index.html">Home</a>
        </li>

```

```
<li>
  <a href="team.html">Team</a>
</li>
<li>
  <a href="activities.html">Activities</a>
</li>

<li>
  <a href="contact.html">Contact</a>
</li>

      <li>
        <a href="donate.html">Donate</a>
      </li>
      <li>
        <a href="volunteer2.html">Volunteer</a>
      </li>
</ul>

</div><!-- /.navbar-collapse -->
</div><!-- /.container -->
</nav>
```

```
<!-- Header -->
<header>
  <div class="header-content">
    <div class="header-content-inner">
      <h1>Activities</h1>

    </div>
  </div>
</div>
```

</header>

<div class="row">

<div class="column">

<div class="card">

<div class="container">

<h2>Independence day</h2>

<p>Every year Pratibha Welfare Society
celebrates Independence day and

Republic Day with our children and members
of the society.</p>

</div>

</div>

</div>

<div class="column">

<div class="card">

<div class="container">

<h2>Teachers day</h2>

<p class="title">

<p>

PWS celebrated Teachers Day with Wonderland
emy School and there we honored their
teachers
a small gift and a surprise of the Best
cher of the school Award.

</p>

</div>

</div>

</div>

<div class="column">

<div class="card">

<div class="container">

<h2>Marriage</h2>

<p class="title">

<p>PWS organized recently organized a wedding of destitute

girl in which all the members of the society participated and

helped the girl's family to arrange the marriage efficiently.

</p>

</div>

</div>

</div>

</div>

<div class="row">

<div class="column">

<div class="card">

<div class="container">

<h2>Sports Day</h2>

<p> Wonderland Academy School invited PWS kids

in their sports day and organized many sports

activities for them in which our kids participated

and won medals and gifts from the principal of the

esteemed school.
</p>

</div>
</div>
</div>

<div class="column">
<div class="card">

<div class="container">
<h2>Kids talent showS</h2>

<p>2) Kids' Talent show – 10th June 2018.
Competition held
 by PWS members kids showed their talents in Drawing,
 Mehendi
Designing, Pot decoration and Rangoli designing.
Also 30 school bags distributed to
underprivileged
children by Chief Guest of the show Mr. Suryakant
Dhasmana and
aging Director of Olympus High School
Mr. Kunal Malla.
</p>

</div>
</div>


```

</div>
</div>
<!-- Footer -->
ter class="page-footer">

    <!-- Copyright etc -->
    <div class="small-print">
        <div class="container">
            <p>Copyright &copy; 2019</p>
        </div>
    </div>

</footer>

<!-- jQuery -->
<script src="js/jquery-1.11.3.min.js"></script>

<!-- Bootstrap Core JavaScript -->
<script src="js/bootstrap.min.js"></script>

<!-- Plugin JavaScript -->
<script src="js/jquery.easing.min.js"></script>

<!-- Custom Javascript -->
<script src="js/custom.js"></script>
</body>
</html>

```

Team.html

```
<!DOCTYPE html<html lang="en">
```

<head>

<meta charset="utf-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1">

<title>NGO website</title>

<link href="css/bootstrap.min.css" rel="stylesheet">

<link href="css/custom.css" rel="stylesheet">

<link

href='http://fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,800italic,400,300,600,700,800' rel='stylesheet' type='text/css'>

</head>

<body>

<!-- Navigation -->

<nav id="siteNav" class="navbar navbar-default navbar-fixed-top" role="navigation">

<div class="container">

<!-- Logo and responsive toggle -->

<div class="navbar-header">

```

        <button type="button" class="navbar-toggle" data-toggle="collapse" data-
target="#navbar">
            <span class="sr-only">Toggle navigation</span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
        </button>
        <a class="navbar-brand" href="#">
            <span class="glyphicon glyphicon-fire"></span>
            Pratibha Welfare Society
        </a>

</div>

<!-- Navbar links -->
<div class="collapse navbar-collapse" id="navbar">
<ul class="nav navbar-nav navbar-right">
    <li>
        <a href="index.html">Home</a>
    </li>
    <li>
        <a href="team.html">Team</a>
    </li>
    <li>
        <a href="activities.html">Activities</a>
    </li>

    <li>
        <a href="contact.html">Contact</a>
    </li>

    <li>

```

```
        <a href="donate.html">Donate</a>
    </li>
    <li>
        <a href="volunteer2.html">Volunteer</a>
    </li>
</ul>
```

```
</div><!-- /.navbar-collapse -->
</div><!-- /.container -->
</nav>
```

```
<!-- Header -->
<header>
    <div class="header-content">
        <div class="header-content-inner">
            <h1>Our Team</h1>

        </div>
    </div>
</header>
```

```
<!-- Content 1 -->
<section class="content">
    <div class="container">
        <div class="row">
            <div class="col-sm-6">
                
            </div>
```

```
<div class="col-sm-6">
  <h2 class="section-header">President</h2>
  <p class="lead text-muted">Ayushi Gupta,Contact no:-8171200916      MA
(English)  </p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- Content 2 -->
```

```
<section class="content content-2">
```

```
<div class="container">
```

```
<div class="row">
```

```
<div class="col-sm-6">
```

```
<h2 class="section-header">Vice President</h2>
```

```
<p class="lead text-light">Anmol Gupta<br>Contact no:- 7417808779
```

```
(Graduate)</p>
```

```
</div>
```

```
<div class="col-sm-6">
```

```

```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- Content 1 -->
```

```
<section class="content">
  <div class="container">
    <div class="row">
      <div class="col-sm-6">
        
      </div>
      <div class="col-sm-6">
        <h2 class="section-header">General Secretary</h2>
        <p class="lead text-muted">Nishant Gupta<br>Contact no:-9045497312
(Graduate)</p>

      </div>

    </div>
  </div>
</section>
```

```
<!-- Content 2 -->
<section class="content content-2">
  <div class="container">
    <div class="row">
      <div class="col-sm-6">
        <h2 class="section-header">
Arjun Kumar
        </h2>
        <p class="lead text-light">
Arjun Kumar 8394040115 Graduate Active Member
        </p>

      </div>
      <div class="col-sm-6">
```

```
        
    </div>

</div>
</div>
</section>
```

```
<!-- Content 1 -->
<section class="content">
    <div class="container">
        <div class="row">
            <div class="col-sm-6">
                
            </div>
            <div class="col-sm-6">
                <h2 class="section-header"> Hitesh Kumar Singh </h2>
                <p class="lead text-muted">Hitesh Kumar Singh    8954444789    Lawyer
Advisor</p>

            </div>
        </div>
    </div>
</section>
```

```
<!-- Content 2 -->
<section class="content content-2">
    <div class="container">
        <div class="row">
            <div class="col-sm-6">
                <h2 class="section-header">Aman Jain    </h2>
```

`<p class="lead text-light">Aman Jain` 9557586247 Graduate Active
Member`</p>`

`</div>`

`<div class="col-sm-6">`

``

`</div>`

`</div>`

`</div>`

`</section>`

7.2 Bibliography: -

[1]: What Strategy Made Online Food Ordering Successful?

<https://www.oddappz.com/blog/info/what-strategy-made-online-food-ordering-successful>

[2]: Cloudwaitress.com

<https://www.cloudwaitress.com/blog/purpose-of-online-ordering-system>

[3]: Feasibility study for online food ordering system

<https://ipostockkfhm.web.app/hugelewog/feasibility-study-for-online-food-ordering-system37.html>

[4]: What is a PERT Chart? | Definition, Examples, and Overview

<https://www.productplan.com/glossary/pert-chart/>

[5]: Gantt.com

<https://www.gantt.com/>:

[6]: What is a Flowchart

<https://www.lucidchart.com/pages/what-is-a-flowchart-tutorial>

[7]: Use Case Diagram Tutorial

<https://online.visual-paradigm.com/diagrams/tutorials/use-case-diagram-tutorial/>

[8]: Activity diagram login example | EdrawMax Editable Templates

<https://www.edrawmax.com/templates/1000176/activity-diagram-login-example>

[9]: ER Diagram Representation – Tutorialspoint

https://www.tutorialspoint.com/dbms/er_diagram_representation.htm

[10]: What is Data Flow Diagram (DFD)? How to Draw DFD?

<https://www.visual-paradigm.com/tutorials/data-flow-diagram-dfd.jsp>

[11]: The Future of Online Food Ordering by Restaurant App – RestroApp

<https://www.restroapp.com/blog/future-online-food-ordering-restaurant-app/>

FOOD DELIVERY

ORIGINALITY REPORT

8%	3%	0%	8%
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

PRIMARY SOURCES

1	Submitted to Uttarakhand University, Dehradun Student Paper	5%
2	www.filemakr.com Internet Source	3%

Exclude quotes	On	Exclude matches	< 2%	/
Exclude bibliography	On			G
