
SmartBoard Session Report

Course: Cpe13 - Embedded
Session: designing
Date: 2026-10-24
Status: draft



Cleaned image (gentle)

(No text extracted)

a. UTP b. Broadband c. Fibr d. Bluetooth

29. A set of high-speed networks that carry Internet traffic. These networks are provided by companies such as AT&T, GTE, and IBM.
a. Internet backdoor b. Internet backbone c. Internet Provider d. Trunk lines

30. A computer that stores and manages files for multiple users on a network.
a. Web Server b. File Server c. Virtual Server d. All of these

31. A collection of computing devices that are connected in various ways in order to communicate and share resources
a. Computer Network b. Internet c. IRC d. SMTP

32. A switching technique used by telecommunication networks that provides functionality that is similar to both circuit switching and packet switching networks.
a. Circuit Switching b. Packet Switching c. Frame Relay d. ATM

33. A client computer that is used to run applications and is connected to a server from which it obtains data shared with other computers.
a. Web Server b. File Server c. Workstation d. Personal Computer

34. It is an identification string that defines a realm of administrative autonomy, authority or control within the Internet.
a. Domain b. Packets c. IP d. HTTP

35. Which of the following is not a consideration of NOS.?
a. Robustness b. Security c. Performance d. Balance

36. Which of the following is not a TCP/IP based service for Internet mail?
a. POP3 b. IMAP c. SMTP d. HTTP

37. A logical subdivision of an IP network and the practice of dividing a network into two or more.
a. Subnet b. Access point c. Partitioning d. Networking

38. Subneting is a process of dividing large network into the smaller networks based on layer _ IP address?
a. Layer 1 b. Layer 2 c. Layer 3 d. Layer 4

39. PLDT, Digitel, Globe, Smart are examples of
a. Business b. Customer c. ISP d. HTTP

40. Who owns the internet?
a. Bill Gates b. Steve Jobs c. Mark Zuckerberg c. None

41. A printed circuit board that fits into the expansion slot on the motherboard or peripheral device of a computer which is sometimes called as network adapter.
a. PCI b. AGP c. NIC d. UTP

42. It occurs when two bits propagate at the same time on the same network
a. Collision b. Broadcast c. Noise d. None of these

43. It is the amount of data that is transmitted at a particular period of time.
a. Throughput b. Bandwidth c. OSI d. Signal

44. It is defined as undesirable signals and can originate from natural and technological sources and is added to the data signals.
a. Wave b. Noise c. Jitter d. Codec

45. A template or reference model consisting of seven layers that define the operations performed on a computer network created by the ISO.
a. Computer Network b. Data Communication c. OSI Model d. Internet model

46. For a network using the IP address 172.16.0.0 /20, what is the broadcast address for the first subnet?
a. 172.16.0.255 b. 172.16.15.255 c. 172.16.31.255 d. 172.16.255.255


47. A device that modulates digital data onto an analog signal for transmission over a telephone line, then modulates the analog signal back to digital data.
a. Router b. Modem c. Hub d. Codec

48. A network hardware that is sometimes called unintelligent device because of the collision that always exist.
a. Hub b. Router c. Bridge d. Repeater

49. Which of the following is a class B subnet?
a. 192.168.0.0 b. 173.105.33.0 c. 192.0.0.0 d. 192.168.0.1

50. A network is assigned the subnet mask 255.255.255.248. How many usable hosts are available per subnet?
a. 6 b. 14 c. 30 d. 62

II – Subnetting : The computer cannot connect in the internet. Find the error and write recommendations of the subnet.



Cleaned image (gentle)

Re ty Dy ie, “ _
oN ly we TP, 7” Tt

a, ege? ~y hen Boe nates r%, F a wp 4 = ot 7
fy 9 Pe, "29, Wy Moy Sry Me Fm. . ty ee h. Ny t
ey hy, Play Pg ae Res May oy = en A: : i
te, ee cm ne ay ’ a tyke f \, Hi rae
eS, ing Ply eg * Lat : oh oO ey
og Ga Mog Mas % a > © 1 We ele, : . oo ‘ |
Bo teaser + f " %, Meee ce , . ¥
ay hg Mey Ory > ay s NNT: Pos nat q. I wy
Yate tne x air an i we Ae! ala
YW,” ° * rg s, ~ ars ms, ay
yt . et Tis Ur ad
Gry fF. i as es mat en an oe
ee, aaa a “a ia ee ff
“by rs ~My x ney
ot - tee ee fo.
as -
oe Nowe oe
eer oye at
os =
a wer, Uf >
of tooth 3M. .
Ce 2 uP b. Broadband & Fibr vijeat py eormpanies such 3S ATR. GTE, and 13? 1
¥ 20, Aset of high-speed networks that carry internst crac. These networks are prowdes Tf TE ;
a = internet backdoor b, internet backbone c Inter pet Prowides 7 .
30. Acomputer that stores and manages files for muttiple users on a netwot
. Web Server b., File Server ‘¢. Virtual Server a. all ere resources :
31, Acollection of computing devices that are connected in various ways In order to communicate at . 6 ey
a. Computer Network b. Internet IRE d. SMTP _ 5 ewitcheng and packs! —
32. A switching technique used by telecommunication networks that provides Functionality that Is ginilar to both Gecuit =
switching networks. .
2. Gircult Switching _b, Packet Switching ¢. Frame Relay d. ATM . ers.
33, Aclient computer that is used to run applications and is connected 10 8 Sever from which i obtains data shared with other comput
: a. Web Server b. File Server Workstation Persona! Computer
| $4, itis an identification string that defines 3 reaim of administrative autonorry, authority of control within the Intemet. q
e a Domain b. Packets cP HTTP
. } 35, Which of the following is not a consideration of NOS.?
. a. Robustness b, Security c. Performance @. Batance
a 36: Which of the following is not a TCP/IP based service for Internet mail? !
: 2. POPS B. IMAP SMTP d. HTTP
37. A logical subdivision of an (P network and the practice of dividing a network into two or more.
' a. ‘Subnet b, Access point <. Partitioning a Networking,
38. Subneting isa process of dividing large network into the smaller networks based on layer _ IP address?
a tayerd b. Layer 2 ¢. Layer 3 d.tayer4
39. PLDT, Digitel, Globe, Smart are examples of

network adapter
" a PC b. AGP cNIC a.uTe
vi 42. ttoccurs when two bits propagate at the same time on the same network
if a Collision b. Broadcast c. Noise. d. None of these
t 43, itis the amount of data that is transmitted at a particular period of time.
j a. Throughput b. Bandwidth ¢. OSI d. Signat
4 44. Itis defined as undesirable signals and can originate from natural and technological sources and is added to the data signals.
[a Wave b. Noise c Jitter d. Codec
o | 45. Atemplate or reference model consisting of seven layers that define the operations performed on a computer network created by the 150.
¢ a Computer Network b, Data Communication ¢.0S1 Model d. internet model
46. Fora network using the IP address 172.16.0.0 /20, what is the broadcast address for the first subnet?
@ 172.16.0.255 b.172.16.15.255 © 172.16.31.255 d.172.16.255.255
47, Adevice that modulates digital data onto an analog signal for transmission over a telephone Tine, then modulates the analog signal back te
digital data.
a. Router b. Modem ¢. Hub d. Codec
{ 48, Anetwork hardware that is sometimes called unintelligent device because of the collision that always exist.
vf a Hub b. Router ¢, Bridge d. Repeater
be 49, Which of the following Is a class B subnet?
: a 192.168.0.0 b. 173.105.33.0 c. 192.0.0.0 d. 192.168.0.1,
: 50. Anetwork is assigned the subnet mask 255.255.255.248. How many usable hosts are available per subnet?
° a 6 b. 14 30 d. 62
: Ht — Subnetting : The computer cannot connect in the internet. Find the error and write recommendations of the subnet.
€ -_-__, - i nine $
Cloud Router Such
145.68.21.190 [27 |
ry
S|
“se
1P: $45.58. 11.190
Wask: 255.255.255.249
Coreway, 14S. 6S. 11.190