

PORTAL QA · ROUND 1

Workflow 1 · Client lifecycle audit

May 15, 2026

Workflow 1 of 10 in the May 15 deep-testing pass. Walked the client lifecycle end-to-end on the portal: *Add client* → *verify in list* → *open detail* → *archive* → *attempt restore* → *attempt delete*, using a TEST CLIENT 1 - MAY 15 QA test record. Surfaced **12 findings: 5 HIGH, 3 MED, 4 LOW.**

Biggest finding: Delete client does not work on archived clients. The confirmation dialog dismisses but the record persists in the data layer. Combined with the already-known Restore-option-missing finding, archived clients become write-once dead weight on the portal. The TEST CLIENT created during this workflow could not be removed and remains in the Archived bucket for the user to clean up once the bug ships.

Second-biggest: Account Manager selection from the Add Client form does not persist to *Client.amId*. Required-field validation passes but the save handler drops the value. With the Edit kebab option also missing, users have no UI path to fix the manager after create.

Findings ordered Functional (HIGH → MED → LOW) then Cosmetic (LOW only on this surface).

12 findings · 5 HIGH · 3 MED · 4 LOW · 0 INFO

Status legend: **HIGH** blocks scanning / breaks workflow · **MED** meaningful divergence · **LOW** polish · **INFO** matches or working as intended.

Each finding carries two chips. **Severity** (HIGH / MED / LOW / INFO) maps to impact. **History tag** (**FROM PREVIOUS QA** = carried over from prior QA, **NEW** = surfaced this round) shows which items the dev has been sitting on vs. fresh observations. **FROM PREVIOUS QA** items need triage first.

Functional · HIGH severity

HIGH

NEW

Delete client does not work on archived clients — confirmation dismisses but the client is not removed

Where to see: Top → Clients → click any archived client (Archived chip on the filter bar) → kebab → Delete client... → in the confirmation dialog click the red Delete button.

Portal: Repro consistently: confirmation dialog ("Delete client?" / "This will permanently remove TEST CLIENT 1 - MAY 15 QA and all associated data. This action cannot be undone." / Cancel + Delete) appears. Clicking **Delete** dismisses the dialog and clears the detail pane (right side falls back to "Select a client" empty state) but **the client row stays in the Archived list and the Archived chip count does not decrement**. Page reload confirms the row persists. No toast, no error, no console log surfaced to the user. Tested twice on TEST CLIENT 1 - MAY 15 QA; both attempts left the row in place.

Operational impact: a workspace cannot remove archived clients via the UI. Any client ever archived sticks in the Archived bucket forever. Combined with the missing Restore option (HIGH below), archived clients are write-once dead weight.

Original: Delete on the source build moves the record into `data.trash[]` with a 90-day retention window, fires a toast ("Client deleted — Undo"), and removes the row from every list view. The client can be restored from Account settings → Trash within the 90-day window; after that it auto-prunes.

Fix: Two-part fix:

1. Wire the Delete click handler. Either the confirm button is firing the wrong action, or the action is firing but the server / store is rejecting it silently. Open DevTools → Network tab → click Delete → inspect the request. If no request fires, the click handler isn't wired. If the request fires but returns 4xx/5xx, the server is rejecting the delete (likely permission rules or a foreign-key constraint on the archived client).

2. Match source-side soft-delete behaviour. Delete should move the client to Trash with a 90-day retention window, not hard-delete. Update the confirmation copy to match: "Move TEST CLIENT 1 to Trash? You'll have 90 days to restore it." Wire a toast with an Undo callback that immediately restores the row.

HIGH

NEW

Account Manager from the Add Client form does not persist — required field bypassed at save

Where to see: Top → Clients → + Add client → fill the form including selecting an Account Manager from the dropdown (field is marked required, asterisk shown) → Create Client. Then look at the new client's header MANAGER cell + About tab → ACCOUNT MANAGER row.

Portal: Selected *Abby Dequeros* as the Account Manager in the form. Submit succeeded (no validation error, modal closed, client created). On the resulting detail view:

- **Header** reads "Manager: None assigned ×".
- **About tab** → **Team panel** → **ACCOUNT MANAGER** reads "None assigned yet."

The form value didn't write to *Client.amId*. Required-field validation passes at the form level but the save handler drops the value. The user has no UI path to fix it later either (see the missing Edit client details kebab option MED below).

Original: Selected AM persists to *Client.amId* on create. Header MANAGER cell renders the avatar + name immediately. About tab → Team panel shows the same user under ACCOUNT MANAGER. One write, two reactive renders, no drift.

Fix: Trace the Add Client submit handler. The *amId* from the form select needs to be passed into the *createClient()* store method. If the handler currently writes a *client* object spread that includes *amId*, the create endpoint may be stripping the field server-side. Confirm with DevTools → Network on submit: the POST body should include *amId*: "a6b3f5c8-..." (the selected user's id). If it's missing, the form serialiser is dropping it; if it's there but absent on the response, the server endpoint is ignoring it.

HIGH

NEW

Archiving a client changes its status pill to "On Track" — archive should not overwrite status

Where to see: Top → Clients → click any active client → note the status pill (e.g. "• Onboarding" for a new client) → kebab → Archive client → find the same client in the Archived filter → click into it → read the status pill.

Portal: Reproed cleanly on TEST CLIENT 1 - MAY 15 QA:

- Before archive: pill reads "• *Onboarding*" (blue, matching the new-client default status).
- After archive: pill reads "• *On Track*" (green).

The archive action overwrote the status value. Misleading: "On Track" implies active healthy work, but the client is archived and dormant. AMs scanning the Archived bucket can't tell at a glance what state each client was in when archived.

Original: Archive flips *Client.archived* = *true* and that's it. Status field stays whatever it was. Archived bucket can render either:

- the original status pill (preserves context: "this was an On Fire client when we archived it"), or
- an explicit "Archived" pill (clearer state, loses pre-archive context).

Pick one; don't overwrite to "On Track".

Fix: Find the archiveClient store action. It's currently doing something like `{...client, archived: true, status: 'track'}` when it should be `{...client, archived: true}`. Drop the status overwrite.

While there, decide whether the header on an archived client should render the pre-archive status pill (recommended; keeps context) or an "Archived" pill (alternate). The current behaviour ("On Track" regardless) is the worst of both worlds.

HIGH

FROM PREVIOUS QA

Restore option missing on archived clients (carries from additional-requests doc)

Where to see: Top → Clients → click any archived client → open the kebab menu.

Portal: Kebab menu shows: *Archive client* + *Delete client...* No way to bring the client back to active. Same finding as the additional-requests doc shipped earlier (commit 8cddbff); re-confirmed live on the portal during this workflow.

Original: Archived clients show: *Restore client* + *Delete client...* Restoring flips *archived* back to *false*.

Fix: See additional-requests.pdf for the full code-shape fix. TL;DR: add a ternary `{client.archived ? 'Restore client' : 'Archive client'}` on the menu item; wire *onUnarchive* to the store's unarchive method.

HIGH

FROM PREVIOUS QA

Archive client option still shown on archived clients (carries from additional-requests doc)

Where to see: Top → Clients → click any archived client → open the kebab menu.

Portal: "Archive client" remains in the kebab menu of an already-archived client. Clicking it either re-archives (no-op) or surfaces an inconsistent state. Should be hidden.

Original: On an archived client only "Restore client" + "Delete client..." render.

Fix: Same conditional from the additional-requests fix — the ternary on the menu item label swaps Archive → Restore based on *client.archived*.

Functional · MED severity

MED

NEW

Kebab menu on active clients missing the "Edit client details..." option

Where to see: Top → Clients → click any active client → open the kebab menu in the top-right of the header.

Portal: Kebab on an active client renders only two options: *Archive client* + *Delete client*.... There is no "Edit client details..." entry that would open a modal to edit industry, manager, website, status, client-since. Combined with the Add Client form not persisting AM (HIGH above), users have **no UI path to correct an Account Manager assignment** after the client is created. They're stuck with whatever (broken) state the form produced.

Original: Active clients show three menu items: *Edit client details...* at the top (opens the edit modal), *Archive client*, *Delete client*.... Source-code reference: `src/pages/ClientDetailPage.tsx` line 670-688.

Fix: Add the Edit menu item to the portal kebab. Source-side shape:

```
<MenuItem onClick={() => openEditModal(client)}>Edit client details...</MenuItem>
<Divider />
<MenuItem ...>Archive client</MenuItem>
```

Per the additional-requests doc, hide the Edit item when *client.archived* is true.

MED

NEW

Archive action provides no toast / feedback / undo

Where to see: Top → Clients → click any active client → kebab → Archive client. Watch for any feedback after the click.

Portal: Click registers, the client disappears from the active view (it's moved to Archived), the detail pane clears. **No toast, no confirmation, no undo link.** User has to click the Archived chip to verify the action succeeded. If a user mis-clicks Archive, they have no quick way to undo — they have to navigate to the Archived bucket, find the client, and (currently impossible) click Restore.

Original: Toast pattern: "TEST CLIENT 1 archived • Undo" appears bottom-left for ~5 seconds. Click Undo reverts the archive immediately. Same atom Trash uses, same atom Notes uses.

Fix: Wire the existing toast component to the archiveClient action. Toast text: `"{client.name} archived"`. Undo button calls `unarchiveClient` with the same id. Toast auto-dismisses after 5 seconds.

MED

NEW

Delete confirmation copy says "cannot be undone" but source build supports 90-day Trash recovery

Where to see: Top → Clients → click any client → kebab → Delete client... → read the dialog body.

Portal: Dialog body reads: *"This will permanently remove [client name] and all associated data. This action cannot be undone."*

Two problems with that copy:

1. If portal truly hard-deletes, it's inconsistent with the source build (which soft-deletes to Trash with 90-day retention). Users who learned the source model will mis-trust the copy.
2. If portal silently writes to a trash collection (mirroring source) but the copy says otherwise, users avoid the delete affordance entirely — they think it's destructive when it's not.

Original: Dialog body reads something closer to: *"Move [client name] to Trash? You'll have 90 days to restore it from Account settings → Trash before it's permanently removed."*

Fix: Two-step. **First decide** whether portal is doing hard-delete or soft-delete (the broken delete in HIGH above makes this ambiguous — if neither happens, fix that first). **Then update the copy** to match the actual behaviour. Recommendation: align with source (soft-delete to Trash + match copy).

Cosmetic · LOW severity

LOW

FROM PREVIOUS QA

Add Client form: Starting Status still shows only "Prospect" card; should be a dropdown defaulting to Onboarding

Where to see: Top → Clients → + Add client → scroll to the Starting Status section.

Portal: Single card visible reading "Prospect / New lead, onboarding flow". No alternative options. User cannot pick a different starting status from the form.

Original: Dropdown defaulting to *Onboarding (first 30 days)* with options: Prospect, Onboarding, On Track, At Risk, On Fire, Paused. Most agencies onboard a new client rather than starting from Prospect; default should match the most common case.

Fix: Replace the single Prospect card with a `<select>` of all valid statuses, default to *Onboarding*. Original-side R4 finding still open after multiple rounds.

LOW

FROM PREVIOUS QA

Add Client form layout single-column; original uses two-column wrap

Where to see: Top → Clients → + Add client → overall modal layout.

Portal: Every field renders on its own row, full-width. Modal is narrower as a result. Vertical scroll required to see the Create button.

Original: Industry + Website pair on one row; Contacts section wraps name + role on one row, email + phone on the next. Modal stays compact, fewer scrolls to reach the submit. Original-side R4 finding.

Fix: Switch the form container to *grid-template-columns: 1fr 1fr; gap: 12px 16px*. Pair Industry + Website; pair contact name + role; pair email + phone.

LOW

FROM PREVIOUS QA

About tab panel titles use sentence case; should be uppercase eyebrows

Where to see: Top → Clients → client detail → About tab → read the three panel headers (Client Contacts, Quick Links, Team).

Portal: Headers render as "Client Contacts", "Quick Links", "Team" — Title Case, regular weight. Same finding as Clients R5 MED.

Original: Headers are "CLIENT CONTACTS", "QUICK LINKS", "TEAM" in the eyebrow style (uppercase, tracked letter-spacing, smaller font, muted weight). Matches the section eyebrows used elsewhere (RELATIONSHIP, ACTIVE SERVICES, LATEST TASKS).

Fix: Apply the existing eyebrow style class to the panel header component. Uppercase the strings in data (or via *text-transform: uppercase*).

LOW

FROM PREVIOUS QA

RELATIONSHIP section header missing chat-bubble icon + subtitle still stacked

Where to see: Top → Clients → client detail → About tab → top section header above the Contacts + Links panels.

Portal: Eyebrow "RELATIONSHIP" with no icon; subtitle "Who we talk to, and where to find their stuff" stacks underneath.

Original: Chat-bubble icon to the left of the eyebrow; subtitle right-aligned on the same row. Matches SETUP & ONBOARDING layout pattern. Same Clients R5 LOW finding.

Fix: Add Heroicons *chat-bubble-left-right* left of the eyebrow. Use flex-row layout to right-align the subtitle (or *justify-content: space-between* on the parent).

Build checklist

Every actionable finding (HIGH / MED / LOW). INFO items are listed in the body but not in the checklist. Tick each as it ships.

☐ **HIGH** **Delete client does not work on archived clients — confirmation dismisses but the client is not removed**

Two-part fix:

1. Wire the Delete click handler. Either the confirm button is firing the wrong action, or the action is firing but the server / store is rejecting it silently. Open DevTools → Network tab → click Delete → inspect the request. If no request fires, the click handler isn't wired. If the request fires but returns 4xx/5xx, the server is rejecting the delete (likely permission rules or a foreign-key constraint on the archived client).

2. Match source-side soft-delete behaviour. Delete should move the client to Trash with a 90-day retention window, not hard-delete. Update the confirmation copy to match: "Move TEST CLIENT 1 to Trash? You'll have 90 days to restore it." Wire a toast with an Undo callback that immediately restores the row.

☐ **HIGH** **Account Manager from the Add Client form does not persist — required field bypassed at save**

Trace the Add Client submit handler. The *amId* from the form select needs to be passed into the *createClient()* store method. If the handler currently writes a *client* object spread that includes *amId*, the create endpoint may be stripping the field server-side. Confirm with DevTools → Network on submit: the POST body should include *amId*: "a6b3f5c8-..." (the selected user's id). If it's missing, the form serialiser is dropping it; if it's there but absent on the response, the server endpoint is ignoring it.

☐ **HIGH** **Archiving a client changes its status pill to "On Track" — archive should not overwrite status**

Find the archiveClient store action. It's currently doing something like `{...client, archived: true, status: 'track'}` when it should be `{...client, archived: true}`. Drop the status overwrite.

While there, decide whether the header on an archived client should render the pre-archive status pill (recommended; keeps context) or an "Archived" pill (alternate). The current behaviour ("On Track" regardless) is the worst of both worlds.

☐ **HIGH** **Restore option missing on archived clients (carries from additional-requests doc)**

See additional-requests.pdf for the full code-shape fix. TL;DR: add a ternary `{client.archived ? 'Restore client' : 'Archive client'}` on the menu item; wire *onUnarchive* to the store's unarchive method.

- ☐
- HIGH
- Archive client option still shown on archived clients (carries from additional-requests doc)**
Same conditional from the additional-requests fix — the ternary on the menu item label swaps Archive → Restore based on *client.archived*.
- ☐
- MED
- Kebab menu on active clients missing the "Edit client details..." option**
Add the Edit menu item to the portal kebab. Source-side shape:

```
<MenuItem onClick={() => openEditModal(client)}>Edit client details...</MenuItem>  
<Divider />  
<MenuItem ...>Archive client</MenuItem>
```


Per the additional-requests doc, hide the Edit item when *client.archived* is true.
- ☐
- MED
- Archive action provides no toast / feedback / undo**
Wire the existing toast component to the archiveClient action. Toast text: *"{client.name} archived"*. Undo button calls unarchiveClient with the same id. Toast auto-dismisses after 5 seconds.
- ☐
- MED
- Delete confirmation copy says "cannot be undone" but source build supports 90-day Trash recovery**
Two-step. **First decide** whether portal is doing hard-delete or soft-delete (the broken delete in HIGH above makes this ambiguous — if neither happens, fix that first). **Then update the copy** to match the actual behaviour. Recommendation: align with source (soft-delete to Trash + match copy).
- ☐
- LOW
- Add Client form: Starting Status still shows only "Prospect" card; should be a dropdown defaulting to Onboarding**
Replace the single Prospect card with a `<select>` of all valid statuses, default to *Onboarding*. Original-side R4 finding still open after multiple rounds.
- ☐
- LOW
- Add Client form layout single-column; original uses two-column wrap**
Switch the form container to *grid-template-columns: 1fr 1fr; gap: 12px 16px*. Pair Industry + Website; pair contact name + role; pair email + phone.
- ☐
- LOW
- About tab panel titles use sentence case; should be uppercase eyebrows**
Apply the existing eyebrow style class to the panel header component. Uppercase the strings in data (or via *text-transform: uppercase*).
- ☐
- LOW
- RELATIONSHIP section header missing chat-bubble icon + subtitle still stacked**
Add Heroicons *chat-bubble-left-right* left of the eyebrow. Use flex-row layout to right-align the subtitle (or *justify-content: space-between* on the parent).