

PORTAL QA

Templates page gaps vs the dev build

Punch list of every functional and visual gap between the deployed portal (dev.portal.121group.io/projects-v2) and the dev build (nikkotrinidad-cpu.github.io/flizow) on the Templates section. Covers the list view (left pane), the per-template detail (right pane), the inline phase expander, and the empty-state of new templates. Each item names the exact behavior the portal needs to add to match.

Severity legend: **HIGH** blocks parity · **MED** visible behavioral gap · **LOW** cosmetic.

This document is interactive. Click the checkbox next to each item to mark it complete, then save the PDF. The state persists so we can keep one source of truth as work lands.

Punch list

Every gap, ranked by impact and grouped by surface (list view, header card, sections). Each item names what our build has, what the portal has today, and what the portal needs to add for parity.

Group A: Templates list (left pane)

☐ **HIGH** #1. Eyebrow shows active vs archived split when archived templates exist

Dev build (target): With no archived templates the eyebrow reads "5 TEMPLATES". As soon as one is archived the eyebrow reflects the split: "5 ACTIVE · 1 ARCHIVED". A collapsible "ARCHIVED" section drops in at the bottom of the list, default-collapsed with a count badge.

Portal (current): Eyebrow always reads "23 TEMPLATES" regardless of archive state. No collapsible archived section at the bottom of the list.

What to add: Switch the eyebrow to active/archived split when any template is archived. Add the collapsible "ARCHIVED" group at the bottom of the list, default-collapsed, showing the archived count badge. Archived templates should hide from the main list and live only inside that group.

☐ **MED** #2. Template kind pills (varied) instead of a generic "general" label

Dev build (target): Each template carries a kind pill on its detail header that reflects its category: "Web Development" (blue) on Web Design, "SEO" on SEO Retainer, "Custom" (gray) on user-created templates, etc. The pill color reinforces the category visually.

Portal (current): Most templates show a single generic "general" pill regardless of category. No color variation, no category-specific labels.

What to add: Build out a kind catalog (Web Development, SEO, Content, Brand, Paid Media, Custom, etc.) with per-kind colors. Surface as a colored pill on the template detail header. Map each existing portal template to the right kind during migration.

☐ **LOW** #3. Template icons reflect the kind (not always a generic monitor)

Dev build (target): Icons in the left list vary per template kind: monitor for Web Design, trending-arrow for SEO Retainer, page for Content, palette for Brand Refresh, target for Paid Media. The icon ties to the kind catalog.

Portal (current): Most templates use the same generic monitor icon. Brand Refresh has a palette and Content has a page, but the rest default to monitor.

What to add: Once the kind catalog from item #2 is in, derive the icon from the kind. Don't store the icon per-template; let the kind decide so future renames stay consistent.

Group B: Template detail header card

☐ **HIGH** #4. "Click any field to edit" inline-edit hint on the header

Dev build (target): Right of the kind pill on the header card sits a small instructional pill "↓ Click any field to edit". This is the discoverability cue that title, kind, phases, items, and brief fields are all click-to-edit.

Portal (current): No inline-edit hint anywhere on the header. New users have no signal that fields are editable in place; they may assume the header is read-only.

What to add: Add the "Click any field to edit" pill next to the kind pill. Should appear on every template (built-in or custom) since the inline-edit pattern applies to all of them.

☐ **MED** #5. "RESET TO DEFAULT" action for built-in templates

Dev build (target): Built-in templates (Web Design, SEO Retainer, Content, Brand Refresh, Paid Media) carry a "RESET TO DEFAULT" link on the header, between the kind pill area and the ARCHIVE button. Custom user-created templates don't show it.

Portal (current): No RESET TO DEFAULT link on any template header. Once a built-in template is edited there's no way back to the seeded baseline.

What to add: Add the RESET TO DEFAULT link on built-in templates only. Tapping it should restore phases, onboarding items, and brief fields to the seeded baseline (with a confirm dialog because it's destructive).

Group C: Phases section

☐ **HIGH** #6. Phases section subtitle is template-aware, not generic

Dev build (target): Each template gets its own informative subtitle under the PHASES heading. Examples: Web Design reads "Phase cards land in To Do; onboarding runs in parallel on its own tab." SEO Retainer reads "Repeats every month after the first cycle." The copy explains how that template's phases behave at runtime.

Portal (current): Every template shows the same generic subtitle: "Describe how this template's phases are paced". Reads like a placeholder hint, not finished copy.

What to add: Replace the generic subtitle with a per-template explanatory line. Two flavors at minimum: project-style templates (one-shot phases, run sequentially in To Do) and retainer-style templates (recur on a cadence after the first cycle). Pull the copy from the template's kind so it stays consistent across templates of the same type.

Surfaces at parity (no action needed)

Two-pane layout: identical structure (template list left, detail right with select-to-load).

List row content: avatar/icon + template name + "X phases · Y onboarding items" subtitle matches.

Search bar and "+ New template" button: same position, same behavior. New template adds a row to the list and selects it.

Phases list interactions: reorder handle, sequential numbering, subtask count on the right, click-to-expand showing subtasks inline, "+ Add subtask" link, "x" close on expanded phases, "+ Add

phase" footer. All match.

Onboarding Checklist section: same FROM CLIENT (yellow pill) and FROM US (green pill) two-section structure with checkbox items and "+ Add item" links. Subtitle copy matches: "Added to client detail when this service is selected."

Project Brief Fields section: same heading, same subtitle ("Prompts shown in the brief panel on the kanban board"), same chip + "+ Add field" pattern. Built-in templates in our build ship with default fields populated (Goals, Target audience, Success metrics, Competitors, Must-keep features, Out of scope, Timeline milestones); the portal hasn't seeded these yet but the structure is identical.

Note on data state: the dev build has 5 built-in templates shipped with seeded phases, onboarding items, and brief fields. The portal has 23 user-created templates, mostly with phases but no onboarding items and no brief fields. Differences in template count, populated brief fields, and per-row onboarding-item counts are not gaps; they reflect the portal's templates not having been fully filled out yet. Behavioral and structural gaps above remain valid regardless of data.