

PORTAL QA · ROUND 6

Clients page audit

May 15, 2026

Round 6 verification of the Clients page. Surfaced after Nikko flagged the JETT Australia Notes "+ New note" button design + the missing kebab → Edit client details flow. Walked the same surfaces as R5 to see which findings shipped vs which are still open.

Mixed picture. The Clients page hasn't moved as much as Templates or the Kanban board between rounds. **12 R5 / R4 carry-over items remain open:**

- **6 HIGH:** Notes empty-state button mid-sentence; missing Edit client details kebab item; Add team member opens a light-mode dropdown instead of a dark-mode multi-select modal; project-team × buttons unwired (don't remove the member); NEEDS ATTENTION still an inline pill; Onboarding labels still wrong.
- **3 MED:** service-row pill case; service names carrying internal IDs; onboarding subtitle.
- **3 LOW:** NEEDS ATTENTION timestamp wording; favourite star active state; Notes toolbar text labels.

4 INFO entries confirming what's working: search + alphabetical sort + filter counts, clear-value chip affordance, status-pill render, ACTIVE SERVICES section.

Format: **Functional** (HIGH → MED → LOW) first, then **Cosmetic** (LOW), then **INFO** verifications. Triage Functional HIGH first.

16 findings · 6 HIGH · 3 MED · 3 LOW · 4 INFO

Status legend: **HIGH** blocks scanning / breaks workflow · **MED** meaningful divergence · **LOW** polish · **INFO** matches or working as intended.

Each finding carries two chips. **Severity** (HIGH / MED / LOW / INFO) maps to impact. **History tag** (**FROM PREVIOUS QA** = carried over from prior QA, **NEW** = surfaced this round) shows which items the dev has been sitting on vs. fresh observations. **FROM PREVIOUS QA** items need triage first.

Functional · HIGH severity

HIGH**FROM PREVIOUS QA**

Notes tab "+ New note" button is wrapped mid-sentence on the right pane empty state — and the empty state is rendered twice

Where to see: Top → Clients → search *JETT* → click JETT Australia Pty Ltd T/A Atlas Paving → Notes tab. Look at the right pane empty state.

Portal: Two distinct bugs on the same surface:

- **Button rendered inside the description sentence.** The right pane renders "*Press [+ New note] to start one.*" where the literal blue **+ New note** button substitutes for the word "New note" in the sentence. The button is wrapped **INSIDE** the text flow instead of standing as a separate centred CTA.

- **Empty state rendered twice.** Left rail shows a small empty state ("No notes yet. Press New note to start one."); right pane shows the same empty state at large size (icon + heading + inline-button sentence). Two empty states for one missing record.

Same finding as Clients R4 #25 + #26. R5 dropped these from the punch list (probably my mistake assuming they shipped). They didn't.

Original: Single empty state in the right pane: edit icon + bold "No notes yet" heading + descriptive text on its own line + a **separate centred** + *New note* button below the text. No left-rail empty state at all (the left rail just doesn't render a notes list when there's nothing to render). Same atom as the empty state on every other surface.

Fix: Three changes to the Notes-tab empty state render:

- **Stop substituting the button inside the sentence.** Render the descriptive text as a complete sentence ("Press New note to start one." with *New note* as plain bold text, not a button).

- **Render the button as a separate centred CTA** below the text. Standard + *New note* button using the existing button atom.

- **Drop the left-rail empty state.** When there are zero notes, the left rail should render nothing (or just the search input); the right pane carries the empty state alone.

HIGH

FROM PREVIOUS QA

Kebab menu on active clients still missing "Edit client details..." — no UI path to edit industry, manager, website, status, client-since

Where to see: Top → Clients → click any active client (e.g. JETT Australia, Acme Corp) → kebab (■) in the top-right of the client header. Count the menu items.

Portal: Kebab popover shows only two options: **Archive client** + **Delete client...**. The expected three-item set (Edit client details / Archive / Delete) is missing the Edit item.

Without it, the user has no way to correct the client header fields after the client is created. Industry, manager, website, status, and client-since are all set via the Add Client modal and **cannot be edited from anywhere else in the UI**. The inline × chip is a clear-the-value affordance, not an edit-the-value affordance.

Compounded by the AM-doesn't-persist bug from Workflow 1 (May 15 deep-test pass): if the AM dropped at save, the user has no recovery path.

Original: Three-item kebab menu: Edit client details... / Archive client / Delete client.... Edit opens a modal with every header field that doesn't have an inline editor (industry, manager, website, status, client-since). Source-code reference: `src/pages/ClientDetailPage.tsx` lines 670-688.

Fix: Add the Edit client details menu item to the kebab popover. Source-side shape:

```
<MenuItem onClick={() => openEditModal(client)}>Edit client details...</MenuItem>
<Divider />
<MenuItem>Archive client</MenuItem>
<Divider />
<MenuItem destructive>Delete client...</MenuItem>
```

Per `additional-requests.pdf`, hide the Edit item when `client.archived` is true.

HIGH

FROM PREVIOUS QA

NEEDS ATTENTION block still renders as an inline pill instead of two full-width cards

Where to see: Top → Clients → click JETT Australia → Overview tab → NEEDS ATTENTION block.

Portal: Renders a single small red pill reading *"41 overdue tasks"* inline next to the section header. No icon, no subtitle, no card chrome. Same finding as Clients R5 HIGH #1; still open.

Original: Two full-width cards in a 2-column row, each with icon + bold count + descriptive subtitle ("X cards past due" / "X at risk"). Each card is clickable and opens the relevant service.

Fix: See Clients R5 HIGH #1 for the full code shape. TL;DR: replace the single pill with the two-card slot component; each card has icon + count + subtitle + click target.

HIGH

NEW

"**+ Add team member**" opens a small light-mode dropdown instead of the dark-mode "Add operators" modal with multi-select checkboxes

Where to see: Top → Clients → any client → About tab → Team panel → click Edit (now in edit mode) → click **+ Add team member** at the bottom of the Project Team grid.

Portal: Click opens a **small dropdown** anchored to the button, rendered with a **light / off-white background** on top of the dark UI surrounding it. The dropdown shows:

- A "Search team..." input.
- A vertical list of members (Adam, Agent Zero (Test), Boris Desmond, Bryan Rivera, ...) rendered as muted single-click rows.
- No checkboxes, no Cancel / Add buttons. Single-add only.

Three problems stacked:

1. **Wrong UI pattern** — dropdown instead of modal.
2. **Wrong theme** — light/white surface clashes hard with the surrounding dark UI.
3. **Wrong capability** — adds one member at a time. Adding 12 operators requires 12 clicks instead of one batch action.

Original: Click opens a centered "**Add operators**" modal in the same dark-mode treatment as every other modal:

- Title: **Add operators** (plural; matches the "12 operators" header count vocabulary).
- Search by name or role input at the top.
- Each candidate row has a **checkbox** + avatar + name + role title. Multi-select: tick as many as needed.
- Bottom action bar: **Cancel** + **Add operator** button.
- Adding 12 operators = tick 12 boxes + one Add click.

Fix: Three-part fix:

1. Swap the dropdown for a modal. Reuse the existing dark-mode modal atom (same one used by Add client / Add service / Delete confirmation). Title: *Add operators*. Backdrop blur + centered card, same chrome as the rest of the app.

2. Re-render in dark mode. The current dropdown is reading the wrong theme tokens (or hard-coded light backgrounds). Once the swap to the modal atom is done this fixes itself, but worth grepping for any *background: white / background: #fff* hard-codes in the team-picker component while you're in there.

3. Add multi-select checkboxes + a Cancel + Add operator action row. Each row renders a checkbox left of the avatar; ticking adds to a staged selection set; clicking Add operator commits the whole set in one write to *Client.teamIds*.

While you're in there: the button label is also wrong (" + Add team member" on portal vs " + Add operator" on the original). Match the original vocabulary — "operator" is the agency-wide term for non-AM project workers; "team member" is vague and overloaded with the workspace-wide Members concept.

HIGH

NEW

Team panel × buttons on project team members do not remove the member — render but don't fire

Where to see: Top → Clients → any client with a populated Project Team (e.g. a client showing "12 operators" in the Team header) → About tab → Team panel → click Edit → each team-member card now shows a red × badge in the top-right. Click the × on any member.

Portal: × badges render on every project-team card in edit mode (top-right corner of each card, red circular badge). Clicking the × **does not remove the member from the project team**. The card stays, the count stays, no toast or feedback fires. The affordance looks interactive but the action is unwired.

Same shape as the Workflow 1 Delete bug in the May 15 pass — confirmation UI fires but the data-layer write doesn't. Two distinct unwired affordances now on the Clients surface alone (× on team members here + Delete on archived clients from WF1).

(Note: I attempted to repro on Acme Corp but the project-team picker dropdown didn't add the member I selected — either a separate add-team-member bug or an interaction issue on my end. Either way, the × non-removal is clearly visible in screenshots of clients with already-populated teams. Trusting the live observation; verify with any client that has team members assigned.)

Original: × click immediately removes the member from *Client.teamIds*, the card animates out of the project-team grid, and the count ("12 operators" → "11 operators") decrements. Toast pattern: "[Name] removed from project team — Undo" so a mis-click is recoverable.

Fix: Trace the × button's onClick handler. Most likely the button renders the right *aria-label* + cursor but isn't bound to *removeFromProjectTeam(memberId)*. Open DevTools → Elements → inspect the × button → check if any event listeners are attached. If none, wire to the store action that splices the id out of *Client.teamIds*.

Same auditing pattern that surfaced the Delete-doesn't-work-on-archived-clients bug in Workflow 1. The recovery path is: (a) wire the handler, (b) call the store action, (c) fire a toast with Undo so a mis-click can be reverted.

HIGH

FROM PREVIOUS QA

Onboarding section labels still read "FROM CLIENT" / "FROM US"; should be "NEEDED FROM CLIENT" / "WE TAKE CARE OF"

Where to see: Top → Clients → JETT → Onboarding tab → expand any service onboarding card → read the two section labels.

Portal: Labels still read *"FROM CLIENT"* and *"FROM US"*. Same finding as Clients R5 HIGH #2; still open.

Original: *"NEEDED FROM CLIENT"* and *"WE TAKE CARE OF"*. Reads as a responsibility statement instead of a bare directional marker.

Fix: Single string change in the onboarding checklist component. Same labels appear on the Add client → Onboarding step modal; keep them consistent.

Functional · MED severity

MED

FROM PREVIOUS QA

Service-row status pills still use Title Case ("On Track", "On Fire") instead of UPPERCASE + leading dot

Where to see: Top → Clients → JETT → Overview → ACTIVE SERVICES → the status pill next to each service name.

Portal: Pills render *"On Track"*, *"On Fire"* (Title Case) with a small coloured dot prefix. Same finding as Clients R5 MED; still open.

Original: Pills render *"• ON TRACK"*, *"• ON FIRE"* (UPPERCASE with a prominent leading bullet).

Fix: Uppercase the label string + prefix a coloured bullet on the service-row status pill. Reuse the colour map from the Clients list dot indicator.

MED

FROM PREVIOUS QA

Service pill labels in the sidebar still carry internal project IDs ("Atlas Paving - April 2026 Retainer - 1191194")

Where to see: Top → Clients → search JETT → look at the row's service chips.

Portal: Service chips render the full legacy-import string with the trailing 7-digit ID. Examples on JETT Australia: "Atlas Paving - April 2026 Retainer - 1191194", "Atlas Paving - Development - Block 10", "Atlas Paving - March 2026 Retainer - 1175797", "Atlas Paving - Website Updates - 1084639", "Atlas Paving - SEM - 1085356". Same finding as Clients R5 MED; still open across the seeded data.

Original: Service chips show the clean short name only: "April 2026 Retainer", "Development - Block 10", "Website Updates", etc. No client-name prefix, no internal IDs.

Fix: Strip the legacy format. Either run a one-time migration that splits each *Service.name* on " - " and keeps only the middle segment, or strip on render. Data clean is the cleaner fix.

MED

FROM PREVIOUS QA

Service onboarding card subtitle still says "No items yet" instead of "[Template] · [N] items left"

Where to see: Top → Clients → JETT → Onboarding tab → each service onboarding card's subtitle line.

Portal: Subtitle reads "No items yet" for every service. Doesn't tell the AM which onboarding template the service is using or how many items remain. Same finding as Clients R5 MED; still open.

Original: Subtitle reads "[Template] · [N] items left". Example: "Brand Refresh · 3 items left". Tells the AM both the template name and the work remaining.

Fix: Subtitle formatter reads *Template.name* from the service's template ref + counts unchecked items across both NEEDED FROM CLIENT + WE TAKE CARE OF sections.

Cosmetic · LOW severity

LOW

FROM PREVIOUS QA

NEEDS ATTENTION timestamp still reads "As of today"; should be "As of this morning"

Where to see: Top → Clients → JETT → Overview tab → NEEDS ATTENTION section header timestamp.

Portal: Renders "*NEEDS ATTENTION As of today*" with the timestamp inline next to the eyebrow on the left. Same Clients R5 LOW finding; still open.

Original: Renders "*NEEDS ATTENTION*" on the left and "*As of this morning*" right-aligned on the same row. "Morning" framing matches the actual once-a-day compute behaviour; "today" implies live-refresh.

Fix: One string change + one layout change (flex-row + right-align the timestamp).

LOW

FROM PREVIOUS QA

Service-row favourite stars all render as thin outline; no visible active state

Where to see: Top → Clients → JETT → Overview tab → ACTIVE SERVICES rows → the star at the right edge of each row.

Portal: Every star renders as thin outline regardless of toggle state. User can't tell which services are starred. Same Clients R5 LOW finding; still open.

Original: Toggled-on state is a **solid gold star** (#FACC15 family). Toggled-off stays as thin grey outline. Strong contrast.

Fix: Swap the toggled-on rendering to a filled gold star (Heroicons solid variant).

LOW

FROM PREVIOUS QA

Notes editor toolbar still uses text labels for H2/H3 + bare punctuation for lists

Where to see: Top → Clients → any client with notes → Notes tab → click into a note → the formatting toolbar.

Portal: Toolbar still mixes media: *H2*, *H3* as text, B / I / S as icons, • + 1. as plain characters for the two list buttons. Same Clients R5 MED finding; still open. (Could not fully verify on JETT because there are no notes to open; carrying from the R5 verified state.)

Original: All-icon toolbar using Heroicons heading-2, heading-3, list-bullet, and numbered-list SVGs.

Fix: Replace the four text/character buttons with the matching SVG icons.

Functional · INFO severity (verified working / shipped)

INFO

NEW

Verified working: client list search + alphabetical sort + count badges

Where to see: Clients page search input + filter chips.

Portal: Search input filters the list in real time (typed "JETT" → 1 result; "Acme" → 2 results). Filter chips update counts. Alphabetical sort applied (numerics first, then A-Z). Selection highlights the row.

Original: Same.

Fix: **None.** List + search working.

INFO

NEW

Verified working: client detail header inline × chip clears industry / manager values

Where to see: Client detail header → hover the industry chip / manager chip.

Portal: Each chip has an × button with *title="Clear industry" / title="Clear manager"*, *cursor: pointer*, working onClick handler. Clears the field to empty.

Original: Same.

Fix: **None.** Clear-to-empty affordance works.

INFO

NEW

Verified working: status pill renders correctly on client header

Where to see: Client header right of the title.

Portal: JETT shows green "On Track" pill. Pill reflects *Client.status*. (Note: archiving overwrites this to "On Track" regardless of prior status — see Workflow 1 HIGH #3 from May 15 pass.)

Original: Same.

Fix: **None for status-pill render itself.** Archive overwrite is a separate finding.

INFO

NEW

Verified working: ACTIVE SERVICES section renders + progress bars visible for non-zero percentages

Where to see: Client Overview tab → ACTIVE SERVICES.

Portal: JETT lists 7 services with name + status pill + type label + progress percentage + favourite star. Progress bars render visibly for non-zero percentages (7%, 72%, 78%). Section header shows "7 projects, 0 retainers".

Original: Same.

Fix: **None for the rendering.** Pill case + star active state are separate findings above.

Build checklist

Every actionable finding (HIGH / MED / LOW). INFO items are listed in the body but not in the checklist. Tick each as it ships.

☐ **HIGH** **Notes tab "+ New note" button is wrapped mid-sentence on the right pane empty state — and the empty state is rendered twice**

Three changes to the Notes-tab empty state render:

- **Stop substituting the button inside the sentence.** Render the descriptive text as a complete sentence ("Press New note to start one." with *New note* as plain bold text, not a button).
- **Render the button as a separate centred CTA** below the text. Standard + *New note* button using the existing button atom.
- **Drop the left-rail empty state.** When there are zero notes, the left rail should render nothing (or just the search input); the right pane carries the empty state alone.

☐ **HIGH** **Kebab menu on active clients still missing "Edit client details..." — no UI path to edit industry, manager, website, status, client-since**

Add the Edit client details menu item to the kebab popover. Source-side shape:

```
<MenuItem onClick={() => openEditModal(client)}>Edit client
details...</MenuItem>
<Divider />
<MenuItem>Archive client</MenuItem>
<Divider />
<MenuItem destructive>Delete client...</MenuItem>
```

Per additional-requests.pdf, hide the Edit item when *client.archived* is true.

☐ **HIGH** **NEEDS ATTENTION block still renders as an inline pill instead of two full-width cards**

See Clients R5 HIGH #1 for the full code shape. TL;DR: replace the single pill with the two-card slot component; each card has icon + count + subtitle + click target.

☐ **HIGH** "+ Add team member" opens a small light-mode dropdown instead of the dark-mode "Add operators" modal with multi-select checkboxes

Three-part fix:

1. Swap the dropdown for a modal. Reuse the existing dark-mode modal atom (same one used by Add client / Add service / Delete confirmation). Title: *Add operators*. Backdrop blur + centered card, same chrome as the rest of the app.

2. Re-render in dark mode. The current dropdown is reading the wrong theme tokens (or hard-coded light backgrounds). Once the swap to the modal atom is done this fixes itself, but worth grepping for any *background: white* / *background: #fff* hard-codes in the team-picker component while you're in there.

3. Add multi-select checkboxes + a Cancel + Add operator action row. Each row renders a checkbox left of the avatar; ticking adds to a staged selection set; clicking Add operator commits the whole set in one write to *Client.teamIds*.

While you're in there: the button label is also wrong ("+ Add team member" on portal vs "+ Add operator" on the original). Match the original vocabulary — "operator" is the agency-wide term for non-AM project workers; "team member" is vague and overloaded with the workspace-wide Members concept.

☐ **HIGH** Team panel × buttons on project team members do not remove the member — render but don't fire

Trace the × button's onClick handler. Most likely the button renders the right *aria-label* + cursor but isn't bound to *removeFromProjectTeam(memberId)*. Open DevTools → Elements → inspect the × button → check if any event listeners are attached. If none, wire to the store action that splices the id out of *Client.teamIds*.

Same auditing pattern that surfaced the Delete-doesn't-work-on-archived-clients bug in Workflow 1. The recovery path is: (a) wire the handler, (b) call the store action, (c) fire a toast with Undo so a mis-click can be reverted.

☐ **HIGH** Onboarding section labels still read "FROM CLIENT" / "FROM US"; should be "NEEDED FROM CLIENT" / "WE TAKE CARE OF"

Single string change in the onboarding checklist component. Same labels appear on the Add client → Onboarding step modal; keep them consistent.

☐ **MED** Service-row status pills still use Title Case ("On Track", "On Fire") instead of UPPERCASE + leading dot

Uppercase the label string + prefix a coloured bullet on the service-row status pill. Reuse the colour map from the Clients list dot indicator.

☐ **MED** Service pill labels in the sidebar still carry internal project IDs ("Atlas Paving - April 2026 Retainer - 1191194")

Strip the legacy format. Either run a one-time migration that splits each *Service.name* on " - " and keeps only the middle segment, or strip on render. Data clean is the cleaner fix.

- ☐ **MED** **Service onboarding card subtitle still says "No items yet" instead of "[Template] · [N] items left"**
Subtitle formatter reads *Template.name* from the service's template ref + counts unchecked items across both NEEDED FROM CLIENT + WE TAKE CARE OF sections.
- ☐ **LOW** **NEEDS ATTENTION timestamp still reads "As of today"; should be "As of this morning"**
One string change + one layout change (flex-row + right-align the timestamp).
- ☐ **LOW** **Service-row favourite stars all render as thin outline; no visible active state**
Swap the toggled-on rendering to a filled gold star (Heroicons solid variant).
- ☐ **LOW** **Notes editor toolbar still uses text labels for H2/H3 + bare punctuation for lists**
Replace the four text/character buttons with the matching SVG icons.