

## PORTAL QA · ROUND 2

# Templates page status update

Round 2 status: 1 done, 5 still open. The inline-edit hint shipped, but most of the remaining items are about template categorization (kind pills, kind-aware icons) and built-in template behavior (RESET TO DEFAULT, template-aware phases subtitle, archived split). Less progress than other pages, but the bones are still there to build on.

---

Round 1 items: 1 done · 5 open

Status legend: **DONE** shipped · **PARTIAL** partly shipped · **OPEN** still missing · **NO ACTION** acceptable.

**This document is interactive.** The build checklist on the last page lists every item still open. Click each checkbox as the dev ships it, then save the PDF.

## Round 1 items: status update

Each Round 1 item walked through with what shipped vs what's still missing. Items marked OPEN or PARTIAL roll up into the build checklist at the end.

### **HIGH** **OPEN** #1. Eyebrow shows active vs archived split when archived templates exist

**Round 1:** Eyebrow always read "23 TEMPLATES" with no split. No collapsible "ARCHIVED" group at the bottom of the list.

**Round 2:** No change. Eyebrow still reads "23 TEMPLATES" with no active/archived split. No collapsible group at the bottom.

**What's left:** Switch the eyebrow to active/archived split when any template is archived: "X ACTIVE · Y ARCHIVED". Add the collapsible "ARCHIVED" group at the bottom of the list, default-collapsed, showing the archived count badge. Archived templates should hide from the main list and live only inside that group.

### **MED** **OPEN** #2. Template kind pills (varied) instead of a generic "general" label

**Round 1:** Most templates showed a single generic "general" pill regardless of category.

**Round 2:** Portal's Account Management header still shows "general" pill. The template list itself has rich category data (Copywriting/Content, Creative/Design, Email Marketing, Finance/Billing, HR/Resourcing, etc.) but the kind pill on each detail header doesn't surface those categories.

**What's left:** Build out a kind catalog (Web Development, SEO, Content, Brand, Paid Media, Custom, etc.) with per-kind colors. Surface as a colored pill on the template detail header. Map each existing portal template to the right kind during migration; the template names already telegraph the category.

### **LOW** **OPEN** #3. Template icons reflect the kind (not always a generic monitor)

**Round 1:** Most templates used the generic monitor icon; Brand Refresh had a palette and Content had a page.

**Round 2:** No change observable. Most templates still use the generic monitor icon. Brand Refresh + Content keep their per-kind icons; the rest default to monitor.

**What's left:** Once the kind catalog from item #2 is in, derive the icon from the kind. Don't store the icon per-template; let the kind decide so future renames stay consistent.

### **HIGH** **DONE** #4. "Click any field to edit" inline-edit hint on the header

**Round 1:** No inline-edit hint anywhere on the header.

**Round 2:** Portal Account Management header now shows the "↓ Click any field to edit" pill next to the kind pill. Same treatment as ours. Done.

MED

OPEN

### #5. "RESET TO DEFAULT" action for built-in templates

**Round 1:** No RESET TO DEFAULT link on any template header.

**Round 2:** Still no RESET TO DEFAULT link on built-in templates (Brand Refresh, Content, etc.). The portal may not yet model the "built-in vs user-created" distinction the dev build uses.

**What's left:** Add the RESET TO DEFAULT link on built-in templates only. Tapping it should restore phases, onboarding items, and brief fields to the seeded baseline (with a confirm dialog because it's destructive). Requires the data model to track which templates are built-in vs user-created.

HIGH

OPEN

### #6. Phases section subtitle is template-aware, not generic

**Round 1:** Every template showed the same generic subtitle: "Describe how this template's phases are paced."

**Round 2:** Account Management header still reads the same generic subtitle. The text reads like a placeholder hint, not finished copy. Same line on every template.

**What's left:** Replace the generic subtitle with a per-template explanatory line. Two flavors at minimum: project-style templates (one-shot phases, run sequentially in To Do) and retainer-style templates (recur on a cadence after the first cycle). Pull the copy from the template's kind so it stays consistent across templates of the same type.

## Build checklist

---

Every still-open and partial item from above. Tick each as it ships.

- ☐ **HIGH** **#1. Eyebrow shows active vs archived split when archived templates exist**  
 Switch the eyebrow to active/archived split when any template is archived: "X ACTIVE · Y ARCHIVED". Add the collapsible "ARCHIVED" group at the bottom of the list, default-collapsed, showing the archived count badge. Archived templates should hide from the main list and live only inside that group.
- ☐ **MED** **#2. Template kind pills (varied) instead of a generic "general" label**  
 Build out a kind catalog (Web Development, SEO, Content, Brand, Paid Media, Custom, etc.) with per-kind colors. Surface as a colored pill on the template detail header. Map each existing portal template to the right kind during migration; the template names already telegraph the category.
- ☐ **LOW** **#3. Template icons reflect the kind (not always a generic monitor)**  
 Once the kind catalog from item #2 is in, derive the icon from the kind. Don't store the icon per-template; let the kind decide so future renames stay consistent.
- ☐ **MED** **#5. "RESET TO DEFAULT" action for built-in templates**  
 Add the RESET TO DEFAULT link on built-in templates only. Tapping it should restore phases, onboarding items, and brief fields to the seeded baseline (with a confirm dialog because it's destructive). Requires the data model to track which templates are built-in vs user-created.
- ☐ **HIGH** **#6. Phases section subtitle is template-aware, not generic**  
 Replace the generic subtitle with a per-template explanatory line. Two flavors at minimum: project-style templates (one-shot phases, run sequentially in To Do) and retainer-style templates (recur on a cadence after the first cycle). Pull the copy from the template's kind so it stays consistent across templates of the same type.