

PORTAL QA · ROUND 4

Clients page audit

May 12, 2026

Top-to-bottom audit of the Clients page. 66 findings across the list view, the detail view (Overview / Onboarding / About / Stats / Notes), and the four modals. Most carry-over items from prior QA work are still open. A fresh batch of element-level deviations surfaced when Nikko populated the Acme Corp test client — the hero logo tile, the NEEDS ATTENTION card treatment, the service-row icon + progress bar, and the favorite-star active state all diverge from the original build in ways that change how the page scans, not just how it looks. Triage **FROM PREVIOUS QA** chips first; the **NEW** chips are this round's fresh sweep.

66 findings · 7 HIGH · 31 MED · 25 LOW · 3 INFO

Status legend: **HIGH** blocks scanning / breaks workflow · **MED** meaningful divergence · **LOW** polish · **INFO** matches or working as intended.

Each finding carries two chips. **Severity** (HIGH / MED / LOW / INFO) maps to impact. **History tag** (**FROM PREVIOUS QA** = carried over from prior QA, **NEW** = surfaced this round) shows which items the dev has been sitting on vs. fresh observations. **FROM PREVIOUS QA** items need triage first.

Design tokens — global mismatch (light + dark)

MED

NEW

Input fields render too light against the modal background (and other token-level mismatches affecting the whole app)

Where to see: Most visible on Add Client modal (Clients → + Add client). Same divergence shows up on Add Service, Add Quick Link, Notes search, every form field across the app.

Portal: Input field backgrounds sit too LIGHT against the modal background. The recessed-input affordance the design system depends on (subtle elevation offset) doesn't read — fields look raised instead of nested into the modal.

Original: Input fields use `--bg-soft` which is offset from `--bg-elev` by a tight, subtle amount. In light mode: input is slightly darker than the modal (`#f5f5f7` vs `ffffff`). In dark mode: input is slightly lighter than the modal (`#2c2c2e` vs `#1c1c1e`) — the iOS Apple HIG convention. Subtle offset in both, but precise.

Fix: This is a token-level issue, not a per-modal issue. Fix once at the CSS custom-property level, every form field across the app updates.

See [docs/portal-design-tokens.pdf](#) for the full token sheet — every color value for both light and dark themes, ready to copy-paste into portal's CSS. Includes:

- Backgrounds + surfaces (`--bg`, `--bg-elev`, `--bg-soft`, `--bg-faint`, `--column-bg`)
- Text scale (`--text`, `--text-muted`, `--text-soft`, `--text-faint`)
- Hairlines (`--hairline`, `--hairline-soft`, `--hairline-faint`)
- Brand accent (`--highlight`, `--hover-blue`, `--hover-tint` variants)
- Status colors (`--status-fire`, `--status-risk`, `--status-track`, `--status-onboard`, `--status-paused`, plus soft tints)
- Avatars, kbd, nav, tags, shadows, modal shadow with composite outline

Critical instruction: copy the values exactly. Don't reinterpret, don't substitute, don't derive from a generated palette. The design system depends on precise values AND the relationships between them (the depth ladder, the WCAG-AA-tuned text contrasts, the brand-accent alpha lifts in dark mode). The token sheet PDF has a verification checklist for spot-checking once the swap lands.

Client list rows

MED

FROM PREVIOUS QA

Last-activity timestamp coverage is spotty — only ~10% of rows show it

Where to see: Clients → left pane → far right of each row.

Portal: Most rows have no timestamp at all. Spot check of first 8 rows: Alpine Property (none), Asset Maintenance (none), ATL Investments (none), B&E Fire Protection (none), BASELINE GROUP (none), BELLE ET BLANC (7 Apr), Berg Engineering (none), Bruce Rock (none). Only 1 of 8.

Original: Every row has a stamp: "6d ago", "Mon", "Tue", "Sun", etc. Format scales: *Xd ago* for under a week, day-of-week for this week, date for older.

Fix: Compute and render last-activity for every client (most recent *updatedAt* across the client's services + tasks + notes). Use the same format ladder the original build uses: *Xd ago* / weekday name / date. If a client has zero activity ever, fall back to *createdAt* rather than leave the cell blank.

LOW

FROM PREVIOUS QA

Long client names truncate with no tooltip

Where to see: Clients → left pane → any long client name truncated with "..."

Portal: Long names truncate silently. Tested by hovering on "CASCADE ROAD MEDICAL CENTRE PTY LTD ..." — no tooltip appears, full name is unreachable without clicking through.

Original: Houses style is to expose the full name on hover via *title* attribute or a tooltip wrapper.

Fix: Add a *title* attribute (or wrap with a tooltip component) on every name element that can truncate. One line of code per row.

LOW

NEW

Status indicator dot: colors and chips match, but the hover tooltip is missing

Where to see: Clients → left pane → hover the colored dot on the far left of any client row.

Portal: Each row has a colored dot on the far left (green = On Track, blue = Onboarding, orange = At Risk, red = On Fire). Avatar is either 2-letter initials on a colored background OR an uploaded company logo (BELLE ET BLANC, BASELINE ONSITE, BERG, HEAVY DIESEL GROUP). Service tag chips below each row show actual service names (truncated).

Tooltip: hovering the dot shows **nothing**. The dot is purely visual — no *title* attribute, no *aria-label*. A user who doesn't already know the color-to-status mapping (esp. for the blue = Onboarding dot, which isn't an obvious convention) has no way to learn it without reading the filter chips above the list and matching colors back.

Original: Same dot color mapping + same chip semantics + initials-only avatars (no uploaded logos in our demo data — portal's logo upload is a nice addition that doesn't conflict with the original build).

Tooltip: every dot has both *title* AND *aria-label* set to a one-line explanation that goes beyond just the state name:

- fire → "On fire — needs attention now"
- risk → "At risk — review soon"
- onboard → "Onboarding — first 30 days"
- track → "On track"

Hover reveals the meaning; screen readers announce it on focus. Same string everywhere the dot renders.

Fix: Add *title* + *aria-label* attributes on each status dot. Use the original build's exact strings (with the em dash — the long-form tooltip on each color):

- fire → "On fire — needs attention now"
- risk → "At risk — review soon"
- onboard → "Onboarding — first 30 days"
- track → "On track"
- paused → "Paused"

Sets both attributes to the same string. Sanity-check the color-to-status mapping (esp. blue = Onboarding) while you're in the file.

Client detail header

HIGH

NEW

Header fields have no edit path once a client is created (industry / manager / website / status / client-since)

Where to see: Clients → click any client → header card. Try to change the industry, the assigned manager, the website, the status, or the client-since date.

Portal: Header fields render as static text. The hero kebab menu only offers *Archive* + *Delete*. There is no inline editor and no modal — once the client is created, none of these five fields can be changed from the UI. To correct a wrong AM or back-date a client, the user would have to delete and recreate.

Original: Two edit paths cover everything: (1) inline rename on the client name (click the name → edit → Enter to commit, Esc to cancel — no pencil icon, cursor + hover tint + focus ring carry the affordance); (2) *Edit client details...* at the top of the hero kebab opens a modal that mirrors the Add Client field grid: Client name, Industry (dropdown), Website, Account Manager (dropdown), Status (dropdown), Client since (date picker). Save calls *updateClient* and re-derives initials from the new name so the hero logo stays in sync. Esc closes, Cmd/Ctrl+Enter saves.

Fix: Build an **Edit client details...** modal and surface it as the top item of the hero kebab menu (above Archive, above Delete). Field grid:

- Row 1 — Client name (full width, required)
- Row 2 — Industry dropdown + Website (two columns)
- Row 3 — Account Manager dropdown + Status dropdown
- Row 4 — Client since (date picker)

Pre-populate from the current client record. Validate name + website + AM on save. Persist through the same *updateClient* method *addClient* uses, so field shape stays consistent end to end. Inline-rename for the name can stay as a parallel quick path — the modal carries the heavy fields the inline editor can't reach.

HIGH

NEW

Account-manager assignment doesn't propagate to the header or the About tab after save

Where to see: Clients → click any client → assign an Account Manager (whichever path the portal exposes: Add Client modal at creation, AM dropdown, or the Edit Client modal once it ships). Reload or navigate away + back. Check (1) the hero MANAGER row and (2) the About tab → Team panel → ACCOUNT MANAGER block.

Portal: After the save fires, the AM value writes to the store but neither display surface picks it up:

- **Hero MANAGER row** still reads "Manager: None assigned" with no avatar.
- **About tab** → **ACCOUNT MANAGER block** still reads "ACCOUNT MANAGER — None assigned yet."

Two read sites for the same field, both stale. Confirmed against Nikko's Acme Corp test client — an AM was assigned but the header + About tab both still show the unassigned state.

Original: Single source of truth: *Client.amId* on the client record. Every consumer reads it through the *useFlizow()* hook + the *members.find(m => m.id === client.amId)* lookup, so assigning the AM (via the Add Client modal, the Edit Client modal, or any future inline picker) flows to the hero MANAGER row, the About tab ACCOUNT MANAGER block, the client list AM avatar, the "Assigned to me" filter, and notification routing — all in the same render tick.

Fix: Trace the AM write path on portal end-to-end:

- **Write.** Confirm the AM picker saves to the same field the read sites are bound to. If the picker writes to *accountManagerId* but the header reads from *amId* (or vice versa), unify the field name across the schema.

- **Reactivity.** Confirm both read sites subscribe to the same store slice that the write updates — if the AM mutation calls *save()* but the components don't re-read on the next render, the bug is missing reactivity, not missing data.

- **Cache.** Sanity-check that the data isn't stale-cached from before the write — force-reload should not change the display state of a field that was just saved.

This is HIGH because AM drives urgency routing, the "Assigned to me" filter, notifications, and every client-ownership signal in the app — a silent write-without-read failure breaks all of that with zero visible feedback to the user.

MED

NEW

Hero logo tile: wrong shape, corner radius, and palette colour

Where to see: Clients → click any client → top-left of the hero card (the colored square with the client's two-letter initials).

Portal: On the freshly-created Acme Corp test client the logo tile renders in a light sky-blue with a heavily rounded silhouette that reads as wider-than-tall — closer to a pill than a square. Corner radius looks ~50% (pill territory). The fill colour doesn't match any of the brand-aligned palette swatches the original build cycles through.

Original: Logo tile is a perfect 1:1 square at ~20px corner radius (a rounded-square, not a pill), filled by the auto-assigned *logo-** CSS class. Acme renders in *logo-indigo* (the deep purple-blue from the design-tokens palette). White two-letter initials sit dead-centre. Same tile shape + size appears in the client list, the hero, and breadcrumbs — one visual identity end to end.

Fix: Three fixes:

- **Aspect ratio.** Lock the tile to *aspect-ratio: 1 / 1* so it's always square, never stretched.
- **Corner radius.** Set to ~20px (or the design-token value the original uses — see the *portal-design-tokens* reference doc). The current ~50% radius pushes it into pill territory.
- **Palette.** Wire the auto-assigned colour to the same *logo-** class set the original uses (indigo, pink, teal, amber, lime, rose, sky, violet, emerald, slate). The sky-blue fill on Acme suggests the palette is either mis-mapped or defaulting to a single colour for every new client.

MED

FROM PREVIOUS QA

Status display style: inline pill vs labeled "STATUS" eyebrow + pill

Where to see: Clients → click any client → header card at the top of the right pane.

Portal: Status renders inline next to the client name as a small pill: ● *On Track*. No separate label.

Original: Status renders as: *STATUS* label (small, uppercase, muted) + ● *ON FIRE* pill (uppercase, with leading dot). Two-element treatment that makes the relationship explicit.

Fix: Match the original build: prepend a small uppercase "STATUS" eyebrow label before the pill, and uppercase the pill value ("● ON TRACK", "● ON FIRE").

MED

FROM PREVIOUS QA

Header info row: portal stacks icons with em-dash placeholders; ours uses labeled fields with avatars

Where to see: Clients → client detail header → row of icons under the client name.

Portal: Three slots: home icon + "—", "Manager: None assigned" (no avatar), calendar icon + "—". Em-dash placeholders when data is empty.

Original: Same row, populated: home icon + "SaaS / Tech" (industry), *MANAGER:* label + NT avatar + "Nikko Trinidad" (avatar shown with name when populated), calendar icon + "Client since Sep 2024" (full phrasing, not just a date).

Fix: Two refinements: (1) for the manager slot, render an avatar + name when populated (not just text); (2) the date label should read "Client since <Month Year>" as a full phrase, not just a bare date. Em-dash placeholders are fine for empty states but the populated shape needs to match.

LOW

NEW

Header info row: small "X" remove buttons next to each populated field (new in this round)

Where to see: Clients → client detail → header card → Industry / Manager / Date rows.

Portal: Spotted on the newly-created Acme Corp test client: each populated header field renders with a small × icon next to the value (Industry "Retail ×", Manager "None assigned ×"). Presumably clicking the × clears the value back to empty. Empty fields show "—" placeholder with no × (nothing to remove).

Original: Header fields render as plain text — no × remove control. To clear a value, the AM opens the client settings modal and removes it there. Inline-remove isn't part of the reference pattern.

Fix: Two options:

- **Keep portal's × icons.** They're a low-friction way to clear an accidental value. Pair with a confirm step on the manager row (clearing the AM is more consequential than clearing industry).

- **Match ours — remove the × icons.** The original build's logic is that header fields are set/cleared via the edit modal, not inline. Keeps the header read-only and uncluttered.

Worth a Nikko call on which pattern wins. Either is defensible — flagging here so it doesn't ship by accident without an explicit decision.

Overview tab — NEEDS ATTENTION section

HIGH**NEW**

Attention items render as a small inline pill, not a full-width card with icon + subtitle

Where to see: Clients → click any client → first section below the tabs row. The Acme Corp test client has one overdue task — useful for spotting the rendering.

Portal: The single attention item renders as a small inline pill: red number badge ("1") + label ("overdue task"). No icon container, no subtitle, no full-width card treatment, no tinted background or border. The pill is ~120px wide and sits on its own row. Reads more like a chip than the most important callout on the page.

Original: Each attention item gets its OWN full-width card. Card composition:

- Circular tinted icon container on the LEFT (flame icon for past-due in red, chat-bubble icon for at-risk in amber)
- Large bold title in the top line ("1 card past due", "1 at risk")
- Subtitle in the second line showing the source service name + an action hint ("Conversion Optimization · tap to open" / "Conversion Optimization · review soon")
- Tinted background + tinted 1px border matching the severity colour (red theme for past-due, amber theme for at-risk)

The whole card is the click target — tapping it lands on the offending service/board.

Fix: Rebuild the attention surface as a card grid (one or two slots — see the sibling finding on count). Each card: tinted background + 1px border matching severity, circular tinted icon container on the left (flame for past-due red, chat-bubble for at-risk amber), large bold title text, subtitle showing service name + action hint, whole card clickable. This section is the most important surface on the client detail page after the hero — the small-pill rendering buries the signal.

HIGH

FROM PREVIOUS QA

Only one card slot — the original build has two (past-due + at-risk)

Where to see: Clients → client detail → Overview tab → block above ACTIVE SERVICES.

Portal: "NEEDS ATTENTION" header + "As of today" timestamp + a single red card: "30 overdue tasks" (count + label only, no subtitle, no CTA, no jump-to action).

Original: "NEEDS ATTENTION" header + "As of this morning" timestamp + TWO cards side-by-side:

- Past-due card: red flame icon + "1 card past due" + subtitle "Conversion Optimization · tap to open" (clicks straight to that service)
- At-risk card: gray chat icon + "1 at risk" + subtitle "Conversion Optimization · review soon"

Fix: Rebuild the section to render two card slots side-by-side: past-due tasks card (fire icon, count, source service name as subtitle, "tap to open" affordance) + at-risk surfaces card (chat icon, count, source service name, "review soon"). Each card should click straight to the offending board / service.

LOW

FROM PREVIOUS QA

Timestamp wording: "As of today" vs "As of this morning"

Where to see: Clients → client detail → Overview tab → top-right of NEEDS ATTENTION.

Portal: "As of today"

Original: "As of this morning"

Fix: Match the original build: "As of this morning". The morning framing tells the AM these alerts are computed once at the start of the day rather than refreshed live, which is the actual behavior.

LOW

NEW

Section header layout: timestamp clusters left next to the eyebrow instead of right-aligning

Where to see: Clients → client detail → Overview tab → NEEDS ATTENTION section header row.

Portal: "NEEDS ATTENTION" eyebrow and the "As of today" timestamp sit side-by-side on the LEFT of the section header row, separated only by a thin space. Reads as one long left-anchored title.

Original: "NEEDS ATTENTION" anchors the LEFT of the section header; "As of this morning" sits at the FAR RIGHT of the same row, aligned to the right edge. The right-aligned timestamp reads as a freshness stamp on the data, not as part of the section title — same pattern the ACTIVE SERVICES row uses for the Edit + Add service buttons.

Fix: Right-align the timestamp via flexbox or grid in the section header. Pair this with the wording fix in the sibling finding ("As of today" → "As of this morning") so both land together. Same pattern should apply to any future eyebrow + meta row on this page — left-anchored label, right-anchored meta/actions.

Overview tab — ACTIVE SERVICES section

LOW

FROM PREVIOUS QA

ACTIVE SERVICES eyebrow missing the "X of X" total-active count prefix

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES eyebrow.

Portal: "ACTIVE SERVICES 5 projects, 0 retainers"

Original: "ACTIVE SERVICES 7 of 7 · 2 projects, 5 retainers"

Fix: Add the "X of X" prefix before the project/retainer split: "<active> of <total> · N projects, M retainers". The prefix tells the AM how many of the client's total services are currently active vs paused/archived — useful at-a-glance context.

MED

NEW

Service-row status pill: lowercase + no leading dot vs uppercase + leading dot

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES row → status pill.

Portal: *On Fire / On Track* (sentence case, no leading dot)

Original: ● *ON FIRE* / ● *ON TRACK* (uppercase, leading colored dot)

Fix: Match the original build's pill style: uppercase value with a leading colored dot (red dot for ON FIRE, green for ON TRACK). Same casing/dot pattern is used in the client detail header — keep them consistent across the page.

MED

FROM PREVIOUS QA

Service-row subtitle still shows task count instead of template + next milestone

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES row → subtitle line under each service name.

Portal: "Project · 73/117 tasks" — service type prefix + raw task count.

Original: "Template: Brand Refresh · Due May 25" — template name + next milestone date. Tells the AM what kind of work is running AND what the next checkpoint is.

Fix: Switch the subtitle line to "Template: <template name> · Due <next milestone date>". Keep the progress percent in its current spot on the right rail (it already carries the task-count signal indirectly).

MED

NEW

Progress label is always "Progress" — should be "This month" for retainer services

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES row → label above the percentage on the right.

Portal: Every row says *Progress* <N>%, regardless of whether the service is a project or a retainer.

Original: Projects say *Progress* <N>% (cumulative completion); retainers say *This month* <N>% (current-month consumption). Different label because different metric.

Fix: Split the label by *service.type*: projects render "Progress <N>%"; retainers render "This month <N>%". The percentage value calculation also differs (cumulative-to-date vs current-month-to-date) — verify the underlying calc, not just the label.

MED

NEW

Service-row logo tile: wrong colour family + wrong icon glyph

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES → small square tile on the left of each service row.

Portal: Tile renders in a muted dark teal/green with a table-cells / spreadsheet-style icon inside. Reads visually as "this opens a table or spreadsheet view" — not as a kanban board.

Original: Tile renders in solid indigo (same colour family as the client hero logo) with a 2×2 grid of small squares — the kanban-columns mini-icon (*Squares2X2Icon* from Heroicons). The visual vocabulary tells the AM "this opens a kanban board for this service."

Fix: Two fixes:

- **Colour.** Match the indigo from the hero logo palette so the client → service relationship reads as one visual family. The current dark teal breaks that relationship.
- **Icon.** Swap to Heroicons *Squares2X2Icon* (the 2×2 grid). The current spreadsheet glyph likely came from Lucide or a different icon set — same root cause as the Home page section-icon mismatches called out in that round's findings.

MED

NEW

Service-row progress: percentage text shows but the bar element is missing

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES → right edge of each service row.

Portal: Renders the percentage text only ("Progress 0%" / "Progress 33%"). No horizontal progress-bar element is drawn beside or beneath the percentage — even at 0% the empty track itself is absent. Just text on a row.

Original: Renders the percentage text + a thin horizontal progress bar directly under it. The bar always draws: empty grey track at 0%, brand-blue fill (*--highlight* token) growing from the left at non-zero progress. Scanning the ACTIVE SERVICES strip the AM gets the visual shape of the workload without reading every percentage.

Fix: Add the progress-bar element under (or beside) the percentage. Track: ~3–4px tall, full-width of the right column, rounded corners, neutral grey background. Fill: brand-blue (*--highlight*), rounded corners, width scaled to the percentage. The track must render even at 0% so the empty state gives a visual baseline — don't conditionally hide it. Match the same bar styling used elsewhere (Onboarding completion, Stats tab).

LOW

NEW

Service-row favorite star: thin outline only, active state visually indistinguishable

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES → right edge of each row (next to the progress percentage).

Portal: Star renders as a thin grey outline glyph. No fill, no tinted background, no size step-up when active. The favorited/pinned state is indistinguishable from the un-favorited state at a glance — the AM has to inspect each row to see which services they've pinned.

Original: Two-state styling. Inactive = thin outline (same as portal). Active = FILLED gold star inside a circular yellow-tinted badge background. Visual weight is high enough that scanning the strip shows the pinned services without reading every row. See the Acme Corp screenshot — Brand Refresh Q2 and Marketing Site v3 both carry the gold-badge treatment.

Fix: Wire the active state to a filled gold star (*StarIcon* solid variant from Heroicons, amber-500 fill) inside a circular tinted badge (amber-100 background, 28–32px diameter). Keep the inactive state as-is (thin outline). The state swap should be a single CSS class toggle so the favorite-toggle click feels instant.

Overview tab — LATEST TASKS section

LOW

FROM PREVIOUS QA

LATEST TASKS rows show a service-name column ours doesn't have (reclassified after deeper inspection)

Where to see: Clients → client detail → Overview tab → scroll to LATEST TASKS.

Portal: Re-verified — earlier framing was wrong. Each row format: bullet + task title + To Do pill + **service name (truncated)** + date. The third column reads as the client name when looking at Alpine Property (because all its service names start with "Alpine Property Collective - ..."), but on Acme Corp the same column renders "*Content writing for ...*" — clearly the service name. An earlier pass mistakenly called this a client-name duplication; it's actually a service-name column ours doesn't render.

Original: Row format: bullet + task title + To Do pill + relative date ("6d ago"). No service-name column.

Fix: Two ways to land this:

- Match ours — drop the service-name column to match the cleaner row format.
- Keep portal's — the service-name column is actually useful disambiguation when a client has 5+ services (otherwise the AM can't tell which service a task belongs to without clicking).

I'd lean toward keeping the service-name column (portal's approach) because it solves a real scanability problem on multi-service clients. Worth a house-style call from Nikko: does the third column stay on portal AND get added to the original build, or does the original build's leaner shape win? Until then, mark as *different rule, not wrong rule* and don't ship a fix yet.

Onboarding tab

HIGH

FROM PREVIOUS QA

Section labels reverted in the wrong direction — should be "NEEDED FROM CLIENT" / "WE TAKE CARE OF"

Where to see: Clients → client detail → Onboarding tab → label above each checkbox group.

Portal: Renders "FROM CLIENT" and "FROM US" as the two section labels.

Original: Renders "NEEDED FROM CLIENT" and "WE TAKE CARE OF" (confirmed via DOM inspection: class *onboarding-group-label*, exact text on every service card).

Fix: Revert to "NEEDED FROM CLIENT" and "WE TAKE CARE OF". (Round 4 documented this in the wrong direction, which led to portal being changed to the shorter labels — they're actually the original build's longer labels. Apologies for the round 4 mistake on this one.)

MED

NEW

Missing the overall-progress eyebrow on the right side of SETUP & ONBOARDING

Where to see: Clients → client detail → Onboarding tab → top-right area above the service cards.

Portal: "SETUP & ONBOARDING" eyebrow on the left, nothing on the right side.

Original: "SETUP & ONBOARDING" eyebrow on the left + "<N> of <M> services in progress · <X> of <Y> items complete" on the right (e.g. "2 of 7 services in progress · 23 of 29 items complete"). Overall rollup of onboarding progress across all services.

Fix: Add the aggregate progress rollup on the right side of the eyebrow row. Two stats: services-in-progress count and items-complete count, separated by a middle dot.

MED

NEW

Service onboarding card subtitle: should show template name + items left, not just "No items yet"

Where to see: Clients → client detail → Onboarding tab → each service card subtitle.

Portal: Subtitle shows "No items yet" — implies the template hasn't been applied or no items have been seeded.

Original: Subtitle shows "<Template name> · <N> items left" (e.g. "Brand Refresh · 3 items left"). Tells the AM what template the service is using AND how much onboarding remains.

Fix: Render the subtitle as "<Template name> · <N> items left". If no template is assigned, fall back to "No template assigned". Showing "No items yet" hides the template context, which is useful even when items are empty.

MED

NEW

Checkbox layout is single-column; the original build uses two-column wrap

Where to see: Clients → client detail → Onboarding tab → checkbox items under each label.

Portal: Items stack vertically, one per row, full-width.

Original: Items render in a two-column grid that wraps. Checked items are struck through. "+ Add item" link sits at the bottom of each group.

Fix: Switch to a two-column wrap layout to match the original build. Denser, easier to scan when there are 4-8 items per group. Keep the "+ Add item" affordance at the bottom of each group.

About tab

MED

NEW

Quick Links renders a globe for every link; the original build picks an icon per link type

Where to see: Clients → client detail → About tab → Quick Links panel. Add a Google Drive link (or any non-website link) and compare the icon.

Portal: Every Quick Links row renders a globe icon, regardless of what the link points at. Google Drive looks identical to a website link.

Original: The Add Quick Link modal exposes six icon variants the user picks from: *link* (generic), *globe* (Website), *drive* (Google Drive / cloud), *doc* (Document), *figma* (Figma), *folder* (Folder). The rendered row picks the icon for the chosen variant — see Acme Corporation: globe for Website, folder for Asset Library, cloud triangle for Shared Drive.

Fix: Two parts:

- Add the icon-variant field to the Add Quick Link modal (default: *link*).
- Map each variant to a Heroicon: *link* → *LinkIcon*, *globe* → *GlobeAltIcon*, *drive* → *CloudIcon*, *doc* → *DocumentTextIcon*, *figma* → a custom Figma glyph, *folder* → *FolderIcon*. Render the icon on each row in the Quick Links panel.

MED

NEW

Add Contact / Add Link buttons render as solid-blue primaries; the original build uses outlined secondaries

Where to see: Clients → client detail → About tab → top-right of the Client Contacts + Quick Links panels.

Portal: + Add contact and + Add link both render as solid-blue rounded pills with white text. Two solid-blue primaries on the same screen.

Original: Both buttons render as outlined-pill secondaries: thin blue border, blue text, transparent background. The text-only *Edit* link sits beside them at the lowest tier. Hierarchy: solid (one per surface, reserved for the page's primary action) → outline (secondary) → text-only (inline). The two panel CTAs land at the outline tier so they don't compete with the page-level primary.

Fix: Drop the solid fill on both buttons. Use the outlined variant — thin *--highlight* border, *--highlight* text, transparent background, *--hover-tint* on hover. Same recipe both panels use today on the original build. Mirrors the four-tier blue-highlight hierarchy in the design language doc: solid (CTA) → ring (secondary) → tint (active state) → text (inline).

LOW

NEW

RELATIONSHIP section header is missing the chat-bubble icon + the subtitle is stacked instead of right-aligned

Where to see: Clients → client detail → About tab → top section header before the Contacts + Links grid.

Portal: **RELATIONSHIP** eyebrow with the subtitle *"Who we talk to, and where to find their stuff"* stacked vertically below it. No icon next to the eyebrow. Both pieces left-anchored.

Original: Section header is a single row: chat-bubble icon (*ChatBubbleLeftRightIcon* from Heroicons) + **RELATIONSHIP** on the LEFT, the subtitle right-aligned on the SAME row. Reads as a label + explainer pair, not as a stacked title.

Fix: Three changes:

- Add the chat-bubble icon (*ChatBubbleLeftRightIcon*) before the RELATIONSHIP eyebrow.
- Render the section header as a flex row: eyebrow + icon on the left, subtitle on the right.
- Same pattern matches the NEEDS ATTENTION right-aligned timestamp finding flagged earlier — section headers across the page should anchor labels left and meta/explainer text right.

LOW

NEW

Client Contacts panel icon uses a two-person silhouette; the original build uses an ID-card icon

Where to see: Clients → client detail → About tab → Client Contacts panel header → small icon to the left of the title.

Portal: Two-person silhouette icon (*UserGroupIcon* or similar).

Original: ID-card icon (*IdentificationIcon* from Heroicons). The semantic match is closer: *contacts* = people whose contact details we keep on file, which an ID card visually represents. The two-person icon is reserved for the TEAM panel (internal roster) so the two panels don't visually rhyme.

Fix: Swap to Heroicons *IdentificationIcon*. The two-person icon belongs on the TEAM panel only — keeping the two icons distinct helps the eye differentiate *contacts at the client* vs *our team working on the client*.

MED

NEW

Panel titles use sentence case; the original build uses uppercase eyebrows

Where to see: Clients → client detail → About tab → panel headers.

Portal: "Client Contacts" / "Quick Links" / "Team" (Title Case / Sentence Case).

Original: "CLIENT CONTACTS" / "QUICK LINKS" / "TEAM" (uppercase eyebrow style, matches the house section-label convention).

Fix: Uppercase the three panel titles. Same treatment as PORTFOLIO HEALTH, MY TASKS, ACTIVE SERVICES, etc. — section labels are uppercase eyebrows throughout the app.

MED

NEW

Client Contacts entries are missing job titles AND the primary-contact star

Where to see: Clients → client detail → About tab → Client Contacts panel → each contact card.

Portal: Just contact name (e.g. "Kayleigh", "Alpine Property Collective", "Angel") with an email icon. No job title shown. No star ★ to indicate the primary contact.

Original: Each contact shows: name + **job title under the name** (e.g. "James Oduya / Head of Demand Gen", "Nikolai Volkov / Founder & CEO", "Marcus Rivera / Brand Manager") + **gold ★** on the primary contact + email and phone icons on the right.

Fix: Render the job title as a sub-line under each contact name. Add a gold star to the contact marked as primary. Include both email and phone icons (when phone is available).

LOW

NEW

Team panel subtitle aggregates everyone as "operators"; ours splits AMs from operators

Where to see: Clients → client detail → About tab → Team panel header.

Portal: "Team — 13 operators — Edit"

Original: "TEAM — 1 account manager · 1 operator — Edit — + Add operator". Splits the AM count from the operator count and exposes an "+ Add operator" action.

Fix: Split the subtitle: count account managers and operators separately. Add an "+ Add operator" button alongside Edit. The AM-vs-operator split matters because they have different permissions/responsibilities in the working model.

MED

NEW

ACCOUNT MANAGER block: empty-state vs populated structure

Where to see: Clients → client detail → About tab → Team panel → ACCOUNT MANAGER subhead.

Portal: "ACCOUNT MANAGER — None assigned yet." Text-only empty state.

Original: When populated: NT avatar + "Nikko Trinidad" name + "Account Manager" role label below. Card-style treatment with a clear assignment shown.

Fix: Verify the populated state renders the avatar + name + role-label triple on portal once an AM is assigned. Empty-state copy is fine.

Notes tab

MED

NEW

Editor toolbar uses plain text labels for H2/H3 + bare punctuation for the lists; the original build uses SVG icon glyphs

Where to see: Clients → client detail → Notes tab → create a note → look at the toolbar above the editor body (H2 / H3 / B / I / S / bullet / numbered / link, eight buttons total).

Portal: Buttons render as text or near-text: **H2 + H3** as plain typographic labels, B / I / S as styled letters, the bullet-list button as a bare centred dot ·, the numbered-list button as the text 1. Only the link button is a real icon. Reads as a fallback that didn't pull the icon set in, not a deliberate text-toolbar choice.

Original: All eight buttons are clean SVG icon glyphs at consistent stroke weight: heading icons (H with underline-bar variants for H2/H3), drawn B / I / S letter glyphs (not literal text characters), proper 3-line list icons (one with bullets to the left, one with numerals), chain-link icon. Visible vertical dividers separate the four groups (headings · inline marks · lists · link). Matches the icon-driven design language used across the rest of the app.

Fix: Swap the text labels + bare punctuation for proper SVG icon glyphs across all eight buttons. The original build's NotesTab.tsx Toolbar component ships inline SVG paths for each — copy that vocabulary so the toolbar reads as one visual family. Keep vertical dividers between the four groups so the toolbar scans as four small clusters rather than one undifferentiated row.

LOW

NEW

Editor toolbar buttons have no hover tooltips with keyboard-shortcut hints

Where to see: Clients → client detail → Notes tab → hover any toolbar button (Bold, Italic, etc.) and wait.

Portal: Hover surfaces no tooltip. Users have to guess what each button does from its glyph + memorise the (unwritten) keyboard shortcut.

Original: Hover or keyboard-focus surfaces a styled tooltip card above the button after a 250ms delay. The card holds the action name + the platform-correct keyboard shortcut, joined by a middle dot: *"Bold · B"* on Mac, *"Bold · Ctrl+B"* on Windows. Honours *prefers-reduced-motion* and carries the same string on *aria-label* so screen readers don't depend on hover.

Fix: Add the same tooltip pattern to portal's toolbar. Each button gets a *data-tooltip-full* attribute holding label + shortcut; a *::after* pseudo-element renders the styled card on hover/focus. Shortcut strings should match what the editor library actually binds. TipTap's StarterKit binds Mod-B, Mod-I, Mod-Shift-X, Mod-Alt-2/3, Mod-Shift-8/7.

LOW

NEW

Header date format differs: "12 May 2026, 11:03 pm" vs "May 12, 2026, 11:04 PM"

Where to see: Clients → client detail → Notes tab → select any note → top of the editor pane shows the note's created + edited timestamps.

Portal: *12 May 2026, 11:03 pm · edited Just now* — day-first **DD Month YYYY** format with lowercase *pm*. UK / AU / PH locale convention.

Original: *May 12, 2026, 11:04 PM · edited 20m ago* — month-first **Month DD, YYYY** format with uppercase *PM*. US locale convention. Matches the date formatting used everywhere else in the app (the cover "Client since Sep 2024", the Stats tab, the QA docs themselves).

Fix: Pick one convention and use it everywhere the app renders a date. The original's *formatMonthYear* + *formatMonthDay* helpers in *utils/dateFormat.ts* centralise this; routing the Notes timestamp through them keeps the format consistent with the rest of the app. If 121 Group prefers the day-first AU / PH convention, the change goes in the helper once and propagates everywhere — the divergence here is one surface drifting from the rest.

MED

NEW

Empty state is rendered twice and the editor pane is missing

Where to see: Clients → client detail → Notes tab.

Portal: Two empty states visible simultaneously: a small one ("No notes yet. Press New note to start one.") in the would-be notes-list column on the left, and a larger centered one ("No notes yet" + a big "+ New note" button) in the would-be editor column on the right. Looks redundant.

Original: When notes exist: two-pane layout (list on left, editor on right). When empty: a single centered empty state. Editor pane includes a rich-text toolbar (H1, H2, bold, italic, strikethrough, bulleted list, numbered list, link) and per-note actions (pin/star, share, delete) with an "All changes saved" indicator at the bottom.

Fix: Two parts: (1) Collapse the double empty state into a single centered one when there are no notes. (2) When notes exist, render the two-pane editor layout with the full rich-text toolbar and per-note actions — couldn't verify this part because the current portal account has no notes, so build it out and confirm against the original build's populated state.

MED

NEW

Notes empty state: "+ New note" button is rendered inline **INSIDE** the description sentence

Where to see: Clients → client detail → Notes tab → centered empty state in the editor pane (right side of the two-pane layout).

Portal: The description line composes as *"Press [+ New note] to start one."* with the ACTUAL **+ New note** button widget rendered inline between the words "Press" and "to start one." The button sits mid-sentence as if it were a word, with prose flowing left and right of it. Reading rhythm breaks; the CTA reads as an accident rather than the primary action. Looks like the empty-state copy tried to interpolate the button label as a variable but rendered the full button component instead.

Original: Three stacked, vertically-centered elements, no inline button:

1. Pencil icon (top)
2. Bold title *"No notes yet"*
3. Plain-text description *"Add your first note to start."*
4. Standalone **+ New note** button on its own line below the description

Each piece sits on its own line. The button stands alone as a clear CTA — never inside a sentence.

Fix: Three changes:

- **Stop substituting the button into the sentence.** The description should be plain text: *"Add your first note to start."* — no embedded interactive elements.

- **Render the CTA as a standalone button** on its own line below the description, centred horizontally.

- **Match the copy.** Title "No notes yet," description "Add your first note to start." (drops the "Press" framing entirely — the button label speaks for itself).

Same fix removes the awkwardness on the left-pane list empty state too: drop "Press New note to start one." → just "No notes yet." The section header already has a **+ New note** button so the user has a clear path without inline button references in either pane.

Stats tab

INFO

FROM PREVIOUS QA

Stats tab looks largely matched — Live indicator, range selector, summary cards, channels panel all present

Where to see: Clients → client detail → Stats tab.

Portal: "Live · Synced 3 min ago" + refresh button + RANGE selector (7d / 30d / 90d) + SUMMARY · ALL CHANNELS with 4 metric cards (Ad Spend, Leads, Blended CPL, Email Engagement) each with a sparkline + delta + "vs. prior 30 days" comparison + CHANNELS · 7 CONNECTED panel with per-channel cards (Google Ads, Meta Ads, etc.) showing LIVE status + spend.

Original: Same structure, same elements, just different test numbers.

Fix: None at this level of audit. A deeper field-by-field comparison (chart shapes, exact KPI definitions, drill behavior, integration tile states) is still owed but out of scope for this round.

Modal: Add client

HIGH

NEW

Industry should be a dropdown with curated options, not a free-text input

Where to see: Clients → "+ Add client" → Industry field.

Portal: Free-text input with placeholder "e.g. Healthcare, Real Estate, Retail".

Original: Dropdown with preset options (SaaS / Tech, E-commerce / Retail, Food & Beverage, etc. — same vocabulary that drives the industry classification line in the client list rows).

Fix: Make Industry a dropdown using the same canonical list as the list-row industry display. Free-text introduces spelling variants ("SaaS" vs "Saas" vs "S.a.a.S") and breaks scanability.

HIGH

NEW

Starting Status should be a dropdown defaulting to "Onboarding (first 30 days)", not a single Prospect card

Where to see: Clients → "+ Add client" → Starting Status field.

Portal: Renders a SINGLE selectable card: "Prospect / New lead, onboarding flow". No way to choose anything else from the modal.

Original: Dropdown with multiple options. Default selected value: "Onboarding (first 30 days)".

Fix: Replace the single card with a dropdown that exposes all status states (Prospect, Onboarding, Active, etc.) and defaults to "Onboarding (first 30 days)". Most new clients enter via onboarding, not as a Prospect — that's the more useful default.

MED

NEW

Website, Status, and contact fields should be required (currently only 3 of 9 are marked *)

Where to see: Clients → "+ Add client" → field labels.

Portal: Required (with *): Client Name, Industry, Account Manager. Optional: Website, Status, Contact name, Position/Role, Email address, Mobile number.

Original: Required (with *): Client name, Industry, Website, Account Manager, Status, Contact name, Position, Email address, Mobile number — all 9 fields required.

Fix: Mark Website, Status, Contact name, Position, Email address, and Mobile number as required (add asterisks and gate the Create button on validation). Website is especially important — every operator workflow that depends on the website (favicon scrape, manual research, outreach) breaks if it's empty.

MED

NEW

Form layout: single-column vs two-column

Where to see: Clients → "+ Add client" → overall layout.

Portal: Fields stack vertically, one per row. Modal is narrower as a result (~390px).

Original: Fields render in a two-column grid: Industry + Website share a row, Account Manager + Status share a row, contact fields are also two-column (Contact name + Position, then Email + Mobile). Modal is wider (~470px) and feels denser.

Fix: Switch to a two-column layout matching the original build. Pair up: Industry/Website, Account Manager/Status, Contact name/Position, Email/Mobile. Reduces vertical scroll and groups related fields visually.

LOW

NEW

Modal title casing: "Add Client" (Title Case) vs "Add client" (sentence case)

Where to see: Clients → "+ Add client" → modal header.

Portal: "Add Client" (Title Case).

Original: "Add client" (sentence case) with a small icon next to the title.

Fix: Lowercase the C in Client. House style is sentence case for modal titles ("Add service" already follows this — Add Client is the odd one out). Optional: add the small building/people icon to the left of the title for parity.

LOW

NEW

Contact field label: "Position / Role" vs "Position"

Where to see: Clients → "+ Add client" → primary contact section.

Portal: "Position / Role" (slash with both words).

Original: "Position" (single word).

Fix: Trim to "Position". Shorter, matches the original build's label, and "Role" doesn't add useful disambiguation in this context.

Modal: Add service

INFO

NEW

Add service modal matches the original build — major fix landed

Where to see: Clients → client detail → Overview tab → "+ Add service".

Portal: Service Name input + TYPE selector (Project + Retainer cards with subtitles) + TEMPLATE dropdown (with explanatory subtitle "Seeds the board with starter columns and a few example cards.") + NEXT DELIVERABLE DATE picker + Cancel/Create buttons. Title is lowercase "Add service".

Original: Same structure, same fields, same copy.

Fix: None — verified end-to-end. One open: smoke-test that selecting a non-empty Template actually seeds the kanban with the template's starter columns + example tasks on Create.

Edit Services flow

INFO

FROM PREVIOUS QA

Edit Services inline transform works (reorder + delete + rename)

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES → click Edit.

Portal: Edit transforms the existing service list inline (no modal). Each row shows up/down chevrons on the left (reorder), an Archive button + a red X delete on the right, and "Done" + "+ Add service" buttons at the top. Clicking on a service name during edit mode opens an inline rename input.

Original: Same inline-transform pattern. One difference: status pills (ON FIRE / ON TRACK) and progress bars remain visible during edit so the AM keeps context. On portal, they disappear during edit.

Fix: Keep status pills and progress bars visible during edit mode so the AM doesn't lose context (e.g. "I shouldn't archive this one because it's still on fire"). Optional polish: consolidate Archive button + red X delete into one row-level kebab so the row chrome is cleaner.

Modal: Add quick link

MED

FROM PREVIOUS QA

Add Quick Link works; edit/delete of a saved link wasn't verified

Where to see: Clients → client detail → About tab → Quick Links panel → "+ Add link".

Portal: "+ Add link" opens an "Add Quick Link" modal with Title + URL fields and Cancel/Add buttons. Add flow works.

Original: Same add flow. Populated state renders each link with an icon (matched to the URL pattern — globe for Website, folder for Asset Library, etc.) + an external-link arrow on the right. Hover reveals edit/delete actions.

Fix: Smoke test once: add a link, edit its label, delete it. Confirm the icon-by-URL pattern (globe / folder / drive) matches the original build, and that links open in a new tab on click.

Tooltip audit — Clients page (deep sweep)

LOW

NEW

Tooltip audit — overview

Where to see: Clients page → every interactive element. Captured via DOM inspection of both portal and the original build. Topnav excluded per QA policy. Items below are the gaps where the original build sets a tooltip and portal doesn't (or sets a shorter / less descriptive one).

Portal: Portal's tooltip surface is sparse: lots of elements have neither *title* nor *aria-label*, and when aria is set the text is often just the visible label repeated.

Original: The original build's pattern: set both *title* AND *aria-label* to the same descriptive string on every interactive element. The text goes beyond the visible label and explains what the action does or what the value means. Strings stay short (under 60 characters typically) so they read well in both browser tooltips and screen reader announcements.

Fix: Per-element list below. For each: the visible element, where to find it, and the exact strings to set. Set both *title* AND *aria-label* to the same string unless otherwise noted.

LOW

NEW

List view — Search input is missing the descriptive aria-label

Where to see: Clients → left pane → search input.

Portal: *aria-label*: "Search" (one word).

Original: *aria-label*: "Search clients".

Fix: Set *aria-label* to **"Search clients"**. Two-word version makes the scope clear (the same input on Templates is "Search templates" — house pattern).

LOW

NEW

List view — count badge missing aria-label

Where to see: Clients → search input → count badge (e.g. "140").

Portal: No tooltip on the badge. Screen reader announces only the number.

Original: *aria-label*: " clients in view" (e.g. "50 clients in view").

Fix: Set *aria-label* to **"<count> clients in view"**. Without context the number is meaningless to a screen reader user.

LOW

NEW

List view — saved-view chips container missing aria-label

Where to see: Clients → filter chips row (All / Assigned to me / On Fire / etc.).

Portal: Chips render but the container isn't labeled.

Original: Container has *aria-label*: "Saved views". Screen readers announce the role + label before walking the chips.

Fix: Add *aria-label*="Saved views" on the chips wrapper.

MED

NEW

List view — AM avatar button on each row missing aria-label (when populated)

Where to see: Clients → list row → small avatar of the assigned account manager (right side of row).

Portal: Avatar renders but no aria-label / title. Click target with no announcement.

Original: *aria-label*: "Open profile for <Manager full name>" (e.g. "Open profile for Kate Chen"). Click opens the member profile panel.

Fix: Add *aria-label*="Open profile for <manager name>" on each AM avatar button. Drives screen reader output and makes the click target unambiguous.

LOW

NEW

List view — service "+N more" pill missing title

Where to see: Clients → list row → service tag chips → "+1" / "+5 more" overflow pill.

Portal: No tooltip. The user has to click into the client to see the hidden services.

Original: *title*: " more service" / " more services" (singular / plural).

Fix: Add a *title* attribute with "<N> more service" or "<N> more services" depending on count. Hover gives the count without forcing a click.

LOW

NEW

List view — sidebar collapse toggle missing tooltip

Where to see: Clients → right edge of the left pane → small "<" chevron toggle (hide list).

Portal: Toggle exists but no tooltip explains what it does.

Original: *title*: "Hide client list" (or "Show client list" when collapsed). *aria-label*: same.

Fix: Set both *title* and *aria-label*:

- When expanded → "Hide client list"
- When collapsed → "Show client list"

LOW

NEW

List view — client status dot tooltips MATCH (cross-reference)

Where to see: Clients → list row → colored dot on far left.

Portal: Already covered earlier in this doc — Nikko flagged the missing dot tooltip and the fix is already in the build checklist.

Original: title + aria: "On fire — needs attention now" / "At risk — review soon" / "Onboarding — first 30 days" / "On track" / "Paused — retainer on hold".

Fix: Covered above in the dedicated status-dot finding. No duplicate action.

MED

NEW

Detail header — client name is missing the "Click to rename" affordance tooltip

Where to see: Clients → client detail → header → client name (large text).

Portal: Name is not click-to-rename on portal (verified earlier). No tooltip.

Original: title: "Click to rename". Click → inline editor opens for the name field.

Fix: Two parts:

1. Make the name a click-to-rename inline editor (matches the original build's pattern).
2. Add title="Click to rename" so the affordance is discoverable on hover.

MED

NEW

Detail header — status pill missing the derivation-rule tooltip

Where to see: Clients → client detail → header → "● ON FIRE" / "● On Track" pill.

Portal: Pill has no tooltip. The user can't tell whether the status was manually set or auto-derived.

Original: title: "Auto-computed from attention items, onboarding progress, and activity". Explains the derivation rule on hover.

Fix: Add title="Auto-computed from attention items, onboarding progress, and activity" when the status is auto-derived (the recommendation in the calculations doc). When the AM manually overrides, change the tooltip to title="Manually set by <name> on <date>". Two states, two explanations.

MED

NEW

Detail header — Manager avatar button missing aria-label

Where to see: Clients → client detail → header → manager avatar (next to MANAGER label).

Portal: No tooltip.

Original: *aria-label*: "Open profile for <Manager full name>". Click opens the profile sheet.

Fix: Add *aria-label*="Open profile for <manager name>". Same pattern as the list-row AM avatar.

MED

NEW

Detail header — kebab menu button missing aria-label

Where to see: Clients → client detail → header → ■ kebab (top right).

Portal: No aria. Screen readers announce just "button".

Original: *aria-label*: "Client options".

Fix: Add *aria-label*="Client options".

LOW

NEW

Detail tabs row missing aria-label

Where to see: Clients → client detail → tabs row (Overview / Onboarding / About / Stats / Notes).

Portal: Tabs render but the wrapper isn't labeled.

Original: *aria-label*: "Client sections" on the tabs container.

Fix: Add *aria-label*="Client sections" on the tabs wrapper.

MED

NEW

Overview tab — service cards missing the "Open board" aria-label

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES row → click anywhere on the service card body.

Portal: No aria-label on the card body. Click navigates to the board but screen readers don't announce the destination.

Original: *aria-label*: "Open board for <Service name>" on the card body.

Fix: Add *aria-label*="Open board for <service name>" on each *.service-card* (or equivalent) element.

MED

NEW

Overview tab — service-row pin/star button missing both tooltip strings

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES row → star icon on the right.

Portal: Star toggles pin state but no tooltip + no aria-label explains what it does.

Original: State-dependent strings:

- When NOT pinned → *title*: "Pin to My Boards", *aria-label*: "Pin <Service> to My Boards"
- When pinned → *title*: "Unpin from My Boards", *aria-label*: "Unpin <Service> from My Boards"

Fix: Set both *title* and *aria-label* on the star button, swapping the strings based on the current pinned state. Aria-label includes the service name for screen-reader context.

LOW

NEW

Modals — close button (×) aria-label varies; standardize

Where to see: Any modal (Add Client / Add Service / Add Contact / Add Quick Link / etc.) → × button top right.

Portal: Some modals set *aria-label*="Close", others set nothing.

Original: Every modal × button: *aria-label*="Close" (single, consistent value).

Fix: Audit every modal close button on portal. Set *aria-label*="Close" on each one. Skipping it leaves the button unlabeled for screen readers.

LOW

NEW

Edit Services flow — reorder chevrons + delete X + Archive button missing labels

Where to see: Clients → Overview tab → ACTIVE SERVICES → click Edit → row controls.

Portal: Reorder up/down chevrons, the red × delete, and the Archive button have no aria-label / title.

Original: Each control labeled:

- Up chevron → *aria-label*: "Move <Service> up"
- Down chevron → *aria-label*: "Move <Service> down"
- Red × → *title*: "Delete service (send to Trash)", *aria-label*: "Delete <Service>"
- Archive button → *title*: "Archive service (hide from active list)", *aria-label*: "Archive <Service>"

Fix: Set the strings as above. Including the service name in aria-label is important — there are 5+ rows and screen reader users need to know which one each control acts on.

Build checklist

Every actionable finding (HIGH / MED / LOW). INFO items are listed in the body but not in the checklist. Tick each as it ships.



MED

Input fields render too light against the modal background (and other token-level mismatches affecting the whole app)

This is a token-level issue, not a per-modal issue. Fix once at the CSS custom-property level, every form field across the app updates.

See [docs/portal-design-tokens.pdf](#) for the full token sheet — every color value for both light and dark themes, ready to copy-paste into portal's CSS. Includes:

- Backgrounds + surfaces (--bg, --bg-elev, --bg-soft, --bg-faint, --column-bg)
- Text scale (--text, --text-muted, --text-soft, --text-faint)
- Hairlines (--hairline, --hairline-soft, --hairline-faint)
- Brand accent (--highlight, --hover-blue, --hover-tint variants)
- Status colors (--status-fire, --status-risk, --status-track, --status-onboard, --status-paused, plus soft tints)
- Avatars, kbd, nav, tags, shadows, modal shadow with composite outline

Critical instruction: copy the values exactly. Don't reinterpret, don't substitute, don't derive from a generated palette. The design system depends on precise values AND the relationships between them (the depth ladder, the WCAG-AA-tuned text contrasts, the brand-accent alpha lifts in dark mode). The token sheet PDF has a verification checklist for spot-checking once the swap lands.



MED

Last-activity timestamp coverage is spotty — only ~10% of rows show it

Compute and render last-activity for every client (most recent *updatedAt* across the client's services + tasks + notes). Use the same format ladder the original build uses: Xd ago / weekday name / date. If a client has zero activity ever, fall back to *createdAt* rather than leave the cell blank.



LOW

Long client names truncate with no tooltip

Add a *title* attribute (or wrap with a tooltip component) on every name element that can truncate. One line of code per row.



LOW

Status indicator dot: colors and chips match, but the hover tooltip is missing

Add *title* + *aria-label* attributes on each status dot. Use the original build's exact strings (with the em dash — the long-form tooltip on each color):

- fire → "On fire — needs attention now"
- risk → "At risk — review soon"
- onboard → "Onboarding — first 30 days"
- track → "On track"
- paused → "Paused"

Sets both attributes to the same string. Sanity-check the color-to-status mapping (esp. blue = Onboarding) while you're in the file.



HIGH

Header fields have no edit path once a client is created (industry / manager / website / status / client-since)

Build an **Edit client details...** modal and surface it as the top item of the hero kebab menu (above Archive, above Delete). Field grid:

- Row 1 — Client name (full width, required)
- Row 2 — Industry dropdown + Website (two columns)
- Row 3 — Account Manager dropdown + Status dropdown
- Row 4 — Client since (date picker)

Pre-populate from the current client record. Validate name + website + AM on save. Persist through the same *updateClient* method *addClient* uses, so field shape stays consistent end to end. Inline-rename for the name can stay as a parallel quick path — the modal carries the heavy fields the inline editor can't reach.



HIGH

Account-manager assignment doesn't propagate to the header or the About tab after save

Trace the AM write path on portal end-to-end:

- **Write.** Confirm the AM picker saves to the same field the read sites are bound to. If the picker writes to *accountManagerId* but the header reads from *amId* (or vice versa), unify the field name across the schema.
- **Reactivity.** Confirm both read sites subscribe to the same store slice that the write updates — if the AM mutation calls *save()* but the components don't re-read on the next render, the bug is missing reactivity, not missing data.
- **Cache.** Sanity-check that the data isn't stale-cached from before the write — force-reload should not change the display state of a field that was just saved. This is HIGH because AM drives urgency routing, the "Assigned to me" filter, notifications, and every client-ownership signal in the app — a silent write-without-read failure breaks all of that with zero visible feedback to the user.

- ☐
- MED
- Hero logo tile: wrong shape, corner radius, and palette colour**
Three fixes:
 - **Aspect ratio.** Lock the tile to *aspect-ratio: 1 / 1* so it's always square, never stretched.
 - **Corner radius.** Set to ~20px (or the design-token value the original uses — see the *portal-design-tokens* reference doc). The current ~50% radius pushes it into pill territory.
 - **Palette.** Wire the auto-assigned colour to the same *logo-** class set the original uses (indigo, pink, teal, amber, lime, rose, sky, violet, emerald, slate). The sky-blue fill on Acme suggests the palette is either mis-mapped or defaulting to a single colour for every new client.
- ☐
- MED
- Status display style: inline pill vs labeled "STATUS" eyebrow + pill**
Match the original build: prepend a small uppercase "STATUS" eyebrow label before the pill, and uppercase the pill value ("● ON TRACK", "● ON FIRE").
- ☐
- MED
- Header info row: portal stacks icons with em-dash placeholders; ours uses labeled fields with avatars**
Two refinements: (1) for the manager slot, render an avatar + name when populated (not just text); (2) the date label should read "Client since <Month Year>" as a full phrase, not just a bare date. Em-dash placeholders are fine for empty states but the populated shape needs to match.
- ☐
- LOW
- Header info row: small "X" remove buttons next to each populated field (new in this round)**
Two options:
 - **Keep portal's × icons.** They're a low-friction way to clear an accidental value. Pair with a confirm step on the manager row (clearing the AM is more consequential than clearing industry).
 - **Match ours — remove the × icons.** The original build's logic is that header fields are set/cleared via the edit modal, not inline. Keeps the header read-only and uncluttered.Worth a Nikko call on which pattern wins. Either is defensible — flagging here so it doesn't ship by accident without an explicit decision.
- ☐
- HIGH
- Attention items render as a small inline pill, not a full-width card with icon + subtitle**
Rebuild the attention surface as a card grid (one or two slots — see the sibling finding on count). Each card: tinted background + 1px border matching severity, circular tinted icon container on the left (flame for past-due red, chat-bubble for at-risk amber), large bold title text, subtitle showing service name + action hint, whole card clickable. This section is the most important surface on the client detail page after the hero — the small-pill rendering buries the signal.
- ☐
- HIGH
- Only one card slot — the original build has two (past-due + at-risk)**
Rebuild the section to render two card slots side-by-side: past-due tasks card (fire icon, count, source service name as subtitle, "tap to open" affordance) + at-risk surfaces card (chat icon, count, source service name, "review soon"). Each card should click straight to the offending board / service.

- ☐

LOW

Timestamp wording: "As of today" vs "As of this morning"

Match the original build: "As of this morning". The morning framing tells the AM these alerts are computed once at the start of the day rather than refreshed live, which is the actual behavior.
- ☐

LOW

Section header layout: timestamp clusters left next to the eyebrow instead of right-aligning

Right-align the timestamp via flexbox or grid in the section header. Pair this with the wording fix in the sibling finding ("As of today" → "As of this morning") so both land together. Same pattern should apply to any future eyebrow + meta row on this page — left-anchored label, right-anchored meta/actions.
- ☐

LOW

ACTIVE SERVICES eyebrow missing the "X of X" total-active count prefix

Add the "X of X" prefix before the project/retainer split: "<active> of <total> · N projects, M retainers". The prefix tells the AM how many of the client's total services are currently active vs paused/archived — useful at-a-glance context.
- ☐

MED

Service-row status pill: lowercase + no leading dot vs uppercase + leading dot

Match the original build's pill style: uppercase value with a leading colored dot (red dot for ON FIRE, green for ON TRACK). Same casing/dot pattern is used in the client detail header — keep them consistent across the page.
- ☐

MED

Service-row subtitle still shows task count instead of template + next milestone

Switch the subtitle line to "Template: <template name> · Due <next milestone date>". Keep the progress percent in its current spot on the right rail (it already carries the task-count signal indirectly).
- ☐

MED

Progress label is always "Progress" — should be "This month" for retainer services

Split the label by *service.type*: projects render "Progress <N>%"; retainers render "This month <N>%". The percentage value calculation also differs (cumulative-to-date vs current-month-to-date) — verify the underlying calc, not just the label.
- ☐

MED

Service-row logo tile: wrong colour family + wrong icon glyph

Two fixes:

 - **Colour.** Match the indigo from the hero logo palette so the client → service relationship reads as one visual family. The current dark teal breaks that relationship.
 - **Icon.** Swap to Heroicons *Squares2X2Icon* (the 2×2 grid). The current spreadsheet glyph likely came from Lucide or a different icon set — same root cause as the Home page section-icon mismatches called out in that round's findings.

- ☐ **MED** **Service-row progress: percentage text shows but the bar element is missing**

Add the progress-bar element under (or beside) the percentage. Track: ~3–4px tall, full-width of the right column, rounded corners, neutral grey background. Fill: brand-blue (--highlight), rounded corners, width scaled to the percentage. The track must render even at 0% so the empty state gives a visual baseline — don't conditionally hide it. Match the same bar styling used elsewhere (Onboarding completion, Stats tab).
- ☐ **LOW** **Service-row favorite star: thin outline only, active state visually indistinguishable**

Wire the active state to a filled gold star (*StarIcon* solid variant from Heroicons, amber-500 fill) inside a circular tinted badge (amber-100 background, 28–32px diameter). Keep the inactive state as-is (thin outline). The state swap should be a single CSS class toggle so the favorite-toggle click feels instant.
- ☐ **LOW** **LATEST TASKS rows show a service-name column ours doesn't have (reclassified after deeper inspection)**

Two ways to land this:

 - Match ours — drop the service-name column to match the cleaner row format.
 - Keep portal's — the service-name column is actually useful disambiguation when a client has 5+ services (otherwise the AM can't tell which service a task belongs to without clicking).

I'd lean toward keeping the service-name column (portal's approach) because it solves a real scanability problem on multi-service clients. Worth a house-style call from Nikko: does the third column stay on portal AND get added to the original build, or does the original build's leaner shape win? Until then, mark as *different rule, not wrong rule* and don't ship a fix yet.
- ☐ **HIGH** **Section labels reverted in the wrong direction — should be "NEEDED FROM CLIENT" / "WE TAKE CARE OF"**

Revert to "NEEDED FROM CLIENT" and "WE TAKE CARE OF". (Round 4 documented this in the wrong direction, which led to portal being changed to the shorter labels — they're actually the original build's longer labels. Apologies for the round 4 mistake on this one.)
- ☐ **MED** **Missing the overall-progress eyebrow on the right side of SETUP & ONBOARDING**

Add the aggregate progress rollup on the right side of the eyebrow row. Two stats: services-in-progress count and items-complete count, separated by a middle dot.
- ☐ **MED** **Service onboarding card subtitle: should show template name + items left, not just "No items yet"**

Render the subtitle as "<Template name> · <N> items left". If no template is assigned, fall back to "No template assigned". Showing "No items yet" hides the template context, which is useful even when items are empty.

- ☐
- MED
- Checkbox layout is single-column; the original build uses two-column wrap**
Switch to a two-column wrap layout to match the original build. Denser, easier to scan when there are 4-8 items per group. Keep the "+ Add item" affordance at the bottom of each group.
- ☐
- MED
- Quick Links renders a globe for every link; the original build picks an icon per link type**
Two parts:
 - Add the icon-variant field to the Add Quick Link modal (default: *link*).
 - Map each variant to a Heroicon: link → *LinkIcon*, globe → *GlobeAltIcon*, drive → *CloudIcon*, doc → *DocumentTextIcon*, figma → a custom Figma glyph, folder → *FolderIcon*. Render the icon on each row in the Quick Links panel.
- ☐
- MED
- Add Contact / Add Link buttons render as solid-blue primaries; the original build uses outlined secondaries**
Drop the solid fill on both buttons. Use the outlined variant — thin *--highlight* border, *--highlight* text, transparent background, *--hover-tint* on hover. Same recipe both panels use today on the original build. Mirrors the four-tier blue-highlight hierarchy in the design language doc: solid (CTA) → ring (secondary) → tint (active state) → text (inline).
- ☐
- LOW
- RELATIONSHIP section header is missing the chat-bubble icon + the subtitle is stacked instead of right-aligned**
Three changes:
 - Add the chat-bubble icon (*ChatBubbleLeftRightIcon*) before the RELATIONSHIP eyebrow.
 - Render the section header as a flex row: eyebrow + icon on the left, subtitle on the right.
 - Same pattern matches the NEEDS ATTENTION right-aligned timestamp finding flagged earlier — section headers across the page should anchor labels left and meta/explainer text right.
- ☐
- LOW
- Client Contacts panel icon uses a two-person silhouette; the original build uses an ID-card icon**
Swap to Heroicons *IdentificationIcon*. The two-person icon belongs on the TEAM panel only — keeping the two icons distinct helps the eye differentiate *contacts at the client* vs *our team working on the client*.
- ☐
- MED
- Panel titles use sentence case; the original build uses uppercase eyebrows**
Uppercase the three panel titles. Same treatment as PORTFOLIO HEALTH, MY TASKS, ACTIVE SERVICES, etc. — section labels are uppercase eyebrows throughout the app.
- ☐
- MED
- Client Contacts entries are missing job titles AND the primary-contact star**
Render the job title as a sub-line under each contact name. Add a gold star to the contact marked as primary. Include both email and phone icons (when phone is available).

- ☐ **LOW** **Team panel subtitle aggregates everyone as "operators"; ours splits AMs from operators**

Split the subtitle: count account managers and operators separately. Add an "+ Add operator" button alongside Edit. The AM-vs-operator split matters because they have different permissions/responsibilities in the working model.
- ☐ **MED** **ACCOUNT MANAGER block: empty-state vs populated structure**

Verify the populated state renders the avatar + name + role-label triple on portal once an AM is assigned. Empty-state copy is fine.
- ☐ **MED** **Editor toolbar uses plain text labels for H2/H3 + bare punctuation for the lists; the original build uses SVG icon glyphs**

Swap the text labels + bare punctuation for proper SVG icon glyphs across all eight buttons. The original build's NotesTab.tsx Toolbar component ships inline SVG paths for each — copy that vocabulary so the toolbar reads as one visual family. Keep vertical dividers between the four groups so the toolbar scans as four small clusters rather than one undifferentiated row.
- ☐ **LOW** **Editor toolbar buttons have no hover tooltips with keyboard-shortcut hints**

Add the same tooltip pattern to portal's toolbar. Each button gets a *data-tooltip-full* attribute holding label + shortcut; a *::after* pseudo-element renders the styled card on hover/focus. Shortcut strings should match what the editor library actually binds. TipTap's StarterKit binds Mod-B, Mod-I, Mod-Shift-X, Mod-Alt-2/3, Mod-Shift-8/7.
- ☐ **LOW** **Header date format differs: "12 May 2026, 11:03 pm" vs "May 12, 2026, 11:04 PM"**

Pick one convention and use it everywhere the app renders a date. The original's *formatMonthYear* + *formatMonthDay* helpers in *utils/dateFormat.ts* centralise this; routing the Notes timestamp through them keeps the format consistent with the rest of the app. If 121 Group prefers the day-first AU / PH convention, the change goes in the helper once and propagates everywhere — the divergence here is one surface drifting from the rest.
- ☐ **MED** **Empty state is rendered twice and the editor pane is missing**

Two parts: (1) Collapse the double empty state into a single centered one when there are no notes. (2) When notes exist, render the two-pane editor layout with the full rich-text toolbar and per-note actions — couldn't verify this part because the current portal account has no notes, so build it out and confirm against the original build's populated state.

- ☐
- MED
- Notes empty state: "+ New note" button is rendered inline INSIDE the description sentence**
Three changes:
 - **Stop substituting the button into the sentence.** The description should be plain text: *"Add your first note to start."* — no embedded interactive elements.
 - **Render the CTA as a standalone button** on its own line below the description, centred horizontally.
 - **Match the copy.** Title "No notes yet," description "Add your first note to start." (drops the "Press" framing entirely — the button label speaks for itself).Same fix removes the awkwardness on the left-pane list empty state too: drop "Press New note to start one." → just "No notes yet." The section header already has a + **New note** button so the user has a clear path without inline button references in either pane.
- ☐
- HIGH
- Industry should be a dropdown with curated options, not a free-text input**
Make Industry a dropdown using the same canonical list as the list-row industry display. Free-text introduces spelling variants ("SaaS" vs "Saas" vs "S.a.a.S") and breaks scanability.
- ☐
- HIGH
- Starting Status should be a dropdown defaulting to "Onboarding (first 30 days)", not a single Prospect card**
Replace the single card with a dropdown that exposes all status states (Prospect, Onboarding, Active, etc.) and defaults to "Onboarding (first 30 days)". Most new clients enter via onboarding, not as a Prospect — that's the more useful default.
- ☐
- MED
- Website, Status, and contact fields should be required (currently only 3 of 9 are marked *)**
Mark Website, Status, Contact name, Position, Email address, and Mobile number as required (add asterisks and gate the Create button on validation). Website is especially important — every operator workflow that depends on the website (favicon scrape, manual research, outreach) breaks if it's empty.
- ☐
- MED
- Form layout: single-column vs two-column**
Switch to a two-column layout matching the original build. Pair up: Industry/Website, Account Manager/Status, Contact name/Position, Email/Mobile. Reduces vertical scroll and groups related fields visually.
- ☐
- LOW
- Modal title casing: "Add Client" (Title Case) vs "Add client" (sentence case)**
Lowercase the C in Client. House style is sentence case for modal titles ("Add service" already follows this — Add Client is the odd one out). Optional: add the small building/people icon to the left of the title for parity.
- ☐
- LOW
- Contact field label: "Position / Role" vs "Position"**
Trim to "Position". Shorter, matches the original build's label, and "Role" doesn't add useful disambiguation in this context.

- ☐

MED

Add Quick Link works; edit/delete of a saved link wasn't verified

Smoke test once: add a link, edit its label, delete it. Confirm the icon-by-URL pattern (globe / folder / drive) matches the original build, and that links open in a new tab on click.
- ☐

LOW

Tooltip audit — overview

Per-element list below. For each: the visible element, where to find it, and the exact strings to set. Set both *title* AND *aria-label* to the same string unless otherwise noted.
- ☐

LOW

List view — Search input is missing the descriptive aria-label

Set *aria-label* to "**Search clients**". Two-word version makes the scope clear (the same input on Templates is "Search templates" — house pattern).
- ☐

LOW

List view — count badge missing aria-label

Set *aria-label* to "<count> clients in view". Without context the number is meaningless to a screen reader user.
- ☐

LOW

List view — saved-view chips container missing aria-label

Add *aria-label*="Saved views" on the chips wrapper.
- ☐

MED

List view — AM avatar button on each row missing aria-label (when populated)

Add *aria-label*="Open profile for <manager name>" on each AM avatar button. Drives screen reader output and makes the click target unambiguous.
- ☐

LOW

List view — service "+N more" pill missing title

Add a *title* attribute with "<N> more service" or "<N> more services" depending on count. Hover gives the count without forcing a click.
- ☐

LOW

List view — sidebar collapse toggle missing tooltip

Set both *title* and *aria-label*:

 - When expanded → "Hide client list"
 - When collapsed → "Show client list"
- ☐

LOW

List view — client status dot tooltips MATCH (cross-reference)

Covered above in the dedicated status-dot finding. No duplicate action.
- ☐

MED

Detail header — client name is missing the "Click to rename" affordance tooltip

Two parts:

 - Make the name a click-to-rename inline editor (matches the original build's pattern).
 - Add *title*="Click to rename" so the affordance is discoverable on hover.
- ☐

MED

Detail header — status pill missing the derivation-rule tooltip

Add *title*="Auto-computed from attention items, onboarding progress, and activity" when the status is auto-derived (the recommendation in the calculations doc). When the AM manually overrides, change the tooltip to *title*="Manually set by <name> on <date>". Two states, two explanations.

- ☐ **MED** **Detail header — Manager avatar button missing aria-label**
Add *aria-label*="Open profile for <manager name>". Same pattern as the list-row AM avatar.
- ☐ **MED** **Detail header — kebab menu button missing aria-label**
Add *aria-label*="Client options".
- ☐ **LOW** **Detail tabs row missing aria-label**
Add *aria-label*="Client sections" on the tabs wrapper.
- ☐ **MED** **Overview tab — service cards missing the "Open board" aria-label**
Add *aria-label*="Open board for <service name>" on each *.service-card* (or equivalent) element.
- ☐ **MED** **Overview tab — service-row pin/star button missing both tooltip strings**
Set both *title* and *aria-label* on the star button, swapping the strings based on the current pinned state. *Aria-label* includes the service name for screen-reader context.
- ☐ **LOW** **Modals — close button (×) aria-label varies; standardize**
Audit every modal close button on portal. Set *aria-label*="Close" on each one. Skipping it leaves the button unlabeled for screen readers.
- ☐ **LOW** **Edit Services flow — reorder chevrons + delete X + Archive button missing labels**
Set the strings as above. Including the service name in *aria-label* is important — there are 5+ rows and screen reader users need to know which one each control acts on.