

ADDITIONAL REQUESTS · 121 GROUP

Additional requests

May 15, 2026

Three small changes on the Clients surface, all already implemented on the source build (github mockup at nikkotrinidad-cpu.github.io/flizow). Please mirror the same behaviour on the portal so the two builds stay aligned. Each item below carries a **Portal (today)** / **Original (source build)** / **How to ship** trio plus a reference commit hash you can pull the exact diff from.

3 requests · 0 HIGH · 2 MED · 1 LOW

Severity legend: MED meaningful UX divergence · LOW polish.

Every request below already exists on the source build. The **How to ship** section gives the exact code shape; the **Reference commit** note at the bottom of each section points at the source-side commit on the *main* branch you can pull the full diff from.

MED severity

MED

NEW

Default the Clients list to alphabetical sort + add sticky letter headers (A / B / C dividers)

Where to see: Top → Clients → left list pane. Scroll the 142-client list. Note the current row order on the portal (currently insertion / creation order). On the source build the same list now renders alphabetically with sticky letter dividers.

Portal (today): Rows render in the order they were created (the store appends in insertion order; no sort runs before render). With 142 rows the list reads as an unscannable stack — users can't predict where any given client lives and there's no visual scaffolding to help them scroll to roughly the right region. No alphabetic dividers; no sticky group headers.

Original (source build): Rows are sorted alphabetically, case-insensitive, locale-aware (so *localeCompare* handles diacritics + punctuation correctly). Between each alphabetic group sits a small uppercase letter header (A, B, C, ...) that **pins to the top of the list as you scroll** — same atom as iOS Contacts. Numbers + symbols bucket under #. Result: scrolling 142 rows is easy because the user can see which letter group they're in at all times.

How to ship: Two pieces:

Step 1 — alphabetical sort. In the client list filter / render pipeline, sort the filtered array before returning it. One-liner on the source:

```
filtered.sort((a, b) => a.name.localeCompare(b.name, undefined, { sensitivity: 'base' }));
```

Step 2 — sticky letter headers. Walk the sorted list at render time, track the last first-letter seen, and emit a *.clients-list-letter* divider whenever the letter changes. Letters sticky to top: 0 of the scrolling ancestor.

First-letter bucket helper (handles diacritics + numerics):

```
function firstLetterBucket(name) {
  const s = name.trim().normalize('NFD').replace(/[\p{D}]/g, '');
  const first = s[0]?.toUpperCase() ?? '';
  return /[A-Z]/.test(first) ? first : '#';
}
```

Sticky letter CSS (match the source register — uppercase, tracked, muted on the same *--bg-soft* background as the column header):

```
.clients-list-letter {
  position: sticky; top: 0; z-index: 2;
```

```
background: var(--bg-soft);  
padding: 6px 20px;  
font-size: var(--fs-xs); font-weight: 700;  
color: var(--text-soft); text-transform: uppercase;  
letter-spacing: 0.08em;  
border-bottom: 1px solid var(--hairline-soft);  
}
```

Reference commit on source build: *315bebb* on the main branch. Diff covers both the sort + the sticky-header renderer + the CSS. Mirror the same shape on the portal.

MED

NEW

Archived clients should show only Restore + Delete in the kebab menu; hide Edit + Archive

Where to see: Top → Clients → click any archived client (Archived chip on the filter bar to see them) → open the kebab menu in the top-right of the client header.

Portal (today): Kebab menu on an archived client still shows the full active-client menu — Edit client details, Archive client, Delete client. Two of those make no sense on a dormant record:

- **Archive** is a no-op (the client is already archived) or worse, a confusing double-state.
- **Edit client details** is technically allowed but isn't the action the user wants on an archived client; they'd restore first, then edit.

Result: three options where two would be clearer and safer.

Original (source build): Archived clients show exactly two kebab options:

- **Restore client**
- **Delete client...**

Edit + Archive are conditionally hidden when *client.archived* is true. The leading divider (above what used to be Archive) is also hidden so the two remaining items sit cleanly with a single divider between them. Active clients keep the full three-item menu (Edit / Archive / Delete).

How to ship: Two conditional renders inside the kebab menu component:

1. Wrap the Edit menu item + its trailing divider in a *!client.archived* gate:

```
{!client.archived && (
  <>
    <EditMenuItem />
    <div className="tb-menu-divider" />
  </>
)}
```

2. The Archive / Restore item already uses the ternary *{client.archived ? 'Restore client' : 'Archive client'}* on the source build — so when archived, only the Restore label renders (not both). Confirm the portal uses the same ternary; the current bug is that the portal renders both labels (or only the Archive label even when archived). Either way, fix it to use the same ternary the source uses.

Final menu shape:

Active client: Edit / Archive / Delete (3 items, 2 dividers)

Archived client: Restore / Delete (2 items, 1 divider)

Reference commit on source build: 702d8b5 for the Edit hide; d3abe83 for the Restore rename. Together they produce the final shape above.

LOW severity

LOW

NEW

Rename the kebab menu item from "Unarchive client" to "Restore client"

Where to see: Top → Clients → click any archived client → open the kebab menu → the second item that toggles archive / unarchive state.

Portal (today): Renders "*Unarchive client*" when the client is archived. The verb *unarchive* is technically accurate but reads as the inverse of an internal operation rather than a user-facing action.

Original (source build): Renders "*Restore client*" when the client is archived. *Restore* is the user vocabulary across the rest of the app (matches the *restoreFromTrash* action and the Trash sub-page's *Restore* button). The internal handler name (*unarchiveClient*, *onUnarchive*) stays untouched — those describe the data action (flipping the *archived* flag) and don't need to match the UI vocabulary.

How to ship: Single-line copy change in the kebab menu item string. On the source it now reads:

```
{client.archived ? 'Restore client' : 'Archive client'}
```

Match the same sentence-case treatment (*Restore client*, lowercase c) so it sits visually flush with its sibling *Archive client*. No other strings needed updating; "*Unarchived*" doesn't appear anywhere else in the user-facing copy (no toast, no aria-label, no confirmation dialog).

Reference commit on source build: d3abe83.

Build checklist

Tick each as it ships on the portal. All three are already live on the source build — use it as the visual / behaviour reference.



MED

Default the Clients list to alphabetical sort + add sticky letter headers (A / B / C dividers)

Two pieces:

Step 1 — alphabetical sort. In the client list filter / render pipeline, sort the filtered array before returning it. One-liner on the source:

```
filtered.sort((a, b) => a.name.localeCompare(b.name, undefined, { sensitivity: 'base' }));
```

Step 2 — sticky letter headers. Walk the sorted list at render time, track the last first-letter seen, and emit a `.clients-list-letter` divider whenever the letter changes. Letters sticky to top: 0 of the scrolling ancestor.

First-letter bucket helper (handles diacritics + numerics):

```
function firstLetterBucket(name) {
  const s = name.trim().normalize('NFD').replace(/[\p{Diacritic}]/g, "");
  const first = s[0]?.toUpperCase() ?? "";
  return /[A-Z]/.test(first) ? first : '#';
}
```

Sticky letter CSS (match the source register — uppercase, tracked, muted on the same `--bg-soft` background as the column header):

```
.clients-list-letter {
  position: sticky; top: 0; z-index: 2;
  background: var(--bg-soft);
  padding: 6px 20px;
  font-size: var(--fs-xs); font-weight: 700;
  color: var(--text-soft); text-transform: uppercase;
  letter-spacing: 0.08em;
  border-bottom: 1px solid var(--hairline-soft);
}
```

Reference commit on source build: `315bebb` on the main branch. Diff covers both the sort + the sticky-header renderer + the CSS. Mirror the same shape on the portal.



MED

Archived clients should show only Restore + Delete in the kebab menu; hide Edit + Archive

Two conditional renders inside the kebab menu component:

1. Wrap the Edit menu item + its trailing divider in a `!client.archived` gate:

```
{!client.archived && (  
  <>  
    <EditMenuItem />  
    <div className="tb-menu-divider" />  
  </>  
)}
```

2. The Archive / Restore item already uses the ternary `{client.archived ?`

`'Restore client' : 'Archive client'}` on the source build — so when archived, only the Restore label renders (not both). Confirm the portal uses the same ternary; the current bug is that the portal renders both labels (or only the Archive label even when archived). Either way, fix it to use the same ternary the source uses.

Final menu shape:

Active client: Edit / Archive / Delete (3 items, 2 dividers)

Archived client: Restore / Delete (2 items, 1 divider)

Reference commit on source build: `702d8b5` for the Edit hide; `d3abe83` for the Restore rename. Together they produce the final shape above.



LOW

Rename the kebab menu item from "Unarchive client" to "Restore client"

Single-line copy change in the kebab menu item string. On the source it now reads:

```
{client.archived ? 'Restore client' : 'Archive client'}
```

Match the same sentence-case treatment (*Restore client*, lowercase c) so it sits visually flush with its sibling *Archive client*. No other strings needed updating; "Unarchived" doesn't appear anywhere else in the user-facing copy (no toast, no aria-label, no confirmation dialog).

Reference commit on source build: `d3abe83`.