

## ADDITIONAL REQUESTS · 121 GROUP

# Additional requests

May 15, 2026

Two changes on the Clients surface, both already implemented on the source build (github mockup at [nikkortrinidad-cpu.github.io/flizow](https://github.com/nikkortrinidad-cpu/flizow)). Please mirror the same behaviour on the portal so the two builds stay aligned. Each item below carries a **Portal (today) / Original (source build) / How to ship** trio plus a reference commit hash you can pull the exact diff from.

---

2 requests · 2 MED

**Severity legend:** MED meaningful UX divergence.

Every request below already exists on the source build. The **How to ship** section gives the exact code shape; the **Reference commit** note at the bottom of each section points at the source-side commit on the *main* branch you can pull the full diff from.

# MED severity

---

MED

NEW

## Default the Clients list to alphabetical sort + add sticky letter headers (A / B / C dividers)

**Where to see:** Top → Clients → left list pane. Scroll the 142-client list. Note the current row order on the portal (currently insertion / creation order). On the source build the same list now renders alphabetically with sticky letter dividers.

**Portal (today):** Rows render in the order they were created (the store appends in insertion order; no sort runs before render). With 142 rows the list reads as an unscannable stack — users can't predict where any given client lives and there's no visual scaffolding to help them scroll to roughly the right region. No alphabetic dividers; no sticky group headers.

**Original (source build):** Rows are sorted alphabetically, case-insensitive, locale-aware (so *localeCompare* handles diacritics + punctuation correctly). Between each alphabetic group sits a small uppercase letter header (A, B, C, ...) that **pins to the top of the list as you scroll** — same atom as iOS Contacts. Numbers + symbols bucket under #. Result: scrolling 142 rows is easy because the user can see which letter group they're in at all times.

**How to ship:** Two pieces:

**Step 1 — alphabetical sort.** In the client list filter / render pipeline, sort the filtered array before returning it. One-liner on the source:

```
filtered.sort((a, b) => a.name.localeCompare(b.name, undefined, { sensitivity: 'base' }));
```

**Step 2 — sticky letter headers.** Walk the sorted list at render time, track the last first-letter seen, and emit a *.clients-list-letter* divider whenever the letter changes. Letters sticky to top: 0 of the scrolling ancestor.

### First-letter bucket helper (handles diacritics + numerics):

```
function firstLetterBucket(name) {
  const s = name.trim().normalize('NFD').replace(/[\p{D}]/g, '');
  const first = s[0]?.toUpperCase() ?? '';
  return /[A-Z]/.test(first) ? first : '#';
}
```

**Sticky letter CSS (match the source register — uppercase, tracked, muted on the same *--bg-soft* background as the column header):**

```
.clients-list-letter {
  position: sticky; top: 0; z-index: 2;
```

```
background: var(--bg-soft);  
padding: 6px 20px;  
font-size: var(--fs-xs); font-weight: 700;  
color: var(--text-soft); text-transform: uppercase;  
letter-spacing: 0.08em;  
border-bottom: 1px solid var(--hairline-soft);  
}
```

**Reference commit on source build:** *315bebb* on the main branch. Diff covers both the sort + the sticky-header renderer + the CSS. Mirror the same shape on the portal.

---

MED

NEW

## Archived clients: add a Restore option to the kebab (missing today) + hide Edit and Archive on archived

**Where to see:** Top → Clients → tap the Archived chip on the filter bar to see archived clients → click any of them → open the kebab menu in the top-right of the client header. Count the options + check whether any of them brings the client back to active.

**Portal (today):** Two distinct gaps on the same surface:

- **No Restore option exists.** Once a client is archived, there is no way from the kebab menu to bring it back to active. The user is stuck: they can either Delete the client or leave it archived forever. If a client was archived by mistake, the only recovery path is re-creating the record from scratch (losing services + cards + comments).
- **Edit and Archive both still show.** Edit doesn't fit (you'd restore first, then edit) and Archive is either a no-op or a confusing double-state (the client is already archived). Both should be hidden when *client.archived* is true.

**Original (source build):** Archived clients show exactly two kebab options:

- **Restore client** — brings the client back to active. Wired to the *unarchiveClient* store action (the internal handler name; the UI label uses *Restore* because that's the user vocabulary used in the Trash sub-page and elsewhere).
- **Delete client...**

Edit and Archive are conditionally hidden when *client.archived* is true. Active clients keep the full three-item menu (Edit / Archive / Delete).

**How to ship:** Two changes to the kebab menu component:

**1. Add a Restore option.** Use a ternary on the archive/restore menu item so the same slot toggles its label + action based on state. Source-side implementation:

```
<div
  onClick={() => client.archived ? onUnarchive() : onArchive()}
>
  {client.archived ? 'Restore client' : 'Archive client'}
</div>
```

Wire *onUnarchive* to the store's *unarchive* method (toggle *Client.archived* back to *false*). The label stays sentence case (*Restore client*, lowercase c) to match its sibling *Archive client*.

**2. Hide Edit + the divider above the Archive/Restore item when archived.** Wrap both in a *!client.archived* gate:

```
{!client.archived && (
```

```
<>
  <EditMenuItem />
  <div className="tb-menu-divider" />
</>
})
```

**Final menu shape:**

Active client: Edit / Archive / Delete (3 items, 2 dividers)

Archived client: Restore / Delete (2 items, 1 divider)

**Reference commits on source build:** *d3abe83* (the original Unarchive → Restore rename — same code shape, your portal version is adding the option rather than renaming it) and *702d8b5* (the Edit-hide gate). Pull the diffs for both.

---

## Build checklist

Tick each as it ships on the portal. All three are already live on the source build — use it as the visual / behaviour reference.



MED

### Default the Clients list to alphabetical sort + add sticky letter headers (A / B / C dividers)

Two pieces:

**Step 1 — alphabetical sort.** In the client list filter / render pipeline, sort the filtered array before returning it. One-liner on the source:

```
filtered.sort((a, b) => a.name.localeCompare(b.name, undefined, { sensitivity: 'base' }));
```

**Step 2 — sticky letter headers.** Walk the sorted list at render time, track the last first-letter seen, and emit a `.clients-list-letter` divider whenever the letter changes. Letters sticky to top: 0 of the scrolling ancestor.

#### First-letter bucket helper (handles diacritics + numerics):

```
function firstLetterBucket(name) {
  const s = name.trim().normalize('NFD').replace(/[\p{Diacritic}]/g, "");
  const first = s[0]?.toUpperCase() ?? "";
  return /[A-Z]/.test(first) ? first : '#';
}
```

#### Sticky letter CSS (match the source register — uppercase, tracked, muted on the same `--bg-soft` background as the column header):

```
.clients-list-letter {
  position: sticky; top: 0; z-index: 2;
  background: var(--bg-soft);
  padding: 6px 20px;
  font-size: var(--fs-xs); font-weight: 700;
  color: var(--text-soft); text-transform: uppercase;
  letter-spacing: 0.08em;
  border-bottom: 1px solid var(--hairline-soft);
}
```

**Reference commit on source build:** `315bebb` on the main branch. Diff covers both the sort + the sticky-header renderer + the CSS. Mirror the same shape on the portal.



MED

**Archived clients: add a Restore option to the kebab (missing today) + hide Edit and Archive on archived**

Two changes to the kebab menu component:

**1. Add a Restore option.** Use a ternary on the archive/restore menu item so the same slot toggles its label + action based on state. Source-side implementation:

```
<div
  onClick={() => client.archived ? onUnarchive() : onArchive()}
>
  {client.archived ? 'Restore client' : 'Archive client'}
</div>
```

Wire *onUnarchive* to the store's unarchive method (toggle *Client.archived* back to *false*). The label stays sentence case (*Restore client*, lowercase *c*) to match its sibling *Archive client*.

**2. Hide Edit + the divider above the Archive/Restore item when archived.**

Wrap both in a *!client.archived* gate:

```
{!client.archived && (
  <>
    <EditMenuItem />
    <div className="tb-menu-divider" />
  </>
)}
```

**Final menu shape:**

Active client: Edit / Archive / Delete (3 items, 2 dividers)

Archived client: Restore / Delete (2 items, 1 divider)

**Reference commits on source build:** *d3abe83* (the original Unarchive → Restore rename — same code shape, your portal version is adding the option rather than renaming it) and *702d8b5* (the Edit-hide gate). Pull the diffs for both.