

PORTAL QA · ROUND 2

Templates page status update

Round 2 status: 1 done, 5 still open. The inline-edit hint shipped, but most of the remaining items are about template categorization (kind pills, kind-aware icons) and built-in template behavior (RESET TO DEFAULT, template-aware phases subtitle, archived split). Less progress than other pages, but the bones are still there to build on.

Round 1 items: 1 done · 5 open

Status legend: **DONE** shipped · **PARTIAL** partly shipped · **OPEN** still missing · **NO ACTION** acceptable.

This document is interactive. The build checklist on the last page lists every item still open. Click each checkbox as the dev ships it, then save the PDF.

Still open

What the dev still needs to ship. Items tagged **[NEW]** surfaced during round 2 and weren't on the round 1 list.

HIGH **OPEN** #1. Eyebrow shows active vs archived split when archived templates exist

Round 1: Eyebrow always read "23 TEMPLATES" with no split. No collapsible "ARCHIVED" group at the bottom of the list.

Round 2: No change. Eyebrow still reads "23 TEMPLATES" with no active/archived split. No collapsible group at the bottom.

What's left: Switch the eyebrow to active/archived split when any template is archived: "X ACTIVE · Y ARCHIVED". Add the collapsible "ARCHIVED" group at the bottom of the list, default-collapsed, showing the archived count badge. Archived templates should hide from the main list and live only inside that group.

MED **OPEN** #2. Template kind pills (varied) instead of a generic "general" label

Round 1: Most templates showed a single generic "general" pill regardless of category.

Round 2: Portal's Account Management header still shows "general" pill. The template list itself has rich category data (Copywriting/Content, Creative/Design, Email Marketing, Finance/Billing, HR/Resourcing, etc.) but the kind pill on each detail header doesn't surface those categories.

What's left: Build out a kind catalog (Web Development, SEO, Content, Brand, Paid Media, Custom, etc.) with per-kind colors. Surface as a colored pill on the template detail header. Map each existing portal template to the right kind during migration; the template names already telegraph the category.

LOW **OPEN** #3. Template icons reflect the kind (not always a generic monitor)

Round 1: Most templates used the generic monitor icon; Brand Refresh had a palette and Content had a page.

Round 2: No change observable. Most templates still use the generic monitor icon. Brand Refresh + Content keep their per-kind icons; the rest default to monitor.

What's left: Once the kind catalog from item #2 is in, derive the icon from the kind. Don't store the icon per-template; let the kind decide so future renames stay consistent.

MED **OPEN** #5. "RESET TO DEFAULT" action for built-in templates

Round 1: No RESET TO DEFAULT link on any template header.

Round 2: Still no RESET TO DEFAULT link on built-in templates (Brand Refresh, Content, etc.). The portal may not yet model the "built-in vs user-created" distinction the dev build uses.

What's left: Add the RESET TO DEFAULT link on built-in templates only. Tapping it should restore phases, onboarding items, and brief fields to the seeded baseline (with a confirm dialog because it's destructive). Requires the data model to track which templates are built-in vs user-created.

HIGH

OPEN

#6. Phases section subtitle is template-aware, not generic

Round 1: Every template showed the same generic subtitle: "Describe how this template's phases are paced."

Round 2: Account Management header still reads the same generic subtitle. The text reads like a placeholder hint, not finished copy. Same line on every template.

What's left: Replace the generic subtitle with a per-template explanatory line. Two flavors at minimum: project-style templates (one-shot phases, run sequentially in To Do) and retainer-style templates (recur on a cadence after the first cycle). Pull the copy from the template's kind so it stays consistent across templates of the same type.

Done

Round 1 items the dev shipped between rounds. Listed for the record so we agree on what closed.

HIGH

DONE

#4. "Click any field to edit" inline-edit hint on the header

Round 1: No inline-edit hint anywhere on the header.

Round 2: Portal Account Management header now shows the "↓ Click any field to edit" pill next to the kind pill. Same treatment as ours. Done.

Build checklist

Every still-open and partial item from above. Tick each as it ships.

- ☐ **HIGH** **#1. Eyebrow shows active vs archived split when archived templates exist**
 Switch the eyebrow to active/archived split when any template is archived: "X ACTIVE · Y ARCHIVED". Add the collapsible "ARCHIVED" group at the bottom of the list, default-collapsed, showing the archived count badge. Archived templates should hide from the main list and live only inside that group.
- ☐ **MED** **#2. Template kind pills (varied) instead of a generic "general" label**
 Build out a kind catalog (Web Development, SEO, Content, Brand, Paid Media, Custom, etc.) with per-kind colors. Surface as a colored pill on the template detail header. Map each existing portal template to the right kind during migration; the template names already telegraph the category.
- ☐ **LOW** **#3. Template icons reflect the kind (not always a generic monitor)**
 Once the kind catalog from item #2 is in, derive the icon from the kind. Don't store the icon per-template; let the kind decide so future renames stay consistent.
- ☐ **MED** **#5. "RESET TO DEFAULT" action for built-in templates**
 Add the RESET TO DEFAULT link on built-in templates only. Tapping it should restore phases, onboarding items, and brief fields to the seeded baseline (with a confirm dialog because it's destructive). Requires the data model to track which templates are built-in vs user-created.
- ☐ **HIGH** **#6. Phases section subtitle is template-aware, not generic**
 Replace the generic subtitle with a per-template explanatory line. Two flavors at minimum: project-style templates (one-shot phases, run sequentially in To Do) and retainer-style templates (recur on a cadence after the first cycle). Pull the copy from the template's kind so it stays consistent across templates of the same type.