

**121 GROUP · CALCULATIONS COMPARISON**

# Calculations comparison — portal vs our build

Side-by-side comparison: how the portal calculates each metric vs. how our build does.  
Companion to the calculations reference. For each entry: our rule, what portal does, verdict  
(match / divergent / not verifiable), and what to fix.

---

A companion to `calculations-reference.md`. For every metric, status, and rollup the reference doc covers, this one notes how the portal currently calculates it (or fails to) — based on observable output in `dev.portal.121group.io/projects-v2` checked side-by-side against our build.

Format: each entry carries our reference rule on top and a **Portal:** line underneath with one of three verdicts:

- **MATCH** — same rule, same output, no action needed.
- **DIVERGENT** — different rule, different output. Fix needed.
- **NOT VERIFIABLE** — couldn't observe directly (empty data, internal state). Verify when data lands.

The "Fix" line under each divergent entry tells the dev what to change. Items already covered in the round 5 QA doc are cross-referenced so nothing duplicates.

## 1. Status vocabulary

### Client statuses

| State    | Our rule                                                                    | Portal                             |
|----------|-----------------------------------------------------------------------------|------------------------------------|
| fire     | Stored on <code>client.status</code> , AM picks manually. Label: "On Fire". | Same. Filter chip reads "On Fire". |
| risk     | Stored. Label: "At Risk".                                                   | Same. Chip reads "At Risk".        |
| track    | Stored. Label: "On Track".                                                  | Same. Chip reads "On Track".       |
| onboard  | Stored. Label: "Onboarding".                                                | Same. Chip reads "Onboarding".     |
| paused   | Stored. Doesn't count as active.                                            | Same. Chip reads "Paused".         |
| archived | Separate axis, filtered out by default.                                     | Same.                              |

### Service statuses

| State | Our rule                                                                 | Portal                                                                                         |
|-------|--------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| fire  | Derived. Any open task overdue OR critical OR blocked. Label: "On Fire". | Derivation can't be verified externally. Output: pill reads "On Fire" with the same dot color. |
| risk  | Derived. Any open task warning severity. Label: "At Risk".               | Same — output matches.                                                                         |
| track | Derived. Everything else. Label: "On Track".                             | Output matches.                                                                                |

**Pill style divergence** (QA round 5 item, ACTIVE SERVICES section):

- Our build renders ● ON FIRE / ● ON TRACK — uppercase, with a leading colored dot.
- Portal renders On Fire / On Track — sentence case, no dot.
- **Fix:** match casing + add leading dot. Style only, not math.

## 2. Per-client values

### Portfolio Health rollup (Home top cards)

Our rule: count clients where `status === 'fire' | 'risk' | 'track'`, plus active = total – paused. Reconciles with the Clients filter chip counts.

**Portal: MATCH.** Verified by clicking each card:

- ON FIRE 0 → `/clients?view=fire` (chip reads 0)
- AT RISK 1 → `/clients?view=risk` (chip reads 1, one client shown)
- ON TRACK 47 → `/clients?view=track` (chip reads 47)

Filter chip sum also reconciles: All 140 = 0 (fire) + 1 (risk) + 47 (track) + 86 (onboarding) + 6 (paused) + 0 (archived) = 140 .

### Subtitle below the greeting

Our rule: adaptive copy — "X clients need you now." when fire > 0, time-of-day fallback otherwise.

**Portal: MATCH.** With fire = 0, portal renders "Steady morning ahead." which is the right zero-fire copy.

### Client list row — right-hand metric

Our rule: `clientMetric()` produces a status-aware sentence:

- fire → "{n} overdue" or "Needs attention"
- risk → "{n} at risk" or "At risk"
- onboard → "{N}% setup"
- paused → "Paused"
- track → "On track"

**Portal: DIVERGENT.** Portal doesn't render a right-hand metric column at all. The slot is empty on most rows; some carry a last-activity timestamp instead (covered separately below). No "5 overdue" / "30% setup" / "On track" treatment.

**Fix:** add a status-aware metric column to each list row. Same sentence rules as our build. Renders to the right of the service tag chips, before the activity timestamp.

### Industry classification line

Our rule: `render categoryLabel(client.industry)` under each client name. Source: `src/utils/clientDerived.ts:10` (CATEGORY\_LABELS map: `saas` → "SaaS / Tech", `ecommerce` → "E-commerce / Retail", etc.).

**Portal: DIVERGENT.** No industry line under the client name. (QA round 5 finding #9.)

**Fix:** add the line under each name, above the service tag chips. Drive from `client.industry`. Use the same canonical label map so wording matches across surfaces (list row, detail header, Add Client dropdown).

### Last-activity timestamp

Our rule: most recent `createdAt` across the client's tasks (demo) or a proper `updatedAt` field on the client record (production). Format: "Xm ago" / "Xh ago" / "Xd ago" / weekday name / short date, anchored on the store's today value.

**Portal: PARTIAL.** Only ~10% of rows show a timestamp. Format on the visible rows ("7 Apr", "28 Mar", "16 Mar") is the short-date variant — the under-a-week and under-an-hour formats weren't tested.

**Fix:** compute and render for every client. Use the same format ladder as our build (Xd ago / weekday / date). Don't leave any row blank — if no activity ever, fall back to `createdAt`.

## 3. Per-service values

### Service type

Our rule: stored on `service.type` as 'project' or 'retainer'.

**Portal: MATCH.** Visible in the ACTIVE SERVICES rows ("Project") and the Add Service modal (Project / Retainer radio cards).

### Service health

Covered in §1 above. Pill style mismatch is the only divergence.

### Service progress

Our rule: stored on `service.progress` as 0–100, manually managed by the service owner.

**Portal: MATCH.** Numbers visible on each service row (62%, 25%, 0%, 65%). Storage model can't be externally verified, but the values render and update — same shape.

### ACTIVE SERVICES eyebrow

Our rule:

```
total = services.length
projects = services.filter(s => s.type === 'project').length
retainers = services.filter(s => s.type === 'retainer').length
"{total} of {total} · {projects} projects, {retainers} retainers"
```

**Portal: DIVERGENT.** Renders only 5 projects, 0 retainers — missing the X of X prefix.

**Fix:** prepend {total} of {total} · to the eyebrow string. The prefix exists for future archived-service support but should ship now so the shape matches.

### Service row subtitle

Our rule: "Template: <template name> · Due <next deliverable date>".

**Portal: DIVERGENT.** Renders "Project · 73/117 tasks" — service-type prefix + raw task count, no template, no due date. (QA round 5 finding #12.)

**Fix:** swap to template name + next milestone date format. Pull from `service.templateKey` (resolved to display name) and `service.nextDeliverableAt`.

### Service progress label ("Progress" vs "This month")

Our rule:

- project → "Progress N%"
- retainer → "This month N%"

**Portal: DIVERGENT.** Every row says "Progress N%" regardless of service type. (QA round 5 finding — same section.)

**Fix:** split the label by `service.type`. Both pull from `service.progress`; only the label changes.

---

## 4. Per-task values

### Overdue

Our rule: `dueDate < today AND !archived AND columnId !== 'done'`.

**Portal: NOT VERIFIABLE** (no on-fire data in the current portal account to inspect a populated card). But the NEEDS ATTENTION card on Alpine Property reads "30 overdue tasks" which suggests the same comparison runs internally — output shape matches.

### Blocked

Our rule: `task.columnId === 'blocked'`.

**Portal: NOT VERIFIABLE** at this level of audit.

### Severity (warning / critical)

Our rule: manually-set field on each task. Drives service-health derivation.

**Portal:** Likely matches based on the observable service-health output, but the field name and storage shape aren't externally visible.

## 5. MY TASKS card aggregation (Home)

Our rule: one card per fire-or-risk client, with title, blocking reason, days-overdue stamp, Delegate + Review buttons.

**Portal: NOT VERIFIABLE** — portal account has 0 on-fire clients, so the section renders the empty state ("Nothing urgent right now. Enjoy the quiet."). The fact that it shows the *urgency-filtered* empty state (rather than a generic "no tasks") strongly suggests the data shape changed in the right direction (client-grouped, urgency-filtered) — but we can't verify each card's exact composition without populated data.

**Fix:** verify against a test account with on-fire data. Spot checks:

- Card title shape: {N} overdue · {M} blocked when both > 0
- Blocking-reason caption pulled from the longest blocker text
- Days-overdue stamp anchored on the *oldest* overdue task in the group
- Review button deep-links to /board/<serviceId>/card/<cardId> — not just the board

## 6. NEEDS ATTENTION (client detail Overview)

Our rule: two cards — past-due (count of critical or blocked tasks) + at-risk (count of warning tasks). Timestamp "As of this morning".

**Portal: PARTIAL.**

- Renders ONE card slot ("30 overdue tasks") instead of two
- Past-due card is present (the count fits the rule)
- At-risk card is missing entirely
- Timestamp reads "As of today" instead of "As of this morning"
- Card has no subtitle (vs ours: "Conversion Optimization · tap to open") and no click-through to the offending service

**Fix:** rebuild with two card slots, both clicking through to the offending service. Pull subtitle from the first service name in each bucket. (QA round 5 finding #6.)

## 7. Onboarding rollup (client detail Onboarding tab)

Our rule:

```
totalItems = items.length
doneItems = items.filter(i => i.done).length
openServices = groups.filter(g => g.doneCount < g.total).length

if openServices === 0:
  "All set · {doneItems} of {totalItems} items complete"
```

```
else:
"{openServices} of {servicesCount} services in progress · {doneItems} of
{totalItems} items complete"
```

Each service card subtitle: "<Template name> · N items left".

**Portal: DIVERGENT.**

- Overall rollout eyebrow is missing entirely — nothing renders on the right of "SETUP & ONBOARDING"
- Per-service subtitle reads "No items yet" — looks like the template-driven onboarding checklist isn't populated, so there's no items to count

**Fix:** add the overall rollout (two stats separated by middle dot). Per-service subtitle should be "<Template name> · N items left" even when N is the total (no items checked yet) — empty data shouldn't hide the template context.

Also: portal renders section labels as "FROM CLIENT" / "FROM US" but our build's actual labels are "NEEDED FROM CLIENT" / "WE TAKE CARE OF". The portal was changed to the wrong direction in round 4 (I had the labels flipped in the audit). Revert. (QA round 5 finding under Onboarding tab.)

## 8. Capacity / daily slot load

Our rule:

- `load = sum of (task.slots ?? 1)` for open tasks where assigneeId matches and dueDate matches
- `effectiveCapFor()` resolves override → standing → defaults (6/8)
- `loadZone()`: green if  $load \leq soft$ , amber if  $soft < load \leq max$ , red if  $load > max$

**Portal: DIFFERENT CONCEPT.**

- Day-card badge renders 0/6 (matches our shape: load/soft cap)
- Color green at 0/6 (matches our green-zone rule)
- BUT the per-day kebab opens a "Open all tasks / Add task" menu, not a cap-setting popover

The portal has the *display* of capacity but not the **cap-setting + override** model. There's no way to set a custom soft/max cap for a single day, no way to model a PTO day as 0/0, no "Reset to standing" path. The two numbers (soft, max) and the three-zone color rule aren't exposed.

**Fix:** wire the cap-edit popover with two fields (Soft cap / Max cap). Override resolution chain: per-day override → standing → workspace defaults (6/8). Three-zone color logic on the badge. (QA round 5 finding #8.)

## 9. Service tag chips on the client list row

Our rule: resolve `client.serviceIds` to service records in order, show first 3 names, render "+N more" for overflow.

**Portal: MATCH.** Chips show actual service names ("Account Management", "Belle et Blanc - Design...", "BRE - Wordpress Websi..."). Truncation with "+N more" present. Round 4 finding about ad-platform chips is now closed.

## 10. Notifications

Our rule: six categories, all computed live from store state via `deriveNotifications(data, memberId)`. Stable ids so read/dismissed state persists.

**Portal: NOT DEEP-AUDITED.** Bell icon visible in the topnav. Notification panel content + computation rules not inspected this round.

**Fix:** schedule a notifications-only audit. Compare each category's count vs ours, verify deep-link routing, confirm read/dismissed state persists.

## 11. External integrations (Stats tab)

Our rule: Ad Spend, Leads, Blended CPL, Email Engagement pulled fresh from third-party APIs. Live indicator shows freshness.

**Portal: LOOKS BUILT.** Stats tab renders with "Live · Synced 3 min ago", range selector, 4 summary cards with sparklines, 7 channel cards (Google Ads, Meta Ads, etc.). Output shape matches ours. Field-by-field comparison wasn't done.

**Fix:** schedule a Stats-only deep audit comparing every KPI shape, time-window behavior, drill-through behavior, and integration tile state.

## Summary

11 sections covered. Quick scorecard:

| Section                                 | Verdict                          |
|-----------------------------------------|----------------------------------|
| 1. Status vocabulary                    | Match (output) · pill style only |
| 2. Per-client — Portfolio Health rollup | Match                            |
| 2. Per-client — subtitle                | Match                            |
| 2. Per-client — list row metric text    | Missing                          |
| 2. Per-client — industry line           | Missing                          |



|                                           |                                       |
|-------------------------------------------|---------------------------------------|
| 2. Per-client — last activity             | Spotty coverage                       |
| 3. Service — type / health / progress     | Match                                 |
| 3. Service — eyebrow X of X prefix        | Missing                               |
| 3. Service — row subtitle                 | Wrong shape                           |
| 3. Service — Progress vs This month label | Missing variant                       |
| 4. Per-task values                        | Not verifiable externally             |
| 5. MY TASKS card aggregation              | Empty data — verify next              |
| 6. NEEDS ATTENTION                        | 1 card slot vs 2                      |
| 7. Onboarding rollup                      | Eyebrow missing + label revert needed |
| 8. Capacity / cap popover                 | Concept missing                       |
| 9. Service tag chips                      | Match                                 |
| 10. Notifications                         | Not deep-audited                      |
| 11. External integrations (Stats)         | Not deep-audited                      |

### The big themes:

- **Rollup math is mostly right.** Portfolio Health reconciles across the Home cards and the Clients filter chips. Service health derivation produces the same outputs. Counts that should match, match.
- **Per-row enrichment is the gap.** Industry line, status-aware metric text, last-activity stamps — anything that would surface *per client in the list view* — is missing or partial on portal. None of these are math gaps; they're field-render gaps. Same pattern in the service rows (template + due subtitle, This-month variant for retainers).
- **Capacity model is the biggest structural gap.** Portal shows the badge but doesn't expose the cap-setting + override model. Until that lands, the schedule strip is decorative — it can't drive PTO modeling, can't reflect per-day overrides, can't surface the three-zone (green/amber/red) signal.
- **Onboarding tab labels reverted in the wrong direction** in round 4. Portal needs "NEEDED FROM CLIENT" / "WE TAKE CARE OF" back, plus the overall rollup eyebrow that's currently missing.

Cross-reference each entry above to the round 5 QA findings — they all already have a "where to see" + "fix" entry in docs/qa-comparison/home-page-qa-round5.pdf or docs/qa-comparison/client-page-qa-round5.pdf. This doc is the math view; those are the surface view.