

PORTAL QA · ROUND 5

Clients page audit

Top-to-bottom audit of the Clients page. 50 findings across the list view, the detail view (Overview / Onboarding / About / Stats / Notes), and the four modals. Re-verified with a fresh sweep after Nikko added a test client + a real assignee — most round 5 items remain open.

One fresh finding surfaced: small × remove icons on the header info row, flagged so the divergence is an explicit decision.

Fresh sweep: **50** findings · **4** HIGH · **24** MED · **19** LOW · **3** INFO

Status legend: **HIGH** blocks scanning / breaks workflow · **MED** meaningful divergence · **LOW** polish · **INFO** matches or working as intended.

How to read this. Round 4 was a verification pass against the round 4 findings list. This round is a **fresh top-to-bottom audit** — every surface compared side-by-side against our build (the reference).

Each entry: where to see it, what portal renders, what our build renders, and what to fix. The build checklist on the final page lists every HIGH/MED/LOW item.

Design tokens — global mismatch (light + dark)

MED

Input fields render too light against the modal background (and other token-level mismatches affecting the whole app)

Where to see: Most visible on Add Client modal (Clients → + Add client). Same divergence shows up on Add Service, Add Quick Link, Notes search, every form field across the app.

Portal: Input field backgrounds sit too LIGHT against the modal background. The recessed-input affordance the design system depends on (subtle elevation offset) doesn't read — fields look raised instead of nested into the modal.

Our build (reference): Input fields use `--bg-soft` which is offset from `--bg-elev` by a tight, subtle amount. In light mode: input is slightly darker than the modal (`#f5f5f7` vs `ffffff`). In dark mode: input is slightly lighter than the modal (`#2c2c2e` vs `#1c1c1e`) — the iOS Apple HIG convention. Subtle offset in both, but precise.

Fix: This is a token-level issue, not a per-modal issue. Fix once at the CSS custom-property level, every form field across the app updates.

See [docs/portal-design-tokens.pdf](#) for the full token sheet — every color value for both light and dark themes, ready to copy-paste into portal's CSS. Includes:

- Backgrounds + surfaces (`--bg`, `--bg-elev`, `--bg-soft`, `--bg-faint`, `--column-bg`)
- Text scale (`--text`, `--text-muted`, `--text-soft`, `--text-faint`)
- Hairlines (`--hairline`, `--hairline-soft`, `--hairline-faint`)
- Brand accent (`--highlight`, `--hover-blue`, `--hover-tint` variants)
- Status colors (`--status-fire`, `--status-risk`, `--status-track`, `--status-onboard`, `--status-paused`, plus soft tints)
- Avatars, kbd, nav, tags, shadows, modal shadow with composite outline

Critical instruction: copy the values exactly. Don't reinterpret, don't substitute, don't derive from a generated palette. The design system depends on precise values AND the relationships between them (the depth ladder, the WCAG-AA-tuned text contrasts, the brand-accent alpha lifts in dark mode). The token sheet PDF has a verification checklist for spot-checking once the swap lands.

Client list rows

MED

Last-activity timestamp coverage is spotty — only ~10% of rows show it

Where to see: Clients → left pane → far right of each row.

Portal: Most rows have no timestamp at all. Spot check of first 8 rows: Alpine Property (none), Asset Maintenance (none), ATL Investments (none), B&E Fire Protection (none), BASELINE GROUP (none), BELLE ET BLANC (7 Apr), Berg Engineering (none), Bruce Rock (none). Only 1 of 8.

Our build (reference): Every row has a stamp: "6d ago", "Mon", "Tue", "Sun", etc. Format scales: *Xd ago* for under a week, day-of-week for this week, date for older.

Fix: Compute and render last-activity for every client (most recent *updatedAt* across the client's services + tasks + notes). Use the same format ladder our build uses: *Xd ago* / weekday name / date. If a client has zero activity ever, fall back to *createdAt* rather than leave the cell blank.

LOW

Long client names truncate with no tooltip

Where to see: Clients → left pane → any long client name truncated with "..."

Portal: Long names truncate silently. Tested by hovering on "CASCADE ROAD MEDICAL CENTRE PTY LTD ..." — no tooltip appears, full name is unreachable without clicking through.

Our build (reference): Houses style is to expose the full name on hover via *title* attribute or a tooltip wrapper.

Fix: Add a *title* attribute (or wrap with a tooltip component) on every name element that can truncate. One line of code per row.

LOW

Status indicator dot: colors and chips match, but the hover tooltip is missing

Where to see: Clients → left pane → hover the colored dot on the far left of any client row.

Portal: Each row has a colored dot on the far left (green = On Track, blue = Onboarding, orange = At Risk, red = On Fire). Avatar is either 2-letter initials on a colored background OR an uploaded company logo (BELLE ET BLANC, BASELINE ONSITE, BERG, HEAVY DIESEL GROUP). Service tag chips below each row show actual service names (truncated).

Tooltip: hovering the dot shows **nothing**. The dot is purely visual — no *title* attribute, no *aria-label*. A user who doesn't already know the color-to-status mapping (esp. for the blue = Onboarding dot, which isn't an obvious convention) has no way to learn it without reading the filter chips above the list and matching colors back.

Our build (reference): Same dot color mapping + same chip semantics + initials-only avatars (no uploaded logos in our demo data — portal's logo upload is a nice addition that doesn't conflict with our build).

Tooltip: every dot has both *title* AND *aria-label* set to a one-line explanation that goes beyond just the state name:

- fire → "On fire — needs attention now"
- risk → "At risk — review soon"
- onboard → "Onboarding — first 30 days"
- track → "On track"

Hover reveals the meaning; screen readers announce it on focus. Same string everywhere the dot renders.

Fix: Add *title* + *aria-label* attributes on each status dot. Use our build's exact strings (with the em dash — the long-form tooltip on each color):

- fire → "On fire — needs attention now"
- risk → "At risk — review soon"
- onboard → "Onboarding — first 30 days"
- track → "On track"
- paused → "Paused"

Sets both attributes to the same string. Sanity-check the color-to-status mapping (esp. blue = Onboarding) while you're in the file.

Client detail header

MED

Status display style: inline pill vs labeled "STATUS" eyebrow + pill

Where to see: Clients → click any client → header card at the top of the right pane.

Portal: Status renders inline next to the client name as a small pill: ● *On Track*. No separate label.

Our build (reference): Status renders as: *STATUS* label (small, uppercase, muted) + ● *ON FIRE* pill (uppercase, with leading dot). Two-element treatment that makes the relationship explicit.

Fix: Match our build: prepend a small uppercase "STATUS" eyebrow label before the pill, and uppercase the pill value ("● ON TRACK", "● ON FIRE").

MED

Header info row: portal stacks icons with em-dash placeholders; ours uses labeled fields with avatars

Where to see: Clients → client detail header → row of icons under the client name.

Portal: Three slots: home icon + "—", "Manager: None assigned" (no avatar), calendar icon + "—". Em-dash placeholders when data is empty.

Our build (reference): Same row, populated: home icon + "SaaS / Tech" (industry), *MANAGER*: label + NT avatar + "Nikko Trinidad" (avatar shown with name when populated), calendar icon + "Client since Sep 2024" (full phrasing, not just a date).

Fix: Two refinements: (1) for the manager slot, render an avatar + name when populated (not just text); (2) the date label should read "Client since <Month Year>" as a full phrase, not just a bare date. Em-dash placeholders are fine for empty states but the populated shape needs to match.

LOW

Header info row: small "X" remove buttons next to each populated field (new in this round)

Where to see: Clients → client detail → header card → Industry / Manager / Date rows.

Portal: Spotted on the newly-created Acme Corp test client: each populated header field renders with a small × icon next to the value (Industry "Retail ×", Manager "None assigned ×"). Presumably clicking the × clears the value back to empty. Empty fields show "—" placeholder with no × (nothing to remove).

Our build (reference): Header fields render as plain text — no × remove control. To clear a value, the AM opens the client settings modal and removes it there. Inline-remove isn't part of the reference pattern.

Fix: Two options:

- **Keep portal's × icons.** They're a low-friction way to clear an accidental value. Pair with a confirm step on the manager row (clearing the AM is more consequential than clearing industry).
 - **Match ours — remove the × icons.** Our build's logic is that header fields are set/cleared via the edit modal, not inline. Keeps the header read-only and uncluttered.
- Worth a Nikko call on which pattern wins. Either is defensible — flagging here so it doesn't ship by accident without an explicit decision.

Overview tab — NEEDS ATTENTION section

HIGH**Only one card slot — our build has two (past-due + at-risk)****Where to see:** Clients → client detail → Overview tab → block above ACTIVE SERVICES.**Portal:** "NEEDS ATTENTION" header + "As of today" timestamp + a single red card: "30 overdue tasks" (count + label only, no subtitle, no CTA, no jump-to action).**Our build (reference):** "NEEDS ATTENTION" header + "As of this morning" timestamp + TWO cards side-by-side:

- Past-due card: red flame icon + "1 card past due" + subtitle "Conversion Optimization · tap to open" (clicks straight to that service)
- At-risk card: gray chat icon + "1 at risk" + subtitle "Conversion Optimization · review soon"

Fix: Rebuild the section to render two card slots side-by-side: past-due tasks card (fire icon, count, source service name as subtitle, "tap to open" affordance) + at-risk surfaces card (chat icon, count, source service name, "review soon"). Each card should click straight to the offending board / service.**LOW****Timestamp wording: "As of today" vs "As of this morning"****Where to see:** Clients → client detail → Overview tab → top-right of NEEDS ATTENTION.**Portal:** "As of today"**Our build (reference):** "As of this morning"**Fix:** Match our build: "As of this morning". The morning framing tells the AM these alerts are computed once at the start of the day rather than refreshed live, which is the actual behavior.

Overview tab — ACTIVE SERVICES section

LOW**ACTIVE SERVICES eyebrow missing the "X of X" total-active count prefix****Where to see:** Clients → client detail → Overview tab → ACTIVE SERVICES eyebrow.**Portal:** "ACTIVE SERVICES 5 projects, 0 retainers"**Our build (reference):** "ACTIVE SERVICES 7 of 7 · 2 projects, 5 retainers"**Fix:** Add the "X of X" prefix before the project/retainer split: "<active> of <total> · N projects, M retainers". The prefix tells the AM how many of the client's total services are currently active vs paused/archived — useful at-a-glance context.**MED****Service-row status pill: lowercase + no leading dot vs uppercase + leading dot****Where to see:** Clients → client detail → Overview tab → ACTIVE SERVICES row → status pill.**Portal:** *On Fire / On Track* (sentence case, no leading dot)**Our build (reference):** ● *ON FIRE* / ● *ON TRACK* (uppercase, leading colored dot)**Fix:** Match our build's pill style: uppercase value with a leading colored dot (red dot for ON FIRE, green for ON TRACK). Same casing/dot pattern is used in the client detail header — keep them consistent across the page.

MED

Service-row subtitle still shows task count instead of template + next milestone

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES row → subtitle line under each service name.

Portal: "Project · 73/117 tasks" — service type prefix + raw task count.

Our build (reference): "Template: Brand Refresh · Due May 25" — template name + next milestone date. Tells the AM what kind of work is running AND what the next checkpoint is.

Fix: Switch the subtitle line to "Template: <template name> · Due <next milestone date>". Keep the progress percent in its current spot on the right rail (it already carries the task-count signal indirectly).

MED

Progress label is always "Progress" — should be "This month" for retainer services

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES row → label above the percentage on the right.

Portal: Every row says *Progress <N>%*, regardless of whether the service is a project or a retainer.

Our build (reference): Projects say *Progress <N>%* (cumulative completion); retainers say *This month <N>%* (current-month consumption). Different label because different metric.

Fix: Split the label by *service.type*: projects render "Progress <N>%"; retainers render "This month <N>%". The percentage value calculation also differs (cumulative-to-date vs current-month-to-date) — verify the underlying calc, not just the label.

Overview tab — LATEST TASKS section

LOW

LATEST TASKS rows show a service-name column ours doesn't have (reclassified from round 5)

Where to see: Clients → client detail → Overview tab → scroll to LATEST TASKS.

Portal: Re-verified — round 5 framing was wrong. Each row format: bullet + task title + To Do pill + **service name (truncated)** + date. The third column reads as the client name when looking at Alpine Property (because all its service names start with "Alpine Property Collective - ..."), but on Acme Corp the same column renders "*Content writing for ...*" — clearly the service name. Round 5 mistakenly called this a client-name duplication; it's actually a service-name column ours doesn't render.

Our build (reference): Row format: bullet + task title + To Do pill + relative date ("6d ago"). No service-name column.

Fix: Two ways to land this:

- Match ours — drop the service-name column to match the cleaner row format.
- Keep portal's — the service-name column is actually useful disambiguation when a client has 5+ services (otherwise the AM can't tell which service a task belongs to without clicking).

I'd lean toward keeping the service-name column (portal's approach) because it solves a real scanability problem on multi-service clients. Worth a house-style call from Nikko: does the third column stay on portal AND get added to our build, or does our build's leaner shape win? Until then, mark as *different rule, not wrong rule* and don't ship a fix yet.

Onboarding tab

HIGH

Section labels reverted in the wrong direction — should be "NEEDED FROM CLIENT" / "WE TAKE CARE OF"

Where to see: Clients → client detail → Onboarding tab → label above each checkbox group.

Portal: Renders "FROM CLIENT" and "FROM US" as the two section labels.

Our build (reference): Renders "NEEDED FROM CLIENT" and "WE TAKE CARE OF" (confirmed via DOM inspection: class *onboarding-group-label*, exact text on every service card).

Fix: Revert to "NEEDED FROM CLIENT" and "WE TAKE CARE OF". (Round 4 documented this in the wrong direction, which led to portal being changed to the shorter labels — they're actually our build's longer labels. Apologies for the round 4 mistake on this one.)

MED

Missing the overall-progress eyebrow on the right side of SETUP & ONBOARDING

Where to see: Clients → client detail → Onboarding tab → top-right area above the service cards.

Portal: "SETUP & ONBOARDING" eyebrow on the left, nothing on the right side.

Our build (reference): "SETUP & ONBOARDING" eyebrow on the left + "<N> of <M> services in progress · <X> of <Y> items complete" on the right (e.g. "2 of 7 services in progress · 23 of 29 items complete"). Overall rollup of onboarding progress across all services.

Fix: Add the aggregate progress rollup on the right side of the eyebrow row. Two stats: services-in-progress count and items-complete count, separated by a middle dot.

MED

Service onboarding card subtitle: should show template name + items left, not just "No items yet"

Where to see: Clients → client detail → Onboarding tab → each service card subtitle.

Portal: Subtitle shows "No items yet" — implies the template hasn't been applied or no items have been seeded.

Our build (reference): Subtitle shows "<Template name> · <N> items left" (e.g. "Brand Refresh · 3 items left"). Tells the AM what template the service is using AND how much onboarding remains.

Fix: Render the subtitle as "<Template name> · <N> items left". If no template is assigned, fall back to "No template assigned". Showing "No items yet" hides the template context, which is useful even when items are empty.

MED

Checkbox layout is single-column; our build uses two-column wrap

Where to see: Clients → client detail → Onboarding tab → checkbox items under each label.

Portal: Items stack vertically, one per row, full-width.

Our build (reference): Items render in a two-column grid that wraps. Checked items are struck through. "+ Add item" link sits at the bottom of each group.

Fix: Switch to a two-column wrap layout to match our build. Denser, easier to scan when there are 4-8 items per group. Keep the "+ Add item" affordance at the bottom of each group.

About tab

MED

Panel titles use sentence case; our build uses uppercase eyebrows

Where to see: Clients → client detail → About tab → panel headers.

Portal: "Client Contacts" / "Quick Links" / "Team" (Title Case / Sentence Case).

Our build (reference): "CLIENT CONTACTS" / "QUICK LINKS" / "TEAM" (uppercase eyebrow style, matches the house section-label convention).

Fix: Uppercase the three panel titles. Same treatment as PORTFOLIO HEALTH, MY TASKS, ACTIVE SERVICES, etc. — section labels are uppercase eyebrows throughout the app.

MED

Client Contacts entries are missing job titles AND the primary-contact star

Where to see: Clients → client detail → About tab → Client Contacts panel → each contact card.

Portal: Just contact name (e.g. "Kayleigh", "Alpine Property Collective", "Angel") with an email icon. No job title shown. No star ★ to indicate the primary contact.

Our build (reference): Each contact shows: name + **job title under the name** (e.g. "James Oduya / Head of Demand Gen", "Nikolai Volkov / Founder & CEO", "Marcus Rivera / Brand Manager") + **gold ★** on the primary contact + email and phone icons on the right.

Fix: Render the job title as a sub-line under each contact name. Add a gold star to the contact marked as primary. Include both email and phone icons (when phone is available).

LOW

Team panel subtitle aggregates everyone as "operators"; ours splits AMs from operators

Where to see: Clients → client detail → About tab → Team panel header.

Portal: "Team — 13 operators — Edit"

Our build (reference): "TEAM — 1 account manager · 1 operator — Edit — + Add operator". Splits the AM count from the operator count and exposes an "+ Add operator" action.

Fix: Split the subtitle: count account managers and operators separately. Add an "+ Add operator" button alongside Edit. The AM-vs-operator split matters because they have different permissions/responsibilities in the working model.

MED

ACCOUNT MANAGER block: empty-state vs populated structure

Where to see: Clients → client detail → About tab → Team panel → ACCOUNT MANAGER subhead.

Portal: "ACCOUNT MANAGER — None assigned yet." Text-only empty state.

Our build (reference): When populated: NT avatar + "Nikko Trinidad" name + "Account Manager" role label below. Card-style treatment with a clear assignment shown.

Fix: Verify the populated state renders the avatar + name + role-label triple on portal once an AM is assigned. Empty-state copy is fine.

Notes tab

MED

Empty state is rendered twice and the editor pane is missing

Where to see: Clients → client detail → Notes tab.

Portal: Two empty states visible simultaneously: a small one ("No notes yet. Press New note to start one.") in the would-be notes-list column on the left, and a larger centered one ("No notes yet" + a big "+ New note" button) in the would-be editor column on the right. Looks redundant.

Our build (reference): When notes exist: two-pane layout (list on left, editor on right). When empty: a single centered empty state. Editor pane includes a rich-text toolbar (H1, H2, bold, italic, strikethrough, bulleted list, numbered list, link) and per-note actions (pin/star, share, delete) with an "All changes saved" indicator at the bottom.

Fix: Two parts: (1) Collapse the double empty state into a single centered one when there are no notes. (2) When notes exist, render the two-pane editor layout with the full rich-text toolbar and per-note actions — couldn't verify this part because the current portal account has no notes, so build it out and confirm against our build's populated state.

Stats tab

INFO

Stats tab looks largely matched — Live indicator, range selector, summary cards, channels panel all present

Where to see: Clients → client detail → Stats tab.

Portal: "Live · Synced 3 min ago" + refresh button + RANGE selector (7d / 30d / 90d) + SUMMARY · ALL CHANNELS with 4 metric cards (Ad Spend, Leads, Blended CPL, Email Engagement) each with a sparkline + delta + "vs. prior 30 days" comparison + CHANNELS · 7 CONNECTED panel with per-channel cards (Google Ads, Meta Ads, etc.) showing LIVE status + spend.

Our build (reference): Same structure, same elements, just different test numbers.

Fix: None at this level of audit. A deeper field-by-field comparison (chart shapes, exact KPI definitions, drill behavior, integration tile states) is still owed but out of scope for this round.

Modal: Add client

HIGH

Industry should be a dropdown with curated options, not a free-text input

Where to see: Clients → "+ Add client" → Industry field.

Portal: Free-text input with placeholder "e.g. Healthcare, Real Estate, Retail".

Our build (reference): Dropdown with preset options (SaaS / Tech, E-commerce / Retail, Food & Beverage, etc. — same vocabulary that drives the industry classification line in the client list rows).

Fix: Make Industry a dropdown using the same canonical list as the list-row industry display. Free-text introduces spelling variants ("SaaS" vs "Saas" vs "S.a.a.S") and breaks scanability.

HIGH**Starting Status should be a dropdown defaulting to "Onboarding (first 30 days)", not a single Prospect card**

Where to see: Clients → "+ Add client" → Starting Status field.

Portal: Renders a SINGLE selectable card: "Prospect / New lead, onboarding flow". No way to choose anything else from the modal.

Our build (reference): Dropdown with multiple options. Default selected value: "Onboarding (first 30 days)".

Fix: Replace the single card with a dropdown that exposes all status states (Prospect, Onboarding, Active, etc.) and defaults to "Onboarding (first 30 days)". Most new clients enter via onboarding, not as a Prospect — that's the more useful default.

MED**Website, Status, and contact fields should be required (currently only 3 of 9 are marked *)**

Where to see: Clients → "+ Add client" → field labels.

Portal: Required (with *): Client Name, Industry, Account Manager. Optional: Website, Status, Contact name, Position/Role, Email address, Mobile number.

Our build (reference): Required (with *): Client name, Industry, Website, Account Manager, Status, Contact name, Position, Email address, Mobile number — all 9 fields required.

Fix: Mark Website, Status, Contact name, Position, Email address, and Mobile number as required (add asterisks and gate the Create button on validation). Website is especially important — every operator workflow that depends on the website (favicon scrape, manual research, outreach) breaks if it's empty.

MED**Form layout: single-column vs two-column**

Where to see: Clients → "+ Add client" → overall layout.

Portal: Fields stack vertically, one per row. Modal is narrower as a result (~390px).

Our build (reference): Fields render in a two-column grid: Industry + Website share a row, Account Manager + Status share a row, contact fields are also two-column (Contact name + Position, then Email + Mobile). Modal is wider (~470px) and feels denser.

Fix: Switch to a two-column layout matching our build. Pair up: Industry/Website, Account Manager/Status, Contact name/Position, Email/Mobile. Reduces vertical scroll and groups related fields visually.

LOW**Modal title casing: "Add Client" (Title Case) vs "Add client" (sentence case)**

Where to see: Clients → "+ Add client" → modal header.

Portal: "Add Client" (Title Case).

Our build (reference): "Add client" (sentence case) with a small icon next to the title.

Fix: Lowercase the C in Client. House style is sentence case for modal titles ("Add service" already follows this — Add Client is the odd one out). Optional: add the small building/people icon to the left of the title for parity.

LOW

Contact field label: "Position / Role" vs "Position"

Where to see: Clients → "+ Add client" → primary contact section.

Portal: "Position / Role" (slash with both words).

Our build (reference): "Position" (single word).

Fix: Trim to "Position". Shorter, matches our build's label, and "Role" doesn't add useful disambiguation in this context.

Modal: Add service

INFO

Add service modal matches our build — major fix landed

Where to see: Clients → client detail → Overview tab → "+ Add service".

Portal: Service Name input + TYPE selector (Project + Retainer cards with subtitles) + TEMPLATE dropdown (with explanatory subtitle "Seeds the board with starter columns and a few example cards.") + NEXT DELIVERABLE DATE picker + Cancel/Create buttons. Title is lowercase "Add service".

Our build (reference): Same structure, same fields, same copy.

Fix: None — verified end-to-end. One open: smoke-test that selecting a non-empty Template actually seeds the kanban with the template's starter columns + example tasks on Create.

Edit Services flow

INFO

Edit Services inline transform works (reorder + delete + rename)

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES → click Edit.

Portal: Edit transforms the existing service list inline (no modal). Each row shows up/down chevrons on the left (reorder), an Archive button + a red X delete on the right, and "Done" + "+ Add service" buttons at the top. Clicking on a service name during edit mode opens an inline rename input.

Our build (reference): Same inline-transform pattern. One difference: status pills (ON FIRE / ON TRACK) and progress bars remain visible during edit so the AM keeps context. On portal, they disappear during edit.

Fix: Keep status pills and progress bars visible during edit mode so the AM doesn't lose context (e.g. "I shouldn't archive this one because it's still on fire"). Optional polish: consolidate Archive button + red X delete into one row-level kebab so the row chrome is cleaner.

Modal: Add quick link

MED

Add Quick Link works; edit/delete of a saved link wasn't verified

Where to see: Clients → client detail → About tab → Quick Links panel → "+ Add link".

Portal: "+ Add link" opens an "Add Quick Link" modal with Title + URL fields and Cancel/Add buttons. Add flow works.

Our build (reference): Same add flow. Populated state renders each link with an icon (matched to the URL pattern — globe for Website, folder for Asset Library, etc.) + an external-link arrow on the right. Hover reveals edit/delete actions.

Fix: Smoke test once: add a link, edit its label, delete it. Confirm the icon-by-URL pattern (globe / folder / drive) matches our build, and that links open in a new tab on click.

Tooltip audit — Clients page (deep sweep)

LOW

Tooltip audit — overview

Where to see: Clients page → every interactive element. Captured via DOM inspection of both portal and our build. Topnav excluded per QA policy. Items below are the gaps where our build sets a tooltip and portal doesn't (or sets a shorter / less descriptive one).

Portal: Portal's tooltip surface is sparse: lots of elements have neither *title* nor *aria-label*, and when *aria* is set the text is often just the visible label repeated.

Our build (reference): Our build's pattern: set both *title* AND *aria-label* to the same descriptive string on every interactive element. The text goes beyond the visible label and explains what the action does or what the value means. Strings stay short (under 60 characters typically) so they read well in both browser tooltips and screen reader announcements.

Fix: Per-element list below. For each: the visible element, where to find it, and the exact strings to set. Set both *title* AND *aria-label* to the same string unless otherwise noted.

LOW

List view — Search input is missing the descriptive aria-label

Where to see: Clients → left pane → search input.

Portal: *aria-label*: "Search" (one word).

Our build (reference): *aria-label*: "Search clients".

Fix: Set *aria-label* to "**Search clients**". Two-word version makes the scope clear (the same input on Templates is "Search templates" — house pattern).

LOW

List view — count badge missing aria-label

Where to see: Clients → search input → count badge (e.g. "140").

Portal: No tooltip on the badge. Screen reader announces only the number.

Our build (reference): *aria-label*: " clients in view" (e.g. "50 clients in view").

Fix: Set *aria-label* to "<count> clients in view". Without context the number is meaningless to a screen reader user.

LOW

List view — saved-view chips container missing aria-label

Where to see: Clients → filter chips row (All / Assigned to me / On Fire / etc.).

Portal: Chips render but the container isn't labeled.

Our build (reference): Container has *aria-label*: "Saved views". Screen readers announce the role + label before walking the chips.

Fix: Add *aria-label*="Saved views" on the chips wrapper.

MED

List view — AM avatar button on each row missing aria-label (when populated)

Where to see: Clients → list row → small avatar of the assigned account manager (right side of row).

Portal: Avatar renders but no *aria-label* / title. Click target with no announcement.

Our build (reference): *aria-label*: "Open profile for <Manager full name>" (e.g. "Open profile for Kate Chen"). Click opens the member profile panel.

Fix: Add *aria-label*="Open profile for <manager name>" on each AM avatar button. Drives screen reader output and makes the click target unambiguous.

LOW

List view — service "+N more" pill missing title

Where to see: Clients → list row → service tag chips → "+1" / "+5 more" overflow pill.

Portal: No tooltip. The user has to click into the client to see the hidden services.

Our build (reference): *title*: " more service" / " more services" (singular / plural).

Fix: Add a *title* attribute with "<N> more service" or "<N> more services" depending on count. Hover gives the count without forcing a click.

LOW

List view — sidebar collapse toggle missing tooltip

Where to see: Clients → right edge of the left pane → small "<" chevron toggle (hide list).

Portal: Toggle exists but no tooltip explains what it does.

Our build (reference): *title*: "Hide client list" (or "Show client list" when collapsed). *aria-label*: same.

Fix: Set both *title* and *aria-label*:

- When expanded → "Hide client list"
- When collapsed → "Show client list"

LOW

List view — client status dot tooltips MATCH (cross-reference)

Where to see: Clients → list row → colored dot on far left.

Portal: Already covered earlier in this doc — Nikko flagged the missing dot tooltip and the fix is already in the build checklist.

Our build (reference): title + *aria*: "On fire — needs attention now" / "At risk — review soon" / "Onboarding — first 30 days" / "On track" / "Paused — retainer on hold".

Fix: Covered above in the dedicated status-dot finding. No duplicate action.

MED

Detail header — client name is missing the "Click to rename" affordance tooltip

Where to see: Clients → client detail → header → client name (large text).

Portal: Name is not click-to-rename on portal (verified earlier). No tooltip.

Our build (reference): *title*: "Click to rename". Click → inline editor opens for the name field.

Fix: Two parts:

1. Make the name a click-to-rename inline editor (matches our build's pattern).
2. Add *title*="Click to rename" so the affordance is discoverable on hover.

MED

Detail header — status pill missing the derivation-rule tooltip

Where to see: Clients → client detail → header → "● ON FIRE" / "● On Track" pill.

Portal: Pill has no tooltip. The user can't tell whether the status was manually set or auto-derived.

Our build (reference): *title*: "Auto-computed from attention items, onboarding progress, and activity". Explains the derivation rule on hover.

Fix: Add *title*="Auto-computed from attention items, onboarding progress, and activity" when the status is auto-derived (the recommendation in the calculations doc). When the AM manually overrides, change the tooltip to *title*="Manually set by <name> on <date>". Two states, two explanations.

MED

Detail header — Manager avatar button missing aria-label

Where to see: Clients → client detail → header → manager avatar (next to MANAGER label).

Portal: No tooltip.

Our build (reference): *aria-label*: "Open profile for <Manager full name>". Click opens the profile sheet.

Fix: Add *aria-label*="Open profile for <manager name>". Same pattern as the list-row AM avatar.

MED

Detail header — kebab menu button missing aria-label

Where to see: Clients → client detail → header → ■ kebab (top right).

Portal: No aria. Screen readers announce just "button".

Our build (reference): *aria-label*: "Client options".

Fix: Add *aria-label*="Client options".

LOW

Detail tabs row missing aria-label

Where to see: Clients → client detail → tabs row (Overview / Onboarding / About / Stats / Notes).

Portal: Tabs render but the wrapper isn't labeled.

Our build (reference): *aria-label*: "Client sections" on the tabs container.

Fix: Add *aria-label*="Client sections" on the tabs wrapper.

MED

Overview tab — service cards missing the "Open board" aria-label

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES row → click anywhere on the service card body.

Portal: No aria-label on the card body. Click navigates to the board but screen readers don't announce the destination.

Our build (reference): *aria-label*: "Open board for <Service name>" on the card body.

Fix: Add *aria-label*="Open board for <service name>" on each *.service-card* (or equivalent) element.

MED

Overview tab — service-row pin/star button missing both tooltip strings

Where to see: Clients → client detail → Overview tab → ACTIVE SERVICES row → star icon on the right.

Portal: Star toggles pin state but no tooltip + no aria-label explains what it does.

Our build (reference): State-dependent strings:

- When NOT pinned → *title*: "Pin to My Boards", *aria-label*: "Pin <Service> to My Boards"
- When pinned → *title*: "Unpin from My Boards", *aria-label*: "Unpin <Service> from My Boards"

Fix: Set both *title* and *aria-label* on the star button, swapping the strings based on the current pinned state. Aria-label includes the service name for screen-reader context.

LOW

Modals — close button (×) aria-label varies; standardize

Where to see: Any modal (Add Client / Add Service / Add Contact / Add Quick Link / etc.) → × button top right.

Portal: Some modals set *aria-label*="Close", others set nothing.

Our build (reference): Every modal × button: *aria-label*="Close" (single, consistent value).

Fix: Audit every modal close button on portal. Set *aria-label*="Close" on each one. Skipping it leaves the button unlabeled for screen readers.

LOW

Edit Services flow — reorder chevrons + delete X + Archive button missing labels

Where to see: Clients → Overview tab → ACTIVE SERVICES → click Edit → row controls.

Portal: Reorder up/down chevrons, the red × delete, and the Archive button have no aria-label / title.

Our build (reference): Each control labeled:

- Up chevron → *aria-label*: "Move <Service> up"
- Down chevron → *aria-label*: "Move <Service> down"
- Red × → *title*: "Delete service (send to Trash)", *aria-label*: "Delete <Service>"
- Archive button → *title*: "Archive service (hide from active list)", *aria-label*: "Archive <Service>"

Fix: Set the strings as above. Including the service name in aria-label is important — there are 5+ rows and screen reader users need to know which one each control acts on.

Build checklist

Every actionable finding (HIGH / MED / LOW). INFO items are listed in the body but not in the checklist. Tick each as it ships.

- ☐

MED

Input fields render too light against the modal background (and other token-level mismatches affecting the whole app)

This is a token-level issue, not a per-modal issue. Fix once at the CSS custom-property level, every form field across the app updates.

See [docs/portal-design-tokens.pdf](#) for the full token sheet — every color value for both light and dark themes, ready to copy-paste into portal's CSS. Includes:

 - Backgrounds + surfaces (--bg, --bg-elev, --bg-soft, --bg-faint, --column-bg)
 - Text scale (--text, --text-muted, --text-soft, --text-faint)
 - Hairlines (--hairline, --hairline-soft, --hairline-faint)
 - Brand accent (--highlight, --hover-blue, --hover-tint variants)
 - Status colors (--status-fire, --status-risk, --status-track, --status-onboard, --status-paused, plus soft tints)
 - Avatars, kbd, nav, tags, shadows, modal shadow with composite outline

Critical instruction: copy the values exactly. Don't reinterpret, don't substitute, don't derive from a generated palette. The design system depends on precise values AND the relationships between them (the depth ladder, the WCAG-AA-tuned text contrasts, the brand-accent alpha lifts in dark mode). The token sheet PDF has a verification checklist for spot-checking once the swap lands.
- ☐

MED

Last-activity timestamp coverage is spotty — only ~10% of rows show it

Compute and render last-activity for every client (most recent *updatedAt* across the client's services + tasks + notes). Use the same format ladder our build uses: Xd ago / weekday name / date. If a client has zero activity ever, fall back to *createdAt* rather than leave the cell blank.
- ☐

LOW

Long client names truncate with no tooltip

Add a *title* attribute (or wrap with a tooltip component) on every name element that can truncate. One line of code per row.
- ☐

LOW

Status indicator dot: colors and chips match, but the hover tooltip is missing

Add *title* + *aria-label* attributes on each status dot. Use our build's exact strings (with the em dash — the long-form tooltip on each color):

 - fire → "On fire — needs attention now"
 - risk → "At risk — review soon"
 - onboard → "Onboarding — first 30 days"
 - track → "On track"
 - paused → "Paused"

Sets both attributes to the same string. Sanity-check the color-to-status mapping (esp. blue = Onboarding) while you're in the file.
- ☐

MED

Status display style: inline pill vs labeled "STATUS" eyebrow + pill

Match our build: prepend a small uppercase "STATUS" eyebrow label before the pill, and uppercase the pill value ("● ON TRACK", "● ON FIRE").
- ☐

MED

Header info row: portal stacks icons with em-dash placeholders; ours uses labeled fields with avatars

Two refinements: (1) for the manager slot, render an avatar + name when populated (not just text); (2) the date label should read "Client since <Month Year>" as a full phrase, not just a bare date. Em-dash placeholders are fine for empty states but the populated shape needs to match.

- ☐

LOW

Header info row: small "X" remove buttons next to each populated field (new in this round)

Two options:

 - **Keep portal's × icons.** They're a low-friction way to clear an accidental value. Pair with a confirm step on the manager row (clearing the AM is more consequential than clearing industry).
 - **Match ours — remove the × icons.** Our build's logic is that header fields are set/cleared via the edit modal, not inline. Keeps the header read-only and uncluttered.

Worth a Nikko call on which pattern wins. Either is defensible — flagging here so it doesn't ship by accident without an explicit decision.
- ☐

HIGH

Only one card slot — our build has two (past-due + at-risk)

Rebuild the section to render two card slots side-by-side: past-due tasks card (fire icon, count, source service name as subtitle, "tap to open" affordance) + at-risk surfaces card (chat icon, count, source service name, "review soon"). Each card should click straight to the offending board / service.
- ☐

LOW

Timestamp wording: "As of today" vs "As of this morning"

Match our build: "As of this morning". The morning framing tells the AM these alerts are computed once at the start of the day rather than refreshed live, which is the actual behavior.
- ☐

LOW

ACTIVE SERVICES eyebrow missing the "X of X" total-active count prefix

Add the "X of X" prefix before the project/retainer split: "<active> of <total> · N projects, M retainers". The prefix tells the AM how many of the client's total services are currently active vs paused/archived — useful at-a-glance context.
- ☐

MED

Service-row status pill: lowercase + no leading dot vs uppercase + leading dot

Match our build's pill style: uppercase value with a leading colored dot (red dot for ON FIRE, green for ON TRACK). Same casing/dot pattern is used in the client detail header — keep them consistent across the page.
- ☐

MED

Service-row subtitle still shows task count instead of template + next milestone

Switch the subtitle line to "Template: <template name> · Due <next milestone date>". Keep the progress percent in its current spot on the right rail (it already carries the task-count signal indirectly).
- ☐

MED

Progress label is always "Progress" — should be "This month" for retainer services

Split the label by *service.type*: projects render "Progress <N>%"; retainers render "This month <N>%". The percentage value calculation also differs (cumulative-to-date vs current-month-to-date) — verify the underlying calc, not just the label.
- ☐

LOW

LATEST TASKS rows show a service-name column ours doesn't have (reclassified from round 5)

Two ways to land this:

 - Match ours — drop the service-name column to match the cleaner row format.
 - Keep portal's — the service-name column is actually useful disambiguation when a client has 5+ services (otherwise the AM can't tell which service a task belongs to without clicking).

I'd lean toward keeping the service-name column (portal's approach) because it solves a real scanability problem on multi-service clients. Worth a house-style call from Nikko: does the third column stay on portal AND get added to our build, or does our build's leaner shape win? Until then, mark as *different rule, not wrong rule* and don't ship a fix yet.
- ☐

HIGH

Section labels reverted in the wrong direction — should be "NEEDED FROM CLIENT" / "WE TAKE CARE OF"

Revert to "NEEDED FROM CLIENT" and "WE TAKE CARE OF". (Round 4 documented this in the wrong direction, which led to portal being changed to the shorter labels — they're actually our build's longer labels. Apologies for the round 4 mistake on this one.)
- ☐

MED

Missing the overall-progress eyebrow on the right side of SETUP & ONBOARDING

Add the aggregate progress rollup on the right side of the eyebrow row. Two stats: services-in-progress count and items-complete count, separated by a middle dot.

- ☐

MED

Service onboarding card subtitle: should show template name + items left, not just "No items yet"

Render the subtitle as "<Template name> · <N> items left". If no template is assigned, fall back to "No template assigned". Showing "No items yet" hides the template context, which is useful even when items are empty.
- ☐

MED

Checkbox layout is single-column; our build uses two-column wrap

Switch to a two-column wrap layout to match our build. Denser, easier to scan when there are 4-8 items per group. Keep the "+ Add item" affordance at the bottom of each group.
- ☐

MED

Panel titles use sentence case; our build uses uppercase eyebrows

Uppercase the three panel titles. Same treatment as PORTFOLIO HEALTH, MY TASKS, ACTIVE SERVICES, etc. — section labels are uppercase eyebrows throughout the app.
- ☐

MED

Client Contacts entries are missing job titles AND the primary-contact star

Render the job title as a sub-line under each contact name. Add a gold star to the contact marked as primary. Include both email and phone icons (when phone is available).
- ☐

LOW

Team panel subtitle aggregates everyone as "operators"; ours splits AMs from operators

Split the subtitle: count account managers and operators separately. Add an "+ Add operator" button alongside Edit. The AM-vs-operator split matters because they have different permissions/responsibilities in the working model.
- ☐

MED

ACCOUNT MANAGER block: empty-state vs populated structure

Verify the populated state renders the avatar + name + role-label triple on portal once an AM is assigned. Empty-state copy is fine.
- ☐

MED

Empty state is rendered twice and the editor pane is missing

Two parts: (1) Collapse the double empty state into a single centered one when there are no notes. (2) When notes exist, render the two-pane editor layout with the full rich-text toolbar and per-note actions — couldn't verify this part because the current portal account has no notes, so build it out and confirm against our build's populated state.
- ☐

HIGH

Industry should be a dropdown with curated options, not a free-text input

Make Industry a dropdown using the same canonical list as the list-row industry display. Free-text introduces spelling variants ("SaaS" vs "Saas" vs "S.a.a.S") and breaks scanability.
- ☐

HIGH

Starting Status should be a dropdown defaulting to "Onboarding (first 30 days)", not a single Prospect card

Replace the single card with a dropdown that exposes all status states (Prospect, Onboarding, Active, etc.) and defaults to "Onboarding (first 30 days)". Most new clients enter via onboarding, not as a Prospect — that's the more useful default.
- ☐

MED

Website, Status, and contact fields should be required (currently only 3 of 9 are marked *)

Mark Website, Status, Contact name, Position, Email address, and Mobile number as required (add asterisks and gate the Create button on validation). Website is especially important — every operator workflow that depends on the website (favicon scrape, manual research, outreach) breaks if it's empty.
- ☐

MED

Form layout: single-column vs two-column

Switch to a two-column layout matching our build. Pair up: Industry/Website, Account Manager/Status, Contact name/Position, Email/Mobile. Reduces vertical scroll and groups related fields visually.
- ☐

LOW

Modal title casing: "Add Client" (Title Case) vs "Add client" (sentence case)

Lowercase the C in Client. House style is sentence case for modal titles ("Add service" already follows this — Add Client is the odd one out). Optional: add the small building/people icon to the left of the title for parity.

- ☐ **LOW** **Contact field label: "Position / Role" vs "Position"**
 Trim to "Position". Shorter, matches our build's label, and "Role" doesn't add useful disambiguation in this context.
- ☐ **MED** **Add Quick Link works; edit/delete of a saved link wasn't verified**
 Smoke test once: add a link, edit its label, delete it. Confirm the icon-by-URL pattern (globe / folder / drive) matches our build, and that links open in a new tab on click.
- ☐ **LOW** **Tooltip audit — overview**
 Per-element list below. For each: the visible element, where to find it, and the exact strings to set. Set both *title* AND *aria-label* to the same string unless otherwise noted.
- ☐ **LOW** **List view — Search input is missing the descriptive aria-label**
 Set *aria-label* to "Search clients". Two-word version makes the scope clear (the same input on Templates is "Search templates" — house pattern).
- ☐ **LOW** **List view — count badge missing aria-label**
 Set *aria-label* to "<count> clients in view". Without context the number is meaningless to a screen reader user.
- ☐ **LOW** **List view — saved-view chips container missing aria-label**
 Add *aria-label*="Saved views" on the chips wrapper.
- ☐ **MED** **List view — AM avatar button on each row missing aria-label (when populated)**
 Add *aria-label*="Open profile for <manager name>" on each AM avatar button. Drives screen reader output and makes the click target unambiguous.
- ☐ **LOW** **List view — service "+N more" pill missing title**
 Add a *title* attribute with "<N> more service" or "<N> more services" depending on count. Hover gives the count without forcing a click.
- ☐ **LOW** **List view — sidebar collapse toggle missing tooltip**
 Set both *title* and *aria-label*:
 - When expanded → "Hide client list"
 - When collapsed → "Show client list"
- ☐ **LOW** **List view — client status dot tooltips MATCH (cross-reference)**
 Covered above in the dedicated status-dot finding. No duplicate action.
- ☐ **MED** **Detail header — client name is missing the "Click to rename" affordance tooltip**
 Two parts:
 1. Make the name a click-to-rename inline editor (matches our build's pattern).
 2. Add *title*="Click to rename" so the affordance is discoverable on hover.
- ☐ **MED** **Detail header — status pill missing the derivation-rule tooltip**
 Add *title*="Auto-computed from attention items, onboarding progress, and activity" when the status is auto-derived (the recommendation in the calculations doc). When the AM manually overrides, change the tooltip to *title*="Manually set by <name> on <date>". Two states, two explanations.
- ☐ **MED** **Detail header — Manager avatar button missing aria-label**
 Add *aria-label*="Open profile for <manager name>". Same pattern as the list-row AM avatar.
- ☐ **MED** **Detail header — kebab menu button missing aria-label**
 Add *aria-label*="Client options".
- ☐ **LOW** **Detail tabs row missing aria-label**
 Add *aria-label*="Client sections" on the tabs wrapper.
- ☐ **MED** **Overview tab — service cards missing the "Open board" aria-label**
 Add *aria-label*="Open board for <service name>" on each *.service-card* (or equivalent) element.

- ☐
- MED
- Overview tab — service-row pin/star button missing both tooltip strings**
Set both *title* and *aria-label* on the star button, swapping the strings based on the current pinned state. Aria-label includes the service name for screen-reader context.
- ☐
- LOW
- Modals — close button (×) aria-label varies; standardize**
Audit every modal close button on portal. Set *aria-label*="Close" on each one. Skipping it leaves the button unlabeled for screen readers.
- ☐
- LOW
- Edit Services flow — reorder chevrons + delete X + Archive button missing labels**
Set the strings as above. Including the service name in *aria-label* is important — there are 5+ rows and screen reader users need to know which one each control acts on.