CODERSINPUNE 2026 / ROUND 02 / BUILD REPORT

DeadEnd

Remember the **why.**
Not just the code.

A 3D investigation workspace for the technical approaches a team tried, abandoned and must not repeat without rechecking the evidence.

LIVE PRODUCT	PUBLIC SOURCE CODE
deadend-ai-codersinpune.vercel.app	nikkushrivastava0-a11y/deadend-ai
VERIFIED RELEASE	**TEAM**
10 November 2026 / b772503 / 25 passing tests	NIKKUSHRIVASTAVA0 / Nitanshu Shrivastav

This report describes verified Round 2 functionality. It does not claim an enterprise-ready system, live LLM extraction, or a 10-page WebGL product.

01 / THE PROBLEM

The decision that disappeared.

When a developer leaves, source code survives, but the reasons an approach was rejected may remain buried in GitHub issues and PR comments. A new team member may repeat the same failed work.

DeadEnd surfaces this “negative knowledge” without fabricating conclusions: every extracted candidate retains its original quotation and link, uncertain updates are flagged for review, and only approved public findings reach the handover.

ONE CONTINUOUS INVESTIGATION

01 CONNECT

Import an authorised public GitHub issue/PR or paste synthetic/permitted notes.

02 RECONSTRUCT

Find explicit abandoned approaches, reasons and context; do not guess missing evidence.

03 VERIFY

Check every original quotation against the precise source segment and permalink.

04 REVIEW

A human edits the interpretation, disputes or approves the finding; original evidence stays unchanged.

05 HANDOVER

Export only approved public lessons and next steps as Markdown.

Judge path

Open an example case → examine the Stripe finding and its later update → correct the interpretation → approve it → open Handover → download Markdown. Or import a real public GitHub issue through Add evidence.

Actual 3D. Real evidence.

The investigation desk now renders a real GPU-backed **Three.js/WebGL** evidence constellation. It is not a screenshot, CSS-only perspective trick, or decorative animation. Five extruded evidence slabs represent the same Connect → Reconstruct → Verify → Review → Handover stages exposed by the functional application.

Part	Verified implementation
3D visual engine	Three.js scene, perspective camera, layered BoxGeometry slabs, lit accents, canvas-textured cards, depth-linked pathways and animated signals.
Real interaction	Pointer raycasting selects evidence nodes; dragging and arrow keys change viewing angle. Selection opens the original semantic inspector and real case data.
Accessibility	Semantic HTML buttons remain navigable; narrow screens, reduced-motion preferences and unavailable WebGL retain a readable non-WebGL fallback.
Visual language	Custom dark forensic system, cyan/violet lighting, refined editorial typography, local Space Grotesk / DM Sans / Space Mono fonts; no runtime font or 3D CDN.
Backend	Node.js HTTP server, Vercel adapter, GitHub REST public issue/PR import, explicit-language extraction, per-segment evidence verification and human correction.
Session boundary	Expiring encrypted anonymous browser-held workspace; not authenticated multi-user organisational storage.

Changes from Round 1

The original proposed stack included Next.js, Supabase and agent-assisted extraction. Round 2 instead narrows the technical scope to a verified GitHub-to-handover workflow built in Node.js/vanilla JS. Visual 3D is now genuinely GPU-rendered with Three.js; broader AI integrations and private organisation permissions are deliberately deferred.

Tested on real discussions.

A genuine public GitHub source was imported through the working application. The engine preserved the original quote and source link, allowed a human correction and carried only an approved lesson to handover.

Public evidence examples

openhuman issue #867: Two abandoned CEF/webview loading-overlay approaches with explicit explanations were recovered from a public issue. One was corrected, approved and exported without changing its quotation. Source issue.

CodeAtlas issue #682: A reverted Kanban replacement references a preceding sentence; same-comment context is attached to the interpretation but not to the evidence quote. Source issue.

Ruuvi issue #501: An abandoned comparison-chart proposal has a later reconsideration; the update is marked for human rechecking, not automatically declared a reversal. Source issue.

Verified engineering and browser checks

Check	Observed result
Automated test suite	25/25 Node tests passed; GitHub Actions on the release candidate completed successfully.
Real 3D rendering	Desktop and tablet headless Chromium reported an active WebGL canvas; selectable evidence nodes and keyboard movement worked.
Responsive E2E	1440×900 desktop, 768×1024 tablet, 390×844 phone and reduced-motion phone: demo → correction → approval → one-item Markdown handover passed.
Frontend integrity	No JavaScript page errors or horizontal document overflow in the above browser-emulated viewports; local fonts loaded.
Production	Vercel deployment READY for commit b772503. Full browser journey tested on production after deploy.

Browser widths are emulations; no physical phone test is claimed. Production model path remains unconfigured.

What we refuse to pretend.

Limits are explicit because evidence integrity matters more than an inflated demo.

- **Not a live LLM agent:** Production has no authorised model credential; rejection extraction is deterministic. Optional structured model handling exists but was only fixture-tested.
- **Not an enterprise identity system:** No individual authenticated roles, Supabase RLS, private-repository authorisation or durable cross-user storage.
- **Public and synthetic data only:** The judge workspace is not appropriate for private organisational secrets or sensitive materials.
- **GitHub is bounded:** Imports use selected public issues/PRs and limited pages. API rate limits, empty discussions and missing explicit failure language can produce incomplete or zero findings.
- **Reversals need humans:** Cross-source contradiction and later updates are candidate leads, not automatically established current truth.
- **3D fallback is intentional:** Actual WebGL is on supported desktop/tablet browsers. Small viewports, reduced-motion preferences and unsupported graphics use semantic, accessible controls.
- **Round 2 scope:** Four functional workflow views, not a finished ten-page immersive enterprise app.

Evidence and security

The original excerpt, source segment and public link are retained through review; editing changes only the interpretation. Restricted demo findings cannot be approved into public handover. The app serves same-origin scripts/fonts and emits response headers denying frame embedding, MIME sniffing and unused device APIs.

05 / ROADMAP + HANDOVER

Three Round 3 commitments.

01 / Decision revalidation

Introduce an owner-triggered recheck workflow, dated current-constraint status and history. Incoming developers will distinguish old failures from blockers that may have changed.

02 / Cross-source disagreement resolver

Compare contradictory statements in two authorised sources, present both verbatim excerpts and require a human decision before sharing a reconciled claim.

03 / Role-aware handover and receipt

Add authenticated roles, server-side source visibility, versioned approved briefs and recipient acknowledgement for controlled project transfers.

Team and authorship

Team NIKKUSHRIVASTAVA0. Lead: Nitanshu Shrivastav. Teammate: Kanishk (official registered full name to be confirmed in the form). Development and documentation included AI assistance. The production demo contains explicitly fictional Stripe material and independently linked public GitHub evidence.

Submission checklist

- Only the team leader submits the CodersInPune Round 2 Google Form.
- Open website, public GitHub repository and public Google Drive PDF in a fresh incognito browser.
- Google Drive PDF must be shared as Anyone with the link / Viewer. Final form is not automatically submitted.

LIVE WEBSITE · SOURCE CODE · 3D RELEASE PR #7