

# Institutionen för systemteknik

## Department of Electrical Engineering

**Examensarbete**

### **Investigation of Control Approaches for a Rotational Piezo-based Actuator for Accurate Positioning Application Operations at CERN**

Examensarbete utfört i Mekatronik  
vid Tekniska högskolan vid Linköpings universitet  
av

**Niklas Ericson**

LiTH-ISY-EX--YY/NNNN--SE

Linköping 2016



**Linköpings universitet**  
**TEKNISKA HÖGSKOLAN**



# **Investigation of Control Approaches for a Rotational Piezo-based Actuator for Accurate Positioning Application Operations at CERN**

Examensarbete utfört i Mekatronik  
vid Tekniska högskolan vid Linköpings universitet  
av

**Niklas Ericson**


LiTH-ISY-EX--YY/NNNN--SE

Handledare: **Doktorand Si**  
                  ISY, Linköpings universitet  
**Mark Butcher**  
                  CERN, Geneva, Switzerland

Examinator: **Proffesor Svante Gunnarsson**  
                  ISY, Linköpings universitet

Linköping, 9 april 2016



		<b>Avdelning, Institution</b> Division, Department  Institutionen för Systemteknik Department of Electrical Engineering SE-581 83 Linköping		<b>Datum</b> Date  2016-04-09	
<b>Språk</b> Language  <input type="checkbox"/> Svenska/Swedish <input checked="" type="checkbox"/> Engelska/English  <input type="checkbox"/> _____		<b>Rapporttyp</b> Report category  <input type="checkbox"/> Licentiatavhandling <input checked="" type="checkbox"/> Examensarbete <input type="checkbox"/> C-uppsats <input type="checkbox"/> D-uppsats <input type="checkbox"/> Övrig rapport <input type="checkbox"/> _____		<b>ISBN</b> _____  <b>ISRN</b> LiTH-ISY-EX--YY/NNNN--SE  <b>Serietitel och serienummer</b> <b>ISSN</b> Title of series, numbering      _____	
<b>URL för elektronisk version</b>  <a href="http://urn.kb.se/resolve?urn=urn:nbn:se:liu:diva-XXXXX">http://urn.kb.se/resolve?urn=urn:nbn:se:liu:diva-XXXXX</a>					
<b>Titel</b> Title		Undersökning av ett problem Investigation of Control Approaches for a Rotational Piezo-based Actuator for Accurate Positioning Application Operations at CERN			
<b>Författare</b> Author		Niklas Ericson			
<b>Sammanfattning</b> Abstract  <p>Det här som vi har hållit på med är jätteviktigt faktiskt och det vi gjort blev bara sååå bra. Kanske inte helt otippat, men det glass är sååå gott!</p> <p>Förresten har vi blivit bäst på att skriva rapporter, så nu ska ska vi inte gå in närmare på några detaljer såhär i sammanfattningen.</p>					
<b>Nyckelord</b> Keywords      problem, lösning					



## Sammanfattning

Det här som vi har hållit på med är jätteviktigt faktiskt och det vi gjort blev bara sååå bra. Kanske inte helt otippat, men det glass är sååå gott!

Förresten har vi blivit bäst på att skriva rapporter, så nu ska ska vi inte gå in närmare på några detaljer såhär i sammanfattningen.





## **Abstract**

If your thesis is written in English, the primary abstract would go here while the Swedish abstract would be optional.



---

# Contents

<b>Notation</b>	<b>ix</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Background . . . . .	1
1.2 Purpose and Goal . . . . .	2
1.3 Related work . . . . .	2
1.4 Outline . . . . .	2
<b>2 Method</b>	<b>3</b>
2.1 Literature review . . . . .	3
2.2 Timeplan . . . . .	3
<b>3 Result</b>	<b>5</b>
<b>4 Conclusions</b>	<b>7</b>
<b>A definitions</b>	<b>11</b>
<b>Bibliography</b>	<b>13</b>



---

# Notation

## NÅGRA MÄNGDER

Notation	Betydelse
$\mathbb{N}$	Mängden av naturliga tal
$\mathbb{R}$	Mängden av reella tal
$\mathbb{C}$	Mängden av komplexa tal

## FÖRKORTNINGAR

Förkortning	Betydelse
CERN	European Organization for Nuclear Research
STM	Scanning Tunneling Microscope
AFM	Atomic Force Microscope
LHC	Large Hadron Collider
PEA	Piezoelectric actuator
PID	Proportional, integral, differential (regulator)



# 1

---

## Introduction

### 1.1 Background

The piezoelectric effect is a phenomenon that arises in certain solid materials when an electric potential is generated in response to applied mechanical stress. The effect was first discovered by Jacques and Pierre Curie in 1880 when they found that applying pressure to a quartz crystal results in an electrical charge. Today, the effect is commonly encountered in daily life in forms such as lighters, buzzers and loudspeakers. [5] [6].

Smart materials such as piezoelectric and magnetostrictive materials are commonly used in precision actuators today due to their ability to convert electrical energy into mechanical energy. In cases where a relatively small displacement range is required (travel ranges up to 500  $\mu\text{m}$ ) a piezo electric device is the actuator of choice due to its fast response, high resolution and its ability to generate large mechanical forces for small amounts of power in compact designs [5].

High precision positioning systems are vital in e.g. scanning tunneling microscopes (STM), atomic force microscopes (AFM) and in semiconductor lithography. In AFM, for instance, high precision positioning is required to control the vertical position of the scanning probe to keep the force constant between the sample surface and the probe tip. An topographical image of the sample is obtained by raster-scanning the probe over the sample surface and plotting the vertical displacement against the probe's x-y position. A positioning system that keeps the force constant down to an atomic-scale resolution is thus inevitable in order to obtain a high resolution image without damaging the sample [5].

In the UA9 Experiment located at CERN (European Organization for Nuclear Research) a high precision positioning system is required for the control of a piezo-actuated rotational stage. The stage uses a piezo electric linear stack actuator to displace a flexible lever arm mechanism which generates the rotational

movement. The piezo-actuator stage together with its amplifying structure gives the device an rotational range of 20 mrad.

## 1.2 Purpose and Goal

Crystalline solids have the ability to constrain the directions that particles take as they pass through, this is commonly called the "channelling" property. The UA9 collaboration at CERN is investigating how tiny bent crystals can help to steer particle beams in modern hadron colliders such as the Large Hadron Collider (LHC) [4]. In high energy colliders, such as the LHC, particles drift outwards creating a beam halo. These particles surrounding the beam, can be lost and cause damage to sensitive parts in the accelerator. By using bent crystals, halo particles can be efficiently extracted from the beam and collected by absorbers further away, reducing the complexity of the system. One major difficulty that arises is that the higher the energy of the particle, the lower the angular acceptance for channeling. Hence, a high precision positioning mechanism with a high angular accuracy is required. The rotational stage at CERN is of necessity to be able to track reference trajectories at ramp rates of 100  $\mu\text{rad/s}$  and reject external disturbances to maintain a maximum tracking error of  $\pm 1 \mu\text{rad}$ .

This project aims to identify the possible control approaches that could be applicable to this problem to achieve the desired performance.

## 1.3 Related work

## 1.4 Outline

en preliminär problemformulering satt i relation till litteraturbasen



# 2

---

## Method

en preliminär beskrivning av angreppssätt

### 2.1 Literature review

planerad litteraturbas

[3]

[2]

[1]

[7]

### 2.2 Timeplan

en tidplan för examensarbetets genomförande inklusive planerade datum för halvtidskontroll och framläggning



# 3

---

## Result

preliminära resultat som kan demonstreras vid halvtidskontroll



# 4

---

## Conclusions

Sätt av ett kort kapitel sist i rapporten till att avrunda och föreslå rikningar för framtida utveckling av arbetet.



# Appendix





# A

---

**definitions**



---

## Bibliography

- [1] Giustiniani A. Masi A. Biggio M., Butcher M. and Storace M. Memory characteristics of hysteresis and creep in multi-layer piezoelectric actuators: An experimental analysis. *Physica B: Condensed Matter*, 435:40–43, 2014. Cited on page 3.
- [2] Giustiniani A. Butcher M. and Masi A. On the identification of hammerstein systems in the presence of an input hysteretic nonlinearity with nonlocal memory: Piezoelectric actuators – an experimental case study. *Physica B: Condensed Matter*, pages 1—5, 2015. Cited on page 3.
- [3] Losito R. Butcher M., Giustiniani A. and Masi A. Controller design and verification for a rotational piezo-based actuator for accurate positioning applications in noisy environments. *Iecon 2015*, 2015. Cited on page 3.
- [4] CERN. The ua9 experiment is investigating how crystals could help to steer particle beams in high-energy colliders, Retrieved in January 2016. URL <http://home.cern/about/experiments/ua9>. Cited on page 2.
- [5] Eleftheriou E. Devasia S. and Moheimani R. A survey of control issues in nanopositioning. *IEEE Transactions on Control Systems Technology*, 15(5): 802—823, 2007. Cited on page 1.
- [6] Eleftheriou E. Devasia S. and Moheimani R. Piezoelectrics in positioning. tutorial on piezotechnology in nanopositioning applications. *Physik Instrumente (PI) GmbH and Co. KG.*, Retrieved in January 2008. URL [http://www.physikinstrumente.com/en/pdf\\_extra/2009\\_PI\\_Piezo\\_University\\_Designing\\_with\\_Piezo\\_Actuators\\_Tutorial.pdf](http://www.physikinstrumente.com/en/pdf_extra/2009_PI_Piezo_University_Designing_with_Piezo_Actuators_Tutorial.pdf). Cited on page 1.
- [7] Fleming A. J. and Leang K. K. *Design, Modeling and Control of Nanopositioning Systems*. Springer International Publishing, first edition, 2014. Cited on page 3.



## Upphovsrätt

Detta dokument hålls tillgängligt på Internet — eller dess framtida ersättare — under 25 år från publiceringsdatum under förutsättning att inga extraordinära omständigheter uppstår.

Tillgång till dokumentet innebär tillstånd för var och en att läsa, ladda ner, skriva ut enstaka kopior för enskilt bruk och att använda det oförändrat för icke-kommersiell forskning och för undervisning. Överföring av upphovsrätten vid en senare tidpunkt kan inte upphäva detta tillstånd. All annan användning av dokumentet kräver upphovsmannens medgivande. För att garantera äktheten, säkerheten och tillgängligheten finns det lösningar av teknisk och administrativ art.

Upphovsmannens ideella rätt innefattar rätt att bli nämnd som upphovsman i den omfattning som god sed kräver vid användning av dokumentet på ovan beskrivna sätt samt skydd mot att dokumentet ändras eller presenteras i sådan form eller i sådant sammanhang som är kränkande för upphovsmannens litterära eller konstnärliga anseende eller egenart.

För ytterligare information om Linköping University Electronic Press se förlagets hemsida <http://www.ep.liu.se/>

## Copyright

The publishers will keep this document online on the Internet — or its possible replacement — for a period of 25 years from the date of publication barring exceptional circumstances.

The online availability of the document implies a permanent permission for anyone to read, to download, to print out single copies for his/her own use and to use it unchanged for any non-commercial research and educational purpose. Subsequent transfers of copyright cannot revoke this permission. All other uses of the document are conditional on the consent of the copyright owner. The publisher has taken technical and administrative measures to assure authenticity, security and accessibility.

According to intellectual property law the author has the right to be mentioned when his/her work is accessed as described above and to be protected against infringement.

For additional information about the Linköping University Electronic Press and its procedures for publication and for assurance of document integrity, please refer to its www home page: <http://www.ep.liu.se/>