

Presentation of Master's Thesis

Investigation of Control Approaches for a High Precision, Piezo-actuated Rotational Stage

Niklas Ericson

August 29, 2016

Linköping University — European Organization for Nuclear Research



Table of contents

1. Introduction
2. System Overview
3. Approaches and Simulation Results
4. Implementation
5. Conclusion

Introduction

The Large Hadron Collider (LHC) at CERN.



Source: [?].

Collimation

Collimation system used in the LHC.



Source: [?].

Crystal Collimation

The UA9 collaboration at CERN investigates how bent crystals can be used to extract halo particles.




Figure 1: Illustration of the crystal collimation principle.

Implies in a more efficient cleaning, a less complex system and a reduction of the machine impedance.

The **higher the energy** of the particle the **lower the angular acceptance** for channeling.

- have a total range of 20 mrad
- be able to track reference trajectories at ramp rates of 100 $\mu\text{rad/s}$
- reject external disturbances to maintain a maximum tracking error of $\pm 1 \mu\text{rad}$ even when the linear axis is moving

Challenges

- Nonlinear effect such as hysteresis and creep
- Highly resonant structure
- The linear movement adds additional perturbation
- System changes due to rotational and linear position, moving center of rotation.

Hello

System Overview

The theme provides sensible defaults to *emphasize* text, **accent** parts or show **bold** results.

Rotational stage

- Regular
- *Italic*
- SMALLCAPS
- **Bold**
- **Bold Italic**
- **Bold SmallCaps**
- Monospace
- *Monospace Italic*
- Monospace Bold
- *Monospace Bold Italic*

$$e = \lim_{n \rightarrow \infty} \left(1 + \frac{1}{n}\right)^n$$

Approaches and Simulation Results

Implementation

Conclusion

Summary

Questions?

References I



H. G. Morales.

**opac hector garcia morales - lhc collimation system
optimization, 2015.**

Available at <https://www.youtube.com/watch?v=h2-ocLjUhTU>.