

VMAN TRAINING PLANNER

USER MANUAL

Planning, simulation and optimisation of training programmes

Player

Player link: Anders Andersen

Import: player group

Position: Keeper

Age: 15 years 0 days

XP: 180 at hard intensity

Handling: 2

Speed: 2

One on one: 2

Acceleration: 2

Diving: 2

Stamina: 2

Aerial: 2

Leadership: 2

Passing: 2

Perseverance: 2

Rating: 2.00 Total: 20 Clear



Training program

Sheikh_k

Experience bonus Ratio: 1.10 Gradient Assistant

Days	Exercise	Intensity	Sessions
90	Training match	Hard	
210	Cycle 1	Cycle	30x (Set pieces → Technique → Physical training → Training match)

Session

Days: 2 Intensity: Hard

Exercise: Technique

Pointfordeling

Egenskab

Indsats

Clear

Passing	
Handling	
One on one	
Aerial	

Add session
Update

Result

Total: 300 days — Rating: 69.24 — Average: 59.54 — Age: 25 years 0 days

Show graph Export

Handling	73.8	Acceleration	58.1
Aerial	73.8	Passing	50.7
Diving	73.8	Stamina	48.7
One on one	73.8	Perseverance	46.7
Speed	58.1	Leadership	38.0

Total: 595.4

69

Rating

> 115% of average
> 110% of average
< 110% of average

Application version 1.00 · Manual edition 1.0 · July 2026

About this manual

This manual describes the normal workflow in Vman Training Planner: from importing a player and building a training programme to automated searching, result comparison and group-based work. Terminology follows the English interface shown in the supplied screenshots.

Unofficial tool

Vman Training Planner is an unofficial planning tool and is not developed, approved or supported by Virtual Manager. Its calculations are models and must not be treated as a guarantee of a particular in-game outcome.

How to use this manual

- Section 2 provides a concise workflow for new users.
- Sections 3-6 explain the Control Center and manual planning.
- Sections 7-11 cover the Assistant and the methodological search strategies in depth.
- Sections 12-13 cover Group Import and the Group Report.
- Sections 14-16 collect settings, limitations and key terminology.

Contents

Main sections of the manual

1. Introduction	4
2. Getting started	5
3. Control Center	6
4. Templates and training programmes	8
5. Sessions and point allocation	9
6. Results and graph	10
7. The Assistant	12
8. Goals, constraints and weights	13
9. Experience bonus - experimental feature	14
10. Search strategies	15
11. Working with search results	18
12. Group Import	19
13. Group Report	20
14. Settings and file management	21
15. Interpretation, responsibility and limitations	22
16. Glossary	23

Navigation

Headings are structured for Word's navigation pane. In the PDF, use the contents page and page numbers.

1. Introduction

Vman Training Planner combines player data, training models and optimisation methods in one workflow.

Purpose

The application is used to examine how different training paths are expected to affect a player's abilities, rating and average over a selected period. It can be used both as a manual planner and as a search engine for strong training programmes.

Core principles

- A player is described by position, age, daily XP and current abilities.
- A training programme consists of one or more sessions with duration, exercise, intensity and point allocation.
- The result shows final abilities, total ability sum, average and position-specific rating.
- The Assistant can evaluate many legal programmes and retain the strongest candidates found.
- Imported groups allow the same workflow to be applied and compared across several players.

Accuracy matters

Results depend on the entered starting data and on the assumptions selected in the application. A high calculated value is only meaningful when the scenario has been configured realistically.

2. Getting started

This workflow produces a complete result without requiring prior knowledge of every setting.

1. Import a player from a player link, or enter position, age, XP and abilities manually.
2. Select a supplied template, or build sessions in the Session panel.
3. Check the total number of days and expected final age in Result.
4. Use Show graph to inspect development and any penalty zones.
5. Open the Assistant when the programme should be optimised automatically.
6. Define the scenario, constraints, weights and search strategy.
7. Import the preferred search result into the Control Center and save or export the work.

A practical first search

Start with Beam Search and a moderate search time. It normally provides a useful comparison quickly. Then run a more exploratory method if the result needs to be challenged.

3. Control Center

The Control Center is the main window and brings together the player, programme, session and result.

The Control Center interface is divided into four main sections:

- Player:** Contains fields for Player link (Anders Andersen), Import (player/group), Position (Keeper), Age (15 years, 0 days), XP (180 at hard intensity), and various skill ratings (Handling, Speed, One on one, Acceleration, Diving, Stamina, Aerial, Leadership, Passing, Perseverance). It also shows a Rating of 2.00 and a Total of 20.
- Training program:** Shows a dropdown for Sheikh_k, Experience bonus, Ratio (1.10), Gradient, and Assistant. It includes a table with columns Days, Exercise, Intensity, and Sessions, listing activities like Training match and Cycle 1.
- Session:** Includes fields for Days (2), Intensity (Hard), and Exercise (Technique). It features a Pointfordeling section with a grid for Egenskab and Indsats, and buttons for Add session and Update.
- Result:** Displays summary statistics: Total: 300 days — Rating: 69.24 — Average: 59.54 — Age: 25 years 0 days. It includes a bar chart comparing individual skills to averages, with a large circular rating of 69. A legend indicates: > 115% of average (red), > 110% of average (orange), and < 110% of average (green).

The four working areas of the Control Center.

Player panel

The Player panel section includes the following fields and controls:


- Player link:** Anders Andersen
- Import:** player (selected), group
- Position:** Keeper
- Age:** 15 years, 0 days
- XP:** 180 at hard intensity
- Skills:** Handling (2), Speed (2), One on one (2), Acceleration (2), Diving (2), Stamina (2), Aerial (2), Leadership (2), Passing (2), Perseverance (2)
- Rating:** 2.00, **Total:** 20, **Clear** button
- Session:** Days (2), Intensity (Hard), Exercise (Technique)

Player data can be imported or entered manually.

- Player link: paste a direct link; after import the field shows the current player name.
- Import: choose player for a single player or group to open Group Import.
- Position: determines which abilities carry the greatest weight in the rating.
- Age: entered as complete years and days and used to calculate the final age.
- XP: the player's daily training performance at the selected reference intensity.
- Abilities: the player's current levels; all values must refer to the same starting point.
- Rating and total ability sum update from the entered values. Clear resets the player panel.

4. Templates and training programmes

The programme list shows the order followed by the simulator from the first day to the last.



Programme selector, undo/redo, experience bonus and programme rows.

Supplied Sheikh templates

The templates supplied with Vman Training Planner are named after the user “Sheikh” and the club FC Dulakubai. Sheikh created the training programme followed by many users today. The names therefore identify the origin of the template; they do not imply that it is optimal for every player.

A template is a starting point

A template should always be assessed against the player’s position, starting values, XP, age and intended outcome. The Assistant can be used to investigate alternatives.

Working in the programme list

- Each row shows days, exercise, intensity and a textual summary of its sessions.
- The bin icon removes the relevant programme element.
- Undo and redo move backwards or forwards through recent edits.
- Rows can be moved, and multiple selected elements can be handled together when supported by the current build.
- The total number of days is calculated automatically and shown in Result.

5. Sessions and point allocation

The Session panel is used to create and edit the individual building blocks of a programme.

A session consists of duration, intensity, exercise and point allocation.

Fields

Field	Function
Days	The number of consecutive days for which the session is used.
Intensity	The selected training level. Higher intensity changes the XP assumption and may be restricted by the scenario.
Exercise	Determines which abilities can receive points in the session.
Point allocation	Distributes the session's effort among the relevant abilities.
Add session	Creates the session as a new programme element.
Update	Saves changes to the selected programme element.


The point allocation must be legal for the selected exercise. Green cells show the current effort, while empty cells show remaining capacity. Reset clears the current allocation so it can be rebuilt.

Duration and repetition

A longer session reduces the number of changes in the programme. Shorter sessions provide more flexibility but make the search space much larger.

6. Results and graph

The Result panel shows both the optimisation target and the abilities behind it.




Final abilities, total ability sum, rating and penalty indicators.

Key figures

- Total: the programme duration in days.
- Rating: the position-weighted measure of the calculated final level.
- Average: the ordinary average of the abilities.
- Age: the calculated age at the end of the programme.
- Total: the sum of all displayed final abilities.

The colours compare each ability with the player's average. Green means no more than 110% of the average, orange means above 110%, and red means above 115%. The red zone is particularly important because the model then accounts for the known 15% training penalty on very high abilities.

Graph



The graph shows rating, actual average and a comparison path without the penalty.

Average without penalty is a reference curve: it shows how the calculated average would develop if the penalty reduction were not applied. Its distance from the actual average curve helps quantify the cost of highly specialised development.

7. The Assistant

The Assistant turns a scenario and a set of constraints into an automated search.

Assistant · 1/3 · Scenario

Player

Player
Anders Andersen

Position
Keeper

Age
15
years
0
days

XP
180
at
Hard
intensity

Training period
10
years
until 25 years 0 days



Abilities

Handling
2

Speed
2

One on one
2

Acceleration
2

Diving
2

Stamina
2

Aerial
2

Leadership
2

Passing
2

Perseverance
2

Rating
2.00
Total
20
Clear

Close
Next

Step 1 collects the starting data used for every candidate.

Step 1/3 - Scenario

- Player, position, age and image are taken from the Control Center or entered manually.
- XP is stated at a selected intensity and is the search's basic training assumption.
- Training period sets the final age; the Assistant calculates the number of available days.
- Abilities form the starting state for every programme evaluated.
- Rating and total ability sum provide a check that the starting data have been loaded correctly.

Check before selecting Next

The Assistant's candidates cannot be more reliable than the scenario. Check the position, starting age, XP and final age before continuing.

8. Goals, constraints and weights

Step 2 defines what may be searched and what should be prioritised.

Assistant · 2/3 · Goals and constraints

Practical constraints

Session length days

☐ Allow intensity boost / days

☐ Fixed rotation cycle length days

☐ Training match until years days

☒ Group high-weighted abilities

Penalty tolerance

☐ Experience bonus Ratio Gradient

Weights

Handling 19.23 %	Aerial 19.23 %	Diving 19.23 %	One on one 19.23 %	Speed 7.69 %
Acceleration 7.69 %	Passing 1.92 %	Stamina 1.92 %	Perseverance 1.92 %	Leadership 1.92 %

Practical constraints and ability weights in Step 2 of the Assistant.

Practical constraints


Setting	Meaning
Session length	Sets the normal duration of the sessions used to build candidates.
Allow intensity boost	Permits a limited number of higher-intensity days within the selected rhythm.
Fixed rotation	Forces the programme into a repeated block of the stated length.
Training match until	Locks an opening period to the Training match exercise until the selected age.
Group high-weighted abilities	Treats the most important abilities as a coherent priority and reduces fragmented solutions.
Penalty tolerance	Controls how readily the search accepts time in penalty zones when the rating still improves.

Weights

Weights express the relative importance of each ability in the search objective. They may mirror the position's normal rating model or the user's own priorities. A high weight makes it more attractive to spend training days on that ability; a low weight does not necessarily mean the ability is ignored because exercises affect several abilities at once.

9. Experience bonus - experimental feature

Experience bonus is an optional modelling hypothesis and should only be enabled deliberately.



Experience bonus is enabled with a ratio and one of three gradients.

Rationale

The feature exists because there are indications that players' training performance may increase with age. However, there is no official statement confirming such a mechanism and no settled answer regarding the size or shape of the effect. Experience bonus is therefore not a documented rule; it is an experimental feature that lets users test their own belief.

Use it as a scenario, not as a fact

Compare the same programme both with and without experience bonus. The difference shows how strongly the conclusion depends on the hypothesis.

Ratio

Ratio expresses the relationship between assumed training performance at the end of the period and at the beginning. A ratio of 1.00 means no age-related increase. A ratio of 1.10 means that the end of the period is modelled at up to 10% above the beginning. With a starting value of 180 XP, the endpoint would be approximately 198 XP before other rules and penalties affect the calculation. The application caps the ratio at a cautious maximum of 1.15.


Gradients

Gradient	Shape	Interpretation
Early rise	The curve rises quickly at first and then flattens.	A large share of the assumed effect occurs early in the period.
Linear	The curve rises evenly from start to finish.	The same relative increase is distributed across the full period.
Late rise	The curve rises slowly at first and more strongly near the end.	The effect is assumed to appear mainly at the higher age.

The gradient changes when the increase occurs, but not the selected endpoint ratio. Two scenarios with the same ratio can therefore produce different final results when penalties, exercise choices or weights make the timing of the XP difference important.

10. Search strategies

Optimising a training programme is a large combinatorial problem; the method determines how that space is explored.



The methods available in the search strategy selector.

The methodological problem

Every possible combination of sessions, durations, exercises, intensities and point allocations is a candidate. The number grows explosively as the period becomes longer or the constraints become looser. Most strategies are therefore heuristics: they aim to find very strong solutions without examining the entire space. Only a completed Brute Force search can, in principle, demonstrate that the best legal solution has been found.

Method	Character	Best suited to	Main limitation
Beam Search	Directed breadth with a limited frontier of strong candidates.	Fast, stable starting solutions.	May discard paths that look weak initially.
Genetic Algorithm	Population, selection, crossover and mutation.	Broad exploration of large spaces.	Random and potentially slow convergence.
Simulated Annealing	Local improvement with controlled acceptance of temporary setbacks.	Escaping local optima.	Quality depends on the starting point and cooling.
Monte Carlo	Random sampling of legal programmes.	Diversity and unexpected structures.	Spends many trials on weak candidates.
Hybrid: Beam + Mutation	Beam Search combined with random changes.	A balance between direction and variation.	More variability between runs.
Queen Seeker	Application-specific elite refinement around leading candidates.	Targeted deep searching.	Heuristic; no guarantee of optimality.
TM17 + Queen Seeker	Fixed Training match opening followed by Queen Seeker.	Scenarios with a known opening phase.	Restricts solutions to the chosen opening.
Brute Force	Systematic enumeration of all legal combinations.	Small, tightly constrained problems.	Can be practically endless for long periods.

Beam Search

Beam Search extends a programme step by step. At each step it retains only a limited set of the highest-scoring partial programmes - the beam - and discards the rest. This makes it fast and comparatively stable.

It is well suited to a first search, short response times and scenarios where strong early partial results usually lead to strong final results. Its weakness is that a promising long-term path may be discarded when it temporarily falls outside the beam. Multiple runs or a later mutation-based method can reduce this risk.

Genetic Algorithm

Genetic Algorithm works with a population of complete programmes. Stronger members have a greater chance of producing new candidates through crossover of programme segments and mutation. Across generations the population moves towards stronger regions.

It is useful when many different structures must be explored. Strong segments from different programmes can be combined, but results vary between runs. More search time provides more generations without guaranteeing the global optimum.

Simulated Annealing

Simulated Annealing modifies one existing programme at a time. Improvements are accepted, but early in the search a deterioration may also be accepted with a controlled probability. This “temperature” gradually falls.

Temporary setbacks help the method escape local optima. It often works well as a refinement method for an already strong programme. If the starting programme is weak or cooling occurs too quickly, the search may spend its time in a less useful region.

Monte Carlo

Monte Carlo generates or samples random legal programmes and retains the best observations. There is only limited learning from one trial to the next.

Its advantage is high diversity and a genuine chance of finding structures that more directed methods do not examine. Its disadvantage is low efficiency: much of the time is spent on mediocre candidates. It is best used as an independent check or to create new starting points.

Hybrid: Beam + Mutation

The hybrid method lets Beam Search build a strong, directed frontier and then subjects candidates to mutations. It retains the direction of Beam Search while adding jumps into nearby or new regions.

It is a useful second step after a quick Beam Search, particularly when the leading Beam results look very similar. Variation between runs is expected and is part of the purpose.

Queen Seeker

Queen Seeker is Vman Training Planner’s application-specific elite strategy. From the user’s perspective it acts as targeted refinement around the leading programmes: weak regions receive less attention and search time is concentrated on variants capable of challenging the best finds.

It is suited to deep searching once the scenario and constraints are well defined. The name does not denote a standard academic algorithm, and the result remains heuristic. Use multiple runs and compare it with other methods.

TM17 + Queen Seeker

TM17 + Queen Seeker first reduces the search space by opening with Training match until a chosen age boundary - typically age 17, 18 or 19 - and then hands the remaining period to Queen Seeker. “TM17” therefore describes a structured opening rather than an ordinary time limit.

The strategy is relevant when the familiar Training match phase is a deliberate requirement. It can search the remaining period more deeply because the opening is fixed, but it cannot find a globally better programme that requires a different opening.

Brute Force

Brute Force systematically evaluates every legal combination within the selected constraints. It has no ordinary search-time limit; it is intended to run to completion or until manually interrupted.

If the enumeration completes, the best candidate within the precisely defined space has been found. With long periods, short sessions and many free choices, the number of combinations becomes too large for completion to be realistic. Use it only for small or tightly constrained problems.

Search time and repeated runs

Search time is a budget, not a promise of quality. For heuristic methods, more time normally means more candidates, generations or refinements, but the result may plateau. Randomised methods should be run repeatedly. Brute Force is the exception and continues without the ordinary time limit.

Methodological comparison

Compare methods using exactly the same scenario, constraints and weights. Otherwise the difference cannot be attributed to the search strategy.

11. Working with search results

Step 3 shows both search status and a persistent list of the strongest candidates.

Assistant · 3/3 · Search strategy

Search strategy

Method Beam Search Search time 10 sec Start simulator

Done. Accumulated results: 30 · best rating: 68.53

Search results

#	Rating	Avg.	Method	Sessions
1	68.53	58.91	Beam Search #533	2d Tactics (Hard) → 2d Crossing (Hard) → 2d Interval training (Hard) →
2	68.52	58.68	Beam Search #392	2d Set pieces (Hard) → 2d Training match (Hard) → 2d Physical training
3	68.41	58.65	Beam Search #388	3d Crossing (Hard) → 6d Technique (Hard) → 3d Crossing (Hard) → 6d
4	68.40	59.32	Beam Search #53	1d Training match (Hard) → 2d Handling (Hard) → 2d Training match (H
5	68.32	59.43	Beam Search #133	2d Set pieces (Hard) → 2d Training match (Hard) → 2d Physical training
6	68.32	58.98	Beam Search #488	3d Handling (Hard) → 3d Team building (Hard) → 3d Tactics (Hard) →
7	68.31	58.86	Beam Search #454	1d Crossing (Hard) → 1d Handling (Hard) → 2d Team building (Hard) →
8	68.26	58.88	Beam Search #28	3d Interval training (Hard) → 3d Technique (Hard) → 3d Handling (Harc
9	68.24	59.03	Beam Search #437	2d Crossing (Hard) → 2d Interval training (Hard) → 4d Physical training
10	68.16	59.27	Beam Search #368	3d Tactics (Hard) → 3d Handling (Hard) → 3d Set pieces (Hard) → 3d (
11	68.14	58.95	Beam Search #179	2d Training match (Hard) → 2d Crossing (Hard) → 2d Technique (Hard)
12	68.09	58.39	Beam Search #180	3d Crossing (Hard) → 18d Technique (Hard) → 3d Team building (Hard
13	68.08	59.08	Beam Search #295	2d Team building (Hard) → 2d Set pieces (Hard) → 2d Technique (Harc
14	68.06	58.58	Beam Search #246	3d Set pieces (Hard) → 3d Team building (Hard) → 3d Set pieces (Harc
15	68.05	59.04	Beam Search #44	2d Physical training (Hard) → 2d Technique (Hard) → 2d Handling (Har

Import selected to Control Center
Clear search
Export
Right-click a result to search further.

Back
Close
Load
Save search

Search time, status, results and actions in the final Assistant step.

Result list

- Rating shows the candidate's calculated rating; Avg. shows the ability average.
- Method identifies the strategy and the candidate's internal sequence number.
- Sessions describes the full programme order with days, exercises and intensity.
- Accumulated results are retained across searches in the current session so methods can be compared.
- Right-click a result to continue searching from that candidate.

Actions

Button	Function
Import selected to Control Center	Transfers the highlighted candidate to the main window.
Clear search	Removes the current result list subject to the selected warning setting.
Export	Saves results in the selected report format.
Load	Opens a previously saved search.
Save search	Stores the scenario, results and relevant search data for later work.

Two programmes with almost identical ratings may have different averages, penalty profiles and practical rhythms. Review the sessions and graph before choosing.

12. Group Import

Group Import collects multiple players into named working groups.

Paste player links or club link

Fetch list Remove selected Add to

Active group: Apply in Control Center Remove group

☐	Name	Age	Position	Rating	XP	Group
☐	Driton Nikolla	29.10	Defender	78.25	145	
☐	Reece Greenfield	19.57	Midfielder	36.42	184	
☐	Dries Davids	18.63	Defender	29.55	188	
☐	Demy Babel	18.63	Midfielder	29.77	185	
☐	Thamasanqa Tshwete	26.77	Forward	76.97	183	
☐	Si-Woo Mun	19.83	Defender	38.82	189	
☐	Osvaldo Arroyo	24.03	Keeper	66.35	177	
☐	Omer Matthysens	23.80	Defender	69.74	193	
☐	Ljubomir Prokijets	23.33	Midfielder	62.03	198	
☐	Cedric Devel	22.53	Defender	62	198	
☐	Geraint Nock	22.17	Midfielder	58.90	214	
☐	Lieven Jan Ramaalas	22.63	Defender	62.09	196	
☐	Gregorio Aldai	22.37	Forward	63.76	201	
☐	Aykan Akbayir Yazici	22.60	Forward	63.86	197	
☐	Alastair Fyfe	22.50	Midfielder	60.32	210	
☐	Isadorios Martis	22.87	Midfielder	61.35	200	
☐	Thorvald Sandager	22.87	Keeper	65.58	209	
☐	Zaur Mecidli	23.03	Midfielder	61.48	199	
☐	Evhen Djordje Korobko	22.57	Defender	63.75	205	
☐	Ricardo Nestor Paskvan	23.10	Defender	65.52	213	
☐	Marcus Munro	22.13	Forward	65.65	214	

Player links or a club link are fetched into an active group.

9. Paste one or more player links or a club link into the upper field.
10. Select Fetch list. The application loads the players that can be read from the link.
11. Create or select an Active group, then use Add to to associate the selected players with it.
12. Use the check boxes to select several players at once.
13. Select Apply in Control Center to continue with the relevant player or group.
14. Remove selected deletes highlighted entries; Remove group deletes the active group.

The columns show name, age, position, rating, XP and group membership. Age is displayed as years and days so players can be compared at the same precise point. Check position and XP carefully after import because they affect every subsequent calculation.

Import does not alter the game

Group Import reads and organises data inside Vman Training Planner. It does not perform training or modify players in Virtual Manager.

13. Group Report

The Group Report summarises the starting point and calculated development for every player in a group.

Group	Player	Position	Start age	End age	Start rating	Final rating	ΔRating	Average
Keepers	Osvaldo Arroyo	Keeper	24.03	28.70	66.35	85.88	+19.53	70.94
Keepers	Thorvald Sandager	Keeper	22.87	27.54	65.58	88.66	+23.08	74.88
Defenders	Omer Matthyssens	Defender	23.80	28.47	69.74	88.19	+18.45	72.39
Defenders	Cedric Devael	Defender	22.53	27.20	62.00	84.50	+22.50	70.07
Defenders	Lieven Jan Ramaalas	Defender	22.63	27.30	62.09	84.39	+22.31	70.56
Defenders	Evhen Djordje Korobko	Defender	22.57	27.24	63.75	86.16	+22.41	72.09
Defenders	Ricardo Nestor Paskvan	Defender	23.10	27.77	65.52	88.01	+22.49	73.80
Midfielders	Ljubomir Prokipets	Midfielder	23.33	28.00	62.03	83.25	+21.22	73.90
Midfielders	Geraint Nock	Midfielder	22.17	26.84	58.90	82.17	+23.27	72.07
Midfielders	Alastair Fyfe	Midfielder	22.50	27.17	60.32	82.97	+22.65	73.38
Midfielders	Isadorios Martis	Midfielder	22.87	27.54	61.35	82.88	+21.53	73.65
Midfielders	Zaur Mecdili	Midfielder	23.03	27.70	61.48	82.88	+21.39	73.54
Forwards	Gregorio Aldai	Forward	22.37	27.04	63.76	86.00	+22.24	71.15
Forwards	Aykan Akbayir Yazici	Forward	22.60	27.27	63.86	85.72	+21.85	70.93
Forwards	Marcus Munro	Forward	22.13	26.80	65.65	88.52	+22.87	72.80

15 players in the report. Parallel group paths: group_program.

Export Remove selected Remove group

One row per player with starting point, endpoint and change.

Columns

Column	Content
Group	The working group to which the player belongs.
Player	The player's name.
Position	The position used to calculate the rating.
Start age / End age	The precise period in years and days.
Start rating / Final rating	The rating before and after the calculated programme.
ΔRating	The absolute change in rating.
Average	The player's calculated final average.

When the same programme is applied to a group, each player is calculated from their own starting values, age and XP. Two players in the same group may therefore show very different changes even though the programme structure is shared.

- Export saves the report in the selected format.
- Remove selected takes the highlighted players out of the report.
- Remove group removes the entire selected group from the report view.

Compare equal periods

ΔRating is easiest to interpret when players are simulated over the same number of days. With different end ages, assess both the change and the elapsed period.

14. Settings and file management

Settings control language, safety warnings, saving and resource usage.

Menu

The menu icon in the upper-right corner provides access to Settings, Help, Donation and About Vman Training Planner. The language window appears on first launch; afterwards the saved choice is used until the language is changed in Settings.

Setting	Use
Language	Switches the entire interface between Danish and English.
Auto-template	Determines whether a suitable template is selected automatically when player data change.
Overwrite warnings	Can protect player data, templates, resets and search results from accidental replacement.
Autosave	Stores the working state continuously according to the selected rules.
Automatic backup	Creates an additional recovery copy of relevant data.
CPU cores	Controls how many processor cores the search may use. Auto uses all available cores minus two, with a safe minimum.

Save search and Load in the Assistant are used to continue methodological work later. Export functions create reports for reading and sharing, but they do not replace a saved search when candidates will be developed further.

Save before major changes

Save the current search before changing the scenario, weights or constraints. This allows results to be compared without mixing assumptions.

15. Interpretation, responsibility and limitations

An optimised number is decision support, not an automatic recommendation.

Assessing a result

- First verify that the starting data and period are correct.
- Assess rating, average and penalty profile together.
- Read the sessions: a marginally stronger programme may be impractical to follow.
- Run several methods or repeat randomised methods before calling a result robust.
- Store the assumptions with the report, particularly when experience bonus is enabled.

Model boundaries

Vman Training Planner calculates according to the rules and assumptions implemented in the current version. Changes in Virtual Manager, unknown internal mechanics, rounding and inaccurate imported data can create differences. The application does not make decisions on behalf of the user and cannot guarantee a particular training outcome.

Disclose experience bonus

When results are shared, always state whether experience bonus was enabled, which ratio was used and which gradient was selected.

16. Glossary

The principal terms collected in one place.

Term	Explanation
Ability	An individual player area, such as Speed, Technique or Handling.
Average	The total ability sum divided by the number of abilities.
Average without penalty	Reference path without the model's 15% reduction on penalised abilities.
Experience bonus	Optional hypothesis that training performance rises with age.
Gradient	The curve shape determining when experience bonus takes effect.
Intensity	The training level used for a session.
Point allocation	The distribution of session effort among the exercise's abilities.
Ratio	The endpoint relationship for the experimental experience bonus.
Rating	A position-specific weighted measure of the player's level.
Session	A continuous programme element with fixed duration, exercise, intensity and point allocation.
Penalty tolerance	The search strategy's willingness to accept development in a penalty zone.
Weight	The relative importance of an ability in the search objective.

End of manual

This manual was prepared for the illustrated version of Vman Training Planner. Individual interface positions may change in later editions, while the main workflows are expected to remain similar.