



ECO CUT



The Evolution of the Styrofoam Cutter
Reduce Costs. Increase Efficiency. Work Safely.

ECO CUT

The cutter that reduces costs and increases efficiency.

Introducing the 4th Series: ECO-CUT 1000/30

Choosing ECO-CUT means equipping yourself with a cutter that transforms Gl.os's experience into a direct advantage on the job site: **less waste, more speed, and the guarantee of a professional result with every cut.**

Contact us today for a demonstration and discover how ECO-CUT can revolutionize your insulation work.

ECO-CUT: where **quality** meets **innovation**.

After 15 years of production and constant attention to the needs of craftsmen, we are proud to launch the **fourth generation** of our professional Styrofoam cutter: the ECO-CUT.



Technical Data

SPECIFICATIONS	VALUE	KEY ADVANTAGE
Maximum Panel Size	1000×500 mm	Versatility on Large Formats
Cutting Depth	300 mm	Excellent Cutting Capacity
Closed Dimensions	1450×480×200 mm	Compact for Transport
Weight	13 Kg	Lightweight for Easy Handling
Voltage	24V	Safety and Low Consumption

Optional ECO-CUT 1000/30

The only cutter on the market that combines quality and price in a modular design



It goes from single to double with the Twin Optional (1)



Add support with the Stand Optional (2)
(also compatible with the Basic Policut line)



3

Complete your equipment with the Scaffolding Bracket Optional (3)

All available for purchase separately



As standard, you have the integrated transformer (4)



From 45° LEFT
to 45° RIGHT

Precision
longitudinal cuts to
follow every angle.



GROOVES
AND THICKNESS

Precision cross cuts for pipe
connections, etc., or for
reducing thickness.



DIAGONALS

With a wide cutting arc, it can
perform various
diagonal cuts.



GL.OS Srl

Via Basilicata, 16 - 42028 POVIGLIO (RE) - Italia
Tel. +39 0522 967690 - sales@glos.it - www.glos.it
C.F./P.IVA 02915060350