Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Dokumentacija
(http://nikolatravel.byethost33.com/index.php)

Predmet: Web programiranje PHP2   **Student**: Nikola Ćurčić 25/15

Beograd, februar 2017.

Contents

1. Uvod

## 1.1 Korišćeni programski jezici

Jezici: HTML, CSS, JavaScript, PHP, MySql.

Biblioteke: jquery.min.js

1.2 Opis funkcionalnosti

- Dinamički meni - nalazi se na svakoj strani

- Dinamički sadržaj - nalazi se na svakoj strani

- Prijavljivanje - login.php

- Registracija - register.php

- Kontakt forma - contact.php

- Pregled poruka poslatih putem kontakt forme - message.php

- Anketa i prikaz podataka iz baze - survey.php

- Manipulacija destinacija iz baze - dodavanje / brisanje / izmena - new_destination.php / del_destination.php / edt_destination.php

- Manipulacija sadržajem baza

    a) destinacije : dodavanje / brisanje / izmena - new_destination.php / del_destination.php / edt_destination.php

    b) države : dodavanje / brisanje/ izmena – country.php / rm_country .php / edt_country.php

    v) sezone : dodavanje / brisanje/ izmena – new_season .php / rm_season.php / edt_season.php

    g) korisnici – users.php

1.3 Template


```
<body>

  <nav class="navbar navbar-fixed-top navbar-inverse">

    <div class="container">

      <div class="navbar-header">

        <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">

          <span class="sr-only">Toggle navigation</span>

          <span class="icon-bar"></span>

          <span class="icon-bar"></span>

          <span class="icon-bar"></span>

        </button>

        <a class="navbar-brand" href="?page=1">Travel agency</a>

      </div>
```

```php
    <div id="navbar" class="navbar-collapse collapse">

      <ul class="nav navbar-nav">

        <?php

        $upit_meni = "SELECT * FROM putanjedostranica WHERE id_putanja <= 3";

        $rez_meni = mysqli_query($konekcija, $upit_meni);

        while($m=mysqli_fetch_array($rez_meni)){

          echo "<li><a href='?page={$m['id_putanja']}'>{$m['naziv']}</a></li>";

        }

        ?>

      </ul>


      <?php if(!isset($_SESSION['korIme'])){ ?>


      <ul class="nav navbar-nav navbar-right">

        <li><a href="?page=4">Login</a></li>

        <li><a href="?page=5">Register</a></li>

      </ul>


      <?php } ?>



    </div><!--/.nav-collapse -->

  </div><!--/.container-fluid -->

</nav>
```

```html
<div class="container">

  <div class="row row-offcanvas row-offcanvas-right">

    <div class="col-xs-12 col-sm-9">
      <p class="pull-right visible-xs">
        <button type="button" class="btn btn-primary btn-xs" data-toggle="offcanvas">Show menu</button>
      </p>
      <div class="jumbotron" id="bg">
        <h1>Travel agency</h1>
        <p>Let us show you the world!</p>
      </div>

      <!-- content --:
</div><!--/.col-xs-12.col-sm-9-->

    <div class="col-xs-6 col-sm-3 sidebar-offcanvas" id="sidebar">
      <div class="list-group">
        <?php

          if(isset($_SESSION['korIme'])){
            echo "<p class='list-group-item active'>Hello ".$_SESSION['korIme']."</p>";
              <a href='?page=8' class='list-group-item'>Logout</a><br/>
              <a href='?page=20' class='list-group-item'>Survey</a><br/>";
```

```php
    if($_SESSION['uloga']=='admin'){


        echo "<a href='?page=21' class='list-group-item'>Messages</a><br/>

        <a href='?page=9' class='list-group-item'>Users</a><br/>

        <a href='?page=13' class='list-group-item'>Destination</a>

        <a href='?page=10' class='list-group-item'>Add destination</a>

        <a href='?page=11' class='list-group-item'>Remove destination</a>

        <a href='?page=12' class='list-group-item'>Edit destination</a><br/>

        <a href='?page=14' class='list-group-item'>Add country</a>

        <a href='?page=15' class='list-group-item'>Remove country</a>

        <a href='?page=16' class='list-group-item'>Edit country</a><br/>

        <a href='?page=17' class='list-group-item'>Add season</a>

        <a href='?page=18' class='list-group-item'>Remove season</a>

        <a href='?page=19' class='list-group-item'>Edit season</a><br/>";

    }
  } else {
    echo "<p class='list-group-item active'>You're not logged in.</p><br/>";
  }


?>


<form action='?page=1' method="post">


  <p class='list-group-item'>Choose filter:</p>
```

```php
<select class='form-control' name='ddl_season'>

  <option value='0'>Choose season</option>

  <?php

  $upit_kategorije = "SELECT * FROM kategorije";

  $rez_kategorije = mysqli_query ($konekcija, $upit_kategorije);


  if($rez_kategorije){

    while($k=mysqli_fetch_array($rez_kategorije)){

        echo "<option value='{$k['id_kategorija']}'>{$k['naziv_kategorija']}</option>";

      }

  } else {

    echo "Error season.";

  }

  echo "<br/>";

  ?>

</select>


<select class='form-control' name='ddl_country'>

  <option value='0'>Choose country</option>

    <?php

    $upit_drzave = "SELECT * FROM drzave";

    $rez_drzave = mysqli_query ($konekcija, $upit_drzave);


    if($rez_drzave){

      while($d=mysqli_fetch_array($rez_drzave)){
```

```php
            echo "<option value='{$d['id_drzava']}'>{$d['naziv_drzava']}</option>";

        }

    } else {

        echo "Error countries.";

    }

    ?>

</select>


    <button type="submit" class="btn btn-primary mb-2 form-control"
name="btn_filter">Apply</button>


    </form>

  </div>

 </div><!--/.sidebar-offcanvas-->

</div><!--/row-->


<hr>


<footer>
  <?php


    $upit_meni = "SELECT * FROM putanjedostranica WHERE id_putanja <= 6";

        $rez_meni = mysqli_query($konekcija, $upit_meni);

        while($m=mysqli_fetch_array($rez_meni)){

            echo "<a href='?page={$m['id_putanja']}'>{$m['naziv']}</a>  ";
```

```php
        }

        if(isset($_SESSION['korIme'])){

            echo "<a href='?page=7'>Documentation</a></p>";

        }



    ?>

    </footer>


    </div><!--/.container-->


    <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.4/jquery.min.js"></script>

    <script>window.jQuery || document.write('<script
src="../../assets/js/vendor/jquery.min.js"><\/script>')</script>

    <script src="js/bootstrap.min.js"></script>

    <script src="js/scrypt.js"></script>

  </body>
```

1.4 Korišćeni CSS

Svi stilovi i klase su preuzeti iz: bootstrap.min.css

CSS koji se tiče ovog template-a:

```
/*
 * Style tweaks
 * --------------------------------------------------
 */
html,
body {
  overflow-x: hidden; /* Prevent scroll on narrow devices */
}
body {
  padding-top: 70px;
  background-color: #339999;
}
footer {
  padding: 30px 0;
}


footer a{
    color: #e7e7e7;
}


.white{
    background-color: white;
}
```

```css
/*
 * Off Canvas
 * -----------------------------------------------
 */
@media screen and (max-width: 767px) {
  .row-offcanvas {
    position: relative;
    -webkit-transition: all .25s ease-out;
        -o-transition: all .25s ease-out;
           transition: all .25s ease-out;
  }

  .row-offcanvas-right {
    right: 0;
  }

  .row-offcanvas-left {
    left: 0;
  }

  .row-offcanvas-right
  .sidebar-offcanvas {
    right: -50%; /* 6 columns */
  }
```

```css
.row-offcanvas-left

.sidebar-offcanvas {

  left: -50%; /* 6 columns */

}


.row-offcanvas-right.active {

  right: 50%; /* 6 columns */

}


.row-offcanvas-left.active {

  left: 50%; /* 6 columns */

}


.sidebar-offcanvas {

  position: absolute;

  top: 0;

  width: 50%; /* 6 columns */

}
}


/* my css */


#bg{

  background-image: url('../img/bgImg.jpg');
```

```css
  background-repeat: no-repeat;

  color: black;

}


/* LOGIN */


.form-signin {

  max-width: 330px;

  padding: 15px;

  margin: 0 auto;

}

.form-signin .form-signin-heading,

.form-signin .checkbox {

  margin-bottom: 10px;

}

.form-signin .checkbox {

  font-weight: normal;

}

.form-signin .form-control {

  position: relative;

  height: auto;

  -webkit-box-sizing: border-box;

    -moz-box-sizing: border-box;

        box-sizing: border-box;

  padding: 10px;
```

```css
  font-size: 16px;

}

.form-signin .form-control:focus {

  z-index: 2;

}

.form-signin input[type="email"] {

  margin-bottom: -1px;

  border-bottom-right-radius: 0;

  border-bottom-left-radius: 0;

}

.form-signin input[type="password"] {

  margin-bottom: 10px;

  border-top-left-radius: 0;

  border-top-right-radius: 0;

}


/* end LOGIN */
```

2. Organizacija

2.1 Organizaciona šema

index ── home
       about
       contact
       register
       login

after login as user ── survey ── survey
                                 messages
                                 users
                                 destinations
                                 add destination
                                 remove destination

after login as admin ── edit destinations
                        add country
                        remove country
                        edit country
                        add season
                        remove season
                        edit season

2.2 Mapa sajta

```xml
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
  <loc>http://nikolatravel.byethost33.com/index.php</loc>
  <lastmod>2018-02-12</lastmod>
  <changefreq>weekly</changefreq>
  <priority>1.00</priority>
</url>
</urlset>
```

2.3 Slike stranica
home.php

Stranica na kojoj se nalaze sve destinacije iz baze.

about.php

Stranica na kojoj treba da se nalazi opis agencije kao i njena lokacija, broj telefona...Usled nedostatka vremena, prekopirao sam tekst koji baš i nema veze sa temom.

contact.php

Forma pomoću koje posetioci sajta mogu da nam se obrate.

login.php

Slučaj kada je prijavljen običan korisnik:

Otkriva se polje "Survey" kao i link ka dokumentaciji koji se nalazi u futeru, što se ne vidi na priloženoj slici.

Slučaj kada se admin prijavi:

Pojavljuju se linkovi u desnom meniju, namenjeni samo administratorima.

survey.php / user

survey.php / admin

Ispod ankete se pojavljuje tabela koja prikazuje podatke iz baze, odgovore na anketu.

message.php

Prikazuje poruke koje su korisnici slali kroz kontakt formu.

users.php

Najkompleksnija strana. Sadrži tabelu gde su prikazani svi registrovani korisnici i njihove uloge.

Tu su i forme preko kojih administrator dodaje, briše ili menja postojeće korisnike.

Ove tri forme će se ponavljati i kod rada sa destinacijama, državama i sezonama. Logika je ista u svakom od ovih slučaja.

destination.php

Prikaz svih destinacija sa kategorijama i sezonama kojima pripadaju. Podaci iz baze.

add_destination.php

Travel agency

Let us show you the world!

Add new destination

Title

Title

Text

Text

Picture (500x500)   Choose File   No file chosen

Category   Choose...   ▼

Country   Choose...   ▼

Add

Hello admin

Logout

Survey

Messages

Users

Destination

Add destination

Remove destination

Edit destination

Add country

Remove country

Edit country

Add season

Remove season

Edit season

Choose filter:

Choose season   ▼

Choose country   ▼

Apply

remove_destination.php

Travel agency

Let us show you the world!

All destinations

RB	ID	Title
1	15	Belgrade
2	18	Lefkada
3	19	Madrid
4	20	Prague
5	21	Naples
6	22	Ibiza

Delete destination

Select article to delete:

Delete

edit_destination.php

Travel agency   Home   About   Contact

Edit destination

Select destination to edit: ▾

Edit

Current values

Title
Belgrade

Text
Belgrade is the capital and largest city of Serbia. It is located at the confluence of the Sava and Danube rivers, where the Pannonian Plain meets the Balkans.

Picture

Category
Summer2018

Country
Serbia

New values

Title

Text

Picture   Choose File   No file chosen

Category   Choose... ▾

Country   Choose... ▾

Save

Users

Destination
Add destination
Remove destination
Edit destination

Add country
Remove country
Edit country

Add season
Remove season
Edit season

Choose filter:
Choose season ▾
Choose country ▾
Apply

Nakon izbora destinacije čije podatke želimo da promenimo, dobijamo dve forme. U levoj se nalaze trenutni podaci a u desnoj možemo da napravimo izmene. Popunjavaju se samo ona polja koja želimo, ne moraju sva.

add_country.php

Travel agency

Let us show you the world!

Countries

RB	ID	Name
1	1	Greece
2	2	Spain
3	3	Italy
4	4	Czech Republic
5	6	Serbia

Add country

Enter name

Add

Hello admin

Logout

Survey

Messages

Users

Destination

Add destination

Remove destination

Edit destination

Add country

Remove country

Edit country

Add season

Remove season

Edit season

Choose filter:

Choose season

Choose country

Apply

remove_country.php

Travel agency

Let us show you the world!

Countries

RB	ID	Name
1	1	Greece
2	2	Spain
3	3	Italy
4	4	Czech Republic
5	6	Serbia

Remove country

Select country to delete: ▼

Remove

edit_country .php

Nakon što izaberemo državu za izmenu, pojavljuje se novo polje u koje ćemo uneti novu vrednost.

add_season.php

Travel agency

Let us show you the world!

Logout

Survey

Messages

Users

Destination

Add destination

Remove destination

Edit destination

Add country

Remove country

Edit country

Add season

Remove season

Edit season

Choose filter:

Choose season ▾

Choose country ▾

Apply

Seasons

RB	ID	Name
1	1	Summer2018
2	2	Spring2018

Add season

Enter name

Add

remove_season.php

Travel agency
Let us show you the world!

Seasons

RB	ID	Name
1	1	Summer2018
2	2	Spring2018

Remove season

Select season to delete: ▼

Remove

Hello admin

Logout

Survey

Messages

Users

Destination

Add destination

Remove destination

Edit destination

Add country

Remove country

Edit country

Add season

Remove season

Edit season

Choose filter:

Choose season ▼

Choose country ▼

Apply

edit_sesason.php

Travel agency
Let us show you the world!

Hello admin

Logout

Survey

Messages

Users

Destination

Add destination

Remove destination

Edit destination

Add country

Remove country

Edit country

Add season

Remove season

Edit season

Choose filter:

Choose season ▼

Choose country ▼

Apply

Seasons

RB	ID	Name
1	1	Summer2018
2	2	Spring2018

Edit seasons

Select season to edit: ▼

Edit

Summer2018

Save

author.php

Travel agency
Let us show you the world!

My name is Nikola Curcic, i'm from Belgrade. I'm student of a ICT college of vocational studies.

Hello admin

Logout

Survey

Messages

Users

Destination

Add destination

Remove destination

Edit destination

Add country

Remove country

Edit country

Add season

Remove season

Edit season

Choose filter:

Choose season   ▼

Choose country   ▼

Apply

3. Kodovi

3.1 index.php

```php
<?php
 @session_start();
 include('konekcija.php');
?>
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="No.1 world travel agecy! Travel anywhere with us">
    <meta name="author" content="Nikola Curcic">
    <link rel="icon" href="img/favicon.png" type="image/png" sizes="16x16">
    <title>Travel agency</title>
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/style.css" rel="stylesheet">
  </head>

  <body>
    <nav class="navbar navbar-fixed-top navbar-inverse">
      <div class="container">
        <div class="navbar-header">
```

```html
      <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">

        <span class="sr-only">Toggle navigation</span>

        <span class="icon-bar"></span>

        <span class="icon-bar"></span>

        <span class="icon-bar"></span>

      </button>

      <a class="navbar-brand" href="?page=1">Travel agency</a>

    </div>

    <div id="navbar" class="navbar-collapse collapse">

     <ul class="nav navbar-nav">

      <?php

       $upit_meni = "SELECT * FROM putanjedostranica WHERE id_putanja <= 3";

       $rez_meni = mysqli_query($konekcija, $upit_meni);

       while($m=mysqli_fetch_array($rez_meni)){

         echo "<li><a href='?page={$m['id_putanja']}'>{$m['naziv']}</a></li>";

       }

      ?>

     </ul>


     <?php if(!isset($_SESSION['korIme'])){ ?>


     <ul class="nav navbar-nav navbar-right">

      <li><a href="?page=4">Login</a></li>

      <li><a href="?page=5">Register</a></li>

     </ul>
```

```php
    <?php } ?>
```

```html
    </div><!--/.nav-collapse -->

   </div><!--/.container-fluid -->

  </nav>


 <div class="container">


  <div class="row row-offcanvas row-offcanvas-right">


   <div class="col-xs-12 col-sm-9">

    <p class="pull-right visible-xs">

     <button type="button" class="btn btn-primary btn-xs" data-toggle="offcanvas">Show
menu</button>

    </p>

    <div class="jumbotron" id="bg">

     <h1>Travel agency</h1>

     <p>Let us show you the world!</p>

    </div>


     <!-- content -->


     <?php
```

```php
$stage = @$_GET['page'];


switch($stage){

  case '1':

    include('home.php');

    break;


  case '2':

    include('about.php');

    break;


  case '3':

    include('contact.php');

    break;


  case '4':

    include('login.php');

    break;


  case '5':

    include('register.php');

    break;


  case '6':

    include('author.php');
```

```php
            break;


        case '7':

            include('documentation.php');

            break;


        case '8':

            include('logout.php');

            break;


        case '9':

            include('users.php');

            break;


        case '10':

            include('new_destination.php');

            break;


        case '11':

            include('del_destination.php');

            break;


        case '12':

            include('edt_destination.php');

            break;
```

```php
case '13':

    include('destinations.php');

    break;


case '14':

    include('country.php');

    break;


case '15':

    include('rm_country.php');

    break;


case '16':

    include('edt_country.php');

    break;


case '17':

    include('new_season.php');

    break;


case '18':

    include('rm_season.php');

    break;
```

```php
        case '19':

            include('edt_season.php');

            break;


        case '20':

            include('survey.php');

            break;


        case '21':

            include('message.php');

            break;


        default:

            header('Location: index.php?page=1');

            break;


    }?>
</div><!--/.col-xs-12.col-sm-9-->


<div class="col-xs-6 col-sm-3 sidebar-offcanvas" id="sidebar">

 <div class="list-group">

  <?php


    if(isset($_SESSION['korIme'])){

        echo "<p class='list-group-item active'>Hello ".$_SESSION['korIme']."</p>";
```

```php
        <a href='?page=8' class='list-group-item'>Logout</a><br/>

        <a href='?page=20' class='list-group-item'>Survey</a><br/>";


    if($_SESSION['uloga']=='admin'){


        echo "<a href='?page=21' class='list-group-item'>Messages</a><br/>

        <a href='?page=9' class='list-group-item'>Users</a><br/>

        <a href='?page=13' class='list-group-item'>Destination</a>

        <a href='?page=10' class='list-group-item'>Add destination</a>

        <a href='?page=11' class='list-group-item'>Remove destination</a>

        <a href='?page=12' class='list-group-item'>Edit destination</a><br/>

        <a href='?page=14' class='list-group-item'>Add country</a>

        <a href='?page=15' class='list-group-item'>Remove country</a>

        <a href='?page=16' class='list-group-item'>Edit country</a><br/>

        <a href='?page=17' class='list-group-item'>Add season</a>

        <a href='?page=18' class='list-group-item'>Remove season</a>

        <a href='?page=19' class='list-group-item'>Edit season</a><br/>";

    }
} else {
    echo "<p class='list-group-item active'>You're not logged in.</p><br/>";

}


?>


<form action='?page=1' method="post">
```

```php
<p class='list-group-item'>Choose filter:</p>

<select class='form-control' name='ddl_season'>

    <option value='0'>Choose season</option>

    <?php

     $upit_kategorije = "SELECT * FROM kategorije";

     $rez_kategorije = mysqli_query ($konekcija, $upit_kategorije);


     if($rez_kategorije){

        while($k=mysqli_fetch_array($rez_kategorije)){

            echo "<option value='{$k['id_kategorija']}'>{$k['naziv_kategorija']}</option>";

          }

      } else {

        echo "Error season.";

      }

    echo "<br/>";

    ?>

</select>


<select class='form-control' name='ddl_country'>

    <option value='0'>Choose country</option>

      <?php

       $upit_drzave = "SELECT * FROM drzave";

       $rez_drzave = mysqli_query ($konekcija, $upit_drzave);
```

```php
            if($rez_drzave){

                while($d=mysqli_fetch_array($rez_drzave)){

                    echo "<option value='{$d['id_drzava']}'>{$d['naziv_drzava']}</option>";

                }

            } else {

                echo "Error countries.";

            }

            ?>

        </select>



        <button type="submit" class="btn btn-primary mb-2 form-control"
name="btn_filter">Apply</button>


      </form>

    </div>

   </div><!--/.sidebar-offcanvas-->

  </div><!--/row-->


  <hr>


  <footer>

    <?php


      $upit_meni = "SELECT * FROM putanjedostranica WHERE id_putanja <= 6";
```

```php
        $rez_meni = mysqli_query($konekcija, $upit_meni);

        while($m=mysqli_fetch_array($rez_meni)){

            echo "<a href='?page={$m['id_putanja']}'>{$m['naziv']}</a>  ";

        }


    if(isset($_SESSION['korIme'])){

        echo "<a href='?page=7'>Documentation</a></p>";

    }



    ?>

  </footer>


</div><!--/.container-->


<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.4/jquery.min.js"></script>

<script>window.jQuery || document.write('<script
src="../../assets/js/vendor/jquery.min.js"><\/script>')</script>

<script src="js/bootstrap.min.js"></script>

<script src="js/scrypt.js"></script>
</body>

<?php mysqli_close($konekcija); ?>
</html>
```

3.2 home.php

```php
<div class="row featurette">

<!-- primena filtera iz desnog menija -->

<?php

  if(isset($_REQUEST['btn_filter'])){

    $filter_country = $_REQUEST['ddl_country'];

    $filter_season = $_REQUEST['ddl_season'];

    if($filter_country!=0 && $filter_season!=0){

      $upit_prikaz = "SELECT * FROM article WHERE id_drzava='$filter_country' AND
id_kategorija='$filter_season'";
      $rez_prikaz = mysqli_query($konekcija, $upit_prikaz);

      if(mysqli_num_rows($rez_prikaz)!=0){
        while($p=mysqli_fetch_array($rez_prikaz)){

          echo "  <hr class='col-md-12'>

              <div class='col-md-5'>
```

```php
                    <img class='featurette-image img-responsive center-block' src='".$p['picture']."'
alt='".$p['title']."' title='".$p['title']."'>

                </div>

                <div class='col-md-7'>

                    <h2 class='featurette-heading'>".$p['title']."</h2>

                    <p class='lead'>".$p['text']."</p>

                </div>";

            }

        } else {

            echo "<h3 class='form-signin-heading'>Sorry, we don't currently have anything for this
criterion.</h3>";

        }



    } else {



        echo "<h3 class='form-signin-heading'>You didn't choose both filters.</h3>";

    }



} else {



    $upit_prikaz = "SELECT * FROM article";

    $rez_prikaz = mysqli_query($konekcija, $upit_prikaz);



    if($rez_prikaz){

        while($p=mysqli_fetch_array($rez_prikaz)){
```

```php
        echo " <hr class='col-md-12'>

            <div class='col-md-5'>

                <img class='featurette-image img-responsive center-block' src={$p['picture']}
alt='".$p['title']."' title='".$p['title']."'>

            </div>

            <div class='col-md-7'>

                <h2 class='featurette-heading'>".$p['title']."</h2>

                <p class='lead'>".$p['text']."</p>

            </div>";

    }

    } else {

        echo "Error with mysql.";

    }


    }


?>


    <!-- ime onoga ko je objavio -->


</div><!--/row-->
```

3.3 about.php

```
<div class='row'>

    <hr class='col-md-12'>

    <div class='col-md-5'>

        <img class='featurette-image img-responsive center-block' src= 'img/imageimage.jpg' alt='logo'
title='logo'>

    </div>

    <div class='col-md-7'>

        <h2 class='featurette-heading'>We are the best travel agency in the world</h2>

        <p class='lead'>Morbi aliquam metus vel cursus pretium. Vivamus nisl urna, ultricies et iaculis vitae,
tempor sed enim. Aenean laoreet ullamcorper velit, a dapibus est dignissim suscipit. Lorem ipsum dolor
sit amet, consectetur adipiscing elit. Sed laoreet tortor ut massa commodo, vel consequat eros semper.
Sed massa augue, eleifend sed tortor ut, suscipit blandit mi. Mauris auctor ex id arcu volutpat, et
ullamcorper neque vehicula.</p>

    </div>

</div>
```

3.4 contact.php

```
<?php


    if(isset($_REQUEST['btn_contact'])){


        $title = $_REQUEST['tb_title'];

        $message = $_REQUEST['ta_message'];


        if($title != '' && $message != ''){


            if(isset($_SESSION['korIme'])){
```

```php
        $username = $_SESSION['korIme'];

        $upit_poruka = "INSERT INTO poruka VALUES ('', '$username', '$title', '$message')";

        $rez_poruka = mysqli_query($konekcija, $upit_poruka);

        if($rez_poruka) { $msg_contact = 'Thank you!'; }

            else { $msg_contact = 'Error1.'; }

    } else {

        $upit_poruka = "INSERT INTO poruka VALUES ('', 'not_registered', '$title', '$message')";

        $rez_poruka = mysqli_query($konekcija, $upit_poruka);

        if($rez_poruka) { $msg_contact = 'Thank you!'; }

            else { $msg_contact = 'Error2.'; }

    }

    } else { $msg_contact = 'Please, fill all fields.'; }

  }

?>
```

```html
<div class="container">

  <form  method="POST" action="?page=3">


    <h2 class="form-signin-heading">Contact us if you have some questions or suggestions</h2>


    <!-- title -->
```

```html
<div class="form-group row">

  <label for="tb_title" class="col-sm-2 col-form-label">Title</label>

  <div class="col-sm-5">

    <input type="text" class="form-control" id="tb_title" name="tb_title" placeholder="Title" >

  </div>

</div>


<!-- message -->

<div class="form-group row">

  <label for="ta_message" class="col-sm-2 col-form-label">Message</label>

  <div class="col-sm-5">

    <textarea class="form-control" id="ta_message" name="ta_message" placeholder="Message" rows="7"></textarea>

  </div>

</div>


<!-- dugme -->

<div class="form-group row">

  <div class='col-sm-2'><!-- prazan div zbog izgleda --></div>

  <div class='col-sm-5'>

    <button type="submit" class="btn btn-primary mb-2 form-control" name='btn_contact'>Send</button>

    <?php if(isset($msg_contact)) echo $msg_contact; ?>

  </div>    </div>

</form></div>
```

3. 5 login.php

```php
<?php



  if(isset($_POST['btnSubmit'])){


    $username = trim($_POST['inputUsername']);

    $pass = trim(md5($_POST['inputPassword']));


    $upit = "SELECT * FROM korisnici WHERE kor_ime = '$username' AND lozinka='$pass'";


    $rez = mysqli_query($konekcija, $upit);
    if(mysqli_num_rows($rez)==0){
      $login_error = "Please check your username or password.";

            }
            else {

                    $r = mysqli_fetch_array($rez);


                    $_SESSION['uloga'] = $r['uloga'];

                    $_SESSION['korIme'] = $r['kor_ime'];

      $_SESSION['id'] = $r['id_korisnika'];


    header('Location: index.php');

    }

   }
```

```php
?>
```

```html
    <div class="container">


    <form class="form-signin" method="POST" action="?page=4">

    <h2 class="form-signin-heading">Please sign in</h2>

    <input type="name" id="inputUsername"  name="inputUsername" class="form-control"
placeholder="Username" required autofocus>

    <input type="password" id="inputPassword" name="inputPassword" class="form-control"
placeholder="Password" required>

    <button class="btn btn-lg btn-primary btn-block" type="submit" name="btnSubmit">Sign
in</button>
```

```php
    <?php


    if(isset($login_error)){

        echo $login_error;

    }


    ?>
```

```html
    </form>


    </div> <!-- /container -->
```

3.6 register.php

```
<div class="container">

    <script type="text/javascript" src="reg.js"></script>

    <form class="form-signin" method="POST" action="?page=5">

    <h2 class="form-signin-heading">Please register</h2>

    <input type="name" id="inputUser" name='inputUsername' class="form-control"
placeholder="Username" required autofocus>

    <input type="password" id="inputPassword" name='inputPassword' class="form-control"
placeholder="Password" required>

    <button class="btn btn-lg btn-primary btn-block" type="submit" name="btnSubmit"
onClick="check();">Register</button>

    </form>


</div> <!-- /container -->


<?php

        if(isset($_POST['btnSubmit'])){

                $username = trim($_POST['inputUsername']);

    $pass = trim($_POST['inputPassword']);

    $passWrite = md5($pass);

    $uloga = 'user';


    $reg_username = "/^[A-Za-z0-9]{3,}$/";

    $reg_pass = "/^[A-Za-z0-9]{5,}$/";


    $greske = array();
```

```php
if(!preg_match($reg_username, $username))

        {

                $greske[] = "Username must be one word,can contain only letters and numbers
and must be at least 3 characters long.";

    }


    if(!preg_match($reg_pass, $pass))

        {

                $greske[] = "Password can contain only letters and numbers and must be at
least 6 characters long.";

    }


    if(count($greske)==0) {


    $upit_provera = "SELECT * FROM korisnici WHERE kor_ime = '$username'";


    $rez_provera = mysqli_query($konekcija, $upit_provera);

    if(mysqli_num_rows($rez_provera)==0){


      $upit_upis = "INSERT INTO korisnici VALUES ('', '$username', '$passWrite', '$uloga')";

      $rez_upis = mysqli_query($konekcija, $upit_upis);

      if($rez_upis) echo "You are successfully registered!";

    } else echo "This username is already taken.";

    }   }>
```

3.7 survey.php

```php
<?php


  // Zastita stranice


      if(!isset($_SESSION['korIme']))

      {

              header('Location:index.php');

      }



?>



<?php


  if(isset($_REQUEST['btn_survey'])){


    $korisnik = $_SESSION['korIme'];

    $idAnketa = $_REQUEST['tb_hidden'];



    // nalazenje ID-a ulogovanog korisnika


    $upit_korisnik = "SELECT * FROM korisnici WHERE kor_ime = '$korisnik' ";

    $rez_korisnik = mysqli_query($konekcija, $upit_korisnik);

    if($rez_korisnik){

      while($k=mysqli_fetch_array($rez_korisnik)){
```

```php
        $id_kor = $k['id_korisnika'];

    }

} else { echo "Greksa upit."; }


// prikupljanje odgovora


$answer1 = $_REQUEST['tb_question1'];

$answer2 = $_REQUEST['ddl_question2'];

$answer3 = $_REQUEST['ddl_question3'];

$answer4 = $_REQUEST['ddl_question4'];


// provera i upis


$upit_provera = "SELECT * FROM odgovori WHERE id_korisnik = '$id_kor'";

$rez_provera = mysqli_query($konekcija, $upit_provera);

if(mysqli_num_rows($rez_provera)==0){


    $upit_upis = "INSERT INTO odgovori VALUES ('', '$id_kor', '$idAnketa', '$answer1', '$answer2',
'$answer3', '$answer4')";

    $rez_upis = mysqli_query($konekcija, $upit_upis);

    if($rez_upis){

        $msg_survey = "Thank you!";

    } else { $msg_survey = "Error mysql for insert"; }


} else { $msg_survey = "You have already completed survey."; }

}
```

```php
?>

<div class='row'>

    <form action='?page=20' method='post'>

        <h2>Please, complete this short survey</h2>


        <?php

            $upit_tabela = 'SELECT * FROM anketa';

            $rez_anketa = mysqli_query($konekcija, $upit_tabela);


            if($rez_anketa){


                echo "";


                while($a=mysqli_fetch_array($rez_anketa)){


                    echo "<div class='form-group row'>

                        <input type='hidden' value={$a['id_anketa']} name='tb_hidden'>

                        <label for='tb_question1' class='col-sm-4 col-form-label'>{$a['q1']}</label>

                         <div class='col-sm-6'>

                            <input type='text' class='form-control' id='tb_question1' name='tb_question1'
placeholder='friend / internet / school / work...' >
```

```html
    </div>

  </div>


<div class='form-group row'>

 <label for='ddl_question2' class='col-sm-4 col-form-label'>{$a['q2']}</label>

 <div class='col-sm-6'>

    <select name='ddl_question2' class='form-control'>

      <option value='yes'>Yes</option>

      <option value='no'>No</option>

    </select>

 </div>

 </div>


<div class='form-group row'>

 <label for='ddl_question3' class='col-sm-4 col-form-label'>{$a['q3']}</label>

 <div class='col-sm-6'>

    <select name='ddl_question3' class='form-control'>

      <option value='yes'>Yes</option>

      <option value='no'>No</option>

    </select>

 </div>

 </div>


<div class='form-group row'>

 <label for='ddl_question4' class='col-sm-4 col-form-label'>{$a['q4']}</label>
```

```php
                <div class='col-sm-6'>

                   <select name='ddl_question4' class='form-control'>

                      <option value='yes'>Yes</option>

                      <option value='no'>No</option>

                   </select>

                </div>

             </div>


             <div class='form-group row'>

              <div class='col-sm-4 col-form-label'></div>

              <div class='col-sm-6'>

                 <button type='submit' name='btn_survey' class='btn btn-primary mb-2 form-
control'>Submit</button>

               </div>

             </div>'";


         }
       }


     ?>


   </form>


   <?php if(isset($msg_survey)) echo $msg_survey; ?>


<?php
```

```php
// tabelarni prikaz podataka ankete

if($_SESSION['uloga'] == 'admin'){


    $upit_anketa = "SELECT * FROM anketa";

    $rez_anketa = mysqli_query($konekcija, $upit_anketa);

    if($rez_anketa){

        while($r = mysqli_fetch_array($rez_anketa)){

            $q1 = $r['q1'];

            $q2 = $r['q2'];

            $q3 = $r['q3'];

            $q4 = $r['q4'];

        }


    $upit_odg = "SELECT * FROM odgovori";

    $rez_odg = mysqli_query($konekcija, $upit_odg); ?>

        <div class='row'>

            <div class='col-xs-6 col-lg-12'>

              <h2>Completed survey</h2>

              <table class='table table-stripped table-hover table-sm'>

                <tr>

                    <th>RB</th>

                    <th>ID answer</th>

                    <th>ID user</th>
```

```php
        <th><?php echo $q1; ?></th>

        <th><?php echo $q2; ?></th>

        <th><?php echo $q3; ?></th>

        <th><?php echo $q4; ?></th>

    </tr>
  <?php  $i = 1;

    while($o = mysqli_fetch_array($rez_odg)){

    echo "<tr>

        <td>$i</td>

        <td>{$o['id_odgovor']}</td>

        <td>{$o['id_korisnik']}</td>


        <th>{$o['a1']}</th>

        <th>{$o['a2']}</th>

        <th>{$o['a3']}</th>

        <th>{$o['a4']}</th>

        </tr>";

    $i++;

  }     ?>

   </table>

  </div>

 </div>
<?php     }


} ?></div>
```

3.8 messsages.php

```php
<?php

    // Zastita stranice


        if(!isset($_SESSION['korIme']) == 'admin' )

        {

                header('Location:index.php');

        }


?>



<?php



// Prikaz korisnika u tabeli


    $upit = "SELECT * FROM poruka";


        $rez = mysqli_query($konekcija, $upit);


        if(mysqli_num_rows($rez) == 0){

                echo "There are no messages.";

        } else {  ?>
    <div class='row'>

      <div class='col-xs-6 col-lg-12'>

        <h2>Messages</h2>
```

```php
<table class='table table-stripped table-hover table-sm'>

    <tr>

        <th>RB</th>

        <th>ID</th>

        <th>Username</th>

        <th>Title</th>

        <th>Message</th>

    </tr>
<?php $i = 1;


while($r = mysqli_fetch_array($rez)){

    echo "<tr>

        <td>$i</td>

        <td>".$r['id_poruka']."</td>

        <td>".$r['kor_ime']."</td>

        <td>".$r['naslov']."</td>

        <td>".$r['poruka']."</td>

    </tr>";

    $i++;

}       ?>

    </table>

</div>

</div>
<?php } ?> <!-- Gotova tabela -->
```

3.9 users.php

```php
<?php

    // Zastita stranice

        if(!isset($_SESSION['korIme']) || $_SESSION['uloga'] != 'admin')

        {

                header('Location:index.php');

        }



    // Brisanje korisnika

    if(isset($_POST['btn-delete-user'])){

        $userToDelete = $_POST['ddl-rm-user'];

        $upitBrisanje = "DELETE FROM korisnici WHERE id_korisnika='$userToDelete'";

        $rezBrisanje = mysqli_query($konekcija, $upitBrisanje);


        if($rezBrisanje) $msg_del = "Succesfully deleted.";

            else $msg_del = "Error.";

    }


    //Dodavanje korisnika

    if(isset($_REQUEST['btn-insert-user'])){
```

```php
$username_insert = trim($_REQUEST['tb_insert_name']);

$pass_insert = trim($_REQUEST['tb_insert_pass']);

$passToWrite = md5($pass_insert);

$role_insert = $_REQUEST['ddl_insert_user'];


$reg_username = "/^[A-Za-z0-9]{3,}$/";

$reg_pass = "/^[A-Za-z0-9]{5,}$/";


$greske = array();


if(!preg_match($reg_username, $username_insert))

        {

                $greske[] = "Username must be one word,can contain only letters and numbers
and must be at least 3 characters long.";

    }


if(!preg_match($reg_pass, $pass_insert))

        {

                $greske[] = "Password can contain only letters and numbers and must be at
least 6 characters long.";

    }


if(!$role_insert){

    $greske[] = "You must choose role.";

    }
```

```php
    if(count($greske)==0){

        $upit_provera = "SELECT * FROM korisnici WHERE kor_ime = '$username_insert'";

        $rez_provera = mysqli_query($konekcija, $upit_provera);

        if(mysqli_num_rows($rez_provera)==0){

            $upit_upis = "INSERT INTO korisnici VALUES ('', '$username_insert', '$passToWrite',
'$role_insert')";

            $rez_upis = mysqli_query($konekcija, $upit_upis);

            if($rez_upis){

                $msg_add = "Succesfully added user.";

            } else {

                $msg_add = "This user already exists.";

            }

        }

    } else {

        echo "<ul>";

        foreach($greske as $g){

            echo "<li>".$g."</li>";

        }

        echo "</ul>";

    }

}


// Izmena korisnika

if(isset($_REQUEST['btn-save-user'])){

    $idUserToSave = $_REQUEST['tb_hidden'];
```

```php
$userToSave = $_REQUEST['tb_user_to_change'];

$roleToSave = $_REQUEST['ddl_role_to_change'];


if($roleToSave){


$upitCuvanje = "UPDATE korisnici

        SET kor_ime = '$userToSave', uloga = '$roleToSave'

        WHERE id_korisnika = '$idUserToSave'";
$rezUpitCuvanje = mysqli_query($konekcija, $upitCuvanje);


if(!$rezUpitCuvanje) $msg_edit_save = "Fail!";

  else $msg_edit_save = "Succesfuly edited.";

} else $msg_edit_save = "You must choose role.";

}


if(isset($_POST['btn-edit-user'])){

  $userToEdit = $_POST['ddl-edit-user'];


  $upitPrikazZaIzmenu = "SELECT * FROM korisnici WHERE id_korisnika='$userToEdit'";

  $rezPrikazZaIzmenu = mysqli_query($konekcija, $upitPrikazZaIzmenu);

  while($u=mysqli_fetch_array($rezPrikazZaIzmenu)){

    $zaPrikaz =

      "<form action='?page=9' method='post'>

        <input type='hidden' name='tb_hidden' value=".$u['id_korisnika']." class='form-
control'><br/>

        <input type='text' name='tb_user_to_change' value=".$u['kor_ime']." class='form-control'>
```

```php
            <select name='ddl_role_to_change' class='form-control'>

                <option value='0'>Select role</option>

                <option value='admin'>Admin</option>

                <option value='user'>User</option>

            </select>

            <button type='submit' name='btn-save-user' class='btn btn-primary mb-2 form-
control'>Save</button>

        </form>";

    }

}




// Prikaz korisnika u tabeli


$upit = "SELECT * FROM korisnici";


    $rez = mysqli_query($konekcija, $upit);


    if(mysqli_num_rows($rez) == 0){

            echo "There are no registered users.";

    } else {  ?>
<div class='row'>
    <div class='col-xs-6 col-lg-6'>
        <h2>Registered users</h2>
        <table class='table table-stripped table-hover table-sm'>
```

```php
            <tr>

                <th>RB</th>

                <th>ID</th>

                <th>Username</th>

                <th>Role</th>

            </tr>
        <?php $i = 1;


        while($r = mysqli_fetch_array($rez)){

            echo "<tr>

                <td>$i</td>

                <td>".$r['id_korisnika']."</td>

                <td>".$r['kor_ime']."</td>

                <td>".$r['uloga']."</td>

            </tr>";

            $i++;
        }          ?>

        </table>

    </div>


<!-- Gotova tabela -->


<!-- Izmena korisnika -->


    <div class="col-xs-6 col-lg-6">
```

```html
<h2>Edit users</h2>

<form action='?page=9' method="post">

    <select name='ddl-edit-user' class='form-control'>

        <option value='0'>Select ID user to edit:</option>

        <?php

            $upit_prikaz = "SELECT * FROM korisnici";

            $rez_prikaz = mysqli_query($konekcija, $upit_prikaz);


            while($r=mysqli_fetch_array($rez_prikaz)){

                        echo "<option value='{$r['id_korisnika']}'>{$r['id_korisnika']}</option>";

                }

        ?>

    </select>

    <button type="submit" name="btn-edit-user" class='btn btn-primary mb-2 form-control'>Edit</button><br/>

        <?php  if(isset($zaPrikaz)) echo $zaPrikaz;  ?>

    </form>

    <?php if(isset($msg_edit_save)) echo $msg_edit_save; ?>



    </div><!--/.col-xs-6.col-lg-4-->



<!-- Brisanje i dodavanje korisnika; php se nalazi na vrhu stranice. -->



    <div class="col-xs-6 col-lg-6">

    <h2>Delete users</h2>

    <form action='?page=9' method="post">
```

```php
<select name='ddl-rm-user' class='form-control'>

    <option value='0'>Select user to delete:</option>

    <?php

        $upit_prikaz = "SELECT * FROM korisnici";

        $rez_prikaz = mysqli_query($konekcija, $upit_prikaz);


        while($r=mysqli_fetch_array($rez_prikaz))

            {

                    echo "<option value='{$r['id_korisnika']}'>{$r['id_korisnika']}</option>";

            }

    ?>

</select>

<button type="submit" name="btn-delete-user" class='btn btn-primary mb-2 form-control'>Delete</button>

</form>

<?php if(isset($msg_del)) echo $msg_del; ?>

<h2>Add user</h2>

<form action='?page=9' method="post">

    <input type="text" name="tb_insert_name" placeholder="Enter username" class='form-control' />

    <input type="password" name="tb_insert_pass" placeholder="Enter password" class='form-control' />

    <select name='ddl_insert_user' class='form-control'>

        <option value='0'>Select role</option>

        <option value='admin'>Admin</option>

        <option value='user'>User</option>

    </select>
```

```html
        <button type="reset" class='btn btn-primary mb-2 form-control'>Reset</button>

        <button type="submit" name="btn-insert-user" class='btn btn-primary mb-2 form-control'>Insert</button>

    </form>

    <?php if(isset($msg_add)) echo $msg_add; ?>

    </div><!--/.col-xs-6.col-lg-4-->


    </div>


        <?php }


?>
```

3.10 destination.php

```php
<?php


    // Zastita stranice


        if(!isset($_SESSION['korIme']) || $_SESSION['uloga'] != 'admin')

        {

                header('Location:index.php');

        }


?>


<!-- Prikaz destinacija u tabeli -->
```

```php
<?php


   $upit = "SELECT * FROM article a INNER JOIN drzave d ON a.id_drzava = d.id_drzava INNER JOIN
kategorije k ON a.id_kategorija = k.id_kategorija";


        $rez = mysqli_query($konekcija, $upit);


        if(mysqli_num_rows($rez) == 0){

                echo "There are no destinations.";

        } else {  ?>
   <div class='row'>
     <div class='col-xs-6 col-lg-12'>
       <h2>Destinations</h2>
       <table class='table table-stripped table-hover table-sm'>
            <tr>
              <th>RB</th>
              <th>ID</th>
              <th>Title</th>
              <th>Picture</th>
              <th>Text</th>
              <th>Category</th>
              <th>Country</th>
            </tr>
        <?php $i = 1;


        while($r = mysqli_fetch_array($rez)){
```

```php
        echo "<tr>

            <td>$i</td>

            <td>".$r['id_article']."</td>

            <td>".$r['title']."</td>

            <td><img src='{$r['picture']}' alt='{$r['title']}' title='{$r['title']}'  width='100px'></td>

            <td>".$r['text']."</td>

            <td>".$r['naziv_kategorija']."</td>

            <td>".$r['naziv_drzava']."</td>

          </tr>";
        $i++;
      }       ?>
      </table>
    </div>
  </div>
<?php } ?>


  <!-- Gotova tabela -->
<?php

  // Zastita stranice

      if(!isset($_SESSION['korIme']) || $_SESSION['uloga'] != 'admin')

      {

              header('Location:index.php');

      }
```

```php
//obrada podataka

if(isset($_REQUEST['btn_add_article'])){

    $title = $_REQUEST['tb_title'];

    $text = $_REQUEST['ta_text'];


    $pic_name = $_FILES['pic']['name'];

    $pic_tmp = $_FILES['pic']['tmp_name'];

    $pic_loc = 'img/'.$pic_name;


    $category = $_REQUEST['ddl_category'];

    $country = $_REQUEST['ddl_country'];


    if($title && $text && $pic_name && $category && $country){

        if(move_uploaded_file($pic_tmp, $pic_loc)){

            $upit_upis = "INSERT INTO article VALUES ('', '$title', '$pic_loc', '$text', '$category', '$country')";

            $rez_upis = mysqli_query($konekcija, $upit_upis);


            if($rez_upis){

                $msg_add = "Succesfylly added destination!";

            } else{

                $msg_add = "Error with mysql.";

            }

        } else {
```

```php
                $msg_add = "Error with picture.";

        }

    } else $msg_add = "You must complete all tasks.";



    }



?>
```

```html
<div class="container">

  <form  method="POST" action="?page=10" enctype="multipart/form-data">


    <h2 class="form-signin-heading">Add new destination</h2>


    <!-- title -->
    <div class="form-group row">

      <label for="tb_title" class="col-sm-2 col-form-label">Title</label>

      <div class="col-sm-5">

        <input type="text" class="form-control" id="tb_title" name="tb_title" placeholder="Title" >

      </div>

    </div>


    <!-- text -->
    <div class="form-group row">

      <label for="tb_text" class="col-sm-2 col-form-label">Text</label>
```

```html
<div class="col-sm-5">

  <textarea class="form-control" id="ta_text" name="ta_text" placeholder="Text" rows="7"></textarea>

</div>

</div>


<!-- picture -->
<div class='form-group row'>

  <label for="pic" class="col-sm-2 col-form-label">Picture (500x500)</label>

  <div class="col-sm-5">

    <input type="file" class="form-control-file" id="pic" name="pic">

  </div>

</div>


<!-- kategorije -->
<div class="form-group row">

  <label for="ddl_category" class="col-sm-2 col-form-label">Category</label>

  <div class='col-sm-5'>

    <select name='ddl_category' id='ddl_category' class='form-control'>

      <option value="0">Choose...</option>

      <?php

        $upit_kategorija = "SELECT * FROM kategorije";

        $rez_kategorija = mysqli_query($konekcija, $upit_kategorija);

        while($k=mysqli_fetch_array($rez_kategorija)){

          echo "<option value='{$k['id_kategorija']}'>{$k['naziv_kategorija']}</option>";

        }
```

```
            ?>

        </select>

    </div>

</div>



<!-- drzave -->

<div class="form-group row">

    <label for="ddl_country" class="col-sm-2 col-form-label">Country</label>

    <div class='col-sm-5'>

        <select name='ddl_country' id='ddl_country' class='form-control'>

            <option value="0">Choose...</option>

            <?php

                $upit_drzava = "SELECT * FROM drzave";

                $rez_drzava = mysqli_query($konekcija, $upit_drzava);

                while($d=mysqli_fetch_array($rez_drzava)){

                    echo "<option value='{$d['id_drzava']}'>{$d['naziv_drzava']}</option>";

                }

            ?>

        </select>

    </div>

</div>



<!-- dugme -->

<div class="form-group row">

    <div class='col-sm-2'><!-- prazan div zbog izgleda --></div>
```

```html
          <div class='col-sm-5'>

            <button type="submit" class="btn btn-primary mb-2" name='btn_add_article'>Add</button>

          </div>

        </div>

      </form>
```

```php
  <?php if(isset($msg_add)) echo "$msg_add"; ?>
</div>
```

3.11 remove_destination.php

```php
<div class='row'>

<?php

  // Zastita stranice

      if(!isset($_SESSION['korIme']) || $_SESSION['uloga'] != 'admin')

      {

              header('Location:index.php');

      }

  // rad sa podacima

  // brisanje iz tabele
```

```php
if(isset($_REQUEST['btn-delete-article'])){


    $article_to_del = $_REQUEST['ddl-rm-article'];


    $upitBrisanje = "DELETE FROM article WHERE id_article='$article_to_del'";

    $rezBrisanje = mysqli_query($konekcija, $upitBrisanje);


    if($rezBrisanje) $msg_del = "Succesfully deleted.";

        else $msg_del = "Error.";
}


// tabeliarni prikaz svih destinacija


$upit = "SELECT * FROM article";


    $rez = mysqli_query($konekcija, $upit);


    if(mysqli_num_rows($rez) == 0){

            $msg_del = "There are no articles.";

    } else {  ?>


    <div class='col-xs-6 col-lg-6'>

        <h2>All destinations</h2>

        <table class='table table-stripped table-hover table-sm'>

            <tr>
```

```php
                <th>RB</th>

                <th>ID</th>

                <th>Title</th>

            </tr>

        <?php $i = 1;


        while($r = mysqli_fetch_array($rez)){

            echo "<tr>

                <td>$i</td>

                <td>".$r['id_article']."</td>

                <td>".$r['title']."</td>

                </tr>";

            $i++;

        }        ?>

        </table>

    </div>



  <!-- Gotova tabela -->
<?php

    }

?>


  <div class="col-xs-6 col-lg-6">

    <h2>Delete destination</h2>
```

```php
<form action='?page=11' method="post">

    <select name='ddl-rm-article' class='form-control'>

        <option value='0'>Select article to delete:</option>

        <?php

            $upit_prikaz = "SELECT * FROM article";

            $rez_prikaz = mysqli_query($konekcija, $upit_prikaz);


            while($d=mysqli_fetch_array($rez_prikaz)){

                        echo "<option value='{$d['id_article']}'>{$d['id_article']}</option>";

                }

        ?>

    </select>

    <button type="submit" name="btn-delete-article" class='btn btn-primary mb-2 form-control'>Delete</button>

    </form>

    <?php if(isset($msg_del)) echo $msg_del; ?>

  </div>

</div> <!-- div class='row' -->
```

3.12 edit_destination.php

```php
<?php

   // Zastita stranice

        if($_SESSION['uloga'] != 'admin')

        {

                 header('Location:index.php');

        }

?>
```

```
<!-- obrada -->
```

```php
<?php

   if(isset($_REQUEST['btn_save_article'])){
```

```php
$id_za_promenu = $_REQUEST['tb_hidden'];


// nove vrednosti


$title_new = $_REQUEST['tb_new_title'];

$text_new = $_REQUEST['ta_new_text'];


$pic_new_name = $_FILES['new_pic']['name'];

$pic_new_tmp = $_FILES['new_pic']['tmp_name'];

$pic_new_loc = 'img/'.$pic_new_name;


$category_new = $_REQUEST['ddl_new_category'];

$country_new = $_REQUEST['ddl_new_country'];


// title


if($title_new) {

    $upit_naslov = "UPDATE article SET title = '$title_new' WHERE id_article = '$id_za_promenu'";

    $rez_naslov = mysqli_query($konekcija, $upit_naslov);

    if(!$rez_naslov) echo "Error with title.";

        else echo "Succesfully changed title!<br/>";

} else {

    // Prazno zbog upisa u tabelu. Da se ne upise prazan string

    // ukoliko nista nije upisano u polje za naslov.

    // Ponavljace se svuda.
```

```php
        }


        // text


        if($text_new) {

            $upit_text = "UPDATE article SET text = '$text_new' WHERE id_article = '$id_za_promenu'";

            $rez_text = mysqli_query($konekcija, $upit_text);

            if(!$rez_text) echo "Error with text.";

                else echo "Succesfully changed text! <br/>";

        } else {}


        // image


        if($pic_new_tmp){

            if(move_uploaded_file($pic_new_tmp, $pic_new_loc)){

                $upit_slika = "UPDATE article SET picture = '$pic_new_loc' WHERE id_article =
'$id_za_promenu'";

                $rez_slika = mysqli_query($konekcija, $upit_slika);


                if($rez_slika){

                    echo "Succesfylly changed picture! <br/>";

                } else{

                    echo "Error with mysql.";

                }

            } else {

                echo "Error with picture.";
```

```php
        }
    } else {}


    // category


    if($category_new){
        $upit_kategorija = "UPDATE article SET id_kategorija = '$category_new' WHERE id_article =
'$id_za_promenu'";
        $rez_kategorija = mysqli_query($konekcija, $upit_kategorija);
        if(!$rez_kategorija) echo "Error with category.";
          else echo "Succesfully changed category! <br/>";
    } else {}


    // country


    if($country_new){
        $upit_drzava = "UPDATE article SET id_drzava = '$country_new' WHERE id_article =
'$id_za_promenu'";
        $rez_drzava = mysqli_query($konekcija, $upit_drzava);
        if(!$rez_drzava) echo "Error with category.";
          else echo "Succesfully changed country! <br/>";
    } else {}
  }


?>
```

<!-- dohvatanje trenutnih vrednosti -->

```php
<?php

  if(isset($_POST['btn-edit-article'])){


    $articleToEdit = $_POST['ddl-edit-article'];


    // upit kategorija


    $upit_kategorije = "SELECT * FROM article a INNER JOIN kategorije k ON a.id_kategorija =
k.id_kategorija";

    $rez_kategorije = mysqli_query($konekcija, $upit_kategorije);

    if($rez_kategorije){

      while($m=mysqli_fetch_array($rez_kategorije)){

        $kategorija_prikaz = $m['naziv_kategorija'];

      }


    } else { echo "Error mysql categories."; }


    // upit drzava


    $upit_drzave = "SELECT * FROM article a INNER JOIN drzave d ON a.id_drzava = d.id_drzava";

    $rez_drzave = mysqli_query($konekcija, $upit_drzave);
```

```php
    if($rez_drzave){

        while($b=mysqli_fetch_array($rez_drzave)){

            $drzava_prikaz = $b['naziv_drzava'];

        }


    } else { echo "Error mysql countries."; }


    // kod za obradu


    $upitPrikazZaIzmenu = "SELECT * FROM article WHERE id_article='$articleToEdit'";

    $rezPrikazZaIzmenu = mysqli_query($konekcija, $upitPrikazZaIzmenu);

    while($u=mysqli_fetch_array($rezPrikazZaIzmenu)){

        $id_promena = "<input type='hidden' name='tb_hidden' value={$u['id_article']}>";


        $current_data =
            "   <form action='?page=12' method='post'>

            <h3>Current values</h3>

            <!-- current title -->

            <div class='form-group row'>

            <label for='tb_title' class='col-sm-2 col-form-label'>Title</label>

                <div class='col-sm-10'>

                    <input type='text' class='form-control' id='tb_title' name='tb_title' value='".$u['title']."'
readonly>

                    <input type='hidden' name='tb_hidden_title' value={$u['id_article']} class='form-
control'><br/>

                </div>
```

```
            </div>


            <!-- current text -->

            <div class='form-group row'>

                <label for='tb_text' class='col-sm-2 col-form-label'>Text</label>

                <div class='col-sm-10'>

                    <textarea class='form-control' id='ta_text' name='ta_text' value='".$u['text']."' readonly
rows='7'>{$u['text']}</textarea>

                </div>

            </div>


            <!-- current picture -->

            <div class='form-group row'>

                <label for='current_pic' class='col-sm-2 col-form-label'>Picture</label>

                <div class='col-sm-10'>

                    <img class='featurette-image img-responsive center-block' src='".$u['picture']."'
alt='".$u['title']."' title='".$u['title']."' id='current_pic' name='current_pic'>

                </div>

            </div>


            <!-- current category -->


            <div class = 'form-group row'>

                <label for='cur_cat' class='col-sm-2 col-form-label'>Category</label>

                <div class='col-sm-10'>

                    <input type='text' name='tb_cur_cat' id='tb_cur_cat' class='form-control' readonly
value={$kategorija_prikaz}>
```

```
                </div>

            </div>


            <!-- current country -->

            <div class='form-group row'>

                <label for='ddl_country' class='col-sm-2 col-form-label'>Country</label>

                <div class='col-sm-10'>

                    <input type='text' name='tb_cur_country' id='tb_cur_country' class='form-control'
readonly value={$drzava_prikaz}>

                </div>

            </div>

        </form>";


    }

  }


?>


<!-- Izmena artikala -->


<div class='row'>

  <div class="col-xs-6 col-lg-12">

    <h2>Edit destination</h2>

    <form action='?page=12' method="post">

      <select name='ddl-edit-article' class='form-control'>

        <option value='0'>Select destination to edit:</option>
```

```php
<?php

    $upit_prikaz = "SELECT * FROM article";

    $rez_prikaz = mysqli_query($konekcija, $upit_prikaz);


    while($r=mysqli_fetch_array($rez_prikaz)){

     echo "<option value='{$r['id_article']}'>{$r['title']}</option>";

    }

   ?>

  </select>

  <button type="submit" name="btn-edit-article" class='btn btn-primary mb-2 form-
control'>Edit</button><br/>

   </form>

 </div><!--/.col-xs-6.col-lg-12-->


 <!-- current values -->


 <div class='col-xs-6 col-lg-6'>

   <?php  if(isset($current_data)) echo $current_data;  ?>

   <?php if(isset($msg_edit_save)) echo $msg_edit_save; ?>

 </div>


 <!-- new values -->


 <?php if(isset($_REQUEST['btn-edit-article'])) { ?>

 <div class='col-xs-6 col-lg-6'>

   <form action='?page=12' method='post' enctype='multipart/form-data'>
```

```html
<!--   <input type='hidden' name='tb_hidden' value=".$u['id_article']." class='form-control'><br/> -->

    <?php if(isset($id_promena)) echo $id_promena; ?>

    <h3>New values</h3>


    <!-- new title -->


    <div class='form-group row'>

        <label for='tb_new_title' class='col-sm-2 col-form-label'>Title</label>

        <div class='col-sm-10'>

            <input type='text' class='form-control' id='tb_new_title' name='tb_new_title'>

        </div>

    </div>


    <!-- new text -->


    <div class='form-group row'>

        <label for='tb_new_text' class='col-sm-2 col-form-label'>Text</label>

        <div class='col-sm-10'>

            <textarea class='form-control' id='ta_new_text' name='ta_new_text' rows='7'></textarea>

        </div>

    </div>


    <!-- new picture -->


    <div class='form-group row'>
```

```html
<label for='new_pic' class='col-sm-2 col-form-label'>Picture</label>

    <div class='col-sm-10'>

        <input type='file' class='form-control-file' name='new_pic' id='new_pic'>

    </div>

</div>


<!-- new category -->


<div class='form-group row'>

    <label for='ddl_category' class='col-sm-2 col-form-label'>Category</label>

    <div class='col-sm-10'>

        <select name='ddl_new_category' id='ddl_category' class='form-control'>

            <option value="0">Choose...</option>

                <?php

                    $upit_kategorija = "SELECT * FROM kategorije";

                    $rez_kategorija = mysqli_query($konekcija, $upit_kategorija);

                    while($k=mysqli_fetch_array($rez_kategorija)){

                        echo "<option value='{$k['id_kategorija']}'>{$k['naziv_kategorija']}</option>";

                    }

                ?>

        </select>

    </div>

</div>


<!-- new country -->
```

```html
<div class='form-group row'>

<label for='ddl_country' class='col-sm-2 col-form-label'>Country</label>

  <div class='col-sm-10'>

    <select name='ddl_new_country' id='ddl_country' class='form-control'>

      <option value="0">Choose...</option>

        <?php

          $upit_drzava = "SELECT * FROM drzave";

          $rez_drzava = mysqli_query($konekcija, $upit_drzava);

          while($d=mysqli_fetch_array($rez_drzava)){

            echo "<option value='{$d['id_drzava']}'>{$d['naziv_drzava']}</option>";

          }

        ?>

    </select>

  </div>

</div>


<!-- dugme -->

<div class='form-group row'>

  <div class='col-sm-12'>

    <button type='submit' class='btn btn-primary mb-2 form-control' name='btn_save_article'>Save</button>

  </div>

</div>

</form>

</div>   <?php } ?>

</div><!-- /.row -->
```

3.13 add_country.php

```php
<?php
    // Zastita stranice

        if($_SESSION['uloga'] != 'admin')

        {

                    header('Location:index.php');

        }


?>
```

```html
<!-- obrada za unos -->
```

```php
<?php


  if(isset($_REQUEST['btn-add-country'])){

    $country_to_add = $_REQUEST['tb_add_country'];


    $upit_unos = "INSERT INTO drzave VALUES ('', '$country_to_add')";

    $rez_unos = mysqli_query($konekcija, $upit_unos);

    if(!$rez_unos){

      $msg_add = "Error msql country.";

    } else {

      $msg_add = "Succesfully added country!";

    }

  }
```

```php
?>
```

```html
<!-- Prikaz drzava u tabeli -->
```

```php
<?php

  $upit = "SELECT * FROM drzave";

        $rez = mysqli_query($konekcija, $upit);

        if(mysqli_num_rows($rez) == 0){

                echo "There are no countries.";

        } else {  ?>
    <div class='row'>
      <div class='col-xs-6 col-lg-6'>
        <h2>Countries</h2>
        <table class='table table-stripped table-hover table-sm'>
            <tr>
              <th>RB</th>
              <th>ID</th>
              <th>Name</th>
            </tr>
        <?php $i = 1;
```

```php
            while($r = mysqli_fetch_array($rez)){

                echo "<tr>

                    <td>$i</td>

                    <td>".$r['id_drzava']."</td>

                    <td>".$r['naziv_drzava']."</td>

                </tr>";

            $i++;

        }        ?>

        </table>

    </div>
<?php } ?>


    <!-- Gotova tabela -->


<!-- forma za dodavanje -->


    <div class="col-xs-6 col-lg-6">

        <h2>Add country</h2>

        <form action='?page=14' method="post">

            <input type='text' name='tb_add_country' id='tb_add_country' class='form-control'
placeholder='Enter name'>

            <button type="submit" name="btn-add-country" class='btn btn-primary mb-2 form-
control'>Add</button>

        </form>

        <?php if(isset($msg_add)) echo $msg_add; ?>

    </div>
```

```
</div>
```

3.14 remove_country.php

```php
<?php

    // Zastita stranice

        if($_SESSION['uloga'] != 'admin')

        {

                header('Location:index.php');

        }

?>

<!-- obrada za brisanje -->


<?php


  if(isset($_REQUEST['btn-rm-country'])){

    $country_to_del = $_REQUEST['ddl-rm-country'];


    $upit_brisanje = "DELETE FROM drzave WHERE id_drzava = '$country_to_del'";

    $rez_brisanje = mysqli_query($konekcija, $upit_brisanje);

    if(!$rez_brisanje){

      $msg_add = "Error msql country.";

    } else {

      $msg_add = "Succesfully removed country!";

    }

  }
```

```php
?>
```

<!-- Prikaz drzava u tabeli -->

```php
<?php

  $upit = "SELECT * FROM drzave";

       $rez = mysqli_query($konekcija, $upit);

       if(mysqli_num_rows($rez) == 0){

               echo "There are no countries.";
       } else {  ?>
    <div class='row'>
      <div class='col-xs-6 col-lg-6'>
        <h2>Countries</h2>
        <table class='table table-stripped table-hover table-sm'>
            <tr>
              <th>RB</th>
              <th>ID</th>
              <th>Name</th>
            </tr>
          <?php $i = 1;
```

```php
            while($r = mysqli_fetch_array($rez)){

                echo "<tr>

                    <td>$i</td>

                    <td>".$r['id_drzava']."</td>

                    <td>".$r['naziv_drzava']."</td>

                </tr>";

                $i++;

            }        ?>

            </table>

        </div>

<?php } ?>


    <!-- Gotova tabela -->


<!-- forma za brisanje -->


    <div class="col-xs-6 col-lg-6">

        <h2>Remove country</h2>

        <form action='?page=15' method="post">

            <select name='ddl-rm-country' class='form-control'>

                <option value='0'>Select country to delete:</option>

                <?php

                    $upit_prikaz = "SELECT * FROM drzave";

                    $rez_prikaz = mysqli_query($konekcija, $upit_prikaz);
```

```php
            while($d=mysqli_fetch_array($rez_prikaz)){

                    echo "<option value='{$d['id_drzava']}'>{$d['naziv_drzava']}</option>";

                }

            ?>

    </select>

    <button type="submit" name="btn-rm-country" class='btn btn-primary mb-2 form-
control'>Remove</button>

    </form>

    <?php if(isset($msg_add)) echo $msg_add; ?>

  </div>

</div>
```

3.15 edit_country.php

```php
<?php

  // Zastita stranice

        if($_SESSION['uloga'] != 'admin')

        {

                header('Location:index.php');

        }

?>
<!-- Izmena drzava -->


<?php
```

```php
if(isset($_REQUEST['btn-save-country'])){


    $idCountryToSave = $_REQUEST['tb_hidden'];

    $countryToSave = $_REQUEST['tb_country_to_change'];


    $upitCuvanje = "UPDATE drzave

            SET naziv_drzava = '$countryToSave'

            WHERE id_drzava = '$idCountryToSave'";

    $rezUpitCuvanje = mysqli_query($konekcija, $upitCuvanje);


    if(!$rezUpitCuvanje) $msg_edit_save = "Fail!";

        else $msg_edit_save = "Succesfuly edited.";
}


if(isset($_POST['btn-edit-country'])){


  $countryToEdit = $_POST['ddl-edit-country'];


  $upitPrikazZaIzmenu = "SELECT * FROM drzave WHERE id_drzava='$countryToEdit'";

  $rezPrikazZaIzmenu = mysqli_query($konekcija, $upitPrikazZaIzmenu);

  while($u=mysqli_fetch_array($rezPrikazZaIzmenu)){

    $zaPrikaz = "

        <form action='?page=16' method='post'>

        <input type='hidden' name='tb_hidden' value=".$u['id_drzava'].">

        <input type='text' name='tb_country_to_change' value=".$u['naziv_drzava']." class='form-
control'>
```

```php
                <button type='submit' name='btn-save-country' class='btn btn-primary mb-2 form-
control'>Save</button>

        </form>";

    }

  }


?>


<!-- Prikaz drzava u tabeli -->


<?php


  $upit = "SELECT * FROM drzave";


        $rez = mysqli_query($konekcija, $upit);


        if(mysqli_num_rows($rez) == 0){

                echo "There are no countries.";

        } else {  ?>
    <div class='row'>
      <div class='col-xs-6 col-lg-6'>
        <h2>Countries</h2>
        <table class='table table-stripped table-hover table-sm'>
            <tr>
              <th>RB</th>
              <th>ID</th>
```

```php
            <th>Name</th>

          </tr>

        <?php $i = 1;


        while($r = mysqli_fetch_array($rez)){

          echo "<tr>

              <td>$i</td>

              <td>".$r['id_drzava']."</td>

              <td>".$r['naziv_drzava']."</td>

            </tr>";

          $i++;

        }        ?>

        </table>

      </div>
<?php } ?>


<!-- Gotova tabela -->


<!-- Izmena drzava -->


  <div class="col-xs-6 col-lg-6">

    <h2>Edit countries</h2>

    <form action='?page=16' method="post">

      <select name='ddl-edit-country' class='form-control'>

        <option value='0'>Select country to edit:</option>
```

```php
<?php

    $upit_prikaz = "SELECT * FROM drzave";

    $rez_prikaz = mysqli_query($konekcija, $upit_prikaz);


    while($r=mysqli_fetch_array($rez_prikaz)){

                echo "<option value='{$r['id_drzava']}'>{$r['naziv_drzava']}</option>";

        }

    ?>

</select>

<button type="submit" name="btn-edit-country" class='btn btn-primary mb-2 form-control'>Edit</button><br/>

    <?php  if(isset($zaPrikaz)) echo $zaPrikaz;  ?>

</form>

<?php if(isset($msg_edit_save)) echo $msg_edit_save; ?>


  </div><!--/.col-xs-6.col-lg-4-->
</div>
```

3.16 add_season.php

```php
<?php

    // Zastita stranice


        if($_SESSION['uloga'] != 'admin')

        {

                header('Location:index.php');

        }


?>
```

```html
<!-- obrada za unos -->
```

```php
<?php


  if(isset($_REQUEST['btn-add-country'])){

    $season_to_add = $_REQUEST['tb_add_season'];


    $upit_unos = "INSERT INTO kategorije VALUES ('', '$season_to_add')";

    $rez_unos = mysqli_query($konekcija, $upit_unos);
```

```php
    if(!$rez_unos){

        $msg_add = "Error msql season.";

    } else {

        $msg_add = "Succesfully added season!";

    }

  }


?>
```

<!-- Prikaz drzava u tabeli -->

```php
<?php


  $upit = "SELECT * FROM kategorije";


        $rez = mysqli_query($konekcija, $upit);


        if(mysqli_num_rows($rez) == 0){

                echo "There are no seasons.";

        } else {  ?>
    <div class='row'>
      <div class='col-xs-6 col-lg-6'>
        <h2>Seasons</h2>
        <table class='table table-stripped table-hover table-sm'>
```

```php
            <tr>

              <th>RB</th>

              <th>ID</th>

              <th>Name</th>

            </tr>
          <?php $i = 1;


          while($r = mysqli_fetch_array($rez)){

            echo "<tr>

                <td>$i</td>

                <td>".$r['id_kategorija']."</td>

                <td>".$r['naziv_kategorija']."</td>

              </tr>";

            $i++;

          }        ?>

          </table>

        </div>
<?php } ?>


    <!-- Gotova tabela -->


<!-- forma za dodavanje -->


    <div class="col-xs-6 col-lg-6">

      <h2>Add season</h2>
```

```
    <form action='?page=17' method="post">

        <input type='text' name='tb_add_season' id='tb_add_season' class='form-control'
placeholder='Enter name'>

        <button type="submit" name="btn-add-country" class='btn btn-primary mb-2 form-
control'>Add</button>

    </form>

    <?php if(isset($msg_add)) echo $msg_add; ?>

  </div>


</div>
```

3.17 remove_season.php

```php
<?php


    // Zastita stranice


        if($_SESSION['uloga'] != 'admin')

        {

                header('Location:index.php');

        }


?>
<!-- obrada za brisanje -->


<?php
```

```php
    if(isset($_REQUEST['btn-rm-season'])){

        $season_to_del = $_REQUEST['ddl-rm-season'];


        $upit_brisanje = "DELETE FROM kategorije WHERE id_kategorija = '$season_to_del'";

        $rez_brisanje = mysqli_query($konekcija, $upit_brisanje);

        if(!$rez_brisanje){

            $msg_add = "Error msql season.";

        } else {

            $msg_add = "Succesfully removed season!";

        }

    }


?>
```

<!-- Prikaz drzava u tabeli -->


```php
<?php

    $upit = "SELECT * FROM kategorije";


        $rez = mysqli_query($konekcija, $upit);


        if(mysqli_num_rows($rez) == 0){
```

```php
                echo "There are no seasons.";
        } else {  ?>
    <div class='row'>
      <div class='col-xs-6 col-lg-6'>
        <h2>Seasons</h2>
        <table class='table table-stripped table-hover table-sm'>
            <tr>
              <th>RB</th>
              <th>ID</th>
              <th>Name</th>
            </tr>
        <?php $i = 1;


        while($r = mysqli_fetch_array($rez)){
          echo "<tr>
              <td>$i</td>
              <td>".$r['id_kategorija']."</td>
              <td>".$r['naziv_kategorija']."</td>
            </tr>";
          $i++;
        }        ?>
        </table>
      </div>
<?php } ?>
```

```html
<!-- Gotova tabela -->


<!-- forma za brisanje -->


  <div class="col-xs-6 col-lg-6">

    <h2>Remove season</h2>

    <form action='?page=18' method="post">

      <select name='ddl-rm-season' class='form-control'>

        <option value='0'>Select season to delete:</option>

        <?php

          $upit_prikaz = "SELECT * FROM kategorije";

          $rez_prikaz = mysqli_query($konekcija, $upit_prikaz);


          while($d=mysqli_fetch_array($rez_prikaz)){

                  echo "<option value='{$d['id_kategorija']}'>{$d['naziv_kategorija']}</option>";

          }

        ?>

      </select>

      <button type="submit" name="btn-rm-season" class='btn btn-primary mb-2 form-
control'>Remove</button>

    </form>

    <?php if(isset($msg_add)) echo $msg_add; ?>

  </div>


</div>
```

3.18 edit_season.php

```php
<?php


    // Zastita stranice


        if($_SESSION['uloga'] != 'admin')

        {

                header('Location:index.php');

        }


?>
```

```html
<!-- Izmena kategorija -->
```

```php
<?php


    if(isset($_REQUEST['btn-save-season'])){


        $idSeasonToSave = $_REQUEST['tb_hidden'];

        $seasonToSave = $_REQUEST['tb_season_to_change'];


        $upitCuvanje = "UPDATE kategorije

                SET naziv_kategorija = '$seasonToSave'

                WHERE id_kategorija = '$idSeasonToSave'";

        $rezUpitCuvanje = mysqli_query($konekcija, $upitCuvanje);


        if(!$rezUpitCuvanje) $msg_edit_save = "Fail!";
```

```php
                    else $msg_edit_save = "Succesfuly edited.";

    }


    if(isset($_POST['btn-edit-season'])){


        $seasonToEdit = $_POST['ddl-edit-season'];


        $upitPrikazZaIzmenu = "SELECT * FROM kategorije WHERE id_kategorija='$seasonToEdit'";

        $rezPrikazZaIzmenu = mysqli_query($konekcija, $upitPrikazZaIzmenu);

        while($u=mysqli_fetch_array($rezPrikazZaIzmenu)){

            $zaPrikaz = "

                <form action='?page=19' method='post'>

                <input type='hidden' name='tb_hidden' value=".$u['id_kategorija'].">

                <input type='text' name='tb_season_to_change' value=".$u['naziv_kategorija']." class='form-
control'>

                <button type='submit' name='btn-save-season' class='btn btn-primary mb-2 form-
control'>Save</button>

            </form>";

        }

    }


?>


<!-- Prikaz kategorija u tabeli -->


<?php
```

```php
$upit = "SELECT * FROM kategorije";

$rez = mysqli_query($konekcija, $upit);

if(mysqli_num_rows($rez) == 0){
        echo "There are no seasons.";
    } else {  ?>
  <div class='row'>
    <div class='col-xs-6 col-lg-6'>
      <h2>Seasons</h2>
      <table class='table table-stripped table-hover table-sm'>
        <tr>
          <th>RB</th>
          <th>ID</th>
          <th>Name</th>
        </tr>
      <?php $i = 1;

      while($r = mysqli_fetch_array($rez)){
        echo "<tr>
          <td>$i</td>
          <td>".$r['id_kategorija']."</td>
          <td>".$r['naziv_kategorija']."</td>
        </tr>";
```

```php
                    $i++;

            }          ?>

            </table>

        </div>

<?php } ?>



<!-- Gotova tabela -->



<!-- Izmena kategorija -->



    <div class="col-xs-6 col-lg-6">

        <h2>Edit seasons</h2>

        <form action='?page=19' method="post">

            <select name='ddl-edit-season' class='form-control'>

                <option value='0'>Select season to edit:</option>

                <?php

                    $upit_prikaz = "SELECT * FROM kategorije";

                    $rez_prikaz = mysqli_query($konekcija, $upit_prikaz);



                    while($r=mysqli_fetch_array($rez_prikaz)){

                                echo "<option value='{$r['id_kategorija']}'>{$r['naziv_kategorija']}</option>";

                    }          ?>

            </select>

            <button type="submit" name="btn-edit-season" class='btn btn-primary mb-2 form-
control'>Edit</button><br/>

            <?php  if(isset($zaPrikaz)) echo $zaPrikaz;  ?>
```

</form>

<?php if(isset($msg_edit_save)) echo $msg_edit_save; ?>   </div><!--/.col-xs-6.col-lg-4--> </div>

4. Dizajn baze

anketa

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id_anketa	int(2)			No	None		AUTO_INCREMENT
2	q1	varchar(100)	utf8_unicode_ci		No	None		
3	q2	varchar(100)	utf8_unicode_ci		No	None		
4	q3	varchar(100)	utf8_unicode_ci		No	None		
5	q4	varchar(100)	utf8_unicode_ci		No	None		

Artikli

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id_article	int(4)			No	None		AUTO_INCREMENT
2	title	varchar(40)	utf8_unicode_ci		No	None		
3	picture	varchar(40)	utf8_unicode_ci		No	None		
4	text	varchar(5000)	utf8_unicode_ci		No	None		
5	id_kategorija	int(2)			No	None		
6	id_drzava	int(2)			No	None		

Države

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id_drzava	int(2)			No	None		AUTO_INCREMENT
2	naziv_drzava	varchar(20)	utf8_unicode_ci		No	None		

Kategorije

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id_kategorija	int(2)			No	None		AUTO_INCREMENT
2	naziv_kategorija	varchar(20)	utf8_unicode_ci		No	None		

Korisnici

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
☐	1	id_korisnika 🔑	int(4)			No	None		AUTO_INCREMENT
☐	2	kor_ime	varchar(30)	utf8_unicode_ci		No	None		
☐	3	lozinka	varchar(40)	utf8_unicode_ci		No	None		
☐	4	uloga	varchar(10)	utf8_unicode_ci		No	None		

Odgovori

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
☐	1	id_odgovor 🔑	int(2)			No	None		AUTO_INCREMENT
☐	2	id_korisnik	int(2)			No	None		
☐	3	id_anketa	int(2)			No	None		
☐	4	a1	varchar(50)	utf8_unicode_ci		No	None		
☐	5	a2	varchar(3)	utf8_unicode_ci		No	None		
☐	6	a3	varchar(3)	utf8_unicode_ci		No	None		
☐	7	a4	varchar(3)	utf8_unicode_ci		No	None		

Poruka

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
☐	1	id_poruka 🔑	int(2)			No	None		AUTO_INCREMENT
☐	2	kor_ime	varchar(30)	utf8_unicode_ci		No	None		
☐	3	naslov	varchar(30)	utf8_unicode_ci		No	None		
☐	4	poruka	varchar(200)	utf8_unicode_ci		No	None		

Putanje

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id_putanja 🔑	int(2)			No	None		AUTO_INCREMENT
2	naziv	varchar(20)	utf8_unicode_ci		No	None		
3	putanja	varchar(50)	utf8_unicode_ci		No	None		