



net-ordercache

Table of content

- 1 Change log 2
- 2 Overview 3
- 3 API interaction model 4
 - 3.1 Security setup 4
 - 3.2 Documentation 4
 - 3.3 Data boundaries 4
- 4 The specific API 5
 - 4.1 GET /api/v1/task/{id}/history 5
 - 4.2 GET /api/v1/order/{orderNo}/tasks 5
 - 4.3 GET /api/v1/order/{orderNo}/tasks/history 5
 - 4.4 GET /api/v1/order/{orderNo}/history 5
 - 4.5 GET /api/v1/order/search 5
 - 4.6 GET /api/v1/order/{orderNo} 5
- 5 Attachments 11
- 6 Schema 12
 - 6.1 Schema overview 12
 - 6.2 Top reused fields 12
 - 6.3 Schema relationships 12
 - 6.4 Wrapper patterns 12
 - 6.5 Identifier fields 12
 - 6.6 Audit fields 12
 - 6.7 Status and error fields 12
 - 6.8 Pagination fields 12
 - 6.9 Link fields 12
 - 6.10 Scheduling fields 12
 - 6.11 Collection fields 12
 - 6.12 Business fields 12

6.13 Schema-specific fields	12
6.14 Schema index	12

1 Change log

Version	Date	Description
1.0	2026-08-13	Initial generated version

2 Overview

Order cache where clients can search for orders and get history on orders and tasks

Documented server endpoints: <https://api-sit-global.tdcnet.dk/net-ordercache>.

3 API interaction model

3.1 Security setup

Document the authentication, authorization, and data-protection requirements for the target environment.

3.2 Documentation

The OpenAPI file remains the technical source of truth. This PDF is the human-readable review artifact generated from that contract.

3.3 Data boundaries

Document any tenant, customer, environment, or access-boundary constraints that apply to this API.

4 The specific API

4.1 GET /api/v1/task/{id}/history

Get Task history

4.2 GET /api/v1/order/{orderNo}/tasks

Get all tasks on a specific order

4.3 GET /api/v1/order/{orderNo}/tasks/history

Get Task history for all tasks on a specific order as a map with '{taskId}':[task history list]

4.4 GET /api/v1/order/{orderNo}/history

Get Order history

4.5 GET /api/v1/order/search

Search for orders

4.6 GET /api/v1/order/{orderNo}

Get Order by order number, will return a complete order with all children (tasks, productchanges, etc.)

5 Attachments

Plain-text request and response payload examples extracted from the OpenAPI document.

5.1 GET /api/v1/task/{id}/history response 200

application/json

```
[
  {
    "id": 1,
    "taskId": "3806",
    "taskName": "Poi Tildeling",
    "bookedDateSpecial": "string",
    "bookedDate": "string",
    "bookedTimeFrom": "string",
    "bookedTimeTo": "string",
    "executionDateSpecial": "string",
    "executionDate": "string",
    "executionTime": "string",
    "taskRescheduleAble": true,
    "taskRescheduled": false,
    "orderStage": "SITE_SURVEY",
    "delayed": false,
    "additionalTaskDataList": [
      "string"
    ],
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifedBy": "Someone Else"
  }
]
```

5.2 GET /api/v1/task/{id}/history response 400

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
}
```



```
"statusCode": "string",  
"statusError": "string"  
}
```

5.3 GET /api/v1/task/{id}/history response 500

application/json

```
{  
  "timestamp": "string",  
  "status": "string",  
  "message": "string",  
  "path": "string",  
  "code": "string",  
  "reason": "string",  
  "statusCode": "string",  
  "statusError": "string"  
}
```

5.4 GET /api/v1/order/{orderNo}/tasks response 200

application/json

```
[  
  {  
    "id": 1,  
    "taskId": "3806",  
    "taskName": "Poi Tildeling",  
    "bookedDateSpecial": "string",  
    "bookedDate": "string",  
    "bookedTimeFrom": "string",  
    "bookedTimeTo": "string",  
    "executionDateSpecial": "string",  
    "executionDate": "string",  
    "executionTime": "string",  
    "taskRescheduleAble": true,  
    "taskRescheduled": false,  
    "orderStage": "SITE_SURVEY",  
    "delayed": false,  
    "additionalTaskDataList": [  
      "string"  
    ],  
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",  
    "createdBy": "Someone",  
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",  
    "lastModifiedBy": "Someone Else"  
  }  
]
```

5.5 GET /api/v1/order/{orderNo}/tasks response 400

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.6 GET /api/v1/order/{orderNo}/tasks response 500

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.7 GET /api/v1/order/{orderNo}/tasks/history response 400

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.8 GET /api/v1/order/{orderNo}/tasks/history response 500

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.9 GET /api/v1/order/{orderNo}/history response 200

application/json

```
[
  {
    "orderType": "OPRETTELSE",
    "orderDate": "2023-10-04T10:28:54.0000000+00:00",
    "orderStatus": "ORDERED",
    "orderStage": "SITE_SURVEY",
    "orderStages": "SITE_SURVEY,CUSTOMER_INSTALLATION,EXECUTED,FINISHED",
    "orderState": "YELLOW",
    "orderStateSort": 0,
    "productType": "020021100001EBSA-FIBER///",
    "orderNo": 100000001,
    "kisId": "8292-08-20-10.48.44.625510",
    "lid": "EF000001",
    "contactName": "Peter Pedal",
    "contactPhoneNo": "99999999",
    "remarks": "Some remark on the order",
    "confirmLetter": "FALSE",
    "orderReference": "order-xyz",
    "reservedPhoneNo": "99999999",
    "requestStartLimitDate": "2023-10-04T10:28:54.0000000+00:00",
    "requestEndLimitDate": "2023-10-04T10:28:54.0000000+00:00",
    "requestedDateSpecial": "string",
    "requestedDate": "2023-10-04T10:28:54.0000000+00:00",
    "requestedTime": "2023-10-04T10:28:54.0000000+00:00",
    "bookExactDate": true,
    "bookReason": "243",
    "executionDateSpecial": "string",
    "executionDate": "2023-10-04T10:28:54.0000000+00:00",
    "executionTimeFrom": "2023-10-04T10:28:54.0000000+00:00",
    "executionTimeTo": "2023-10-04T10:28:54.0000000+00:00",
    "executedDate": "2023-10-04T10:28:54.0000000+00:00",
    "computeDate": "2023-10-04T10:28:54.0000000+00:00",
    "timeslotType": "xxxx",
  }
]
```

```
"dayShortname": "TOR",
"bookingMessage": "Some information about booking",
"importantMessage": "Important message about order",
"copperBlockingText": "Something blocking copper",
"hasFallout": true,
"hasExternalFallout": true,
"installation": {
  "firstName": "Test",
  "lastName": "Testesen",
  "occupation": "Works for a living",
  "companyName": "Company AB",
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
},
"customerRelation": {
  "customerRelationId": "100000001-EF000001",
  "lid": "EF000001",
  "phonebookPublicStatus": "SECRET",
  "customerRelationStatus": "SUBSCRIBED",
  "ongoingOrders": "xyz",
  "ongoingOrdersExecutionDate": "string",
  "customer": {
    "name": "Test Testesen",
    "firstName": "Test",
    "lastName": "Testesen",
    "occupation": "Works for a living",
    "companyName": "Company AB",
    "accountNo": "1234",
    "cvrNo": "12345678",
    "remarks": "Some remark",
    "address": {
      "streetCode": "1234",
      "municipalCode": "123",
      "streetName": "Testvej",
      "zipCode": "1234",
      "houseNo": 2,
      "mainDoor": "The red door",
      "floor": "3",
      "doorNo": "TH",
      "city": "Andeby",
      "county": "Egedal",
      "country": "Denmark",
      "houseName": "Dyssegården",
      "externalInstallationId": "some-id",
      "addressKey": 123456,
      "createdDate": "2023-10-04T10:28:54.0000000+00:00",
      "createdBy": "Someone",
      "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
      "lastModifedBy": "Someone Else"
    }
  }
},
```

```
"createdAt": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifedBy": "Someone Else"
},
"installation": {
  "name": "Test Testesen",
  "firstName": "Test",
  "lastName": "Testesen",
  "occupation": "Works for a living",
  "companyName": "Company AB",
  "accountNo": "1234",
  "cvrNo": "12345678",
  "remarks": "Some remark",
  "address": {
    "streetCode": "1234",
    "municipalCode": "123",
    "streetName": "Testvej",
    "zipCode": "1234",
    "houseNo": 2,
    "mainDoor": "The red door",
    "floor": "3",
    "doorNo": "TH",
    "city": "Andeby",
    "county": "Egedal",
    "country": "Denmark",
    "houseName": "Dyssegården",
    "externalInstallationId": "some-id",
    "addressKey": 123456,
    "createdAt": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifedBy": "Someone Else"
  },
  "createdAt": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
},
"createdAt": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifedBy": "Someone Else"
},
"createdAt": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifedBy": "Someone Else",
"forwardingAddress": {
  "firstName": "Test",
  "lastName": "Testesen",
  "occupation": "Works for a living",
```

```
"companyName": "Company AB",
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifedBy": "Someone Else"
},
"announcement": {
  "announcementType": "CHANGE",
  "announcementChoice": "REFERENCE",
  "announcementPhoneNo": "99999999",
  "languageDanishPriority": 1,
  "languageEnglishPriority": 2,
  "languageGermanPriority": 3,
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
},
"productChangeList": [
  {
    "productId": "760022200001BREDBAAND///",
    "name": "Bredbånd",
    "cuProdNr": "xxx",
    "cuProdTr": "yyy",
    "cuProdAfs": "zzz",
    "sikValue": "B1000001",
    "productCount": 1,
    "productSequence": 23,
    "changeParameterList": [
      {
        "name": "SIK-NR",
        "paramValue": "B1000001",
        "createdDate": "2023-10-04T10:28:54.0000000+00:00",
        "createdBy": "Someone",
        "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
        "lastModifedBy": "Someone Else"
      }
    ],
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifedBy": "Someone Else"
  }
],
"taskList": [
  {
    "id": 1,
    "taskId": "3806",
    "taskName": "Poi Tildeling",
    "bookedDateSpecial": "string",
    "bookedDate": "string",
    "bookedTimeFrom": "string",
```

```

    "bookedTimeTo": "string",
    "executionDateSpecial": "string",
    "executionDate": "string",
    "executionTime": "string",
    "taskRescheduleAble": true,
    "taskRescheduled": false,
    "orderStage": "SITE_SURVEY",
    "delayed": false,
    "additionalTaskDataList": [
      "string"
    ],
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifedBy": "Someone Else"
  }
],
"orderMessageList": [
  {
    "id": 0,
    "messageType": "T",
    "messageValue": "00370720683210230859",
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifedBy": "Someone Else"
  }
]
}
]

```

5.10 GET /api/v1/order/{orderNo}/history response 400

application/json

```

{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}

```

5.11 GET /api/v1/order/{orderNo}/history response 500

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.12 GET /api/v1/order/search response 200

application/json

```
{
  "totalPages": 0,
  "totalElements": 0,
  "size": 0,
  "content": [
    {
      "orderType": "OPRETTELSE",
      "orderDate": "2023-10-04T10:28:54.0000000+00:00",
      "orderStatus": "ORDERED",
      "orderStage": "SITE_SURVEY",
      "orderStages": "SITE_SURVEY,CUSTOMER_INSTALLATION,EXECUTED,FINISHED",
      "orderState": "YELLOW",
      "orderStateSort": 0,
      "productType": "020021100001EBSA-FIBER///",
      "orderNo": 100000001,
      "kisId": "8292-08-20-10.48.44.625510",
      "lid": "EF000001",
      "contactName": "Peter Pedal",
      "contactPhoneNo": "99999999",
      "remarks": "Some remark on the order",
      "confirmLetter": "FALSE",
      "orderReference": "order-xyz",
      "reservedPhoneNo": "99999999",
      "requestStartLimitDate": "2023-10-04T10:28:54.0000000+00:00",
      "requestEndLimitDate": "2023-10-04T10:28:54.0000000+00:00",
      "requestedDateSpecial": "string",
      "requestedDate": "2023-10-04T10:28:54.0000000+00:00",
      "requestedTime": "2023-10-04T10:28:54.0000000+00:00",
      "bookExactDate": true,
      "bookReason": "243",
      "executionDateSpecial": "string",
      "executionDate": "2023-10-04T10:28:54.0000000+00:00",
      "executionTimeFrom": "2023-10-04T10:28:54.0000000+00:00",
      "executionTimeTo": "2023-10-04T10:28:54.0000000+00:00",
      "executedDate": "2023-10-04T10:28:54.0000000+00:00",
    }
  ]
}
```



```
"computeDate": "2023-10-04T10:28:54.0000000+00:00",
"timeslotType": "xxxx",
"dayShortname": "TOR",
"bookingMessage": "Some information about booking",
"importantMessage": "Important message about order",
"copperBlockingText": "Something blocking copper",
"hasFallout": true,
"hasExternalFallout": true,
"installation": {
  "firstName": "Test",
  "lastName": "Testesen",
  "occupation": "Works for a living",
  "companyName": "Company AB",
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
},
"customerRelation": {
  "customerRelationId": "100000001-EF000001",
  "lid": "EF000001",
  "phonebookPublicStatus": "SECRET",
  "customerRelationStatus": "SUBSCRIBED",
  "ongoingOrders": "xyz",
  "ongoingOrdersExecutionDate": "string",
  "customer": {
    "name": "Test Testesen",
    "firstName": "Test",
    "lastName": "Testesen",
    "occupation": "Works for a living",
    "companyName": "Company AB",
    "accountNo": "1234",
    "cvrNo": "12345678",
    "remarks": "Some remark",
    "address": {
      "streetCode": "1234",
      "municipalCode": "123",
      "streetName": "Testvej",
      "zipCode": "1234",
      "houseNo": 2,
      "mainDoor": "The red door",
      "floor": "3",
      "doorNo": "TH",
      "city": "Andeby",
      "county": "Egedal",
      "country": "Denmark",
      "houseName": "Dyssegården",
      "externalInstallationId": "some-id",
      "addressKey": 123456,
      "createdDate": "2023-10-04T10:28:54.0000000+00:00",
      "createdBy": "Someone",
      "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
```

```

    "lastModifiedBy": "Someone Else"
  },
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifiedBy": "Someone Else"
},
"installation": {
  "name": "Test Testesen",
  "firstName": "Test",
  "lastName": "Testesen",
  "occupation": "Works for a living",
  "companyName": "Company AB",
  "accountNo": "1234",
  "cvrNo": "12345678",
  "remarks": "Some remark",
  "address": {
    "streetCode": "1234",
    "municipalCode": "123",
    "streetName": "Testvej",
    "zipCode": "1234",
    "houseNo": 2,
    "mainDoor": "The red door",
    "floor": "3",
    "doorNo": "TH",
    "city": "Andeby",
    "county": "Egedal",
    "country": "Denmark",
    "houseName": "Dyssegården",
    "externalInstallationId": "some-id",
    "addressKey": 123456,
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  },
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifiedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else"
}
],

```

```
"number": 0,
"sort": {
  "empty": true,
  "sorted": true,
  "unsorted": true
},
"numberOfElements": 0,
"pageable": {
  "offset": 0,
  "sort": {
    "empty": true,
    "sorted": true,
    "unsorted": true
  },
  "pageNumber": 0,
  "pageSize": 0,
  "paged": true,
  "unpaged": true
},
"first": true,
"last": true,
"empty": true
}
```

5.13 GET /api/v1/order/search response 400

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.14 GET /api/v1/order/search response 500

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",

```

```
"reason": "string",
"statusCode": "string",
"statusError": "string"
}
```

5.15 GET /api/v1/order/{orderNo} response 200

application/json

```
{
  "orderType": "OPRETTELSE",
  "orderDate": "2023-10-04T10:28:54.0000000+00:00",
  "orderStatus": "ORDERED",
  "orderStage": "SITE_SURVEY",
  "orderStages": "SITE_SURVEY,CUSTOMER_INSTALLATION,EXECUTED,FINISHED",
  "orderState": "YELLOW",
  "orderStateSort": 0,
  "productType": "020021100001EBSA-FIBER///",
  "orderNo": 100000001,
  "kisId": "8292-08-20-10.48.44.625510",
  "lid": "EF000001",
  "contactName": "Peter Pedal",
  "contactPhoneNo": "99999999",
  "remarks": "Some remark on the order",
  "confirmLetter": "FALSE",
  "orderReference": "order-xyz",
  "reservedPhoneNo": "99999999",
  "requestStartLimitDate": "2023-10-04T10:28:54.0000000+00:00",
  "requestEndLimitDate": "2023-10-04T10:28:54.0000000+00:00",
  "requestedDateSpecial": "string",
  "requestedDate": "2023-10-04T10:28:54.0000000+00:00",
  "requestedTime": "2023-10-04T10:28:54.0000000+00:00",
  "bookExactDate": true,
  "bookReason": "243",
  "executionDateSpecial": "string",
  "executionDate": "2023-10-04T10:28:54.0000000+00:00",
  "executionTimeFrom": "2023-10-04T10:28:54.0000000+00:00",
  "executionTimeTo": "2023-10-04T10:28:54.0000000+00:00",
  "executedDate": "2023-10-04T10:28:54.0000000+00:00",
  "computeDate": "2023-10-04T10:28:54.0000000+00:00",
  "timeslotType": "xxx",
  "dayShortname": "TOR",
  "bookingMessage": "Some information about booking",
  "importantMessage": "Important message about order",
  "copperBlockingText": "Something blocking copper",
  "hasFallout": true,
  "hasExternalFallout": true,
  "installation": {
    "firstName": "Test",
    "lastName": "Testesen",
  }
}
```

```
"occupation": "Works for a living",
"companyName": "Company AB",
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifedBy": "Someone Else"
},
"customerRelation": {
  "customerRelationId": "100000001-EF000001",
  "lid": "EF000001",
  "phonebookPublicStatus": "SECRET",
  "customerRelationStatus": "SUBSCRIBED",
  "ongoingOrders": "xyz",
  "ongoingOrdersExecutionDate": "string",
  "customer": {
    "name": "Test Testesen",
    "firstName": "Test",
    "lastName": "Testesen",
    "occupation": "Works for a living",
    "companyName": "Company AB",
    "accountNo": "1234",
    "cvrNo": "12345678",
    "remarks": "Some remark",
    "address": {
      "streetCode": "1234",
      "municipalCode": "123",
      "streetName": "Testvej",
      "zipCode": "1234",
      "houseNo": 2,
      "mainDoor": "The red door",
      "floor": "3",
      "doorNo": "TH",
      "city": "Andeby",
      "county": "Egedal",
      "country": "Denmarl",
      "houseName": "Dyssegården",
      "externalInstallationId": "some-id",
      "addressKey": 123456,
      "createdDate": "2023-10-04T10:28:54.0000000+00:00",
      "createdBy": "Someone",
      "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
      "lastModifedBy": "Someone Else"
    },
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifedBy": "Someone Else"
  },
  "installation": {
    "name": "Test Testesen",
    "firstName": "Test",
    "lastName": "Testesen",
```

```
"occupation": "Works for a living",
"companyName": "Company AB",
"accountNo": "1234",
"cvrNo": "12345678",
"remarks": "Some remark",
"address": {
  "streetCode": "1234",
  "municipalCode": "123",
  "streetName": "Testvej",
  "zipCode": "1234",
  "houseNo": 2,
  "mainDoor": "The red door",
  "floor": "3",
  "doorNo": "TH",
  "city": "Andeby",
  "county": "Egedal",
  "country": "Denmark",
  "houseName": "Dyssegården",
  "externalInstallationId": "some-id",
  "addressKey": 123456,
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifiedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else",
"forwardingAddress": {
  "firstName": "Test",
  "lastName": "Testesen",
  "occupation": "Works for a living",
  "companyName": "Company AB",
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifiedBy": "Someone Else"
},
"announcement": {
  "announcementType": "CHANGE",
  "announcementChoice": "REFERENCE",
```

```
"announcementPhoneNo": "99999999",
"languageDanishPriority": 1,
"languageEnglishPriority": 2,
"languageGermanPriority": 3,
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifedBy": "Someone Else"
},
"productChangeList": [
  {
    "productId": "760022200001BREDBAAND///",
    "name": "Bredbånd",
    "cuProdNr": "xxx",
    "cuProdTr": "yyy",
    "cuProdAfs": "zzz",
    "sikValue": "B1000001",
    "productCount": 1,
    "productSequence": 23,
    "changeParameterList": [
      {
        "name": "SIK-NR",
        "paramValue": "B1000001",
        "createdDate": "2023-10-04T10:28:54.0000000+00:00",
        "createdBy": "Someone",
        "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
        "lastModifedBy": "Someone Else"
      }
    ],
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifedBy": "Someone Else"
  }
],
"taskList": [
  {
    "id": 1,
    "taskId": "3806",
    "taskName": "Poi Tildeling",
    "bookedDateSpecial": "string",
    "bookedDate": "string",
    "bookedTimeFrom": "string",
    "bookedTimeTo": "string",
    "executionDateSpecial": "string",
    "executionDate": "string",
    "executionTime": "string",
    "taskRescheduleAble": true,
    "taskRescheduled": false,
    "orderStage": "SITE_SURVEY",
    "delayed": false,
    "additionalTaskDataList": [
```

```

        "string"
    ],
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
}
],
"orderMessageList": [
{
    "id": 0,
    "messageType": "T",
    "messageValue": "00370720683210230859",
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
}
]
}

```

5.16 GET /api/v1/order/{orderNo} response 400

application/json

```

{
    "timestamp": "string",
    "status": "string",
    "message": "string",
    "path": "string",
    "code": "string",
    "reason": "string",
    "statusCode": "string",
    "statusError": "string"
}

```

5.17 GET /api/v1/order/{orderNo} response 500

application/json

```

{
    "timestamp": "string",
    "status": "string",
    "message": "string",
    "path": "string",
    "code": "string",
    "reason": "string",
    "statusCode": "string",

```



```
"statusCode": 400, "statusError": "string"
```

```
}
```

6 Schema

The following tables summarize schemas extracted from the OpenAPI document.

6.1 Schema overview

Compact overview of the component schemas, reusable fields, and schema-specific differences in this OpenAPI document.

Metric	Value
Component schemas	78
Common field definitions	88
Schema-specific field definitions	136
Wrapper schemas	22
Relationship-bearing schemas	43

6.2 Top reused fields

Most reused fields across the component schemas.

Field	Type	Schema count	Example	Used by
id	integer (int64)	13	1	Address, Announcement, CuEvent, Customer, CustomerRelation, Fallout, Installation, Order, OrderMessage, ProductChange, ProductParameter, ProductTypeConfig, Task
createdBy	string	12	Someone	Address, Announcement, Customer, CustomerRelation, Fallout, Installation, Order, OrderInfo, OrderMessage, ProductChange, ProductParameter, Task
createdAt	string (date-time)	12	2023-10-04T10:28:54.0000000+00:00	Address, Announcement, Customer, CustomerRelation, Fallout, Installation, Order, OrderInfo, OrderMessage, ProductChange, ProductParameter, Task

Field	Type	Schema count	Example	Used by
lastModifiedBy	string	12	Someone Else	Address, Announcement, Customer, CustomerRelation, Fallout, Installation, Order, OrderInfo, OrderMessage, ProductChange, ProductParameter, Task
lastModifiedDate	string (date-time)	12	2023-10-04T10:28:54.0000000+00:00	Address, Announcement, Customer, CustomerRelation, Fallout, Installation, Order, OrderInfo, OrderMessage, ProductChange, ProductParameter, Task
orderNo	integer integer (int64) string	7	100000001 / 1015456	CuEvent, Fallout, Order, OrderInfo, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent
phoneNo	string	7	EF000001	CustomerRelation, Order, OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent
_links	Links	5		CuEvent, Fallout, Order, ProductTypeConfig, RepresentationModelObject
eventDate	string (date-time)	5		OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent
eventId	integer	5		OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent
eventTime	string (date-time)	5		OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent
kiIdList	KiIdListType	5		OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent

6.3 Schema relationships

Reference relationships extracted from component schema properties.

Schema	Category	References
Customer	Domain	address -> Address

Schema	Category	References
CustomerRelation	Domain	customer -> Customer, installation -> Customer
Dashboard V1	Domain	falloutOrdersByState -> OrderStateCount, falloutOrderStates -> OrderStateCount, ordersByProductType -> ProductTypeCount, ordersByStage -> OrderStageCount, ordersByState -> OrderStateCount, ordersByStatus -> OrderStatusCount
Installation	Domain	address -> Address
Order	Domain	announcement -> Announcement, customerRelation -> CustomerRelation, forwardingAddress -> Installation, installation -> Installation, orderMessageList -> OrderMessage, productChangeList -> ProductChange, taskList -> Task
OrderChangeEvent	Domain	customerRelation -> CustomerRelationType, kisIdList -> KisIdListType, order -> OrderType
OrderCreateEvent	Domain	customerRelation -> CustomerRelationType, kisIdList -> KisIdListType, order -> OrderType
OrderMessageEvent	Domain	kisIdList -> KisIdListType, orderMessage -> OrderMessageType
ProductChange	Domain	changeParameterList -> ProductParameter
CustomerDTO	DTO	address -> AddressDTO
CustomerRelationDTO	DTO	customer -> CustomerDTO, installation -> CustomerDTO
OrderDTO	DTO	announcement -> AnnouncementDTO, customerRelation -> CustomerRelationDTO, forwardingAddress -> InstallationDTO, installation -> InstallationDTO, orderMessageList -> OrderMessage, productChangeList -> ProductChangeDTO, taskList -> TaskDTO
OrderInfoDTO	DTO	customerRelation -> CustomerRelationDTO, installation -> InstallationDTO
ProductChangeDTO	DTO	changeParameterList -> ProductParameterDTO
OrderRequestBody	Request	announcement -> Announcement, customerRelation -> CustomerRelation, forwardingAddress -> Installation, installation -> Installation, productChangeList -> ProductChange, taskList -> Task

Schema	Category	References
CustomerRelationType	Type	customer -> CustomerType, installation -> CustomerType
CustomerType	Type	address -> AddressType
InstallationType	Type	address -> AddressType
OrderStatusChangeEvent	Type	kisIdList -> KisIdListType
OrderType	Type	announcement -> AnnouncementType, customerRelation -> CustomerRelationType, forwardingAddress -> InstallationType, installation -> InstallationType, productChangeList -> ProductChangeListType, rejectionCausesList -> RejectionCausesList, statePlanlist -> StatePlanlistType, taskList -> TaskListType, workTimeslotList -> WorktimeslotListType
ProductChangeListType	Type	productChange -> ProductChange
RejectionCausesList	Type	rejectionCauses -> RejectionCauseType
StatePlanlistType	Type	statePlan -> StatePlan
TaskListType	Type	task -> Task
TaskStatusChangeEvent	Type	kisIdList -> KisIdListType, taskList -> TaskListType
WorktimeslotListType	Type	workTimeslot -> WorkTimeslot
CollectionModelEntityModelCuEvent	Wrapper	_links -> Links
CollectionModelEntityModelFallout	Wrapper	_links -> Links
CollectionModelEntityModelProductTypeConfig	Wrapper	_links -> Links

Schema	Category	References
EntityModelCuEvent	Wrapper	_links -> Links
EntityModelFallout	Wrapper	_links -> Links
EntityModelOrder	Wrapper	_links -> Links, announcement -> Announcement, customerRelation -> CustomerRelation, forwardingAddress -> Installation, installation -> Installation, productChangeList -> ProductChange, taskList -> Task
EntityModelProductTypeConfig	Wrapper	_links -> Links
PageableObject	Wrapper	sort -> SortObject
PagedModelEntityModelCuEvent	Wrapper	_links -> Links, page -> PageMetadata
PagedModelEntityModelFallout	Wrapper	_links -> Links, page -> PageMetadata
PagedModelEntityModelOrder	Wrapper	_links -> Links, page -> PageMetadata
PagedModelEntityModelProductTypeConfig	Wrapper	_links -> Links, page -> PageMetadata
PageOrder	Wrapper	content -> Order, pageable -> PageableObject, sort -> SortObject
PageOrderInfoDTO	Wrapper	content -> OrderInfoDTO, pageable -> PageableObject, sort -> SortObject
RepresentationModelObject	Wrapper	_links -> Links
RevisionLongOrder	Wrapper	entity -> Order, metadata -> RevisionMetadataLong

Schema	Category	References
RevisionsLongOrder	Wrapper	content -> RevisionLongOrder, latestRevision -> RevisionLongOrder

6.4 Wrapper patterns

Structural wrapper schemas are collapsed here instead of repeated as full object tables.

Wrapper	Pattern	Wraps	Fields
CollectionModelEntityModelCuEvent	Collection wrapper	Links	_embedded, _links
CollectionModelEntityModelFallout	Collection wrapper	Links	_embedded, _links
CollectionModelEntityModelProductTypeConfig	Collection wrapper	Links	_embedded, _links
EntityModelCuEvent	Entity wrapper	Links	message, jmsMessageId, orderNo, eventNo, handled, createdTs, modifiedTs, _links
EntityModelFallout	Entity wrapper	Links	id, falloutId, orderNo, productCode, product, cause, causeCategory, causeSubCategory, customerConsequence, getpNumber, registeredAt, latestUpdate, externalCause, newInstallationDate, state, createdAt, createdBy, lastModifiedDate, lastModifiedBy, _links
EntityModelOrder	Entity wrapper	Links, Announcement, Customer	id, orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisd, phoneNo, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate,

Wrapper	Pattern	Wraps	Fields
	pperr	Relation, Installation, Installation, ProductChange, Task	requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, forwardingAddress, announcement, customerRelation, productChangeList, taskList, createdDate, createdBy, lastModifedDate, lastModifedBy, _links
Entity Model ProductTypeConfig	Entity wrapper	Links	priority, productId, productGroup, productType, _links
Link	Link wrapper	-	href, hreflang, title, type, deprecation, profile, name, templated
Links	Link wrapper	-	(value)
Pageable	Page wrapper	-	page, size, sort
PageableObject	Page wrapper	SortObject	offset, sort, pageNumber, pageSize, paged, unpaged
Paged Model Entity Model CuEvent	Paged collection wrapper	Links, PageMetadata	_embedded, _links, page
Paged Model Entity Model Fallout	Paged collection wrapper	Links, PageMetadata	_embedded, _links, page

Wrapper	Pattern	Wraps	Fields
	Wrapper		
Paged Model Entity Model Order	Paged collection wrapper	Links, PageMetadata	_embedded, _links, page
Paged Model Entity Model ProductTypeConfig	Paged collection wrapper	Links, PageMetadata	_embedded, _links, page
Page Metadata	Page wrapper	-	size, totalElements, totalPages, number
Page Order	Page wrapper	Order, Pageable Object, SortObject	totalPages, totalElements, size, content, number, sort, numberOfElements, pageable, first, last, empty
Page OrderInfoDTO	Page wrapper	OrderInfo DTO, Pageable Object, SortObject	totalPages, totalElements, size, content, number, sort, numberOfElements, pageable, first, last, empty
RepresentationModelObject	Structural wrapper	Links	_links
RevisionLongOrder	Revision wrapper	Order, Revision Metadata Long	metadata, entity, revisionNumber, revisionInstant, requiredRevisionInstant, requiredRevisionNumber

Wrapper	Pattern	Wraps	Fields
RevisionMetadataLong	Revision wrapper	-	delegate, revisionType, revisionNumber, revisionInstant, requiredRevisionInstant, requiredRevisionNumber
RevisionsLongOrder	Revision wrapper	RevisionLongOrder, RevisionLongOrder	content, latestRevision, empty

6.5 Identifier fields

Common identifier fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Example	Description
contactPhoneNumber	string	-	Order (5 variants), OrderInfo	999999999	Contact phone number
eventId	integer	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	-		
hasExternalFallout	boolean	-	Order (4 variants), OrderInfo		
id	integer (int64)	-	Address, Announcement, CuEvent, Customer, CustomerRelation, Fallout (2 variants), Installation, Order (3 variants), OrderMessage, ProductChange, ProductParameter, ProductTypeConfig, Task	1	ID / internal Id of the order

Field	Type	Required in	Optional in	Example	Description
kisId	array of string string	-	KisIdList, Order (4 variants), OrderInfo	8292-08-20-10.48.44.625510	KISS ID for order
lid	string	-	CustomerRelation, Order, OrderInfo, StatePlan	EF000001	LID
number	integer (int32) integer (int64)	-	Metadata, Order, OrderInfo		
orderNo	integer integer (int64) string	OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	CuEvent (2 variants), Fallout (2 variants), Order (5 variants), OrderInfo	100000001 / 1015456	Order number
phoneNo	string	CustomerRelation, OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	CustomerRelation, Order (4 variants)	EF000001	Customer Phonenu mber/LI D / Phonenu mber/LI D
productId	string	-	ProductChange, ProductTypeConfig (2 variants)	070021112292GBBF/VAR/BBF/ / 760022200001BRED BAAND///	Product Id / The product id to match
requiredRevisionNumber	integer (int64)	-	RevisionLongOrder, RevisionMetadataLong		
reservedPhoneNo	string	-	Order (5 variants), OrderInfo	999999999	Reserved phonenu mber

Field	Type	Required in	Optional in	Example	Description
revisionNumber	integer (int64)	-	RevisionLongOrder, RevisionMetadataLong		

6.6 Audit fields

Common audit fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Example	Description
createdBy	string	-	Address, Announcement, Customer, CustomerRelation, Fallout (2 variants), Installation, Order (4 variants), OrderInfo, OrderMessage, ProductChange, ProductParameter, Task	Someone	Modified by
createdDate	string (date-time)	-	Address, Announcement, Customer, CustomerRelation, Fallout (2 variants), Installation, Order (4 variants), OrderInfo, OrderMessage, ProductChange, ProductParameter, Task	2023-10-04T10:28:54.0000000+00:00	Creation date
lastModifiedBy	string	-	Address, Announcement, Customer, CustomerRelation, Fallout (2 variants), Installation, Order (4 variants), OrderInfo, OrderMessage, ProductChange, ProductParameter, Task	Someone Else	Modified by
lastModifiedDate	string (date-time)	-	Address, Announcement, Customer, CustomerRelation, Fallout (2 variants), Installation, Order (4 variants), OrderInfo, OrderMessage, ProductChange, ProductParameter, Task	2023-10-04T10:28:54.0000000+00:00	Last updated date

6.7 Status and error fields

Common status and error fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Example	Description
bookingMessage	string	-	Order (5 variants), OrderInfo	Some information about booking	Booking message

Field	Type	Required in	Optional in	Example	Description
book Reason	string	-	Order (5 variants), OrderInfo	243	Book Reason
code	string	-	Default ErrorPayload, Error		Application relevant detail, defined in the API or a common list.
important Message	string	-	Order (5 variants), OrderInfo	Important message about order	important message
message	string	-	CuEvent (2 variants), Default ErrorPayload, Error		More details and corrective actions related to the error which can be shown to a client user.
orderStage	enum: PREPARE_FIBER, SITE_SURVEY, OFFER, ORDER_CONFIRMATION, HIGH_LEVEL_DESIGN, DETAILED_DESIGN, FIBER_CONSULTANT, DIGGING, PROVISIONING, CENTRAL_CONNECT, CUSTOMER_INSTALLATION, GIG_TECHNICIAN, GDS_WITHOUT_TECHNICIAN, GDS_WITH_TECHNICIAN, IGNORE, EXECUTED, FINISHED, CANCELLED	-	Order (4 variants), OrderInfo, Task	SITE_SURVEY	Order stage
orderStages	string	-	Order (4 variants), OrderInfo	SITE_SURVEY,CUSTOMER_INSTALLATION, EXECUTED,FINISHED	Stages in order
orderS	enum: GREEN, YELLOW, RED	-	Order (4	YELLOW	Order state

Field	Type	Required in	Optional in	Example	Description
state			variants), OrderInfo		
orderStateSort	integer (int32)	-	Order (4 variants), OrderInfo	0	Sorts the orderState as GREEN,YELLOW,RED in ascending mode
orderStatus	enum: STARTED, ORDERED, EXECUTED, INVOICED, CANCELLED	OrderStatusChangeEvent	Order (5 variants), OrderInfo	ORDERED / STARTED	Order status
orderType	string	-	Order (5 variants), OrderInfo	OPRETT ELSE	Order type
productType	string	-	Order (4 variants), OrderInfo, ProductTypeConfig (2 variants)	020021100001EB SA-FIBER/// FIBER	The product being ordered / The technology that the product belongs to
reason	string	-	Default ErrorPayload, Error		Explanation of the reason for the error which can be shown to a client user.
state	enum: GREEN, YELLOW, RED enum: OPEN, RESOLVED enum: PREPARE_FIBER, SITE_SURVEY, OFFER, ORDER_CONFIRMATION, HIGH_LEVEL_DESIGN, DETAILED_DESIGN, FIBER_CONSULTANT, DIGGING, PROVISIONING, CENTRAL_CONNECT,	-	Fallout (2 variants), OrderStageCount,	GREEN / OPEN / ...	

Field	Type	Required in	Optional in	Example	Description
	CUSTOMER_INSTALLATION, GIG_TECHNICIAN, GDS_WITHOUT_TECHNICIAN, GDS_WITH_TECHNICIAN, IGNORE, EXECUTED, FINISHED, CANCELLED		OrderStateCount		
status	enum: STARTED, ORDERED, EXECUTED, INVOICED, CANCELLED string	-	Default ErrorPayload, Error, OrderStatusCount	STARTED	HTTP Error code extension
timeslotType	string	-	Order (5 variants), OrderInfo	xxxx	Timeslot Type
type	string	-	Item, JsonSchema, Link, ProductTypeCount		

6.8 Pagination fields

Common pagination fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Example	Description
empty	boolean	-	Order, OrderInfo, RevisionsLongOrder, SortObject		
first	boolean	-	Order, OrderInfo		
firstName	string	-	Customer, Installation	Test	First name
last	boolean	-	Order, OrderInfo		
lastName	string	-	Customer, Installation	Testsen	Last name
numberOfElements	integer (int32)	-	Order, OrderInfo		

Field	Type	Required in	Optional in	Example	Description
pageable	PageableObject	-	Order, OrderInfo		
page	PageMetadata integer (int32)	-	CuEvent, Fallout, Order, Pageable, ProductTypeConfig		
size	integer (int32) integer (int64)	-	Metadata, Order, OrderInfo, Pageable		
sort	SortObject array of string	-	Order, OrderInfo, Pageable, PageableObject		
totalElements	integer (int64)	-	Metadata, Order, OrderInfo		
totalPages	integer (int32) integer (int64)	-	Metadata, Order, OrderInfo		

6.9 Link fields

Common link fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Example	Description
_links	Links	-	CuEvent (3 variants), Fallout (3 variants), Order (2 variants), ProductTypeConfig (3 variants), RepresentationModelObject		
customerRelation	CustomerRelation CustomerRelationDTO CustomerRelationType	-	Order (5 variants), OrderChangeEvent, OrderCreateEvent, OrderInfo		

6.10 Scheduling fields

Common scheduling fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Example	Description
bookExactDate	boolean	-	Order (5 variants), OrderInfo		Order booked specific date

Field	Type	Required in	Optional in	Example	Description
computeDate	string (date-time)	-	Order (5 variants), OrderInfo	2023-10-04T10:28:54.0000000+00:00	Compute Date
eventDate	string (date-time)	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	-		
eventTime	string (date-time)	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	-		
executedDate	string (date-time)	-	Order (4 variants), OrderInfo	2023-10-04T10:28:54.0000000+00:00	Date order was set to executed
executionDate	string (date-time)	-	Order (5 variants), OrderInfo, Task	2023-10-04T10:28:54.0000000+00:00	Execution Date
executionTimeFrom	string (date-time)	-	Order (5 variants), OrderInfo	2023-10-04T10:28:54.0000000+00:00	Execution Time From
executionTimeTo	string (date-time)	-	Order (5 variants), OrderInfo	2023-10-04T10:28:54.0000000+00:00	Execution Time To
orderDate	string (date-time)	-	Order (5 variants), OrderInfo	2023-10-04T10:28:54.0000000+00:00	Order Date
requestedDate	string (date-time)	-	Order (5 variants), OrderInfo	2023-10-04T10:28:54.0000000+00:00	Requested Date
requestedTime	string (date-time)	-	Order (5 variants), OrderInfo	2023-10-04T10:28:54.0000000+00:00	Request Requested Time
requestEndLimitDate	string (date-time)	-	Order (5 variants), OrderInfo	2023-10-04T10:28:54	Request Limit End

Field	Type	Required in	Optional in	Example	Description
				.00000000+00:00	
requestStartLimitDate	string (date-time)	-	Order (5 variants), OrderInfo	2023-10-04T10:28:54.00000000+00:00	Request Limit Start

6.11 Collection fields

Common collection fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Example	Description
content	array of Order array of OrderInfoDTO array of RevisionLongOrder	-	Order, OrderInfo, RevisionsLongOrder		
kisIdList	KisIdListType	-	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent		
taskList	TaskListType array of Task array of TaskDTO	TaskStatusChangeEvent	Order (5 variants)		

6.12 Business fields

Common business fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Example	Description
_embedded	object	-	CuEvent (2 variants), Fallout (2 variants), Order, ProductTypeConfig (2 variants)		
address	Address AddressDTO AddressType	-	Customer, Installation		
companyName	string	-	Customer, Installation	Company AB	Company name / Name

Field	Type	Required in	Optional in	Example	Description
confirm Letter	enum: TRUE, FALSE	-	Order (5 variants), OrderInfo	FALSE / TRUE	Send confirmation letter
contact Name	string	-	Order (5 variants), OrderInfo	Peter Pedal	Contact Name
copper Blockin gText	string	-	Order (5 variants), OrderInfo	Something blocking copper	Copper Blocking Text
count	integer (int64)	-	OrderStageCount, OrderStateCount, OrderStatusCount, ProductTypeCount		
daySho rtname	enum: MAN, TIR, ONS, TOR, FRE, LØR, SØN	-	Order (5 variants), OrderInfo	MAN / TOR	Day shortname
executi onDate Special	string	-	Order (5 variants), OrderInfo, Task		Excution date special / executionDat eSpecial
hasFall out	boolean	-	Order (4 variants), OrderInfo		
installat ion	Customer CustomerDTO CustomerType Installation ...	Custo merR elatio n	CustomerRelation, Order (5 variants), OrderInfo		
name	string	-	Customer, Link, ProductChange, ProductParameter	Bredbånd / SIK-NR / ...	Name
occupa tion	string	-	Customer, Installation	Works for a living	Occupation
order	OrderType	-	OrderChangeEvent, OrderCreateEvent		
orderRe ference	string	-	Order (5 variants), OrderInfo	order-xyz	Order reference
path	string	-	DefaultErrorPayload, Error		The url path, that was called
properti es	object	-	Item, JsonSchema		

Field	Type	Required in	Optional in	Example	Description
remarks	string	-	Customer, Order (5 variants), OrderInfo	Some remark / Some remark on the order	Remarks
requestedDateSpecial	string	-	Order (5 variants), OrderInfo		Request date special
requiredProperties	array of string	-	Item, JsonSchema		
requiredRevisionInstant	string (date-time)	-	RevisionLongOrder, RevisionMetadataLong		
revisionInstant	string (date-time)	-	RevisionLongOrder, RevisionMetadataLong		
timestamp	string string (date-time)	-	DefaultErrorPayload, Error		The timestamp for the request
title	string	-	AbstractJsonSchemaPropertyObject, JsonSchema, Link		

6.13 Schema-specific fields

Fields that only appear in one schema family are listed here as the schema-specific differences.

Schema family	Field	Type	Required in	Optional in	Example	Description
AbstractJsonSchemaPropertyObject	readOnly	boolean	-	AbstractJsonSchemaPropertyObject		
Address	addressKey	integer	-	Address	123456	Addresskey
Address	city	string	-	Address	Andeby	City

Sche ma famil y	Fiel d	Type	Re qui red in	Opti onal in	Example	Description
Addr ess	cou ntry	string	-	Addr ess	Denmarl	Country
Addr ess	cou nty	string	-	Addr ess	Egedal	County
Addr ess	door No	string	-	Addr ess	TH	Door
Addr ess	exte rnall nstal lation Id	string	-	Addr ess	some-id	External installation Id
Addr ess	floor	string	-	Addr ess	3	Floor
Addr ess	hous eNa me	string	-	Addr ess	Dyssegår den	Housenam e
Addr ess	hous eNo	integer	Ad dres s	Addr ess	2	House number of street
Addr ess	main Doo r	string	-	Addr ess	The red door	Information about address installation main door
Addr ess	muni cipal Cod e	string	-	Addr ess	123	Municipalit y code
Addr ess	stre etCo de	string	-	Addr ess	1234	Street code
Addr ess	stre etNa me	string	-	Addr ess	Testvej	Street name
Addr ess	zipC ode	string	-	Addr ess	1234	Zip code

Schema family	Field	Type	Required in	Optional in	Example	Description
Announcement	announcementChoice	enum: NUMBERCHANGE, REFERENCE	-	Announcement	NUMBERCHANGE / REFERENCE	Announcement Choice
Announcement	announcementPhoneNo	string	-	Announcement	999999999	Phonenumber
Announcement	announcementType	enum: STANDARD, CANCEL, CHANGE	Announcement	Announcement	CHANGE / STANDARD	Announcement Type
Announcement	languageDanishPriority	integer	-	Announcement	1	Priority of Danish
Announcement	languageEnglishPriority	integer	Announcement	Announcement	2	Priority of English
Announcement	languageGermanPriority	integer	-	Announcement	3	Priority of German
CuEvent	createdTs	string (date-time)	-	CuEvent (2 variants)		When event was received
CuEvent	eventNo	integer (int64)	-	CuEvent (2 variants)		

Schema family	Field	Type	Required in	Optional in	Example	Description
CuEvent	handled	boolean	-	CuEvent (2 variants)		
CuEvent	jms MessageId	string	-	CuEvent (2 variants)		
CuEvent	modifiedTs	string (date-time)	-	CuEvent (2 variants)		When event was updated
Customer	accountNo	string	-	Customer	1234	Account number
Customer	cvrNo	string	-	Customer	12345678	CVR number
Customer Relation	customer	Customer CustomerDTO CustomerType	CustomerRelation	CustomerRelation		
Customer Relation	customerRelationId	string	CustomerRelation	CustomerRelation	100000001-EF000001	Customer Relation Id
Customer Relation	customerRelationStatus	enum: ORDERED, SUBSCRIBED, DISABLED, CANCELLATION_ORDERED, CANCELLED	CustomerRelation	CustomerRelation	ORDERED / SUBSCRIBED	Customer status
Customer Relation	ongoingOrdersExecutionDate	string (date-time)	-	CustomerRelation		Ongoing orders execution date

Schema family	Field	Type	Required in	Optional in	Example	Description
Customer Relation	ongoing Orders	string	-	Customer Relation	xyz	Ongoing orders
Customer Relation	phonebook PublicStatus	enum: PUBLIC, ADDRESS_SECRET, SECRET, OMITTED	Customer Relation	Customer Relation	PUBLIC / SECRET	Phonebok registration
Dashboar dV1	external Fallo utCo unt	integer (int64)	-	Dash boar dV1		
Dash boar dV1	fallo utCo unt	integer (int64)	-	Dash boar dV1		
Dash boar dV1	fallo utOrders BySt ate	array of OrderStateCount	-	Dash boar dV1		
Dash boar dV1	fallo utOrderS tate s	array of OrderStateCount	-	Dash boar dV1		
Dash boar dV1	new Ord erCo unt	integer (int64)	-	Dash boar dV1		
Dash boar dV1	orde rCou nt	integer (int64)	-	Dash boar dV1		
Dash boar dV1	orde rsBy Prod uctT ype	array of ProductTypeCount	-	Dash boar dV1		
Dash boar dV1	orde rsBy Stag e	array of OrderStageCount	-	Dash boar dV1		

Schema family	Field	Type	Required in	Optional in	Example	Description
Dash board v1	ordersBy State	array of OrderStateCount	-	Dash board v1		
Dash board v1	ordersBy Status	array of OrderStatusCount	-	Dash board v1		
DefaultErrorPayload	statusCode	string	-	DefaultErrorPayload		
DefaultErrorPayload	statusError	string	-	DefaultErrorPayload		
Error	@baseType	string	-	Error		When sub-classing, this defines the super-class.
Error	@schemaLocation	string	-	Error		A URI to a JSON-Schema file that defines additional attributes and relationships
Error	@type	string	-	Error		When sub-classing, this defines the sub-class entity name.
Error	reference Error	string	-	Error		URI of documentation describing the error.

Sche ma famil y	Fiel d	Type	Re qui red in	Opti onal in	Example	Descriptio n
Fallo ut	caus eCat egor y	string	-	Fallo ut (2 varia nts)	Kunde_ej _klar	
Fallo ut	caus e	string	-	Fallo ut (2 varia nts)	LKFiber	
Fallo ut	caus eSu bCat egor y	string	-	Fallo ut (2 varia nts)	Kunden kan ikke kontaktes	
Fallo ut	cust ome rCon seq uen ce	boolean	-	Fallo ut (2 varia nts)	false	
Fallo ut	exte rnal Cau se	string	-	Fallo ut (2 varia nts)	Kunden var ikke helt indforstå et med hvad der skulle laves af installatio n og...	
Fallo ut	fallo utId	integer (int64)	-	Fallo ut (2 varia nts)	1212	
Fallo ut	getp Num ber	string	-	Fallo ut (2 varia nts)	P- 01313947	
Fallo ut	lates tUp date	string (date-time)	-	Fallo ut (2 varia nts)		

Sche ma famil y	Fiel d	Type	Re qui red in	Opti onal in	Example	Descriptio n
Fallo ut	newl nstal lationDate	string (date-time)	-	Fallo ut (2 varia nts)		This date is updated when fallout is rebooked (but not allways - so we cannot use it for logic
Fallo ut	prod uctCode	string	-	Fallo ut (2 varia nts)	FV49077 -30	CADY product code
Fallo ut	prod uct	string	-	Fallo ut (2 varia nts)	Fiber Kundeinst allation IC1	CADY product name
Fallo ut	regi ster edAt	string (date-time)	-	Fallo ut (2 varia nts)		
Json Sche ma	\$sc hem a	string	-	Json Sche ma		
Json Sche ma	defi nitio ns	object	-	Json Sche ma		
Json Sche ma	desc ripti on	string	-	Json Sche ma		
Link	depr ecati on	string	-	Link		
Link	hrefl ang	string	-	Link		
Link	href	string	-	Link		
Link	profi le	string	-	Link		
Links	(valu e)	object	Lin ks	-		

Sche ma famil y	Fiel d	Type	Re qui red in	Opti onal in	Example	Descriptio n
Link	tem plat ed	boolean	-	Link		
Orde r	ann oun cem ent	Announcement AnnouncementDTO AnnouncementType	-	Orde r (5 varia nts)		
Orde r	forw ardi ngA ddre ss	Installation InstallationDTO InstallationType	-	Orde r (5 varia nts)		
Orde rMes sage Event	orde rMe ssag e	OrderMessageType	Ord erM ess age Eve nt	-		
Orde rMes sage	mes sage Typ e	string	-	Orde rMes sage	T	Type of message
Orde rMes sage	mes sage Valu e	string	-	Orde rMes sage	0037072 0683210 230859	value
Orde r	orde rMe ssag eList	array of OrderMessage array of string	-	Orde r		
Orde r	prod uctC han geLi st	ProductChangeListType array of ProductChange array of ProductChangeDTO	-	Orde r (5 varia nts)		
Orde r	reje ctio nCa uses List	RejectionCausesList	-	Orde r		
Orde rStag eCou nt	stag e	enum: PREPARE_FIBER, SITE_SURVEY, OFFER, ORDER_CONFIRMATION, HIGH_LEVEL_DESIGN, DETAILED_DESIGN,	-	Orde rStag eCou nt	PREPARE _FIBER	

Sche ma famil y	Fiel d	Type	Re qui red in	Opti onal in	Example	Descriptio n
		FIBER_CONSULTANT, DIGGING, PROVISIONING, CENTRAL_CONNECT, CUSTOMER_INSTALLATION, GIG_TECHNICIAN, GDS_WITHOUT_TECHNICIAN, GDS_WITH_TECHNICIAN, IGNORE, EXECUTED, FINISHED, CANCELLED				
Order	statePlanlist	StatePlanlistType	-	Order		
Order	workTimeslotList	WorktimeslotListType	-	Order		
Pageable Object	offset	integer (int64)	-	Pageable Object		
Pageable Object	pag ed	boolean	-	Pageable Object		
Pageable Object	pageNumber	integer (int32)	-	Pageable Object		
Pageable Object	pageSize	integer (int32)	-	Pageable Object		
Pageable Object	unpaged	boolean	-	Pageable Object		
ProductChange	changeParameterList	array of ProductParameter array of ProductParameterDTO	-	ProductChange		
ProductChange	cuProdAfs	string	-	ProductChange	zzz	cuProdAfs

Sche ma famil y	Fiel d	Type	Re qui red in	Opti onal in	Example	Descriptio n
Prod uctC hang e	cuPr odNr	string	-	Prod uctC hang e	xxx	cuProdNr
Prod uctC hang e	cuPr odTr	string	-	Prod uctC hang e	yyy	cuProdTr
Prod uctC hang eList	prod uctC han ge	array of ProductChange	-	Prod uctC hang eList		
Prod uctC hang e	prod uctC ount	integer	-	Prod uctC hang e	1	How many
Prod uctC hang e	prod uctS equ ence	integer	-	Prod uctC hang e	23	Sequence
Prod uctC hang e	sikV alue	string	-	Prod uctC hang e	B100000 1	SIK
Prod uctP aram eter	para mVal ue	string	-	Prod uctP aram eter	B100000 1	Value
Prod uctTy peCo nfig	prior ity	integer (int32)	-	Prod uctTy peCo nfig (2 varia nts)	0	Lowest priority first
Prod uctTy peCo nfig	prod uctG roup	string	-	Prod uctTy peCo nfig (2 varia nts)	EXTERNAL_FIBER	The product group that the product belongs to

Schema family	Field	Type	Required in	Optional in	Example	Description
RejectionCause	rejectionCauseCode	string	-	RejectionCause		
RejectionCause	rejectionCauseText	string	-	RejectionCause		
RejectionCauseList	rejectionCauses	array of RejectionCauseType	-	RejectionCauseList		
RevisionLongOrder	entity	Order	-	RevisionLongOrder		
RevisionLongOrder	metadata	RevisionMetadataLong	-	RevisionLongOrder		
RevisionMetadataLong	delegate	object	-	RevisionMetadataLong		
RevisionMetadataLong	revisionType	enum: UNKNOWN, INSERT, UPDATE, DELETE	-	RevisionMetadataLong	UNKNOWN	
RevisionsLongOrder	latestRevision	RevisionLongOrder	-	RevisionsLongOrder		
SortObject	sorted	boolean	-	SortObject		
SortObject	unsorted	boolean	-	SortObject		

Sche ma famil y	Fiel d	Type	Re qui red in	Opti onal in	Example	Descriptio n
State Plan	klar mel dtDa to	string	-	State Plan		
State Planli st	stat ePla n	array of StatePlan	-	State Planli st		
State Plan	med delel sesE Mail	string	-	State Plan		
State Plan	med delel sesK ode	string	-	State Plan		
State Plan	med delel sesS MS	string	-	State Plan		
State Plan	sidst Opd Tst mp	string	-	State Plan		
State Plan	stat eBe mae rk	string	-	State Plan		
State Plan	stat eKla rm	string	-	State Plan		
State Plan	stat eKo de	string	-	State Plan		
State Plan	stat eNa me	string	-	State Plan		
Task	addi tion alTa skD ataLi st	array of string	-	Task		

	Sche ma famil y	Fiel d	Type	Re qui red in	Opti onal in	Example	Descriptio n
	Task	boo ked Date Spe cial	string	-	Task		Booked Date Special
	Task	boo ked Date	string (date-time)	-	Task		Booked Date
	Task	boo ked Tim eFro m	string (date-time)	-	Task		Booked Time From
	Task	boo ked Tim eTo	string (date-time)	-	Task		Booked Time To
	Task	dela yed	boolean	-	Task	false	is the task delayed
	Task	exec utio nTim e	string (date-time)	-	Task		Execution Time
	Task List	task	array of Task	-	Task List		
	Task	taskI d	string	-	Task	3806	Task Id
	Task	task Nam e	string	-	Task	Poi Tildeling	Task Name
	Task	task Res che dule Able	boolean	-	Task	true	Can task be re- scheduled
	Task	task Res che dule d	boolean	-	Task	false	Has task been re- scheduled
	Work times	work Tim	array of WorkTimeslot	Wo rkti	-		

Schema family	Field	Type	Required in	Optional in	Example	Description
lotList	eslot		me slot List			
Work Time slot	time slot Date Special	string	-	Work Time slot		
Work Time slot	time slot Date	string (date-time)	-	Work Time slot		
Work Time slot	time slotInside Slack	boolean	-	Work Time slot		
Work Time slot	time slot Time From	string (date-time)	-	Work Time slot		
Work Time slot	time slot Time To	string (date-time)	-	Work Time slot		

6.14 Schema index

Index of component schemas included in this OpenAPI document.

Schema	Family	Category	Field count	Fields
AbstractJsonSchemaPropertyObject	AbstractJsonSchemaPropertyObject	Domain	2	title, readOnly

Sche ma	Fami ly	C at eg or y	Fi el d c o u nt	Fields
Addre ss	Addr ess	D o m ai n	19	id, streetCode, municipalCode, streetName, zipCode, houseNo, mainDoor, floor, doorNo, city, county, country, houseName, externalInstallationId, addressKey, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Addre ssDT O	Addr ess	D T O	1 8	streetCode, municipalCode, streetName, zipCode, houseNo, mainDoor, floor, doorNo, city, county, country, houseName, externalInstallationId, addressKey, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Addre ssTyp e	Addr ess	Typ e	1 4	streetCode, municipalCode, streetName, zipCode, houseNo, mainDoor, floor, doorNo, city, county, country, houseName, externalInstallationId, addressKey
Anno unce ment	Ann ounc eme nt	D o m ai n	11	id, announcementType, announcementChoice, announcementPhoneNo, languageDanishPriority, languageEnglishPriority, languageGermanPriority, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Anno unce ment DTO	Ann ounc eme nt	D T O	10	announcementType, announcementChoice, announcementPhoneNo, languageDanishPriority, languageEnglishPriority, languageGermanPriority, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Anno unce ment Type	Ann ounc eme nt	Typ e	6	announcementType, announcementChoice, announcementPhoneNo, languageDanishPriority, languageEnglishPriority, languageGermanPriority
CuEv entRe quest Body	CuE vent	Re qu es t	8	id, message, jmsMessageId, orderNo, eventNo, handled, createdTs, modifiedTs
Colle ction Mode lEntit yMod elCuE vent	CuE vent	W ra pp er	2	_embedded, _links
Entity Mode lCuEv ent	CuE vent	W ra pp er	8	message, jmsMessageId, orderNo, eventNo, handled, createdTs, modifiedTs, _links

Sche ma	Fami ly	C at eg or y	Fi el d c o u nt	Fields
Page dMod elEnti tyMo delCu Event	CuE vent	W ra pp er	3	_embedded, _links, page
Custo mer	Cust omer	D o m ai n	1 4	id, name, firstName, lastName, occupation, companyName, accountNo, cvrNo, remarks, address, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Custo merD TO	Cust omer	D T O	13	name, firstName, lastName, occupation, companyName, accountNo, cvrNo, remarks, address, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Custo merTy pe	Cust omer	Ty pe	9	name, firstName, lastName, occupation, companyName, accountNo, cvrNo, remarks, address
Custo merR elatio n	Cust omer Relat ion	D o m ai n	13	id, customerRelationId, phoneNo, phonebookPublicStatus, customerRelationStatus, ongoingOrders, ongoingOrdersExecutionDate, customer, installation, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Custo merR elatio nDTO	Cust omer Relat ion	D T O	12	customerRelationId, lid, phonebookPublicStatus, customerRelationStatus, ongoingOrders, ongoingOrdersExecutionDate, customer, installation, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Custo merR elatio nType	Cust omer Relat ion	Ty pe	8	customerRelationId, phoneNo, phonebookPublicStatus, customerRelationStatus, ongoingOrders, ongoingOrdersExecutionDate, customer, installation
Dash board V1	Dash boar dV1	D o m ai n	10	ordersByState, ordersByStatus, ordersByStage, ordersByProductType, newOrderCount, orderCount, externalFalloutCount, falloutCount, falloutOrderStates, falloutOrdersByState
Defau ltErro rPayl oad	Defau ltErro rPayl oad	Er ro r	8	timestamp, status, message, path, code, reason, statusCode, statusError

Schema	Family	Category	Field count	Fields
Error	Error	Error	10	code, reason, message, status, referenceError, @baseType, @schemaLocation, @type, timestamp, path
FalloutRequestBody	Fallout	Request	19	id, falloutId, orderNo, productCode, product, cause, causeCategory, causeSubCategory, customerConsequence, getpNumber, registeredAt, latestUpdate, externalCause, newInstallationDate, state, createdAt, createdBy, lastModifiedDate, lastModifiedBy
CollectionModelEntityModelFallout	Fallout	Wrapper	2	_embedded, _links
EntityModelFallout	Fallout	Wrapper	20	id, falloutId, orderNo, productCode, product, cause, causeCategory, causeSubCategory, customerConsequence, getpNumber, registeredAt, latestUpdate, externalCause, newInstallationDate, state, createdAt, createdBy, lastModifiedDate, lastModifiedBy, _links
PageModelEntityModelFallout	Fallout	Wrapper	3	_embedded, _links, page
Installation	Installation	Domain	10	id, firstName, lastName, occupation, companyName, address, createdAt, createdBy, lastModifiedDate, lastModifiedBy
InstallationDTO	Installation	DTO	8	firstName, lastName, occupation, companyName, createdAt, createdBy, lastModifiedDate, lastModifiedBy
InstallationType	Installation	Type	5	firstName, lastName, occupation, companyName, address
Item	Item	Domain	3	type, properties, requiredProperties

Sche ma	Fami ly	C at eg or y	Fi el d c o u nt	Fields
JsonS chem a	Json Sche ma	D o m ai n	7	title, description, properties, requiredProperties, definitions, type, \$schema
KisIdL istTyp e	KisId List	Ty pe	1	kisId
Link	Link	W r a p p e r	8	href, hreflang, title, type, deprecation, profile, name, templated
Links	Link s	W r a p p e r	1	(value)
Page Meta data	Meta data	W r a p p e r	4	size, totalElements, totalPages, number
Order	Orde r	D o m ai n	4 9	id, orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisId, phoneNo, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, forwardingAddress, announcement, customerRelation, productChangeList, taskList, orderMessageList, createdDate, createdBy, lastModifedDate, lastModifedBy
Order DTO	Orde r	D T O	4 8	orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisId, lid, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, customerRelation, createdDate, createdBy, lastModifedDate, lastModifedBy, forwardingAddress, announcement, productChangeList, taskList, orderMessageList

Sche ma	Fami ly	C at eg or y	Fi el d c o u nt	Fields
Order Requ estBo dy	Orde r	Re qu es t	4 9	id, orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisId, phoneNo, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, forwardingAddress, announcement, customerRelation, productChangeList, taskList, orderMessageList, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Order Type	Orde r	Ty pe	3 7	orderType, orderDate, orderStatus, orderNo, phoneNo, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, installation, forwardingAddress, announcement, productChangeList, customerRelation, taskList, workTimeslotList, copperBlockingText, statePlanlist, rejectionCausesList
Entity Mode lOrde r	Orde r	W ra pp er	4 9	id, orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisId, phoneNo, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, forwardingAddress, announcement, customerRelation, productChangeList, taskList, createdDate, createdBy, lastModifiedDate, lastModifiedBy, _links
Page dMod elEnti tyMo delOr der	Orde r	W ra pp er	3	_embedded, _links, page
Page Order	Orde r	W ra pp er	11	totalPages, totalElements, size, content, number, sort, numberOfElements, pageable, first, last, empty
Order Chan	Orde rCha	D o m	7	kisIdList, eventId, phoneNo, eventDate, eventTime, customerRelation, order

Sche ma	Fami ly	C at eg or y	Fi el d c o u nt	Fields
geEve nt	ngeE vent	ai n		
Order Creat eEven t	Orde rCre ateE vent	D o m ai n	7	kisIdList, eventId, phoneNo, eventDate, eventTime, customerRelation, order
Order InfoD TO	Orde rInfo	D T O	4 3	orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisId, lid, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, customerRelation, createdDate, createdBy, lastModifedDate, lastModifedBy
Page Order InfoD TO	Orde rInfo	W r a p p e r	11	totalPages, totalElements, size, content, number, sort, numberOfElements, pageable, first, last, empty
Order Mess age	Orde rMes sage	D o m ai n	7	id, messageType, messageValue, createdDate, createdBy, lastModifedDate, lastModifedBy
Order Mess ageTy pe	Orde rMes sage	Ty pe	2	messageType, messageValue
Order Mess ageEv ent	Orde rMes sage Even t	D o m ai n	7	kisIdList, eventId, phoneNo, eventDate, eventTime, orderNo, orderMessage
Order Stage Count	Orde rSta geC ount	Ty pe	3	stage, count, state
Order State Count	Orde rStat	Ty pe	2	state, count

Sche ma	Fami ly	C at eg or y	Fi el d c o u nt	Fields
	eCo unt			
Order Statu sCha ngeE vent	Orde rStat usCh ange Even t	Ty pe	7	kisIdList, eventId, phoneNo, eventDate, eventTime, orderNo, orderStatus
Order Statu sCou nt	Orde rStat usCo unt	Ty pe	2	status, count
Page able	Page able	W ra pp er	3	page, size, sort
Page ableO bject	Page able Obje ct	W ra pp er	6	offset, sort, pageNumber, pageSize, paged, unpaged
Produ ctCha nge	Prod uctC hang e	D o m ai n	1 4	id, productId, name, cuProdNr, cuProdTr, cuProdAfs, sikValue, productCount, productSequence, changeParameterList, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Produ ctCha ngeD TO	Prod uctC hang e	D T O	13	productId, name, cuProdNr, cuProdTr, cuProdAfs, sikValue, productCount, productSequence, changeParameterList, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Produ ctCha ngeLi stTyp e	Prod uctC hang eList	Ty pe	1	productChange
Produ ctPar amet er	Prod uctP aram eter	D o m ai n	7	id, name, paramValue, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Produ ctPar amet	Prod uctP	D T O	6	name, paramValue, createdDate, createdBy, lastModifiedDate, lastModifiedBy

Sche ma	Fami ly	C at eg or y	Fi el d c o u n t	Fields
erDT O	aram eter			
Produ ctTyp eConf igReq uestB ody	Prod uctT ype Conf ig	Re qu es t	5	id, priority, productId, productGroup, productType
Colle ction Mode lEntit yMod elPro ductT ypeC onfig	Prod uctT ype Conf ig	W ra pp er	2	_embedded, _links
Entity Mode lProd uctTy peCo nfig	Prod uctT ype Conf ig	W ra pp er	5	priority, productId, productGroup, productType, _links
Page dMod elEnti tyMo delPr oduct Type Confi g	Prod uctT ype Conf ig	W ra pp er	3	_embedded, _links, page
Produ ctTyp eCou nt	Prod uctT ype Cou nt	Ty pe	2	type, count
Rejec tionC auseT ype	Reje ction Caus e	Ty pe	2	rejectionCauseCode, rejectionCauseText

Sche ma	Fami ly	C at eg or y	Fi el d c o u n t	Fields
Rejec tionC auses List	Reje ction Caus esLis t	Ty pe	1	rejectionCauses
Repre senta tionM odelO bject	Repr esen tatio nMo delO bject	W ra pp er	1	_links
Revisi onLo ngOr der	Revi sion Long Orde r	W ra pp er	6	metadata, entity, revisionNumber, revisionInstant, requiredRevisionInstant, requiredRevisionNumber
Revisi onMe tadat aLong	Revi sion Meta data Long	W ra pp er	6	delegate, revisionType, revisionNumber, revisionInstant, requiredRevisionInstant, requiredRevisionNumber
Revisi onsLo ngOr der	Revi sion sLon gOrd er	W ra pp er	3	content, latestRevision, empty
SortO bject	Sort Obje ct	D o m ai n	3	empty, sorted, unsorted
State Plan	Stat ePla n	Ty pe	10	lid, stateKode, stateName, klarmeldtDato, stateKlarm, stateBemaerk, meddelelserKode, meddelelserSMS, meddelelserEMail, sidstOpdTstmp
State Planli stTyp e	Stat ePla nlist	Ty pe	1	statePlan

Sche ma	Fami ly	C at eg or y	Fi el d c o u nt	Fields
Task	Task	D o m ai n	19	id, taskId, taskName, bookedDateSpecial, bookedDate, bookedTimeFrom, bookedTimeTo, executionDateSpecial, executionDate, executionTime, taskRescheduleAble, taskRescheduled, orderStage, delayed, additionalTaskDataList, createdDate, createdBy, lastModifiedDate, lastModifiedBy
TaskD TO	Task	D T O	19	id, taskId, taskName, bookedDateSpecial, bookedDate, bookedTimeFrom, bookedTimeTo, executionDateSpecial, executionDate, executionTime, taskRescheduleAble, taskRescheduled, orderStage, delayed, additionalTaskDataList, createdDate, createdBy, lastModifiedDate, lastModifiedBy
TaskL istTyp e	Task List	Ty pe	1	task
TaskS tatus Chan geEve nt	Task Stat usCh ange Even t	Ty pe	7	taskIdList, eventId, phoneNo, eventDate, eventTime, orderNo, taskList
Work Times lot	Wor kTim eslot	D o m ai n	5	timeslotDateSpecial, timeslotDate, timeslotTimeFrom, timeslotTimeTo, timeslotInsideSlack
Workt imesl otList Type	Wor ktim eslot List	Ty pe	1	workTimeslot