

net-ordercache

Table of content

- 1 Change log 2
- 2 Overview 3
- 3 API interaction model 4
 - 3.1 Security setup 4
 - 3.2 Documentation 4
 - 3.3 Data boundaries 4
- 4 The specific API 5
 - 4.1 GET /api/v1/task/{id}/history 5
 - 4.2 GET /api/v1/order/{orderNo}/tasks 5
 - 4.3 GET /api/v1/order/{orderNo}/tasks/history 5
 - 4.4 GET /api/v1/order/{orderNo}/history 5
 - 4.5 GET /api/v1/order/search 5
 - 4.6 GET /api/v1/order/{orderNo} 5
- 5 Attachments 11
- 6 Schema 12
 - 6.1 Schema overview 12
 - 6.2 Top reused fields 12
 - 6.3 Schema relationships 12
 - 6.4 Wrapper patterns 12
 - 6.5 Identifier fields 12
 - 6.6 Audit fields 12
 - 6.7 Status and error fields 12
 - 6.8 Pagination fields 12
 - 6.9 Link fields 12
 - 6.10 Scheduling fields 12
 - 6.11 Collection fields 12
 - 6.12 Business fields 12
 - 6.13 Schema-specific fields 12
 - 6.14 Schema index 12

1 Change log

Version	Date	Description
1.0	2026-08-13	Initial generated version

2 Overview

Order cache where clients can search for orders and get history on orders and tasks

Documented server endpoints: <https://api-sit-global.tdcnet.dk/net-ordercache>.

3 API interaction model

3.1 Security setup

Document the authentication, authorization, and data-protection requirements for the target environment.

3.2 Documentation

The OpenAPI file remains the technical source of truth. This PDF is the human-readable review artifact generated from that contract.

3.3 Data boundaries

Document any tenant, customer, environment, or access-boundary constraints that apply to this API.

4 The specific API

4.1 GET `/api/v1/task/{id}/history`

Get Task history

4.2 GET `/api/v1/order/{orderNo}/tasks`

Get all tasks on a specific order

4.3 GET `/api/v1/order/{orderNo}/tasks/history`

Get Task history for all tasks on a specific order as a map with '{taskId}':[task history list]

4.4 GET `/api/v1/order/{orderNo}/history`

Get Order history

4.5 GET `/api/v1/order/search`

Search for orders

4.6 GET `/api/v1/order/{orderNo}`

Get Order by order number, will return a complete order with all children (tasks, productchanges, etc.)

5 Attachments

Plain-text request and response payload examples extracted from the OpenAPI document.

5.1 GET /api/v1/task/{id}/history response 200

application/json

```
[
  {
    "id": 1,
    "taskId": "3806",
    "taskName": "Poi Tildeling",
    "bookedDateSpecial": "string",
    "bookedDate": "string",
    "bookedTimeFrom": "string",
    "bookedTimeTo": "string",
    "executionDateSpecial": "string",
    "executionDate": "string",
    "executionTime": "string",
    "taskRescheduleAble": true,
    "taskRescheduled": false,
    "orderStage": "SITE_SURVEY",
    "delayed": false,
    "additionalTaskDataList": [
      "string"
    ],
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  }
]
```

5.2 GET /api/v1/task/{id}/history response 400

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.3 GET /api/v1/task/{id}/history response 500

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.4 GET /api/v1/order/{orderNo}/tasks response 200

application/json

```
[
  {
    "id": 1,
    "taskId": "3806",
    "taskName": "Poi Tildeling",
    "bookedDateSpecial": "string",
    "bookedDate": "string",
    "bookedTimeFrom": "string",
    "bookedTimeTo": "string",
    "executionDateSpecial": "string",
    "executionDate": "string",
    "executionTime": "string",
    "taskRescheduleAble": true,
    "taskRescheduled": false,
    "orderStage": "SITE_SURVEY",
    "delayed": false,
    "additionalTaskDataList": [
      "string"
    ],
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  }
]
```

5.5 GET /api/v1/order/{orderNo}/tasks response 400

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.6 GET /api/v1/order/{orderNo}/tasks response 500

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.7 GET /api/v1/order/{orderNo}/tasks/history response 400

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```


5.8 GET /api/v1/order/{orderNo}/tasks/history response 500

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.9 GET /api/v1/order/{orderNo}/history response 200

application/json

```
[
  {
    "orderType": "OPRETTELSE",
    "orderDate": "2023-10-04T10:28:54.0000000+00:00",
    "orderStatus": "ORDERED",
    "orderStage": "SITE_SURVEY",
    "orderStages": "SITE_SURVEY,CUSTOMER_INSTALLATION,EXECUTED,FINISHED",
    "orderState": "YELLOW",
    "orderStateSort": 0,
    "productType": "020021100001EBSA-FIBER///",
    "orderNo": 100000001,
    "kisId": "8292-08-20-10.48.44.625510",
    "lid": "EF000001",
    "contactName": "Peter Pedal",
    "contactPhoneNo": "99999999",
    "remarks": "Some remark on the order",
    "confirmLetter": "FALSE",
    "orderReference": "order-xyz",
    "reservedPhoneNo": "99999999",
    "requestStartLimitDate": "2023-10-04T10:28:54.0000000+00:00",
    "requestEndLimitDate": "2023-10-04T10:28:54.0000000+00:00",
    "requestedDateSpecial": "string",
    "requestedDate": "2023-10-04T10:28:54.0000000+00:00",
    "requestedTime": "2023-10-04T10:28:54.0000000+00:00",
    "bookExactDate": true,
    "bookReason": "243",
    "executionDateSpecial": "string",
    "executionDate": "2023-10-04T10:28:54.0000000+00:00",
    "executionTimeFrom": "2023-10-04T10:28:54.0000000+00:00",
    "executionTimeTo": "2023-10-04T10:28:54.0000000+00:00",
    "executedDate": "2023-10-04T10:28:54.0000000+00:00",
    "computeDate": "2023-10-04T10:28:54.0000000+00:00",
    "timeslotType": "xxxx",
    "dayShortname": "TOR",
    "bookingMessage": "Some information about booking",
    "importantMessage": "Important message about order",
    "copperBlockingText": "Something blocking copper",
    "hasFallout": true,
    "hasExternalFallout": true,
    "installation": {
      "firstName": "Test",
      "lastName": "Testesen",
      "occupation": "Works for a living",
      "companyName": "Company AB",
      "createdDate": "2023-10-04T10:28:54.0000000+00:00",
      "createdBy": "Someone",
      "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
      "lastModifiedBy": "Someone Else"
    },
    "customerRelation": {
      "customerRelationId": "100000001-EF000001",
      "lid": "EF000001",
      "phonebookPublicStatus": "SECRET",
      "customerRelationStatus": "SUBSCRIBED",
      "ongoingOrders": "xyz",
      "ongoingOrdersExecutionDate": "string",
      "customer": {

```

```
"name": "Test Testesen",
"firstName": "Test",
"lastName": "Testesen",
"occupation": "Works for a living",
"companyName": "Company AB",
"accountNo": "1234",
"cvrNo": "12345678",
"remarks": "Some remark",
"address": {
  "streetCode": "1234",
  "municipalCode": "123",
  "streetName": "Testvej",
  "zipCode": "1234",
  "houseNo": 2,
  "mainDoor": "The red door",
  "floor": "3",
  "doorNo": "TH",
  "city": "Andeby",
  "county": "Egedal",
  "country": "Denmarl",
  "houseName": "Dyssegården",
  "externalInstallationId": "some-id",
  "addressKey": 123456,
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifedBy": "Someone Else"
},
"installation": {
  "name": "Test Testesen",
  "firstName": "Test",
  "lastName": "Testesen",
  "occupation": "Works for a living",
  "companyName": "Company AB",
  "accountNo": "1234",
  "cvrNo": "12345678",
  "remarks": "Some remark",
  "address": {
    "streetCode": "1234",
    "municipalCode": "123",
    "streetName": "Testvej",
    "zipCode": "1234",
    "houseNo": 2,
    "mainDoor": "The red door",
    "floor": "3",
    "doorNo": "TH",
    "city": "Andeby",
    "county": "Egedal",
    "country": "Denmarl",
    "houseName": "Dyssegården",
    "externalInstallationId": "some-id",
    "addressKey": 123456,
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifedBy": "Someone Else"
  },
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifedBy": "Someone Else",
"forwardingAddress": {
  "firstName": "Test",
```

```
"lastName": "Testesen",
"occupation": "Works for a living",
"companyName": "Company AB",
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else"
},
"announcement": {
  "announcementType": "CHANGE",
  "announcementChoice": "REFERENCE",
  "announcementPhoneNo": "99999999",
  "languageDanishPriority": 1,
  "languageEnglishPriority": 2,
  "languageGermanPriority": 3,
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifiedBy": "Someone Else"
},
"productChangeList": [
  {
    "productId": "760022200001BREDBAAND//",
    "name": "Bredbånd",
    "cuProdNr": "xxx",
    "cuProdTr": "yyy",
    "cuProdAfs": "zzz",
    "sikValue": "B1000001",
    "productCount": 1,
    "productSequence": 23,
    "changeParameterList": [
      {
        "name": "SIK-NR",
        "paramValue": "B1000001",
        "createdDate": "2023-10-04T10:28:54.0000000+00:00",
        "createdBy": "Someone",
        "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
        "lastModifiedBy": "Someone Else"
      }
    ],
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  }
],
"taskList": [
  {
    "id": 1,
    "taskId": "3806",
    "taskName": "Poi Tildeling",
    "bookedDateSpecial": "string",
    "bookedDate": "string",
    "bookedTimeFrom": "string",
    "bookedTimeTo": "string",
    "executionDateSpecial": "string",
    "executionDate": "string",
    "executionTime": "string",
    "taskRescheduleAble": true,
    "taskRescheduled": false,
    "orderStage": "SITE_SURVEY",
    "delayed": false,
    "additionalTaskDataList": [
      "string"
    ],
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  }
],
"orderMessageList": [
  {
    "id": 0,
    "messageType": "T",
    "messageValue": "00370720683210230859",
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
```

```

    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  }
}
}
}
]

```

5.10 GET /api/v1/order/{orderNo}/history response 400

application/json

```

{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}

```

5.11 GET /api/v1/order/{orderNo}/history response 500

application/json

```

{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}

```

5.12 GET /api/v1/order/search response 200

application/json

```

{
  "totalPages": 0,
  "totalElements": 0,
  "size": 0,
  "content": [
    {
      "orderType": "OPRETTEELSE",
      "orderDate": "2023-10-04T10:28:54.0000000+00:00",
      "orderStatus": "ORDERED",
      "orderStage": "SITE_SURVEY",
      "orderStages": "SITE_SURVEY,CUSTOMER_INSTALLATION,EXECUTED,FINISHED",
      "orderState": "YELLOW",
      "orderStateSort": 0,
      "productType": "020021100001EBSA-FIBER///",
      "orderNo": 100000001,
      "kisId": "8292-08-20-10.48.44.625510",
      "lid": "EF000001",
      "contactName": "Peter Pedal",
      "contactPhoneNo": "99999999",
      "remarks": "Some remark on the order",
      "confirmLetter": "FALSE",
      "orderReference": "order-xyz",
      "reservedPhoneNo": "99999999",
      "requestStartLimitDate": "2023-10-04T10:28:54.0000000+00:00",
      "requestEndLimitDate": "2023-10-04T10:28:54.0000000+00:00",
      "requestedDateSpecial": "string",
      "requestedDate": "2023-10-04T10:28:54.0000000+00:00",
      "requestedTime": "2023-10-04T10:28:54.0000000+00:00",
      "bookExactDate": true,
      "bookReason": "243",
      "executionDateSpecial": "string",
      "executionDate": "2023-10-04T10:28:54.0000000+00:00",
    }
  ]
}

```

```
"executionTimeFrom": "2023-10-04T10:28:54.0000000+00:00",
"executionTimeTo": "2023-10-04T10:28:54.0000000+00:00",
"executedDate": "2023-10-04T10:28:54.0000000+00:00",
"computeDate": "2023-10-04T10:28:54.0000000+00:00",
"timeslotType": "xxxx",
"dayShortname": "TOR",
"bookingMessage": "Some information about booking",
"importantMessage": "Important message about order",
"copperBlockingText": "Something blocking copper",
"hasFallout": true,
"hasExternalFallout": true,
"installation": {
  "firstName": "Test",
  "lastName": "Testesen",
  "occupation": "Works for a living",
  "companyName": "Company AB",
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
},
"customerRelation": {
  "customerRelationId": "100000001-EF000001",
  "lid": "EF000001",
  "phonebookPublicStatus": "SECRET",
  "customerRelationStatus": "SUBSCRIBED",
  "ongoingOrders": "xyz",
  "ongoingOrdersExecutionDate": "string",
  "customer": {
    "name": "Test Testesen",
    "firstName": "Test",
    "lastName": "Testesen",
    "occupation": "Works for a living",
    "companyName": "Company AB",
    "accountNo": "1234",
    "cvrNo": "12345678",
    "remarks": "Some remark",
    "address": {
      "streetCode": "1234",
      "municipalCode": "123",
      "streetName": "Testvej",
      "zipCode": "1234",
      "houseNo": 2,
      "mainDoor": "The red door",
      "floor": "3",
      "doorNo": "TH",
      "city": "Andeby",
      "county": "Egedal",
      "country": "Denmark",
      "houseName": "Dyssegården",
      "externalInstallationId": "some-id",
      "addressKey": 123456,
      "createdDate": "2023-10-04T10:28:54.0000000+00:00",
      "createdBy": "Someone",
      "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
      "lastModifedBy": "Someone Else"
    },
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifedBy": "Someone Else"
  },
  "installation": {
    "name": "Test Testesen",
    "firstName": "Test",
    "lastName": "Testesen",
    "occupation": "Works for a living",
    "companyName": "Company AB",
    "accountNo": "1234",
    "cvrNo": "12345678",
    "remarks": "Some remark",
    "address": {
      "streetCode": "1234",
      "municipalCode": "123",
      "streetName": "Testvej",
      "zipCode": "1234",
      "houseNo": 2,
      "mainDoor": "The red door",
```

```

        "floor": "3",
        "doorNo": "TH",
        "city": "Andeby",
        "county": "Egedal",
        "country": "Denmarl",
        "houseName": "Dyssegården",
        "externalInstallationId": "some-id",
        "addressKey": 123456,
        "createdDate": "2023-10-04T10:28:54.0000000+00:00",
        "createdBy": "Someone",
        "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
        "lastModifiedBy": "Someone Else"
    },
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else"
}
],
"number": 0,
"sort": {
    "empty": true,
    "sorted": true,
    "unsorted": true
},
"numberOfElements": 0,
"pageable": {
    "offset": 0,
    "sort": {
        "empty": true,
        "sorted": true,
        "unsorted": true
    },
    "pageNumber": 0,
    "pageSize": 0,
    "paged": true,
    "unpaged": true
},
"first": true,
"last": true,
"empty": true
}
}

```

5.13 GET /api/v1/order/search response 400

application/json

```

{
    "timestamp": "string",
    "status": "string",
    "message": "string",
    "path": "string",
    "code": "string",
    "reason": "string",
    "statusCode": "string",
    "statusError": "string"
}

```

5.14 GET /api/v1/order/search response 500

application/json

```

{
    "timestamp": "string",
    "status": "string",

```

```
"message": "string",
"path": "string",
"code": "string",
"reason": "string",
"statusCode": "string",
"statusError": "string"
}
```

5.15 GET /api/v1/order/{orderNo} response 200

application/json

```
{
  "orderType": "OPRETTELSE",
  "orderDate": "2023-10-04T10:28:54.0000000+00:00",
  "orderStatus": "ORDERED",
  "orderStage": "SITE_SURVEY",
  "orderStages": "SITE_SURVEY,CUSTOMER_INSTALLATION,EXECUTED,FINISHED",
  "orderState": "YELLOW",
  "orderStateSort": 0,
  "productType": "020021100001EBSA-FIBER///",
  "orderNo": 100000001,
  "kisId": "8292-08-20-10.48.44.625510",
  "lid": "EF000001",
  "contactName": "Peter Pedal",
  "contactPhoneNo": "99999999",
  "remarks": "Some remark on the order",
  "confirmLetter": "FALSE",
  "orderReference": "order-xyz",
  "reservedPhoneNo": "99999999",
  "requestStartLimitDate": "2023-10-04T10:28:54.0000000+00:00",
  "requestEndLimitDate": "2023-10-04T10:28:54.0000000+00:00",
  "requestedDateSpecial": "string",
  "requestedDate": "2023-10-04T10:28:54.0000000+00:00",
  "requestedTime": "2023-10-04T10:28:54.0000000+00:00",
  "bookExactDate": true,
  "bookReason": "243",
  "executionDateSpecial": "string",
  "executionDate": "2023-10-04T10:28:54.0000000+00:00",
  "executionTimeFrom": "2023-10-04T10:28:54.0000000+00:00",
  "executionTimeTo": "2023-10-04T10:28:54.0000000+00:00",
  "executedDate": "2023-10-04T10:28:54.0000000+00:00",
  "computeDate": "2023-10-04T10:28:54.0000000+00:00",
  "timeslotType": "xxxx",
  "dayShortname": "TOR",
  "bookingMessage": "Some information about booking",
  "importantMessage": "Important message about order",
  "copperBlockingText": "Something blocking copper",
  "hasFallout": true,
  "hasExternalFallout": true,
  "installation": {
    "firstName": "Test",
    "lastName": "Testesen",
    "occupation": "Works for a living",
    "companyName": "Company AB",
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  },
  "customerRelation": {
    "customerRelationId": "100000001-EF000001",
    "lid": "EF000001",
    "phonebookPublicStatus": "SECRET",
    "customerRelationStatus": "SUBSCRIBED",
    "ongoingOrders": "xyz",
    "ongoingOrdersExecutionDate": "string",
    "customer": {
      "name": "Test Testesen",
      "firstName": "Test",
      "lastName": "Testesen",
      "occupation": "Works for a living",
      "companyName": "Company AB",
      "accountNo": "1234",
      "cvrNo": "12345678",
      "remarks": "Some remark",
      "address": {
```

```
    "streetCode": "1234",
    "municipalCode": "123",
    "streetName": "Testvej",
    "zipCode": "1234",
    "houseNo": 2,
    "mainDoor": "The red door",
    "floor": "3",
    "doorNo": "TH",
    "city": "Andeby",
    "county": "Egedal",
    "country": "Denmark",
    "houseName": "Dyssegården",
    "externalInstallationId": "some-id",
    "addressKey": 123456,
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  },
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifiedBy": "Someone Else"
},
"installation": {
  "name": "Test Testesen",
  "firstName": "Test",
  "lastName": "Testesen",
  "occupation": "Works for a living",
  "companyName": "Company AB",
  "accountNo": "1234",
  "cvrNo": "12345678",
  "remarks": "Some remark",
  "address": {
    "streetCode": "1234",
    "municipalCode": "123",
    "streetName": "Testvej",
    "zipCode": "1234",
    "houseNo": 2,
    "mainDoor": "The red door",
    "floor": "3",
    "doorNo": "TH",
    "city": "Andeby",
    "county": "Egedal",
    "country": "Denmark",
    "houseName": "Dyssegården",
    "externalInstallationId": "some-id",
    "addressKey": 123456,
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  },
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifiedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else",
"forwardingAddress": {
  "firstName": "Test",
  "lastName": "Testesen",
  "occupation": "Works for a living",
  "companyName": "Company AB",
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifiedBy": "Someone Else"
},
"announcement": {
```



```

"announcementType": "CHANGE",
"announcementChoice": "REFERENCE",
"announcementPhoneNo": "99999999",
"languageDanishPriority": 1,
"languageEnglishPriority": 2,
"languageGermanPriority": 3,
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifedBy": "Someone Else"
},
"productChangeList": [
{
  "productId": "760022200001BREDBAAND///",
  "name": "Bredbånd",
  "cuProdNr": "xxx",
  "cuProdTr": "yyy",
  "cuProdAfs": "zzz",
  "sikValue": "B1000001",
  "productCount": 1,
  "productSequence": 23,
  "changeParameterList": [
    {
      "name": "SIK-NR",
      "paramValue": "B1000001",
      "createdDate": "2023-10-04T10:28:54.0000000+00:00",
      "createdBy": "Someone",
      "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
      "lastModifedBy": "Someone Else"
    }
  ],
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
}
],
"taskList": [
{
  "id": 1,
  "taskId": "3806",
  "taskName": "Poi Tildeling",
  "bookedDateSpecial": "string",
  "bookedDate": "string",
  "bookedTimeFrom": "string",
  "bookedTimeTo": "string",
  "executionDateSpecial": "string",
  "executionDate": "string",
  "executionTime": "string",
  "taskRescheduleAble": true,
  "taskRescheduled": false,
  "orderStage": "SITE_SURVEY",
  "delayed": false,
  "additionalTaskDataList": [
    "string"
  ],
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
}
],
"orderMessageList": [
{
  "id": 0,
  "messageType": "T",
  "messageValue": "00370720683210230859",
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
}
]
}

```

5.16 GET /api/v1/order/{orderNo} response 400

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.17 GET /api/v1/order/{orderNo} response 500

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

6 Schema

The following tables summarize schemas extracted from the OpenAPI document.

6.1 Schema overview

Compact overview of the component schemas, reusable fields, and schema-specific differences in this OpenAPI document.

Metric	Value
Component schemas	78
Common field definitions	88
Schema-specific field definitions	136
Wrapper schemas	22
Relationship-bearing schemas	43

6.2 Top reused fields

Most reused fields across the component schemas.

Field	Type	Schema count	Used by
id	integer (int64)	13	Address, Announcement, CuEvent, Customer, CustomerRelation, Fallout, Installation, Order, OrderMessage, ProductChange, ProductParameter, ProductTypeConfig, Task
createdBy	string	12	Address, Announcement, Customer, CustomerRelation, Fallout, Installation, Order, OrderInfo, OrderMessage, ProductChange, ProductParameter, Task
createdDate	string (date-time)	12	Address, Announcement, Customer, CustomerRelation, Fallout, Installation, Order, OrderInfo, OrderMessage, ProductChange, ProductParameter, Task
lastModifiedBy	string	12	Address, Announcement, Customer, CustomerRelation, Fallout, Installation, Order, OrderInfo, OrderMessage, ProductChange, ProductParameter, Task
lastModifiedDate	string (date-time)	12	Address, Announcement, Customer, CustomerRelation, Fallout, Installation, Order, OrderInfo, OrderMessage, ProductChange, ProductParameter, Task
orderNo	integer integer (int64) string	7	CuEvent, Fallout, Order, OrderInfo, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent
phoneNo	string	7	CustomerRelation, Order, OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent
_links	Links	5	CuEvent, Fallout, Order, ProductTypeConfig, RepresentationModelObject
eventDate	string (date-time)	5	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent
eventId	integer	5	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent
eventTime	string (date-time)	5	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent
kisIdList	KisIdListType	5	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent

6.3 Schema relationships

Reference relationships extracted from component schema properties.

Schema	Category	References
Customer	Domain	address -> Address
CustomerRelation	Domain	customer -> Customer, installation -> Customer
DashboardV1	Domain	falloutOrdersByState -> OrderStateCount, falloutOrderStates -> OrderStateCount, ordersByProductType -> ProductTypeCount, ordersByStage -> OrderStageCount, ordersByState -> OrderStateCount, ordersByStatus -> OrderStatusCount
Installation	Domain	address -> Address
Order	Domain	announcement -> Announcement, customerRelation -> CustomerRelation, forwardingAddress -> Installation, installation -> Installation, orderMessageList -> OrderMessage, productChangeList -> ProductChange, taskList -> Task
OrderChangeEvent	Domain	customerRelation -> CustomerRelationType, kisIdList -> KisIdListType, order -> OrderType
OrderCreateEvent	Domain	customerRelation -> CustomerRelationType, kisIdList -> KisIdListType, order -> OrderType
OrderMessageEvent	Domain	kisIdList -> KisIdListType, orderMessage -> OrderMessageType
ProductChange	Domain	changeParameterList -> ProductParameter
CustomerDTO	DTO	address -> AddressDTO
CustomerRelationDTO	DTO	customer -> CustomerDTO, installation -> CustomerDTO
OrderDTO	DTO	announcement -> AnnouncementDTO, customerRelation -> CustomerRelationDTO, forwardingAddress -> InstallationDTO, installation -> InstallationDTO, orderMessageList -> OrderMessage, productChangeList -> ProductChangeDTO, taskList -> TaskDTO
OrderInfoDTO	DTO	customerRelation -> CustomerRelationDTO, installation -> InstallationDTO
ProductChangeDTO	DTO	changeParameterList -> ProductParameterDTO
OrderRequestBody	Request	announcement -> Announcement, customerRelation -> CustomerRelation, forwardingAddress -> Installation, installation -> Installation, productChangeList -> ProductChange, taskList -> Task
CustomerRelationType	Type	customer -> CustomerType, installation -> CustomerType
CustomerType	Type	address -> AddressType
InstallationType	Type	address -> AddressType
OrderStatusChangeEvent	Type	kisIdList -> KisIdListType
OrderType	Type	announcement -> AnnouncementType, customerRelation -> CustomerRelationType, forwardingAddress -> InstallationType, installation -> InstallationType, productChangeList -> ProductChangeListType, rejectionCausesList -> RejectionCausesList, statePlanlist -> StatePlanlistType, taskList -> TaskListType, workTimeslotList -> WorktimeslotListType
ProductChangeListType	Type	productChange -> ProductChange
RejectionCausesList	Type	rejectionCauses -> RejectionCauseType
StatePlanlistType	Type	statePlan -> StatePlan
TaskListType	Type	task -> Task
TaskStatusChangeEvent	Type	kisIdList -> KisIdListType, taskList -> TaskListType
WorktimeslotListType	Type	workTimeslot -> WorkTimeslot
CollectionModelEntityModelCuEvent	Wrapper	_links -> Links
CollectionModelEntityModelFallout	Wrapper	_links -> Links
CollectionModelEntityModelProductTypeConfig	Wrapper	_links -> Links
EntityModelCuEvent	Wrapper	_links -> Links
EntityModelFallout	Wrapper	_links -> Links

Schema	Category	References
EntityModelOrder	Wrapper	_links -> Links, announcement -> Announcement, customerRelation -> CustomerRelation, forwardingAddress -> Installation, installation -> Installation, productChangeList -> ProductChange, taskList -> Task
EntityModelProductTypeConfig	Wrapper	_links -> Links
PageableObject	Wrapper	sort -> SortObject
PagedModelEntityModelCuEvent	Wrapper	_links -> Links, page -> PageMetadata
PagedModelEntityModelFallout	Wrapper	_links -> Links, page -> PageMetadata
PagedModelEntityModelOrder	Wrapper	_links -> Links, page -> PageMetadata
PagedModelEntityModelProductTypeConfig	Wrapper	_links -> Links, page -> PageMetadata
PageOrder	Wrapper	content -> Order, pageable -> PageableObject, sort -> SortObject
PageOrderInfoDTO	Wrapper	content -> OrderInfoDTO, pageable -> PageableObject, sort -> SortObject
RepresentationModelObject	Wrapper	_links -> Links
RevisionLongOrder	Wrapper	entity -> Order, metadata -> RevisionMetadataLong
RevisionsLongOrder	Wrapper	content -> RevisionLongOrder, latestRevision -> RevisionLongOrder

6.4 Wrapper patterns

Structural wrapper schemas are collapsed here instead of repeated as full object tables.

Wrapper	Pattern	Wraps	Fields
CollectionModelEntityModelCuEvent	Collection wrapper	Links	_embedded, _links
CollectionModelEntityModelFallout	Collection wrapper	Links	_embedded, _links
CollectionModelEntityModelProductTypeConfig	Collection wrapper	Links	_embedded, _links
EntityModelCuEvent	Entity wrapper	Links	message, jmsMessageld, orderNo, eventNo, handled, createdTs, modifiedTs, _links
EntityModelFallout	Entity wrapper	Links	id, falloutId, orderNo, productCode, product, cause, causeCategory, causeSubCategory, customerConsequence, getpNumber, registeredAt, latestUpdate, externalCause, newInstallationDate, state, createdAt, createdBy, lastModifiedDate, lastModifiedBy, _links
EntityModelOrder	Entity wrapper	Links, Announcement, CustomerRelation, Installation, Installation, ProductChange, Task	id, orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisId, phoneNo, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, forwardingAddress, announcement, customerRelation,

Wrapper	Pattern	Wraps	Fields
			productChangeList, taskList, createdDate, createdBy, lastModifiedDate, lastModifiedBy, _links
EntityModelProductTypeConfig	Entity wrapper	Links	priority, productId, productGroup, productType, _links
Link	Link wrapper	-	href, hreflang, title, type, deprecation, profile, name, templated
Links	Link wrapper	-	(value)
Pageable	Page wrapper	-	page, size, sort
PageableObject	Page wrapper	SortObject	offset, sort, pageNumber, pageSize, paged, unpaged
PagedModelEntityModelCuEvent	Paged collection wrapper	Links, PageMetadata	_embedded, _links, page
PagedModelEntityModelFallout	Paged collection wrapper	Links, PageMetadata	_embedded, _links, page
PagedModelEntityModelOrder	Paged collection wrapper	Links, PageMetadata	_embedded, _links, page
PagedModelEntityModelProductTypeConfig	Paged collection wrapper	Links, PageMetadata	_embedded, _links, page
PageMetadata	Page wrapper	-	size, totalElements, totalPages, number
PageOrder	Page wrapper	Order, PageableObject, SortObject	totalPages, totalElements, size, content, number, sort, numberOfElements, pageable, first, last, empty
PageOrderInfoDTO	Page wrapper	OrderInfoDTO, PageableObject, SortObject	totalPages, totalElements, size, content, number, sort, numberOfElements, pageable, first, last, empty
RepresentationModelObject	Structural wrapper	Links	_links
RevisionLongOrder	Revision wrapper	Order, RevisionMetadataLong	metadata, entity, revisionNumber, revisionInstant, requiredRevisionInstant, requiredRevisionNumber
RevisionMetadataLong	Revision wrapper	-	delegate, revisionType, revisionNumber, revisionInstant, requiredRevisionInstant, requiredRevisionNumber
RevisionsLongOrder	Revision wrapper	RevisionLongOrder, RevisionLongOrder	content, latestRevision, empty

6.5 Identifier fields

Common identifier fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
contactPhoneNo	string	-	Order (5 variants), OrderInfo	Contact phone number
eventId	integer	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	-	
hasExternalFallout	boolean	-	Order (4 variants), OrderInfo	

Field	Type	Required in	Optional in	Description
id	integer (int64)	-	Address, Announcement, CuEvent, Customer, CustomerRelation, Fallout (2 variants), Installation, Order (3 variants), OrderMessage, ProductChange, ProductParameter, ProductTypeConfig, Task	ID / internal Id of the order
kisId	array of string string	-	KisIdList, Order (4 variants), OrderInfo	KISS ID for order
lid	string	-	CustomerRelation, Order, OrderInfo, StatePlan	LID
number	integer (int32) integer (int64)	-	Metadata, Order, OrderInfo	
orderNo	integer integer (int64) string	OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	CuEvent (2 variants), Fallout (2 variants), Order (5 variants), OrderInfo	Order number
phoneNo	string	CustomerRelation, OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	CustomerRelation, Order (4 variants)	Customer Phonenummer/LID / Phonenummer/LID
productId	string	-	ProductChange, ProductTypeConfig (2 variants)	Product Id / The product id to match
requiredRevisionNumber	integer (int64)	-	RevisionLongOrder, RevisionMetadataLong	
reservedPhoneNo	string	-	Order (5 variants), OrderInfo	Reserved phonenummer
revisionNumber	integer (int64)	-	RevisionLongOrder, RevisionMetadataLong	

6.6 Audit fields

Common audit fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
createdBy	string	-	Address, Announcement, Customer, CustomerRelation, Fallout (2 variants), Installation, Order (4 variants), OrderInfo, OrderMessage, ProductChange, ProductParameter, Task	Modified by
createdDate	string (date-time)	-	Address, Announcement, Customer, CustomerRelation, Fallout (2 variants), Installation, Order (4 variants), OrderInfo, OrderMessage, ProductChange, ProductParameter, Task	Creation date
lastModifiedBy	string	-	Address, Announcement, Customer, CustomerRelation, Fallout (2 variants), Installation, Order (4 variants), OrderInfo, OrderMessage, ProductChange, ProductParameter, Task	Modified by
lastModifiedDate	string (date-time)	-	Address, Announcement, Customer, CustomerRelation, Fallout (2 variants), Installation, Order (4 variants), OrderInfo, OrderMessage, ProductChange, ProductParameter, Task	Last updated date

6.7 Status and error fields

Common status and error fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
bookingMessage	string	-	Order (5 variants), OrderInfo	Booking message
bookReason	string	-	Order (5 variants), OrderInfo	Book Reason

Field	Type	Required in	Optional in	Description
code	string	-	DefaultErrorPayload, Error	Application relevant detail, defined in the API or a common list.
importantMessage	string	-	Order (5 variants), OrderInfo	important message
message	string	-	CuEvent (2 variants), DefaultErrorPayload, Error	More details and corrective actions related to the error which can be shown to a client user.
orderStage	enum: PREPARE_FIBER, SITE_SURVEY, OFFER, ORDER_CONFIRMATION, HIGH_LEVEL_DESIGN, DETAILED_DESIGN, FIBER_CONSULTANT, DIGGING, PROVISIONING, CENTRAL_CONNECT, CUSTOMER_INSTALLATION, GIG_TECHNICIAN, GDS_WITHOUT_TECHNICIAN, GDS_WITH_TECHNICIAN, IGNORE, EXECUTED, FINISHED, CANCELLED	-	Order (4 variants), OrderInfo, Task	Order stage
orderStages	string	-	Order (4 variants), OrderInfo	Stages in order
orderState	enum: GREEN, YELLOW, RED	-	Order (4 variants), OrderInfo	Order state
orderStateSort	integer (int32)	-	Order (4 variants), OrderInfo	Sorts the orderState as GREEN,YELLOW,RED in ascending mode
orderStatus	enum: STARTED, ORDERED, EXECUTED, INVOICED, CANCELLED	OrderStatusChangeEvent	Order (5 variants), OrderInfo	Order status
orderType	string	-	Order (5 variants), OrderInfo	Order type
productType	string	-	Order (4 variants), OrderInfo, ProductTypeConfig (2 variants)	The product being ordered / The technology that the product belongs to
reason	string	-	DefaultErrorPayload, Error	Explanation of the reason for the error which can be shown to a client user.
state	enum: GREEN, YELLOW, RED enum: OPEN, RESOLVED enum: PREPARE_FIBER, SITE_SURVEY, OFFER, ORDER_CONFIRMATION, HIGH_LEVEL_DESIGN, DETAILED_DESIGN, FIBER_CONSULTANT, DIGGING, PROVISIONING, CENTRAL_CONNECT, CUSTOMER_INSTALLATION, GIG_TECHNICIAN, GDS_WITHOUT_TECHNICIAN, GDS_WITH_TECHNICIAN, IGNORE, EXECUTED, FINISHED, CANCELLED	-	Fallout (2 variants), OrderStageCount, OrderStateCount	
status	enum: STARTED, ORDERED, EXECUTED, INVOICED, CANCELLED string	-	DefaultErrorPayload, Error, OrderStatusCount	HTTP Error code extension
timeslotType	string	-	Order (5 variants), OrderInfo	Timeslot Type
type	string	-	Item, JsonSchema, Link, ProductTypeCount	

6.8 Pagination fields

Common pagination fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
empty	boolean	-	Order, OrderInfo, RevisionsLongOrder, SortObject	
first	boolean	-	Order, OrderInfo	
firstName	string	-	Customer, Installation	First name
last	boolean	-	Order, OrderInfo	
lastName	string	-	Customer, Installation	Last name
numberOfElements	integer (int32)	-	Order, OrderInfo	
pageable	PageableObject	-	Order, OrderInfo	
page	PageMetadata integer (int32)	-	CuEvent, Fallout, Order, Pageable, ProductTypeConfig	
size	integer (int32) integer (int64)	-	Metadata, Order, OrderInfo, Pageable	
sort	SortObject array of string	-	Order, OrderInfo, Pageable, PageableObject	
totalElements	integer (int64)	-	Metadata, Order, OrderInfo	
totalPages	integer (int32) integer (int64)	-	Metadata, Order, OrderInfo	

6.9 Link fields

Common link fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
_links	Links	-	CuEvent (3 variants), Fallout (3 variants), Order (2 variants), ProductTypeConfig (3 variants), RepresentationModelObject	
customerRelation	CustomerRelation CustomerRelationDTO CustomerRelationType	-	Order (5 variants), OrderChangeEvent, OrderCreateEvent, OrderInfo	

6.10 Scheduling fields

Common scheduling fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
bookExactDate	boolean	-	Order (5 variants), OrderInfo	Order booked specific date
computeDate	string (date-time)	-	Order (5 variants), OrderInfo	Compute Date
eventDate	string (date-time)	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	-	
eventTime	string (date-time)	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	-	
executedDate	string (date-time)	-	Order (4 variants), OrderInfo	Date order was set to executed
executionDate	string (date-time)	-	Order (5 variants), OrderInfo, Task	Execution Date

Field	Type	Required in	Optional in	Description
executionTimeFrom	string (date-time)	-	Order (5 variants), OrderInfo	Execution Time From
executionTimeTo	string (date-time)	-	Order (5 variants), OrderInfo	Execution Time To
orderDate	string (date-time)	-	Order (5 variants), OrderInfo	Order Date
requestedDate	string (date-time)	-	Order (5 variants), OrderInfo	Requested Date
requestedTime	string (date-time)	-	Order (5 variants), OrderInfo	Request Requested Time
requestEndLimitDate	string (date-time)	-	Order (5 variants), OrderInfo	Request Limit End
requestStartLimitDate	string (date-time)	-	Order (5 variants), OrderInfo	Request Limit Start

6.11 Collection fields

Common collection fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
content	array of Order array of OrderInfoDTO array of RevisionLongOrder	-	Order, OrderInfo, RevisionsLongOrder	
kisIdList	KisIdListType	-	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	
taskList	TaskListType array of Task array of TaskDTO	TaskStatusChangeEvent	Order (5 variants)	

6.12 Business fields

Common business fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
_embedded	object	-	CuEvent (2 variants), Fallout (2 variants), Order, ProductTypeConfig (2 variants)	
address	Address AddressDTO AddressType	-	Customer, Installation	
companyName	string	-	Customer, Installation	Company name / Name
confirmLetter	enum: TRUE, FALSE	-	Order (5 variants), OrderInfo	Send confirmation letter
contactName	string	-	Order (5 variants), OrderInfo	Contact Name
copperBlockingText	string	-	Order (5 variants), OrderInfo	Copper Blocking Text
count	integer (int64)	-	OrderStageCount, OrderStateCount, OrderStatusCount, ProductTypeCount	
dayShortname	enum: MAN, TIR, ONS, TOR, FRE, LØR, SØN	-	Order (5 variants), OrderInfo	Day shortname
executionDateSpecial	string	-	Order (5 variants), OrderInfo, Task	Excution date special /

Field	Type	Required in	Optional in	Description
				executionDateSpecial
hasFallout	boolean	-	Order (4 variants), OrderInfo	
installation	Customer CustomerDTO CustomerType Installation ...	CustomerRelation	CustomerRelation, Order (5 variants), OrderInfo	
name	string	-	Customer, Link, ProductChange, ProductParameter	Name
occupation	string	-	Customer, Installation	Occupation
order	OrderType	-	OrderChangeEvent, OrderCreateEvent	
orderReference	string	-	Order (5 variants), OrderInfo	Order reference
path	string	-	DefaultErrorPayload, Error	The url path, that was called
properties	object	-	Item, JsonSchema	
remarks	string	-	Customer, Order (5 variants), OrderInfo	Remarks
requestedDateSpecial	string	-	Order (5 variants), OrderInfo	Request date special
requiredProperties	array of string	-	Item, JsonSchema	
requiredRevisionInstant	string (date-time)	-	RevisionLongOrder, RevisionMetadataLong	
revisionInstant	string (date-time)	-	RevisionLongOrder, RevisionMetadataLong	
timestamp	string string (date-time)	-	DefaultErrorPayload, Error	The timestamp for the request
title	string	-	AbstractJsonSchemaPropertyObject, JsonSchema, Link	

6.13 Schema-specific fields

Fields that only appear in one schema family are listed here as the schema-specific differences.

Schema family	Field	Type	Required in	Optional in	Description
AbstractJsonSchemaPropertyObject	readOnly	boolean	-	AbstractJsonSchemaPropertyObject	
Address	addressKey	integer	-	Address	Address key
Address	city	string	-	Address	City
Address	country	string	-	Address	Country
Address	county	string	-	Address	County
Address	doorNo	string	-	Address	Door number
Address	externalInstallationId	string	-	Address	External installation id
Address	floor	string	-	Address	Floor
Address	houseName	string	-	Address	House name
Address	houseNo	integer	Address	Address	House number or street number
Address	mainDoor	string	-	Address	Information about the main door
Address	municipalCode	string	-	Address	Municipal code

Schema family	Field	Type	Required in	Optional in	Description
Address	streetCode	string	-	Address	Street code
Address	streetName	string	-	Address	Street name
Address	zipCode	string	-	Address	Zip code
Announcement	announcementChoice	enum: NUMBERCHANGE, REFERENCE	-	Announcement	Announcement choice
Announcement	announcementPhoneNo	string	-	Announcement	Phone number
Announcement	announcementType	enum: STANDARD, CANCEL, CHANGE	Announcement	Announcement	Announcement type
Announcement	languageDanishPriority	integer	-	Announcement	Priority in Danish
Announcement	languageEnglishPriority	integer	Announcement	Announcement	Priority in English
Announcement	languageGermanPriority	integer	-	Announcement	Priority in German
CuEvent	createdTs	string (date-time)	-	CuEvent (2 variants)	When was it created
CuEvent	eventNo	integer (int64)	-	CuEvent (2 variants)	
CuEvent	handled	boolean	-	CuEvent (2 variants)	
CuEvent	jmsMessageId	string	-	CuEvent (2 variants)	
CuEvent	modifiedTs	string (date-time)	-	CuEvent (2 variants)	When was it modified
Customer	accountNo	string	-	Customer	Account number
Customer	cvrNo	string	-	Customer	CVR number
CustomerRelation	customer	Customer CustomerDTO CustomerType	CustomerRelation	CustomerRelation	
CustomerRelation	customerRelationId	string	CustomerRelation	CustomerRelation	Customer relation id
CustomerRelation	customerRelationStatus	enum: ORDERED, SUBSCRIBED, DISABLED, CANCELLATION_ORDERED, CANCELLED	CustomerRelation	CustomerRelation	Customer relation status
CustomerRelation	ongoingOrdersExecutionDate	string (date-time)	-	CustomerRelation	Ongoing order execution date
CustomerRelation	ongoingOrders	string	-	CustomerRelation	Ongoing order
CustomerRelation	phonebookPublicStatus	enum: PUBLIC, ADDRESS_SECRET, SECRET, OMITTED	CustomerRelation	CustomerRelation	Phonebook registration status
DashboardV1	externalFalloutCount	integer (int64)	-	DashboardV1	
DashboardV1	falloutCount	integer (int64)	-	DashboardV1	
DashboardV1	falloutOrdersByState	array of OrderStateCount	-	DashboardV1	
DashboardV1	falloutOrderStates	array of OrderStateCount	-	DashboardV1	
DashboardV1	newOrderCount	integer (int64)	-	DashboardV1	
DashboardV1	orderCount	integer (int64)	-	DashboardV1	
DashboardV1	ordersByProductType	array of ProductTypeCount	-	DashboardV1	
DashboardV1	ordersByStage	array of OrderStageCount	-	DashboardV1	
DashboardV1	ordersByState	array of OrderStateCount	-	DashboardV1	
DashboardV1	ordersByStatus	array of OrderStatusCount	-	DashboardV1	

Schema family	Field	Type	Required in	Optional in	Desc
DefaultErrorPayload	statusCode	string	-	DefaultErrorPayload	
DefaultErrorPayload	statusError	string	-	DefaultErrorPayload	
Error	@baseType	string	-	Error	When class is defined super
Error	@schemaLocation	string	-	Error	A URL to a JSON file that defines additional attributes and relationships
Error	@type	string	-	Error	When class is defined sub-entity
Error	referenceError	string	-	Error	URI of document describing error
Fallout	causeCategory	string	-	Fallout (2 variants)	
Fallout	cause	string	-	Fallout (2 variants)	
Fallout	causeSubCategory	string	-	Fallout (2 variants)	
Fallout	customerConsequence	boolean	-	Fallout (2 variants)	
Fallout	externalCause	string	-	Fallout (2 variants)	
Fallout	falloutId	integer (int64)	-	Fallout (2 variants)	
Fallout	getpNumber	string	-	Fallout (2 variants)	
Fallout	latestUpdate	string (date-time)	-	Fallout (2 variants)	
Fallout	newInstallationDate	string (date-time)	-	Fallout (2 variants)	This update fallout reborn not a so we use it
Fallout	productCode	string	-	Fallout (2 variants)	CAD's code
Fallout	product	string	-	Fallout (2 variants)	CAD's name
Fallout	registeredAt	string (date-time)	-	Fallout (2 variants)	
JsonSchema	\$schema	string	-	JsonSchema	
JsonSchema	definitions	object	-	JsonSchema	
JsonSchema	description	string	-	JsonSchema	
Link	deprecation	string	-	Link	
Link	hreflang	string	-	Link	
Link	href	string	-	Link	
Link	profile	string	-	Link	
Links	(value)	object	Links	-	
Link	templated	boolean	-	Link	
Order	announcement	Announcement AnnouncementDTO AnnouncementType	-	Order (5 variants)	

Schema family	Field	Type	Required in	Optional in	Description
Order	forwardingAddress	Installation InstallationDTO InstallationType	-	Order (5 variants)	
OrderMessageEvent	orderMessage	OrderMessageType	OrderMessageEvent	-	
OrderMessage	messageType	string	-	OrderMessage	Type of message
OrderMessage	messageValue	string	-	OrderMessage	Value of message
Order	orderMessageList	array of OrderMessage array of string	-	Order	
Order	productChangeList	ProductChangeListType array of ProductChange array of ProductChangeDTO	-	Order (5 variants)	
Order	rejectionCausesList	RejectionCausesList	-	Order	
OrderStageCount	stage	enum: PREPARE_FIBER, SITE_SURVEY, OFFER, ORDER_CONFIRMATION, HIGH_LEVEL_DESIGN, DETAILED_DESIGN, FIBER_CONSULTANT, DIGGING, PROVISIONING, CENTRAL_CONNECT, CUSTOMER_INSTALLATION, GIG_TECHNICIAN, GDS_WITHOUT_TECHNICIAN, GDS_WITH_TECHNICIAN, IGNORE, EXECUTED, FINISHED, CANCELLED	-	OrderStageCount	
Order	statePlanlist	StatePlanlistType	-	Order	
Order	workTimeslotList	WorktimeslotListType	-	Order	
PageableObject	offset	integer (int64)	-	PageableObject	
PageableObject	paged	boolean	-	PageableObject	
PageableObject	pageNumber	integer (int32)	-	PageableObject	
PageableObject	pageSize	integer (int32)	-	PageableObject	
PageableObject	unpaged	boolean	-	PageableObject	
ProductChange	changeParameterList	array of ProductParameter array of ProductParameterDTO	-	ProductChange	
ProductChange	cuProdAfs	string	-	ProductChange	cuProdAfs
ProductChange	cuProdNr	string	-	ProductChange	cuProdNr
ProductChange	cuProdTr	string	-	ProductChange	cuProdTr
ProductChangeList	productChange	array of ProductChange	-	ProductChangeList	
ProductChange	productCount	integer	-	ProductChange	How many products
ProductChange	productSequence	integer	-	ProductChange	Sequence of products
ProductChange	sikValue	string	-	ProductChange	SIK value
ProductParameter	paramValue	string	-	ProductParameter	Value of parameter
ProductTypeConfig	priority	integer (int32)	-	ProductTypeConfig (2 variants)	Lower priority first
ProductTypeConfig	productGroup	string	-	ProductTypeConfig (2 variants)	The product group the product belongs to
RejectionCause	rejectionCauseCode	string	-	RejectionCause	
RejectionCause	rejectionCauseText	string	-	RejectionCause	
RejectionCausesList	rejectionCauses	array of RejectionCauseType	-	RejectionCausesList	

Schema family	Field	Type	Required in	Optional in	Description
RevisionLongOrder	entity	Order	-	RevisionLongOrder	
RevisionLongOrder	metadata	RevisionMetadataLong	-	RevisionLongOrder	
RevisionMetadataLong	delegate	object	-	RevisionMetadataLong	
RevisionMetadataLong	revisionType	enum: UNKNOWN, INSERT, UPDATE, DELETE	-	RevisionMetadataLong	
RevisionsLongOrder	latestRevision	RevisionLongOrder	-	RevisionsLongOrder	
SortObject	sorted	boolean	-	SortObject	
SortObject	unsorted	boolean	-	SortObject	
StatePlan	klarmeldtDato	string	-	StatePlan	
StatePlanlist	statePlan	array of StatePlan	-	StatePlanlist	
StatePlan	meddelelserEmail	string	-	StatePlan	
StatePlan	meddelelserKode	string	-	StatePlan	
StatePlan	meddelelserSMS	string	-	StatePlan	
StatePlan	sidstOpdTstmp	string	-	StatePlan	
StatePlan	stateBemaerk	string	-	StatePlan	
StatePlan	stateKlarm	string	-	StatePlan	
StatePlan	stateKode	string	-	StatePlan	
StatePlan	stateName	string	-	StatePlan	
Task	additionalTaskDataList	array of string	-	Task	
Task	bookedDateSpecial	string	-	Task	Booked Date Special
Task	bookedDate	string (date-time)	-	Task	Booked Date
Task	bookedTimeFrom	string (date-time)	-	Task	Booked Time From
Task	bookedTimeTo	string (date-time)	-	Task	Booked Time To
Task	delayed	boolean	-	Task	Is the task delayed
Task	executionTime	string (date-time)	-	Task	Execution Time
TaskList	task	array of Task	-	TaskList	
Task	taskId	string	-	Task	Task ID
Task	taskName	string	-	Task	Task Name
Task	taskRescheduleAble	boolean	-	Task	Can the task be re-scheduled
Task	taskRescheduled	boolean	-	Task	Has the task been re-scheduled
WorktimeslotList	workTimeslot	array of WorkTimeslot	WorktimeslotList	-	
WorkTimeslot	timeslotDateSpecial	string	-	WorkTimeslot	
WorkTimeslot	timeslotDate	string (date-time)	-	WorkTimeslot	
WorkTimeslot	timeslotInsideSlack	boolean	-	WorkTimeslot	
WorkTimeslot	timeslotTimeFrom	string (date-time)	-	WorkTimeslot	
WorkTimeslot	timeslotTimeTo	string (date-time)	-	WorkTimeslot	

Schema	Family	Category	Field count	Fields
AbstractJsonSchemaPropertyObject	AbstractJsonSchemaPropertyObject	Domain	2	title, readOnly
Address	Address	Domain	19	id, streetCode, municipalCode, streetName, zipCode, houseNo, mainDoor, floor, doorNo, city, county, country, houseName, externalInstallationId, addressKey, createdAt, createdBy, lastModifiedDate, lastModifiedBy
AddressDTO	Address	DTO	18	streetCode, municipalCode, streetName, zipCode, houseNo, mainDoor, floor, doorNo, city, county, country, houseName, externalInstallationId, addressKey, createdAt, createdBy, lastModifiedDate, lastModifiedBy
AddressType	Address	Type	14	streetCode, municipalCode, streetName, zipCode, houseNo, mainDoor, floor, doorNo, city, county, country, houseName, externalInstallationId, addressKey
Announcement	Announcement	Domain	11	id, announcementType, announcementChoice, announcementPhoneNo, languageDanishPriority, languageEnglishPriority, languageGermanPriority, createdAt, createdBy, lastModifiedDate, lastModifiedBy
AnnouncementDTO	Announcement	DTO	10	announcementType, announcementChoice, announcementPhoneNo, languageDanishPriority, languageEnglishPriority, languageGermanPriority, createdAt, createdBy, lastModifiedDate, lastModifiedBy
AnnouncementType	Announcement	Type	6	announcementType, announcementChoice, announcementPhoneNo, languageDanishPriority, languageEnglishPriority, languageGermanPriority
CuEventRequestBody	CuEvent	Request	8	id, message, jmsMessageId, orderNo, eventNo, handled, createdAt, modifiedTs
CollectionModelEntityModelCuEvent	CuEvent	Wrapper	2	_embedded, _links
EntityModelCuEvent	CuEvent	Wrapper	8	message, jmsMessageId, orderNo, eventNo, handled, createdAt, modifiedTs, _links
PagedModelEntityModelCuEvent	CuEvent	Wrapper	3	_embedded, _links, page
Customer	Customer	Domain	14	id, name, firstName, lastName, occupation, companyName, accountNo, cvrNo, remarks, address, createdAt, createdBy, lastModifiedDate, lastModifiedBy
CustomerDTO	Customer	DTO	13	name, firstName, lastName, occupation, companyName, accountNo, cvrNo, remarks, address, createdAt, createdBy, lastModifiedDate, lastModifiedBy

Schema	Family	Category	Field count	Fields
CustomerType	Customer	Type	9	name, firstName, lastName, occupation, companyName, accountNo, cvrNo, remarks, address
CustomerRelation	CustomerRelation	Domain	13	id, customerRelationId, phoneNo, phonebookPublicStatus, customerRelationStatus, ongoingOrders, ongoingOrdersExecutionDate, customer, installation, createdAt, createdBy, lastModifiedDate, lastModifiedBy
CustomerRelationDTO	CustomerRelation	DTO	12	customerRelationId, lid, phonebookPublicStatus, customerRelationStatus, ongoingOrders, ongoingOrdersExecutionDate, customer, installation, createdAt, createdBy, lastModifiedDate, lastModifiedBy
CustomerRelationType	CustomerRelation	Type	8	customerRelationId, phoneNo, phonebookPublicStatus, customerRelationStatus, ongoingOrders, ongoingOrdersExecutionDate, customer, installation
DashboardV1	DashboardV1	Domain	10	ordersByState, ordersByStatus, ordersByStage, ordersByProductType, newOrderCount, orderCount, externalFalloutCount, falloutCount, falloutOrderStates, falloutOrdersByState
DefaultErrorPayload	DefaultErrorPayload	Error	8	timestamp, status, message, path, code, reason, statusCode, statusError
Error	Error	Error	10	code, reason, message, status, referenceError, @baseType, @schemaLocation, @type, timestamp, path
FalloutRequestBody	Fallout	Request	19	id, falloutId, orderNo, productCode, product, cause, causeCategory, causeSubCategory, customerConsequence, getpNumber, registeredAt, latestUpdate, externalCause, newInstallationDate, state, createdAt, createdBy, lastModifiedDate, lastModifiedBy
CollectionModelEntityModelFallout	Fallout	Wrapper	2	_embedded, _links
EntityModelFallout	Fallout	Wrapper	20	id, falloutId, orderNo, productCode, product, cause, causeCategory, causeSubCategory, customerConsequence, getpNumber, registeredAt, latestUpdate, externalCause, newInstallationDate, state, createdAt, createdBy, lastModifiedDate, lastModifiedBy, _links
PagedModelEntityModelFallout	Fallout	Wrapper	3	_embedded, _links, page
Installation	Installation	Domain	10	id, firstName, lastName, occupation, companyName, address, createdAt,

Schema	Family	Category	Field count	Fields
				createdBy, lastModifiedDate, lastModifiedBy
InstallationDTO	Installation	DTO	8	firstName, lastName, occupation, companyName, createdDate, createdBy, lastModifiedDate, lastModifiedBy
InstallationType	Installation	Type	5	firstName, lastName, occupation, companyName, address
Item	Item	Domain	3	type, properties, requiredProperties
JsonSchema	JsonSchema	Domain	7	title, description, properties, requiredProperties, definitions, type, \$schema
KisIdListType	KisIdList	Type	1	kisId
Link	Link	Wrapper	8	href, hreflang, title, type, deprecation, profile, name, templated
Links	Links	Wrapper	1	(value)
PageMetadata	Metadata	Wrapper	4	size, totalElements, totalPages, number
Order	Order	Domain	49	id, orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisId, phoneNo, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, forwardingAddress, announcement, customerRelation, productChangeList, taskList, orderMessageList, createdDate, createdBy, lastModifiedDate, lastModifiedBy
OrderDTO	Order	DTO	48	orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisId, lid, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom,

Schema	Family	Category	Field count	Fields
				executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, customerRelation, createdDate, createdBy, lastModifiedDate, lastModifiedBy, forwardingAddress, announcement, productChangeList, taskList, orderMessageList
OrderRequestBody	Order	Request	49	id, orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisId, phoneNo, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, forwardingAddress, announcement, customerRelation, productChangeList, taskList, orderMessageList, createdDate, createdBy, lastModifiedDate, lastModifiedBy
OrderType	Order	Type	37	orderType, orderDate, orderStatus, orderNo, phoneNo, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, installation, forwardingAddress, announcement, productChangeList, customerRelation, taskList, workTimeslotList, copperBlockingText, statePlanlist, rejectionCausesList
EntityModelOrder	Order	Wrapper	49	id, orderType, orderDate, orderStatus, orderStage, orderStages, orderState,

Schema	Family	Category	Field count	Fields
				orderStateSort, productType, orderNo, kisd, phoneNo, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, forwardingAddress, announcement, customerRelation, productChangeList, taskList, createdDate, createdBy, lastModifiedDate, lastModifiedBy, _links
PagedModelEntityModelOrder	Order	Wrapper	3	_embedded, _links, page
PageOrder	Order	Wrapper	11	totalPages, totalElements, size, content, number, sort, numberOfElements, pageable, first, last, empty
OrderChangeEvent	OrderChangeEvent	Domain	7	kisdList, eventId, phoneNo, eventDate, eventTime, customerRelation, order
OrderCreateEvent	OrderCreateEvent	Domain	7	kisdList, eventId, phoneNo, eventDate, eventTime, customerRelation, order
OrderInfoDTO	OrderInfo	DTO	43	orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisd, lid, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, customerRelation, createdDate, createdBy, lastModifiedDate, lastModifiedBy
PageOrderInfoDTO	OrderInfo	Wrapper	11	totalPages, totalElements, size, content, number, sort, numberOfElements, pageable, first, last, empty
OrderMessage	OrderMessage	Domain	7	id, messageType, messageValue, createdDate,

Schema	Family	Category	Field count	Fields
				createdBy, lastModifiedDate, lastModifiedBy
OrderMessageType	OrderMessage	Type	2	messageType, messageValue
OrderMessageEvent	OrderMessageEvent	Domain	7	kiIdList, eventId, phoneNo, eventDate, eventTime, orderNo, orderMessage
OrderStageCount	OrderStageCount	Type	3	stage, count, state
OrderStateCount	OrderStateCount	Type	2	state, count
OrderStatusChangeEvent	OrderStatusChangeEvent	Type	7	kiIdList, eventId, phoneNo, eventDate, eventTime, orderNo, orderStatus
OrderStatusCount	OrderStatusCount	Type	2	status, count
Pageable	Pageable	Wrapper	3	page, size, sort
PageableObject	PageableObject	Wrapper	6	offset, sort, pageNumber, pageSize, paged, unpaged
ProductChange	ProductChange	Domain	14	id, productId, name, cuProdNr, cuProdTr, cuProdAfs, sikValue, productCount, productSequence, changeParameterList, createdAt, createdBy, lastModifiedDate, lastModifiedBy
ProductChangeDTO	ProductChange	DTO	13	productId, name, cuProdNr, cuProdTr, cuProdAfs, sikValue, productCount, productSequence, changeParameterList, createdAt, createdBy, lastModifiedDate, lastModifiedBy
ProductChangeListType	ProductChangeList	Type	1	productChange
ProductParameter	ProductParameter	Domain	7	id, name, paramValue, createdAt, createdBy, lastModifiedDate, lastModifiedBy
ProductParameterDTO	ProductParameter	DTO	6	name, paramValue, createdAt, createdBy, lastModifiedDate, lastModifiedBy
ProductTypeConfigRequestBody	ProductTypeConfig	Request	5	id, priority, productId, productGroup, productType
CollectionModelEntityModelProductTypeConfig	ProductTypeConfig	Wrapper	2	_embedded, _links
EntityModelProductTypeConfig	ProductTypeConfig	Wrapper	5	priority, productId, productGroup, productType, _links
PagedModelEntityModelProductTypeConfig	ProductTypeConfig	Wrapper	3	_embedded, _links, page
ProductTypeCount	ProductTypeCount	Type	2	type, count
RejectionCauseType	RejectionCause	Type	2	rejectionCauseCode, rejectionCauseText
RejectionCausesList	RejectionCausesList	Type	1	rejectionCauses
RepresentationModelObject	RepresentationModelObject	Wrapper	1	_links
RevisionLongOrder	RevisionLongOrder	Wrapper	6	metadata, entity, revisionNumber, revisionInstant, requiredRevisionInstant, requiredRevisionNumber
RevisionMetadataLong	RevisionMetadataLong	Wrapper	6	delegate, revisionType, revisionNumber, revisionInstant,

Schema	Family	Category	Field count	Fields
				requiredRevisionInstant, requiredRevisionNumber
RevisionsLongOrder	RevisionsLongOrder	Wrapper	3	content, latestRevision, empty
SortObject	SortObject	Domain	3	empty, sorted, unsorted
StatePlan	StatePlan	Type	10	lid, stateCode, stateName, klarmeldtDato, stateKlarm, stateBemaerk, meddelelserKode, meddelelserSMS, meddelelserEMail, sidstOpdTstmp
StatePlanlistType	StatePlanlist	Type	1	statePlan
Task	Task	Domain	19	id, taskId, taskName, bookedDateSpecial, bookedDate, bookedTimeFrom, bookedTimeTo, executionDateSpecial, executionDate, executionTime, taskRescheduleAble, taskRescheduled, orderStage, delayed, additionalTaskDataList, createdAt, createdBy, lastModifiedDate, lastModifiedBy
TaskDTO	Task	DTO	19	id, taskId, taskName, bookedDateSpecial, bookedDate, bookedTimeFrom, bookedTimeTo, executionDateSpecial, executionDate, executionTime, taskRescheduleAble, taskRescheduled, orderStage, delayed, additionalTaskDataList, createdAt, createdBy, lastModifiedDate, lastModifiedBy
TaskListType	TaskList	Type	1	task
TaskStatusChangeEvent	TaskStatusChangeEvent	Type	7	kisIdList, eventId, phoneNo, eventDate, eventTime, orderNo, taskList
WorkTimeslot	WorkTimeslot	Domain	5	timeslotDateSpecial, timeslotDate, timeslotTimeFrom, timeslotTimeTo, timeslotInsideSlack
WorktimeslotListType	WorktimeslotList	Type	1	workTimeslot