

net-ordercache

Table of content

1 Change log	2
2 Overview	3
3 API interaction model	4
3.1 Security setup	4
3.2 Documentation	4
3.3 Data boundaries	4
4 The specific API	5
4.1 GET /api/v1/task/{id}/history	5
4.2 GET /api/v1/order/{orderNo}/tasks	5
4.3 GET /api/v1/order/{orderNo}/tasks/history	5
4.4 GET /api/v1/order/{orderNo}/history	5
4.5 GET /api/v1/order/search	5
4.6 GET /api/v1/order/{orderNo}	5
5 Attachments	11
6 Schema	12
6.1 Schema overview	12
6.2 Top reused fields	12
6.3 Schema relationships	12
6.4 Wrapper patterns	12
6.5 Identifier fields	12
6.6 Audit fields	12
6.7 Status and error fields	12
6.8 Pagination fields	12
6.9 Link fields	12
6.10 Scheduling fields	12
6.11 Collection fields	12
6.12 Business fields	12
6.13 Schema-specific fields	12
6.14 Schema index	12

1 Change log

Version	Date	Description
1.0	2026-08-13	Initial generated version

2 Overview

Order cache where clients can search for orders and get history on orders and tasks

Documented server endpoints: <https://api-sit-global.tdcnet.dk/net-ordercache>.

3 API interaction model

3.1 Security setup

Document the authentication, authorization, and data-protection requirements for the target environment.

3.2 Documentation

The OpenAPI file remains the technical source of truth. This PDF is the human-readable review artifact generated from that contract.

3.3 Data boundaries

Document any tenant, customer, environment, or access-boundary constraints that apply to this API.

4 The specific API

4.1 GET `/api/v1/task/{id}/history`

Get Task history

4.2 GET `/api/v1/order/{orderNo}/tasks`

Get all tasks on a specific order

4.3 GET `/api/v1/order/{orderNo}/tasks/history`

Get Task history for all tasks on a specific order as a map with '{taskId}':[task history list]

4.4 GET `/api/v1/order/{orderNo}/history`

Get Order history

4.5 GET `/api/v1/order/search`

Search for orders

4.6 GET `/api/v1/order/{orderNo}`

Get Order by order number, will return a complete order with all children (tasks, productchanges, etc.)

5 Attachments

Plain-text request and response payload examples extracted from the OpenAPI document.

5.1 GET /api/v1/task/{id}/history response 200

application/json

```
[
  {
    "id": 1,
    "taskId": "3806",
    "taskName": "Poi Tildeling",
    "bookedDateSpecial": "string",
    "bookedDate": "string",
    "bookedTimeFrom": "string",
    "bookedTimeTo": "string",
    "executionDateSpecial": "string",
    "executionDate": "string",
    "executionTime": "string",
    "taskRescheduleAble": true,
    "taskRescheduled": false,
    "orderStage": "SITE_SURVEY",
    "delayed": false,
    "additionalTaskDataList": [
      "string"
    ],
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  }
]
```

5.2 GET /api/v1/task/{id}/history response 400

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.3 GET /api/v1/task/{id}/history response 500

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.4 GET /api/v1/order/{orderNo}/tasks response 200

application/json

```
[
  {
    "id": 1,
    "taskId": "3806",
    "taskName": "Poi Tildeling",
    "bookedDateSpecial": "string",
    "bookedDate": "string",
    "bookedTimeFrom": "string",
    "bookedTimeTo": "string",
    "executionDateSpecial": "string",
    "executionDate": "string",
    "executionTime": "string",
    "taskRescheduleAble": true,
    "taskRescheduled": false,
    "orderStage": "SITE_SURVEY",
    "delayed": false,
    "additionalTaskDataList": [
      "string"
    ],
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  }
]
```

5.5 GET /api/v1/order/{orderNo}/tasks response 400

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.6 GET /api/v1/order/{orderNo}/tasks response 500

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.7 GET /api/v1/order/{orderNo}/tasks/history response 400

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```


5.8 GET /api/v1/order/{orderNo}/tasks/history response 500

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.9 GET /api/v1/order/{orderNo}/history response 200

application/json

```
[
  {
    "orderType": "OPRETTELSE",
    "orderDate": "2023-10-04T10:28:54.0000000+00:00",
    "orderStatus": "ORDERED",
    "orderStage": "SITE_SURVEY",
    "orderStages": "SITE_SURVEY,CUSTOMER_INSTALLATION,EXECUTED,FINISHED",
    "orderState": "YELLOW",
    "orderStateSort": 0,
    "productType": "020021100001EBSA-FIBER///",
    "orderNo": 100000001,
    "kisId": "8292-08-20-10.48.44.625510",
    "lid": "EF000001",
    "contactName": "Peter Pedal",
    "contactPhoneNo": "99999999",
    "remarks": "Some remark on the order",
    "confirmLetter": "FALSE",
    "orderReference": "order-xyz",
    "reservedPhoneNo": "99999999",
    "requestStartLimitDate": "2023-10-04T10:28:54.0000000+00:00",
    "requestEndLimitDate": "2023-10-04T10:28:54.0000000+00:00",
    "requestedDateSpecial": "string",
    "requestedDate": "2023-10-04T10:28:54.0000000+00:00",
    "requestedTime": "2023-10-04T10:28:54.0000000+00:00",
    "bookExactDate": true,
    "bookReason": "243",
    "executionDateSpecial": "string",
    "executionDate": "2023-10-04T10:28:54.0000000+00:00",
    "executionTimeFrom": "2023-10-04T10:28:54.0000000+00:00",
    "executionTimeTo": "2023-10-04T10:28:54.0000000+00:00",
    "executedDate": "2023-10-04T10:28:54.0000000+00:00",
    "computeDate": "2023-10-04T10:28:54.0000000+00:00",
    "timeslotType": "xxxx",
    "dayShortname": "TOR",
    "bookingMessage": "Some information about booking",
    "importantMessage": "Important message about order",
    "copperBlockingText": "Something blocking copper",
    "hasFallout": true,
    "hasExternalFallout": true,
    "installation": {
      "firstName": "Test",
      "lastName": "Testesen",
      "occupation": "Works for a living",
      "companyName": "Company AB",
      "createdDate": "2023-10-04T10:28:54.0000000+00:00",
      "createdBy": "Someone",
      "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
      "lastModifiedBy": "Someone Else"
    },
    "customerRelation": {
      "customerRelationId": "100000001-EF000001",
      "lid": "EF000001",
      "phonebookPublicStatus": "SECRET",
      "customerRelationStatus": "SUBSCRIBED",
      "ongoingOrders": "xyz",
      "ongoingOrdersExecutionDate": "string",
      "customer": {
```

```
"name": "Test Testesen",
"firstName": "Test",
"lastName": "Testesen",
"occupation": "Works for a living",
"companyName": "Company AB",
"accountNo": "1234",
"cvrNo": "12345678",
"remarks": "Some remark",
"address": {
  "streetCode": "1234",
  "municipalCode": "123",
  "streetName": "Testvej",
  "zipCode": "1234",
  "houseNo": 2,
  "mainDoor": "The red door",
  "floor": "3",
  "doorNo": "TH",
  "city": "Andeby",
  "county": "Egedal",
  "country": "Denmarl",
  "houseName": "Dyssegården",
  "externalInstallationId": "some-id",
  "addressKey": 123456,
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifedBy": "Someone Else"
},
"installation": {
  "name": "Test Testesen",
  "firstName": "Test",
  "lastName": "Testesen",
  "occupation": "Works for a living",
  "companyName": "Company AB",
  "accountNo": "1234",
  "cvrNo": "12345678",
  "remarks": "Some remark",
  "address": {
    "streetCode": "1234",
    "municipalCode": "123",
    "streetName": "Testvej",
    "zipCode": "1234",
    "houseNo": 2,
    "mainDoor": "The red door",
    "floor": "3",
    "doorNo": "TH",
    "city": "Andeby",
    "county": "Egedal",
    "country": "Denmarl",
    "houseName": "Dyssegården",
    "externalInstallationId": "some-id",
    "addressKey": 123456,
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifedBy": "Someone Else"
  },
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifedBy": "Someone Else",
"forwardingAddress": {
  "firstName": "Test",
```

```
"lastName": "Testesen",
"occupation": "Works for a living",
"companyName": "Company AB",
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else"
},
"announcement": {
  "announcementType": "CHANGE",
  "announcementChoice": "REFERENCE",
  "announcementPhoneNo": "99999999",
  "languageDanishPriority": 1,
  "languageEnglishPriority": 2,
  "languageGermanPriority": 3,
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifiedBy": "Someone Else"
},
"productChangeList": [
  {
    "productId": "760022200001BREDBAAND//",
    "name": "Bredbånd",
    "cuProdNr": "xxx",
    "cuProdTr": "yyy",
    "cuProdAfs": "zzz",
    "sikValue": "B1000001",
    "productCount": 1,
    "productSequence": 23,
    "changeParameterList": [
      {
        "name": "SIK-NR",
        "paramValue": "B1000001",
        "createdDate": "2023-10-04T10:28:54.0000000+00:00",
        "createdBy": "Someone",
        "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
        "lastModifiedBy": "Someone Else"
      }
    ],
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  }
],
"taskList": [
  {
    "id": 1,
    "taskId": "3806",
    "taskName": "Poi Tildeling",
    "bookedDateSpecial": "string",
    "bookedDate": "string",
    "bookedTimeFrom": "string",
    "bookedTimeTo": "string",
    "executionDateSpecial": "string",
    "executionDate": "string",
    "executionTime": "string",
    "taskRescheduleAble": true,
    "taskRescheduled": false,
    "orderStage": "SITE_SURVEY",
    "delayed": false,
    "additionalTaskDataList": [
      "string"
    ],
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  }
],
"orderMessageList": [
  {
    "id": 0,
    "messageType": "T",
    "messageValue": "00370720683210230859",
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
```

```

    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  }
}
}
}
]

```

5.10 GET /api/v1/order/{orderNo}/history response 400

application/json

```

{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}

```

5.11 GET /api/v1/order/{orderNo}/history response 500

application/json

```

{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}

```

5.12 GET /api/v1/order/search response 200

application/json

```

{
  "totalPages": 0,
  "totalElements": 0,
  "size": 0,
  "content": [
    {
      "orderType": "OPRETTEELSE",
      "orderDate": "2023-10-04T10:28:54.0000000+00:00",
      "orderStatus": "ORDERED",
      "orderStage": "SITE_SURVEY",
      "orderStages": "SITE_SURVEY,CUSTOMER_INSTALLATION,EXECUTED,FINISHED",
      "orderState": "YELLOW",
      "orderStateSort": 0,
      "productType": "020021100001EBSA-FIBER///",
      "orderNo": 100000001,
      "kisId": "8292-08-20-10.48.44.625510",
      "lid": "EF000001",
      "contactName": "Peter Pedal",
      "contactPhoneNo": "99999999",
      "remarks": "Some remark on the order",
      "confirmLetter": "FALSE",
      "orderReference": "order-xyz",
      "reservedPhoneNo": "99999999",
      "requestStartLimitDate": "2023-10-04T10:28:54.0000000+00:00",
      "requestEndLimitDate": "2023-10-04T10:28:54.0000000+00:00",
      "requestedDateSpecial": "string",
      "requestedDate": "2023-10-04T10:28:54.0000000+00:00",
      "requestedTime": "2023-10-04T10:28:54.0000000+00:00",
      "bookExactDate": true,
      "bookReason": "243",
      "executionDateSpecial": "string",
      "executionDate": "2023-10-04T10:28:54.0000000+00:00",
    }
  ]
}

```

```
"executionTimeFrom": "2023-10-04T10:28:54.0000000+00:00",
"executionTimeTo": "2023-10-04T10:28:54.0000000+00:00",
"executedDate": "2023-10-04T10:28:54.0000000+00:00",
"computeDate": "2023-10-04T10:28:54.0000000+00:00",
"timeslotType": "xxxx",
"dayShortname": "TOR",
"bookingMessage": "Some information about booking",
"importantMessage": "Important message about order",
"copperBlockingText": "Something blocking copper",
"hasFallout": true,
"hasExternalFallout": true,
"installation": {
  "firstName": "Test",
  "lastName": "Testesen",
  "occupation": "Works for a living",
  "companyName": "Company AB",
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
},
"customerRelation": {
  "customerRelationId": "100000001-EF000001",
  "lid": "EF000001",
  "phonebookPublicStatus": "SECRET",
  "customerRelationStatus": "SUBSCRIBED",
  "ongoingOrders": "xyz",
  "ongoingOrdersExecutionDate": "string",
  "customer": {
    "name": "Test Testesen",
    "firstName": "Test",
    "lastName": "Testesen",
    "occupation": "Works for a living",
    "companyName": "Company AB",
    "accountNo": "1234",
    "cvrNo": "12345678",
    "remarks": "Some remark",
    "address": {
      "streetCode": "1234",
      "municipalCode": "123",
      "streetName": "Testvej",
      "zipCode": "1234",
      "houseNo": 2,
      "mainDoor": "The red door",
      "floor": "3",
      "doorNo": "TH",
      "city": "Andeby",
      "county": "Egedal",
      "country": "Denmark",
      "houseName": "Dyssegården",
      "externalInstallationId": "some-id",
      "addressKey": 123456,
      "createdDate": "2023-10-04T10:28:54.0000000+00:00",
      "createdBy": "Someone",
      "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
      "lastModifedBy": "Someone Else"
    },
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifedBy": "Someone Else"
  },
  "installation": {
    "name": "Test Testesen",
    "firstName": "Test",
    "lastName": "Testesen",
    "occupation": "Works for a living",
    "companyName": "Company AB",
    "accountNo": "1234",
    "cvrNo": "12345678",
    "remarks": "Some remark",
    "address": {
      "streetCode": "1234",
      "municipalCode": "123",
      "streetName": "Testvej",
      "zipCode": "1234",
      "houseNo": 2,
      "mainDoor": "The red door",
```

```

        "floor": "3",
        "doorNo": "TH",
        "city": "Andeby",
        "county": "Egedal",
        "country": "Denmarl",
        "houseName": "Dyssegården",
        "externalInstallationId": "some-id",
        "addressKey": 123456,
        "createdDate": "2023-10-04T10:28:54.0000000+00:00",
        "createdBy": "Someone",
        "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
        "lastModifiedBy": "Someone Else"
    },
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else"
}
],
"number": 0,
"sort": {
    "empty": true,
    "sorted": true,
    "unsorted": true
},
"numberOfElements": 0,
"pageable": {
    "offset": 0,
    "sort": {
        "empty": true,
        "sorted": true,
        "unsorted": true
    },
    "pageNumber": 0,
    "pageSize": 0,
    "paged": true,
    "unpaged": true
},
"first": true,
"last": true,
"empty": true
}
}

```

5.13 GET /api/v1/order/search response 400

application/json

```

{
    "timestamp": "string",
    "status": "string",
    "message": "string",
    "path": "string",
    "code": "string",
    "reason": "string",
    "statusCode": "string",
    "statusError": "string"
}

```

5.14 GET /api/v1/order/search response 500

application/json

```

{
    "timestamp": "string",
    "status": "string",

```

```
"message": "string",
"path": "string",
"code": "string",
"reason": "string",
"statusCode": "string",
"statusError": "string"
}
```

5.15 GET /api/v1/order/{orderNo} response 200

application/json

```
{
  "orderType": "OPRETELSE",
  "orderDate": "2023-10-04T10:28:54.0000000+00:00",
  "orderStatus": "ORDERED",
  "orderStage": "SITE_SURVEY",
  "orderStages": "SITE_SURVEY,CUSTOMER_INSTALLATION,EXECUTED,FINISHED",
  "orderState": "YELLOW",
  "orderStateSort": 0,
  "productType": "020021100001EBSA-FIBER///",
  "orderNo": 100000001,
  "kisId": "8292-08-20-10.48.44.625510",
  "lid": "EF000001",
  "contactName": "Peter Pedal",
  "contactPhoneNo": "99999999",
  "remarks": "Some remark on the order",
  "confirmLetter": "FALSE",
  "orderReference": "order-xyz",
  "reservedPhoneNo": "99999999",
  "requestStartLimitDate": "2023-10-04T10:28:54.0000000+00:00",
  "requestEndLimitDate": "2023-10-04T10:28:54.0000000+00:00",
  "requestedDateSpecial": "string",
  "requestedDate": "2023-10-04T10:28:54.0000000+00:00",
  "requestedTime": "2023-10-04T10:28:54.0000000+00:00",
  "bookExactDate": true,
  "bookReason": "243",
  "executionDateSpecial": "string",
  "executionDate": "2023-10-04T10:28:54.0000000+00:00",
  "executionTimeFrom": "2023-10-04T10:28:54.0000000+00:00",
  "executionTimeTo": "2023-10-04T10:28:54.0000000+00:00",
  "executedDate": "2023-10-04T10:28:54.0000000+00:00",
  "computeDate": "2023-10-04T10:28:54.0000000+00:00",
  "timeslotType": "xxxx",
  "dayShortname": "TOR",
  "bookingMessage": "Some information about booking",
  "importantMessage": "Important message about order",
  "copperBlockingText": "Something blocking copper",
  "hasFallout": true,
  "hasExternalFallout": true,
  "installation": {
    "firstName": "Test",
    "lastName": "Testesen",
    "occupation": "Works for a living",
    "companyName": "Company AB",
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  },
  "customerRelation": {
    "customerRelationId": "100000001-EF000001",
    "lid": "EF000001",
    "phonebookPublicStatus": "SECRET",
    "customerRelationStatus": "SUBSCRIBED",
    "ongoingOrders": "xyz",
    "ongoingOrdersExecutionDate": "string",
    "customer": {
      "name": "Test Testesen",
      "firstName": "Test",
      "lastName": "Testesen",
      "occupation": "Works for a living",
      "companyName": "Company AB",
      "accountNo": "1234",
      "cvrNo": "12345678",
      "remarks": "Some remark",
      "address": {
```

```
    "streetCode": "1234",
    "municipalCode": "123",
    "streetName": "Testvej",
    "zipCode": "1234",
    "houseNo": 2,
    "mainDoor": "The red door",
    "floor": "3",
    "doorNo": "TH",
    "city": "Andeby",
    "county": "Egedal",
    "country": "Denmark",
    "houseName": "Dyssegården",
    "externalInstallationId": "some-id",
    "addressKey": 123456,
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  },
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifiedBy": "Someone Else"
},
"installation": {
  "name": "Test Testesen",
  "firstName": "Test",
  "lastName": "Testesen",
  "occupation": "Works for a living",
  "companyName": "Company AB",
  "accountNo": "1234",
  "cvrNo": "12345678",
  "remarks": "Some remark",
  "address": {
    "streetCode": "1234",
    "municipalCode": "123",
    "streetName": "Testvej",
    "zipCode": "1234",
    "houseNo": 2,
    "mainDoor": "The red door",
    "floor": "3",
    "doorNo": "TH",
    "city": "Andeby",
    "county": "Egedal",
    "country": "Denmark",
    "houseName": "Dyssegården",
    "externalInstallationId": "some-id",
    "addressKey": 123456,
    "createdDate": "2023-10-04T10:28:54.0000000+00:00",
    "createdBy": "Someone",
    "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
    "lastModifiedBy": "Someone Else"
  },
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifiedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else"
},
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifiedBy": "Someone Else",
"forwardingAddress": {
  "firstName": "Test",
  "lastName": "Testesen",
  "occupation": "Works for a living",
  "companyName": "Company AB",
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifiedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifiedBy": "Someone Else"
},
"announcement": {
```



```

"announcementType": "CHANGE",
"announcementChoice": "REFERENCE",
"announcementPhoneNo": "99999999",
"languageDanishPriority": 1,
"languageEnglishPriority": 2,
"languageGermanPriority": 3,
"createdDate": "2023-10-04T10:28:54.0000000+00:00",
"createdBy": "Someone",
"lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
"lastModifedBy": "Someone Else"
},
"productChangeList": [
{
  "productId": "760022200001BREDBAAND///",
  "name": "Bredbånd",
  "cuProdNr": "xxx",
  "cuProdTr": "yyy",
  "cuProdAfs": "zzz",
  "sikValue": "B1000001",
  "productCount": 1,
  "productSequence": 23,
  "changeParameterList": [
    {
      "name": "SIK-NR",
      "paramValue": "B1000001",
      "createdDate": "2023-10-04T10:28:54.0000000+00:00",
      "createdBy": "Someone",
      "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
      "lastModifedBy": "Someone Else"
    }
  ],
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
}
],
"taskList": [
{
  "id": 1,
  "taskId": "3806",
  "taskName": "Poi Tildeling",
  "bookedDateSpecial": "string",
  "bookedDate": "string",
  "bookedTimeFrom": "string",
  "bookedTimeTo": "string",
  "executionDateSpecial": "string",
  "executionDate": "string",
  "executionTime": "string",
  "taskRescheduleAble": true,
  "taskRescheduled": false,
  "orderStage": "SITE_SURVEY",
  "delayed": false,
  "additionalTaskDataList": [
    "string"
  ],
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
}
],
"orderMessageList": [
{
  "id": 0,
  "messageType": "T",
  "messageValue": "00370720683210230859",
  "createdDate": "2023-10-04T10:28:54.0000000+00:00",
  "createdBy": "Someone",
  "lastModifedDate": "2023-10-04T10:28:54.0000000+00:00",
  "lastModifedBy": "Someone Else"
}
]
}

```

5.16 GET /api/v1/order/{orderNo} response 400

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

5.17 GET /api/v1/order/{orderNo} response 500

application/json

```
{
  "timestamp": "string",
  "status": "string",
  "message": "string",
  "path": "string",
  "code": "string",
  "reason": "string",
  "statusCode": "string",
  "statusError": "string"
}
```

6 Schema

The following tables summarize schemas extracted from the OpenAPI document.

6.1 Schema overview

Compact overview of the component schemas, reusable fields, and schema-specific differences in this OpenAPI document.

Metric	Value
Component schemas	78
Common field definitions	172
Schema-specific field definitions	162
Wrapper schemas	22
Relationship-bearing schemas	43

6.2 Top reused fields

Most reused fields across the component schemas.

Field	Type	Schema count	Used by
createdBy	string	24	24 schemas: Address, AddressDTO, Announcement, AnnouncementDTO, Customer, CustomerDTO, CustomerRelation, CustomerRelationDTO, ...
createdDate	string (date-time)	24	24 schemas: Address, AddressDTO, Announcement, AnnouncementDTO, Customer, CustomerDTO, CustomerRelation, CustomerRelationDTO, ...
lastModifiedBy	string	24	24 schemas: Address, AddressDTO, Announcement, AnnouncementDTO, Customer, CustomerDTO, CustomerRelation, CustomerRelationDTO, ...
lastModifiedDate	string (date-time)	24	24 schemas: Address, AddressDTO, Announcement, AnnouncementDTO, Customer, CustomerDTO, CustomerRelation, CustomerRelationDTO, ...
id	integer (int64)	13	13 schemas: Address, Announcement, CuEventRequestBody, Customer, CustomerRelation, EntityModelFallout, FalloutRequestBody, Installation, ...
_links	Links	12	12 schemas: CollectionModelEntityModelCuEvent, CollectionModelEntityModelFallout, CollectionModelEntityModelProductTypeConfig, EntityModelCuEvent, EntityModelFallout, EntityModelOrder, EntityModelProductTypeConfig, PagedModelEntityModelCuEvent, ...
_embedded	object	7	CollectionModelEntityModelCuEvent, CollectionModelEntityModelFallout, CollectionModelEntityModelProductTypeConfig, PagedModelEntityModelCuEvent, PagedModelEntityModelFallout, PagedModelEntityModelOrder, PagedModelEntityModelProductTypeConfig
executionDate	string (date-time)	7	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody, Task, TaskDTO
orderStage	enum: PREPARE_FIBER, SITE_SURVEY, OFFER, ORDER_CONFIRMATION, HIGH_LEVEL_DESIGN, DETAILED_DESIGN, FIBER_CONSULTANT, DIGGING, PROVISIONING, CENTRAL_CONNECT, CUSTOMER_INSTALLATION, GIG_TECHNICIAN, GDS_WITHOUT_TECHNICIAN, GDS_WITH_TECHNICIAN, IGNORE, EXECUTED, FINISHED, CANCELLED	7	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody, Task, TaskDTO

Field	Type	Schema count	Used by
phoneNo	string	7	CustomerRelationType, OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, OrderType, TaskStatusChangeEvent
remarks	string	7	Customer, CustomerDTO, EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody
name	string	6	Customer, CustomerDTO, ProductChange, ProductChangeDTO, ProductParameter, ProductParameterDTO

6.3 Schema relationships

Reference relationships extracted from component schema properties.

Schema	Category	References
Customer	Domain	address -> Address
CustomerRelation	Domain	customer -> Customer, installation -> Customer
DashboardV1	Domain	falloutOrdersByState -> OrderStateCount, falloutOrderStates -> OrderStateCount, ordersByProductType -> ProductTypeCount, ordersByStage -> OrderStageCount, ordersByState -> OrderStateCount, ordersByStatus -> OrderStatusCount
Installation	Domain	address -> Address
Order	Domain	announcement -> Announcement, customerRelation -> CustomerRelation, forwardingAddress -> Installation, installation -> Installation, orderMessageList -> OrderMessage, productChangeList -> ProductChange, taskList -> Task
OrderChangeEvent	Domain	customerRelation -> CustomerRelationType, kisIdList -> KisIdListType, order -> OrderType
OrderCreateEvent	Domain	customerRelation -> CustomerRelationType, kisIdList -> KisIdListType, order -> OrderType
OrderMessageEvent	Domain	kisIdList -> KisIdListType, orderMessage -> OrderMessageType
ProductChange	Domain	changeParameterList -> ProductParameter
CustomerDTO	DTO	address -> AddressDTO
CustomerRelationDTO	DTO	customer -> CustomerDTO, installation -> CustomerDTO
OrderDTO	DTO	announcement -> AnnouncementDTO, customerRelation -> CustomerRelationDTO, forwardingAddress -> InstallationDTO, installation -> InstallationDTO, orderMessageList -> OrderMessage, productChangeList -> ProductChangeDTO, taskList -> TaskDTO
OrderInfoDTO	DTO	customerRelation -> CustomerRelationDTO, installation -> InstallationDTO
ProductChangeDTO	DTO	changeParameterList -> ProductParameterDTO
OrderRequestBody	Request	announcement -> Announcement, customerRelation -> CustomerRelation, forwardingAddress -> Installation, installation -> Installation, productChangeList -> ProductChange, taskList -> Task
CustomerRelationType	Type	customer -> CustomerType, installation -> CustomerType
CustomerType	Type	address -> AddressType
InstallationType	Type	address -> AddressType
OrderStatusChangeEvent	Type	kisIdList -> KisIdListType
OrderType	Type	announcement -> AnnouncementType, customerRelation -> CustomerRelationType, forwardingAddress -> InstallationType, installation -> InstallationType, productChangeList -> ProductChangeListType, rejectionCausesList -> RejectionCausesList, statePlanlist -> StatePlanlistType, taskList -> TaskListType, workTimeslotList -> WorktimeslotListType
ProductChangeListType	Type	productChange -> ProductChange

Schema	Category	References
RejectionCausesList	Type	rejectionCauses -> RejectionCauseType
StatePlanlistType	Type	statePlan -> StatePlan
TaskListType	Type	task -> Task
TaskStatusChangeEvent	Type	kisIdList -> KisIdListType, taskList -> TaskListType
WorktimeslotListType	Type	workTimeslot -> WorkTimeslot
CollectionModelEntityModelCuEvent	Wrapper	_links -> Links
CollectionModelEntityModelFallout	Wrapper	_links -> Links
CollectionModelEntityModelProductTypeConfig	Wrapper	_links -> Links
EntityModelCuEvent	Wrapper	_links -> Links
EntityModelFallout	Wrapper	_links -> Links
EntityModelOrder	Wrapper	_links -> Links, announcement -> Announcement, customerRelation -> CustomerRelation, forwardingAddress -> Installation, installation -> Installation, productChangeList -> ProductChange, taskList -> Task
EntityModelProductTypeConfig	Wrapper	_links -> Links
PageableObject	Wrapper	sort -> SortObject
PagedModelEntityModelCuEvent	Wrapper	_links -> Links, page -> PageMetadata
PagedModelEntityModelFallout	Wrapper	_links -> Links, page -> PageMetadata
PagedModelEntityModelOrder	Wrapper	_links -> Links, page -> PageMetadata
PagedModelEntityModelProductTypeConfig	Wrapper	_links -> Links, page -> PageMetadata
PageOrder	Wrapper	content -> Order, pageable -> PageableObject, sort -> SortObject
PageOrderInfoDTO	Wrapper	content -> OrderInfoDTO, pageable -> PageableObject, sort -> SortObject
RepresentationModelObject	Wrapper	_links -> Links
RevisionLongOrder	Wrapper	entity -> Order, metadata -> RevisionMetadataLong
RevisionsLongOrder	Wrapper	content -> RevisionLongOrder, latestRevision -> RevisionLongOrder

6.4 Wrapper patterns

Structural wrapper schemas are collapsed here instead of repeated as full object tables.

Wrapper	Pattern	Wraps	Fields
CollectionModelEntityModelCuEvent	Collection wrapper	Links	_embedded, _links
CollectionModelEntityModelFallout	Collection wrapper	Links	_embedded, _links
CollectionModelEntityModelProductTypeConfig	Collection wrapper	Links	_embedded, _links
EntityModelCuEvent	Entity wrapper	Links	message, jmsMessageld, orderNo, eventNo, handled, createdTs, modifiedTs, _links
EntityModelFallout	Entity wrapper	Links	id, falloutId, orderNo, productCode, product, cause, causeCategory, causeSubCategory, customerConsequence, getpNumber, registeredAt, latestUpdate, externalCause, newInstallationDate, state, createdAt, createdBy, lastModifiedDate, lastModifiedBy, _links

Wrapper	Pattern	Wraps	Fields
EntityModelOrder	Entity wrapper	Links, Announcement, CustomerRelation, Installation, Installation, ProductChange, Task	id, orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kislId, phoneNo, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, forwardingAddress, announcement, customerRelation, productChangeList, taskList, createdDate, createdBy, lastModifiedDate, lastModifiedBy, _links
EntityModelProductTypeConfig	Entity wrapper	Links	priority, productId, productGroup, productType, _links
Link	Link wrapper	-	href, hreflang, title, type, deprecation, profile, name, templated
Links	Link wrapper	-	(value)
Pageable	Page wrapper	-	page, size, sort
PageableObject	Page wrapper	SortObject	offset, sort, pageNumber, pageSize, paged, unpaged
PagedModelEntityModelCuEvent	Paged collection wrapper	Links, PageMetadata	_embedded, _links, page
PagedModelEntityModelFallout	Paged collection wrapper	Links, PageMetadata	_embedded, _links, page
PagedModelEntityModelOrder	Paged collection wrapper	Links, PageMetadata	_embedded, _links, page
PagedModelEntityModelProductTypeConfig	Paged collection wrapper	Links, PageMetadata	_embedded, _links, page
PageMetadata	Page wrapper	-	size, totalElements, totalPages, number
PageOrder	Page wrapper	Order, PageableObject, SortObject	totalPages, totalElements, size, content, number, sort, numberOfElements, pageable, first, last, empty
PageOrderInfoDTO	Page wrapper	OrderInfoDTO, PageableObject, SortObject	totalPages, totalElements, size, content, number, sort, numberOfElements, pageable, first, last, empty
RepresentationModelObject	Structural wrapper	Links	_links
RevisionLongOrder	Revision wrapper	Order, RevisionMetadataLong	metadata, entity, revisionNumber, revisionInstant, requiredRevisionInstant, requiredRevisionNumber
RevisionMetadataLong	Revision wrapper	-	delegate, revisionType, revisionNumber, revisionInstant, requiredRevisionInstant, requiredRevisionNumber

Wrapper	Pattern	Wraps	Fields
RevisionsLongOrder	Revision wrapper	RevisionLongOrder, RevisionLongOrder	content, latestRevision, empty

6.5 Identifier fields

Common identifier fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
accountNo	string	-	Customer, CustomerDTO	Account number
addressKey	integer	-	Address, AddressDTO	Addresskey
announcementPhoneNo	string	-	Announcement, AnnouncementDTO	Phonenumber
contactPhoneNo	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Contact phone number
cuProdNr	string	-	ProductChange, ProductChangeDTO	cuProdNr
customerRelationId	string	-	CustomerRelation, CustomerRelationDTO	Customer Relation Id
cvrNo	string	-	Customer, CustomerDTO	CVR number
doorNo	string	-	Address, AddressDTO	Door
eventId	integer	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	-	
eventNo	integer (int64)	-	CuEventRequestBody, EntityModelCuEvent	
externalCause	string	-	EntityModelFallout, FalloutRequestBody	
externalInstallationId	string	-	Address, AddressDTO	External installation Id
falloutId	integer (int64)	-	EntityModelFallout, FalloutRequestBody	
getpNumber	string	-	EntityModelFallout, FalloutRequestBody	
hasExternalFallout	boolean	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	
houseNo	integer	-	Address, AddressDTO	House number of street
id	integer (int64)	-	13 schemas: Address, Announcement, CuEventRequestBody, Customer, CustomerRelation, EntityModelFallout, FalloutRequestBody, Installation, ...	
id	integer (int64)	-	EntityModelOrder, Order, OrderRequestBody	internal Id of the order
jmsMessageId	string	-	CuEventRequestBody, EntityModelCuEvent	
kisId	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	KISS ID for order
lid	string	-	CustomerRelationDTO, OrderDTO, OrderInfoDTO	LID
number	integer (int32)	-	PageOrder, PageOrderInfoDTO	

Field	Type	Required in	Optional in	Description
orderNo	integer (int64)	-	CuEventRequestBody, EntityModelCuEvent	
orderNo	integer	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Order number
orderNo	integer	OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	OrderType	
orderNo	string	-	EntityModelFallout, FalloutRequestBody	
phoneNo	string	-	EntityModelOrder, Order, OrderRequestBody	Phonenumber/LID
phoneNo	string	CustomerRelationType, OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	OrderType	
productId	string	-	EntityModelProductTypeConfig, ProductTypeConfigRequestBody	The product id to match
productId	string	-	ProductChange, ProductChangeDTO	Product Id
requiredRevisionNumber	integer (int64)	-	RevisionLongOrder, RevisionMetadataLong	
reservedPhoneNo	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Reserved phonenumber
revisionNumber	integer (int64)	-	RevisionLongOrder, RevisionMetadataLong	
taskId	string	-	Task, TaskDTO	Task Id

6.6 Audit fields

Common audit fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
createdBy	string	-	24 schemas: Address, AddressDTO, Announcement, AnnouncementDTO, Customer, CustomerDTO, CustomerRelation, CustomerRelationDTO, ...	Modified by
createdDate	string (date-time)	-	24 schemas: Address, AddressDTO, Announcement, AnnouncementDTO, Customer, CustomerDTO, CustomerRelation, CustomerRelationDTO, ...	Creation date
createdTs	string (date-time)	-	CuEventRequestBody, EntityModelCuEvent	When event was received
lastModifiedBy	string	-	24 schemas: Address, AddressDTO, Announcement, AnnouncementDTO, Customer, CustomerDTO, CustomerRelation, CustomerRelationDTO, ...	Modified by
lastModifiedDate	string (date-time)	-	24 schemas: Address, AddressDTO, Announcement, AnnouncementDTO, Customer, CustomerDTO, CustomerRelation, CustomerRelationDTO, ...	Last updated date
modifiedTs	string (date-time)	-	CuEventRequestBody, EntityModelCuEvent	When event was updated

6.7 Status and error fields

Common status and error fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
announcementType	enum: STANDARD, CANCEL, CHANGE	-	Announcement, AnnouncementDTO	Announcement Type
bookingMessage	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Booking message
bookReason	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Book Reason
causeCategory	string	-	EntityModelFallout, FalloutRequestBody	
cause	string	-	EntityModelFallout, FalloutRequestBody	
causeSubCategory	string	-	EntityModelFallout, FalloutRequestBody	
customerRelationStatus	enum: ORDERED, SUBSCRIBED, DISABLED, CANCELLATION_ORDERED, CANCELLED	-	CustomerRelation, CustomerRelationDTO	Customer status
importantMessage	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	important message
message	string	-	CuEventRequestBody, DefaultErrorPayload, EntityModelCuEvent	
municipalCode	string	-	Address, AddressDTO	Municipality code
orderMessageList	array of OrderMessage	-	Order, OrderDTO	
orderStage	enum: PREPARE_FIBER, SITE_SURVEY, OFFER, ORDER_CONFIRMATION, HIGH_LEVEL_DESIGN, DETAILED_DESIGN, FIBER_CONSULTANT, DIGGING, PROVISIONING, CENTRAL_CONNECT, CUSTOMER_INSTALLATION, GIG_TECHNICIAN, GDS_WITHOUT_TECHNICIAN, GDS_WITH_TECHNICIAN, IGNORE, EXECUTED, FINISHED, CANCELLED	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody, Task, TaskDTO	Order stage
orderStages	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Stages in order
orderState	enum: GREEN, YELLOW, RED	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Order state
orderStateSort	integer (int32)	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Sorts the orderState as GREEN,YELLOW,RED in ascending mode
orderStatus	enum: STARTED, ORDERED, EXECUTED, INVOICED, CANCELLED	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Order status
orderStatus	enum: STARTED, ORDERED, EXECUTED, INVOICED, CANCELLED	OrderStatusChangeEvent	OrderType	
orderType	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Order type
phonebookPublicStatus	enum: PUBLIC, ADDRESS_SECRET, SECRET, OMITTED	-	CustomerRelation, CustomerRelationDTO	Phonebok registration
productCode	string	-	EntityModelFallout, FalloutRequestBody	CADY product code

Field	Type	Required in	Optional in	Description
productType	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	The product being ordered
productType	string	-	EntityModelProductTypeConfig, ProductTypeConfigRequestBody	The technology that the product belongs to
state	enum: OPEN, RESOLVED	-	EntityModelFallout, FalloutRequestBody	
streetCode	string	-	Address, AddressDTO	Street code
timeslotType	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Timeslot Type
type	string	-	Item, JsonSchema, Link, ProductTypeCount	
zipCode	string	-	Address, AddressDTO	Zip code

6.8 Pagination fields

Common pagination fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
empty	boolean	-	PageOrder, PageOrderInfoDTO, RevisionsLongOrder, SortObject	
first	boolean	-	PageOrder, PageOrderInfoDTO	
firstName	string	-	Customer, CustomerDTO, Installation, InstallationDTO	First name
firstName	string	-	CustomerType, InstallationType	
last	boolean	-	PageOrder, PageOrderInfoDTO	
lastName	string	-	Customer, CustomerDTO, Installation, InstallationDTO	Last name
lastName	string	-	CustomerType, InstallationType	
numberOfElements	integer (int32)	-	PageOrder, PageOrderInfoDTO	
pageable	PageableObject	-	PageOrder, PageOrderInfoDTO	
page	PageMetadata	-	PagedModelEntityModelCuEvent, PagedModelEntityModelFallout, PagedModelEntityModelOrder, PagedModelEntityModelProductTypeConfig	
size	integer (int32)	-	PageOrder, PageOrderInfoDTO, Pageable	
sort	SortObject	-	PageOrder, PageOrderInfoDTO, PageableObject	
totalElements	integer (int64)	-	PageMetadata, PageOrder, PageOrderInfoDTO	
totalPages	integer (int32)	-	PageOrder, PageOrderInfoDTO	

6.9 Link fields

Common link fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
_links	Links	-	12 schemas: CollectionModelEntityModelCuEvent, CollectionModelEntityModelFallout, CollectionModelEntityModelProductTypeConfig, EntityModelCuEvent, EntityModelFallout, EntityModelOrder, EntityModelProductTypeConfig, PagedModelEntityModelCuEvent, ...	
customerRelation	CustomerRelation	-	EntityModelOrder, Order, OrderRequestBody	
customerRelation	CustomerRelationDTO	-	OrderDTO, OrderInfoDTO	

Field	Type	Required in	Optional in	Description
customerRelation	CustomerRelationType	-	OrderChangeEvent, OrderCreateEvent, OrderType	

6.10 Scheduling fields

Common scheduling fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
bookedDate	string (date-time)	-	Task, TaskDTO	Booked Date
bookedTimeFrom	string (date-time)	-	Task, TaskDTO	Booked Time From
bookedTimeTo	string (date-time)	-	Task, TaskDTO	Booked Time To
bookExactDate	boolean	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Order booked specific date
computeDate	string (date-time)	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Compute Date
eventDate	string (date-time)	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	-	
eventTime	string (date-time)	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	-	
executedDate	string (date-time)	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Date order was set to executed
executionDate	string (date-time)	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody, Task, TaskDTO	Execution Date
executionTimeFrom	string (date-time)	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Execution Time From
executionTime	string (date-time)	-	Task, TaskDTO	Execution Time
executionTimeTo	string (date-time)	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Execution Time To
latestUpdate	string (date-time)	-	EntityModelFallout, FalloutRequestBody	
newInstallationDate	string (date-time)	-	EntityModelFallout, FalloutRequestBody	This date is updated when fallout is rebooked (but not allways - so we cannot use it for logic
ongoingOrdersExecutionDate	string (date-time)	-	CustomerRelation, CustomerRelationDTO	Ongoing orders execution date
orderDate	string (date-time)	-	EntityModelOrder, Order, OrderRequestBody, OrderType	

Field	Type	Required in	Optional in	Description
orderDate	string (date-time)	-	OrderDTO, OrderInfoDTO	Order Date
requestedDate	string (date-time)	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Requested Date
requestedTime	string (date-time)	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Request Requested Time
requestEndLimitDate	string (date-time)	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Request Limit End
requestStartLimitDate	string (date-time)	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Request Limit Start

6.11 Collection fields

Common collection fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
additionalTaskDataList	array of string	-	Task, TaskDTO	
kiSldList	KiSldListType	-	OrderChangeEvent, OrderCreateEvent, OrderMessageEvent, OrderStatusChangeEvent, TaskStatusChangeEvent	
productChangeList	array of ProductChange	-	EntityModelOrder, Order, OrderRequestBody	
taskList	array of Task	-	EntityModelOrder, Order, OrderRequestBody	
taskList	TaskListType	TaskStatusChangeEvent	OrderType	

6.12 Business fields

Common business fields reused by multiple component schemas.

Field	Type	Required in	Optional in	Description
_embedded	object	-	CollectionModelEntityModelCuEvent, CollectionModelEntityModelFallout, CollectionModelEntityModelProductTypeConfig, PagedModelEntityModelCuEvent, PagedModelEntityModelFallout, PagedModelEntityModelOrder, PagedModelEntityModelProductTypeConfig	
address	Address	-	Customer, Installation	
address	AddressType	-	CustomerType, InstallationType	
announcement	Announcement	-	EntityModelOrder, Order, OrderRequestBody	
announcementChoice	enum: NUMBERCHANGE, REFERENCE	-	Announcement, AnnouncementDTO	Announcement Choice
bookedDateSpecial	string	-	Task, TaskDTO	Booked Date Special
city	string	-	Address, AddressDTO	City
companyName	string	-	Customer, CustomerDTO	Name
companyName	string	-	CustomerType, InstallationType	
companyName	string	-	Installation, InstallationDTO	Company name
confirmLetter	enum: TRUE, FALSE	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Send confirmation letter

Field	Type	Required in	Optional in	Description
contactName	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Contact Name
copperBlockingText	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Copper Blocking Text
count	integer (int64)	-	OrderStageCount, OrderStateCount, OrderStatusCount, ProductTypeCount	
country	string	-	Address, AddressDTO	Country
county	string	-	Address, AddressDTO	County
cuProdAfs	string	-	ProductChange, ProductChangeDTO	cuProdAfs
cuProdTr	string	-	ProductChange, ProductChangeDTO	cuProdTr
customerConsequence	boolean	-	EntityModelFallout, FalloutRequestBody	
dayShortname	enum: MAN, TIR, ONS, TOR, FRE, LØR, SØN	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Day shortname
delayed	boolean	-	Task, TaskDTO	is the task delayed
executionDateSpecial	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Excution date special
executionDateSpecial	string	-	Task, TaskDTO	executionDateSpecial
floor	string	-	Address, AddressDTO	Floor
forwardingAddress	Installation	-	EntityModelOrder, Order, OrderRequestBody	
handled	boolean	-	CuEventRequestBody, EntityModelCuEvent	
hasFallout	boolean	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	
houseName	string	-	Address, AddressDTO	Housename
installation	Installation	-	EntityModelOrder, Order, OrderRequestBody	
installation	InstallationDTO	-	OrderDTO, OrderInfoDTO	
languageDanishPriority	integer	-	Announcement, AnnouncementDTO	Priority of Danish
languageEnglishPriority	integer	-	Announcement, AnnouncementDTO	Priority of English
languageGermanPriority	integer	-	Announcement, AnnouncementDTO	Priority of German
mainDoor	string	-	Address, AddressDTO	Information about address installation main door
name	string	-	Customer, CustomerDTO, ProductChange, ProductChangeDTO, ProductParameter, ProductParameterDTO	Name
name	string	-	CustomerType, Link	
occupation	string	-	Customer, CustomerDTO, Installation, InstallationDTO	Occupation
occupation	string	-	CustomerType, InstallationType	
ongoingOrders	string	-	CustomerRelation, CustomerRelationDTO	Ongoing orders
order	OrderType	-	OrderChangeEvent, OrderCreateEvent	
orderReference	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Order reference
paramValue	string	-	ProductParameter, ProductParameterDTO	Value
priority	integer (int32)	-	EntityModelProductTypeConfig, ProductTypeConfigRequestBody	Lowest priotity first
productCount	integer	-	ProductChange, ProductChangeDTO	How many

Field	Type	Required in	Optional in	Description
productGroup	string	-	EntityModelProductTypeConfig, ProductTypeConfigRequestBody	The product group that the product belongs to
productSequence	integer	-	ProductChange, ProductChangeDTO	Sequence
product	string	-	EntityModelFallout, FalloutRequestBody	CADY product name
properties	object	-	Item, JsonSchema	
registeredAt	string (date-time)	-	EntityModelFallout, FalloutRequestBody	
remarks	string	-	Customer, CustomerDTO, EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Remarks
remarks	string	-	CustomerType, OrderType	
requestedDateSpecial	string	-	EntityModelOrder, Order, OrderDTO, OrderInfoDTO, OrderRequestBody	Request date special
requiredProperties	array of string	-	Item, JsonSchema	
requiredRevisionInstant	string (date-time)	-	RevisionLongOrder, RevisionMetadataLong	
revisionInstant	string (date-time)	-	RevisionLongOrder, RevisionMetadataLong	
sikValue	string	-	ProductChange, ProductChangeDTO	SIK
streetName	string	-	Address, AddressDTO	Street name
taskName	string	-	Task, TaskDTO	Task Name
taskRescheduleAble	boolean	-	Task, TaskDTO	Can task be re-scheduled
taskRescheduled	boolean	-	Task, TaskDTO	Has task been re-scheduled
title	string	-	AbstractJsonSchemaPropertyObject, JsonSchema, Link	

6.13 Schema-specific fields

Fields that only appear in one component schema are listed here as the schema-specific differences.

Schema	Field	Type	Required in	Optional in	De
AbstractJsonSchemaPropertyObject	readOnly	boolean	-	AbstractJsonSchemaPropertyObject	
AddressType	addressKey	integer	-	AddressType	
AddressType	city	string	-	AddressType	
AddressType	country	string	-	AddressType	
AddressType	county	string	-	AddressType	
AddressType	doorNo	string	-	AddressType	
AddressType	externalInstallationId	string	-	AddressType	
AddressType	floor	string	-	AddressType	
AddressType	houseName	string	-	AddressType	
AddressType	houseNo	integer	AddressType	-	
AddressType	mainDoor	string	-	AddressType	
AddressType	municipalCode	string	-	AddressType	
AddressType	streetCode	string	-	AddressType	
AddressType	streetName	string	-	AddressType	
AddressType	zipCode	string	-	AddressType	

Schema	Field	Type	Required in	Optional in	Description
AnnouncementType	announcementChoice	enum: NUMBERCHANGE, REFERENCE	-	AnnouncementType	
AnnouncementType	announcementPhoneNo	string	-	AnnouncementType	
AnnouncementType	announcementType	enum: STANDARD, CANCEL, CHANGE	AnnouncementType	-	
AnnouncementType	languageDanishPriority	integer	-	AnnouncementType	
AnnouncementType	languageEnglishPriority	integer	AnnouncementType	-	
AnnouncementType	languageGermanPriority	integer	-	AnnouncementType	
CustomerDTO	address	AddressDTO	-	CustomerDTO	
CustomerRelation	customer	Customer	-	CustomerRelation	
CustomerRelationDTO	customer	CustomerDTO	-	CustomerRelationDTO	
CustomerRelationDTO	installation	CustomerDTO	-	CustomerRelationDTO	
CustomerRelation	installation	Customer	-	CustomerRelation	
CustomerRelation	phoneNo	string	-	CustomerRelation	Customer Phone Number
CustomerRelationType	customer	CustomerType	CustomerRelationType	-	
CustomerRelationType	customerRelationId	string	CustomerRelationType	-	
CustomerRelationType	customerRelationStatus	enum: ORDERED, SUBSCRIBED, DISABLED, CANCELLATION_ORDERED, CANCELLED	CustomerRelationType	-	
CustomerRelationType	installation	CustomerType	CustomerRelationType	-	
CustomerRelationType	ongoingOrdersExecutionDate	string (date-time)	-	CustomerRelationType	
CustomerRelationType	ongoingOrders	string	-	CustomerRelationType	
CustomerRelationType	phonebookPublicStatus	enum: PUBLIC, ADDRESS_SECRET, SECRET, OMITTED	CustomerRelationType	-	
CustomerType	accountNo	string	-	CustomerType	
CustomerType	cvrNo	string	-	CustomerType	
DashboardV1	externalFalloutCount	integer (int64)	-	DashboardV1	
DashboardV1	falloutCount	integer (int64)	-	DashboardV1	
DashboardV1	falloutOrdersByState	array of OrderStateCount	-	DashboardV1	
DashboardV1	falloutOrderStates	array of OrderStateCount	-	DashboardV1	
DashboardV1	newOrderCount	integer (int64)	-	DashboardV1	
DashboardV1	orderCount	integer (int64)	-	DashboardV1	
DashboardV1	ordersByProductType	array of ProductTypeCount	-	DashboardV1	
DashboardV1	ordersByStage	array of OrderStageCount	-	DashboardV1	
DashboardV1	ordersByState	array of OrderStateCount	-	DashboardV1	
DashboardV1	ordersByStatus	array of OrderStatusCount	-	DashboardV1	
DefaultErrorPayload	code	string	-	DefaultErrorPayload	
DefaultErrorPayload	path	string	-	DefaultErrorPayload	
DefaultErrorPayload	reason	string	-	DefaultErrorPayload	
DefaultErrorPayload	statusCode	string	-	DefaultErrorPayload	
DefaultErrorPayload	statusError	string	-	DefaultErrorPayload	
DefaultErrorPayload	status	string	-	DefaultErrorPayload	

Schema	Field	Type	Required in	Optional in	Description
DefaultErrorPayload	timestamp	string	-	DefaultErrorPayload	
Error	@baseType	string	-	Error	When a class does not support
Error	@schemaLocation	string	-	Error	A URL Schema definition attribute relative
Error	@type	string	-	Error	When a class does not have a class name
Error	code	string	-	Error	Application related description or
Error	message	string	-	Error	More context about the cause of a c
Error	path	string	-	Error	The way
Error	reason	string	-	Error	Explanation of the error being cli
Error	referenceError	string	-	Error	URL does not define error
Error	status	string	-	Error	HTTP ext
Error	timestamp	string (date-time)	-	Error	The for
JsonSchema	\$schema	string	-	JsonSchema	
JsonSchema	definitions	object	-	JsonSchema	
JsonSchema	description	string	-	JsonSchema	
KisIdListType	kisId	array of string	-	KisIdListType	
Link	deprecation	string	-	Link	
Link	hreflang	string	-	Link	
Link	href	string	-	Link	
Link	profile	string	-	Link	
Links	(value)	object	Links	-	
Link	templated	boolean	-	Link	
OrderDTO	announcement	AnnouncementDTO	-	OrderDTO	
OrderDTO	forwardingAddress	InstallationDTO	-	OrderDTO	
OrderDTO	productChangeList	array of ProductChangeDTO	-	OrderDTO	
OrderDTO	taskList	array of TaskDTO	-	OrderDTO	
OrderMessageEvent	orderMessage	OrderMessageType	OrderMessageEvent	-	
OrderMessage	messageType	string	-	OrderMessage	Type

Schema	Field	Type	Required in	Optional in	Description
OrderMessage	messageValue	string	-	OrderMessage	value of message
OrderMessageType	messageType	string	-	OrderMessageType	type of message
OrderMessageType	messageValue	string	-	OrderMessageType	value of message
OrderRequestBody	orderMessageList	array of string	-	OrderRequestBody	list of messages
OrderStageCount	stage	enum: PREPARE_FIBER, SITE_SURVEY, OFFER, ORDER_CONFIRMATION, HIGH_LEVEL_DESIGN, DETAILED_DESIGN, FIBER_CONSULTANT, DIGGING, PROVISIONING, CENTRAL_CONNECT, CUSTOMER_INSTALLATION, GIG_TECHNICIAN, GDS_WITHOUT_TECHNICIAN, GDS_WITH_TECHNICIAN, IGNORE, EXECUTED, FINISHED, CANCELLED	-	OrderStageCount	stage of order
OrderStageCount	state	enum: PREPARE_FIBER, SITE_SURVEY, OFFER, ORDER_CONFIRMATION, HIGH_LEVEL_DESIGN, DETAILED_DESIGN, FIBER_CONSULTANT, DIGGING, PROVISIONING, CENTRAL_CONNECT, CUSTOMER_INSTALLATION, GIG_TECHNICIAN, GDS_WITHOUT_TECHNICIAN, GDS_WITH_TECHNICIAN, IGNORE, EXECUTED, FINISHED, CANCELLED	-	OrderStageCount	state of order
OrderStateCount	state	enum: GREEN, YELLOW, RED	-	OrderStateCount	state of order
OrderStatusCount	status	enum: STARTED, ORDERED, EXECUTED, INVOICED, CANCELLED	-	OrderStatusCount	status of order
OrderType	announcement	AnnouncementType	-	OrderType	announcement type
OrderType	bookExactDate	boolean	-	OrderType	book exact date
OrderType	bookingMessage	string	-	OrderType	booking message
OrderType	bookReason	string	-	OrderType	book reason
OrderType	computeDate	string (date-time)	-	OrderType	compute date
OrderType	confirmLetter	enum: TRUE, FALSE	-	OrderType	confirm letter
OrderType	contactName	string	-	OrderType	contact name
OrderType	contactPhoneNo	string	-	OrderType	contact phone number
OrderType	copperBlockingText	string	-	OrderType	copper blocking text
OrderType	dayShortname	enum: MAN, TIR, ONS, TOR, FRE, LØR, SØN	-	OrderType	day shortname
OrderType	executionDateSpecial	string	-	OrderType	execution date special
OrderType	executionDate	string (date-time)	-	OrderType	execution date
OrderType	executionTimeFrom	string (date-time)	-	OrderType	execution time from
OrderType	executionTimeTo	string (date-time)	-	OrderType	execution time to
OrderType	forwardingAddress	InstallationType	-	OrderType	forwarding address
OrderType	importantMessage	string	-	OrderType	important message
OrderType	installation	InstallationType	-	OrderType	installation
OrderType	orderReference	string	-	OrderType	order reference
OrderType	orderType	string	-	OrderType	order type

Schema	Field	Type	Required in	Optional in	Description
OrderType	productChangeList	ProductChangeListType	-	OrderType	
OrderType	rejectionCausesList	RejectionCausesList	-	OrderType	
OrderType	requestedDateSpecial	string	-	OrderType	
OrderType	requestedDate	string (date-time)	-	OrderType	
OrderType	requestedTime	string (date-time)	-	OrderType	
OrderType	requestEndLimitDate	string (date-time)	-	OrderType	
OrderType	requestStartLimitDate	string (date-time)	-	OrderType	
OrderType	reservedPhoneNo	string	-	OrderType	
OrderType	statePlanlist	StatePlanlistType	-	OrderType	
OrderType	timeslotType	string	-	OrderType	
OrderType	workTimeslotList	WorktimeslotListType	-	OrderType	
PageableObject	offset	integer (int64)	-	PageableObject	
PageableObject	paged	boolean	-	PageableObject	
PageableObject	pageNumber	integer (int32)	-	PageableObject	
PageableObject	pageSize	integer (int32)	-	PageableObject	
PageableObject	unpaged	boolean	-	PageableObject	
Pageable	page	integer (int32)	-	Pageable	
Pageable	sort	array of string	-	Pageable	
PageMetadata	number	integer (int64)	-	PageMetadata	
PageMetadata	size	integer (int64)	-	PageMetadata	
PageMetadata	totalPages	integer (int64)	-	PageMetadata	
PageOrder	content	array of Order	-	PageOrder	
PageOrderInfoDTO	content	array of OrderInfoDTO	-	PageOrderInfoDTO	
ProductChange	changeParameterList	array of ProductParameter	-	ProductChange	
ProductChangeDTO	changeParameterList	array of ProductParameterDTO	-	ProductChangeDTO	
ProductChangeListType	productChange	array of ProductChange	-	ProductChangeListType	
RejectionCausesList	rejectionCauses	array of RejectionCauseType	-	RejectionCausesList	
RejectionCauseType	rejectionCauseCode	string	-	RejectionCauseType	
RejectionCauseType	rejectionCauseText	string	-	RejectionCauseType	
RevisionLongOrder	entity	Order	-	RevisionLongOrder	
RevisionLongOrder	metadata	RevisionMetadataLong	-	RevisionLongOrder	
RevisionMetadataLong	delegate	object	-	RevisionMetadataLong	
RevisionMetadataLong	revisionType	enum: UNKNOWN, INSERT, UPDATE, DELETE	-	RevisionMetadataLong	
RevisionsLongOrder	content	array of RevisionLongOrder	-	RevisionsLongOrder	
RevisionsLongOrder	latestRevision	RevisionLongOrder	-	RevisionsLongOrder	
SortObject	sorted	boolean	-	SortObject	
SortObject	unsorted	boolean	-	SortObject	
StatePlan	klarmeldtDato	string	-	StatePlan	
StatePlan	lid	string	-	StatePlan	

Schema	Field	Type	Required in	Optional in	De
StatePlanlistType	statePlan	array of StatePlan	-	StatePlanlistType	
StatePlan	meddelelserEmail	string	-	StatePlan	
StatePlan	meddelelserKode	string	-	StatePlan	
StatePlan	meddelelserSMS	string	-	StatePlan	
StatePlan	sidstOpdTstmp	string	-	StatePlan	
StatePlan	stateBemaerk	string	-	StatePlan	
StatePlan	stateKlarm	string	-	StatePlan	
StatePlan	stateKode	string	-	StatePlan	
StatePlan	stateName	string	-	StatePlan	
TaskDTO	id	integer (int64)	-	TaskDTO	ID
TaskListType	task	array of Task	-	TaskListType	
WorktimeslotListType	workTimeslot	array of WorkTimeslot	WorktimeslotListType	-	
WorkTimeslot	timeslotDateSpecial	string	-	WorkTimeslot	
WorkTimeslot	timeslotDate	string (date-time)	-	WorkTimeslot	
WorkTimeslot	timeslotInsideSlack	boolean	-	WorkTimeslot	
WorkTimeslot	timeslotTimeFrom	string (date-time)	-	WorkTimeslot	
WorkTimeslot	timeslotTimeTo	string (date-time)	-	WorkTimeslot	

6.14 Schema index

Index of component schemas included in this OpenAPI document.

Schema	Category	Field count	Fields
Abstract.JsonSchemaPropertyObject	Domain	2	title, readOnly
Address	Domain	19	id, streetCode, municipalCode, streetName, zipCode, houseNo, mainDoor, floor, doorNo, city, county, country, houseName, externalInstallationId, addressKey, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Announcement	Domain	11	id, announcementType, announcementChoice, announcementPhoneNo, languageDanishPriority, languageEnglishPriority, languageGermanPriority, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Customer	Domain	14	id, name, firstName, lastName, occupation, companyName, accountNo, cvrNo, remarks, address, createdDate, createdBy, lastModifiedDate, lastModifiedBy
CustomerRelation	Domain	13	id, customerRelationId, phoneNo, phonebookPublicStatus, customerRelationStatus, ongoingOrders, ongoingOrdersExecutionDate, customer, installation, createdDate, createdBy, lastModifiedDate, lastModifiedBy
DashboardV1	Domain	10	ordersByState, ordersByStatus, ordersByStage, ordersByProductType, newOrderCount, orderCount, externalFalloutCount, falloutCount, falloutOrderStates, falloutOrdersByState
Installation	Domain	10	id, firstName, lastName, occupation, companyName, address, createdDate, createdBy, lastModifiedDate, lastModifiedBy
Item	Domain	3	type, properties, requiredProperties
JsonSchema	Domain	7	title, description, properties, requiredProperties, definitions, type, \$schema

Schema	Category	Field count	Fields
Order	Domain	49	id, orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisId, phoneNo, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, forwardingAddress, announcement, customerRelation, productChangeList, taskList, orderMessageList, createdDate, createdBy, lastModifiedDate, lastModifiedBy
OrderChangeEvent	Domain	7	kisIdList, eventId, phoneNo, eventDate, eventTime, customerRelation, order
OrderCreateEvent	Domain	7	kisIdList, eventId, phoneNo, eventDate, eventTime, customerRelation, order
OrderMessage	Domain	7	id, messageType, messageValue, createdDate, createdBy, lastModifiedDate, lastModifiedBy
OrderMessageEvent	Domain	7	kisIdList, eventId, phoneNo, eventDate, eventTime, orderNo, orderMessage
ProductChange	Domain	14	id, productId, name, cuProdNr, cuProdTr, cuProdAfs, sikValue, productCount, productSequence, changeParameterList, createdDate, createdBy, lastModifiedDate, lastModifiedBy
ProductParameter	Domain	7	id, name, paramValue, createdDate, createdBy, lastModifiedDate, lastModifiedBy
SortObject	Domain	3	empty, sorted, unsorted
Task	Domain	19	id, taskId, taskName, bookedDateSpecial, bookedDate, bookedTimeFrom, bookedTimeTo, executionDateSpecial, executionDate, executionTime, taskRescheduleAble, taskRescheduled, orderStage, delayed, additionalTaskDataList, createdDate, createdBy, lastModifiedDate, lastModifiedBy
WorkTimeslot	Domain	5	timeslotDateSpecial, timeslotDate, timeslotTimeFrom, timeslotTimeTo, timeslotInsideSlack
AddressDTO	DTO	18	streetCode, municipalCode, streetName, zipCode, houseNo, mainDoor, floor, doorNo, city, county, country, houseName, externalInstallationId, addressKey, createdDate, createdBy, lastModifiedDate, lastModifiedBy
AnnouncementDTO	DTO	10	announcementType, announcementChoice, announcementPhoneNo, languageDanishPriority, languageEnglishPriority, languageGermanPriority, createdDate, createdBy, lastModifiedDate, lastModifiedBy
CustomerDTO	DTO	13	name, firstName, lastName, occupation, companyName, accountNo, cvrNo, remarks, address, createdDate, createdBy, lastModifiedDate, lastModifiedBy
CustomerRelationDTO	DTO	12	customerRelationId, lid, phonebookPublicStatus, customerRelationStatus, ongoingOrders, ongoingOrdersExecutionDate, customer, installation, createdDate, createdBy, lastModifiedDate, lastModifiedBy
InstallationDTO	DTO	8	firstName, lastName, occupation, companyName, createdDate, createdBy, lastModifiedDate, lastModifiedBy
OrderDTO	DTO	48	orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisId, lid, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason,

Schema	Category	Field count	Fields
			executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, customerRelation, createdDate, createdBy, lastModifiedDate, lastModifiedBy, forwardingAddress, announcement, productChangeList, taskList, orderMessageList
OrderInfoDTO	DTO	43	orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisId, lid, contactName, contactPhoneNumber, remarks, confirmLetter, orderReference, reservedPhoneNumber, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, customerRelation, createdDate, createdBy, lastModifiedDate, lastModifiedBy
ProductChangeDTO	DTO	13	productId, name, cuProdNr, cuProdTr, cuProdAfs, sikValue, productCount, productSequence, changeParameterList, createdDate, createdBy, lastModifiedDate, lastModifiedBy
ProductParameterDTO	DTO	6	name, paramValue, createdDate, createdBy, lastModifiedDate, lastModifiedBy
TaskDTO	DTO	19	id, taskId, taskName, bookedDateSpecial, bookedDate, bookedTimeFrom, bookedTimeTo, executionDateSpecial, executionDate, executionTime, taskRescheduleAble, taskRescheduled, orderStage, delayed, additionalTaskDataList, createdDate, createdBy, lastModifiedDate, lastModifiedBy
CuEventRequestBody	Request	8	id, message, jmsMessageId, orderNo, eventNo, handled, createdTs, modifiedTs
FalloutRequestBody	Request	19	id, falloutId, orderNo, productCode, product, cause, causeCategory, causeSubCategory, customerConsequence, getpNumber, registeredAt, latestUpdate, externalCause, newInstallationDate, state, createdDate, createdBy, lastModifiedDate, lastModifiedBy
OrderRequestBody	Request	49	id, orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisId, phoneNo, contactName, contactPhoneNumber, remarks, confirmLetter, orderReference, reservedPhoneNumber, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, copperBlockingText, hasFallout, hasExternalFallout, installation, forwardingAddress, announcement, customerRelation, productChangeList, taskList, orderMessageList, createdDate, createdBy, lastModifiedDate, lastModifiedBy
ProductTypeConfigRequestBody	Request	5	id, priority, productId, productGroup, productType
AddressType	Type	14	streetCode, municipalCode, streetName, zipCode, houseNo, mainDoor, floor, doorNo, city, county, country, houseName, externalInstallationId, addressKey
AnnouncementType	Type	6	announcementType, announcementChoice, announcementPhoneNumber, languageDanishPriority, languageEnglishPriority, languageGermanPriority
CustomerRelationType	Type	8	customerRelationId, phoneNo, phonebookPublicStatus, customerRelationStatus, ongoingOrders, ongoingOrdersExecutionDate, customer, installation

Schema	Category	Field count	Fields
CustomerType	Type	9	name, firstName, lastName, occupation, companyName, accountNo, cvrNo, remarks, address
InstallationType	Type	5	firstName, lastName, occupation, companyName, address
KisIdListType	Type	1	kisId
OrderMessageType	Type	2	messageType, messageValue
OrderStageCount	Type	3	stage, count, state
OrderStateCount	Type	2	state, count
OrderStatusChangeEvent	Type	7	kisIdList, eventId, phoneNo, eventDate, eventTime, orderNo, orderStatus
OrderStatusCount	Type	2	status, count
OrderType	Type	37	orderType, orderDate, orderStatus, orderNo, phoneNo, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage, installation, forwardingAddress, announcement, productChangeList, customerRelation, taskList, workTimeslotList, copperBlockingText, statePlanlist, rejectionCausesList
ProductChangeListType	Type	1	productChange
ProductTypeCount	Type	2	type, count
RejectionCausesList	Type	1	rejectionCauses
RejectionCauseType	Type	2	rejectionCauseCode, rejectionCauseText
StatePlan	Type	10	lid, stateKode, stateName, klarmeldtDato, stateKlarm, stateBemaerk, meddelelsesKode, meddelelsesSMS, meddelelsesEMail, sidstOpdTstmp
StatePlanlistType	Type	1	statePlan
TaskListType	Type	1	task
TaskStatusChangeEvent	Type	7	kisIdList, eventId, phoneNo, eventDate, eventTime, orderNo, taskList
WorktimeslotListType	Type	1	workTimeslot
CollectionModelEntityModelCuEvent	Wrapper	2	_embedded, _links
CollectionModelEntityModelFallout	Wrapper	2	_embedded, _links
CollectionModelEntityModelProductTypeConfig	Wrapper	2	_embedded, _links
EntityModelCuEvent	Wrapper	8	message, jmsMessageId, orderNo, eventNo, handled, createdTs, modifiedTs, _links
EntityModelFallout	Wrapper	20	id, falloutId, orderNo, productCode, product, cause, causeCategory, causeSubCategory, customerConsequence, getpNumber, registeredAt, latestUpdate, externalCause, newInstallationDate, state, createdAt, createdBy, lastModifiedDate, lastModifiedBy, _links
EntityModelOrder	Wrapper	49	id, orderType, orderDate, orderStatus, orderStage, orderStages, orderState, orderStateSort, productType, orderNo, kisId, phoneNo, contactName, contactPhoneNo, remarks, confirmLetter, orderReference, reservedPhoneNo, requestStartLimitDate, requestEndLimitDate, requestedDateSpecial, requestedDate, requestedTime, bookExactDate, bookReason, executionDateSpecial, executionDate, executionTimeFrom, executionTimeTo, executedDate, computeDate, timeslotType, dayShortname, bookingMessage, importantMessage,

Schema	Category	Field count	Fields
			copperBlockingText, hasFallout, hasExternalFallout, installation, forwardingAddress, announcement, customerRelation, productChangeList, taskList, createdAt, createdBy, lastModifiedDate, lastModifiedBy, _links
EntityModelProductTypeConfig	Wrapper	5	priority, productId, productGroup, productType, _links
Link	Wrapper	8	href, hreflang, title, type, deprecation, profile, name, templated
Links	Wrapper	1	(value)
Pageable	Wrapper	3	page, size, sort
PageableObject	Wrapper	6	offset, sort, pageNumber, pageSize, paged, unpaged
PagedModelEntityModelCuEvent	Wrapper	3	_embedded, _links, page
PagedModelEntityModelFallout	Wrapper	3	_embedded, _links, page
PagedModelEntityModelOrder	Wrapper	3	_embedded, _links, page
PagedModelEntityModelProductTypeConfig	Wrapper	3	_embedded, _links, page
PageMetadata	Wrapper	4	size, totalElements, totalPages, number
PageOrder	Wrapper	11	totalPages, totalElements, size, content, number, sort, numberOfElements, pageable, first, last, empty
PageOrderInfoDTO	Wrapper	11	totalPages, totalElements, size, content, number, sort, numberOfElements, pageable, first, last, empty
RepresentationModelObject	Wrapper	1	_links
RevisionLongOrder	Wrapper	6	metadata, entity, revisionNumber, revisionInstant, requiredRevisionInstant, requiredRevisionNumber
RevisionMetadataLong	Wrapper	6	delegate, revisionType, revisionNumber, revisionInstant, requiredRevisionInstant, requiredRevisionNumber
RevisionsLongOrder	Wrapper	3	content, latestRevision, empty
DefaultErrorPayload	Error	8	timestamp, status, message, path, code, reason, statusCode, statusError
Error	Error	10	code, reason, message, status, referenceError, @baseType, @schemaLocation, @type, timestamp, path