DOKUMENTACIJA

https://nikolarubezic96.github.io/delex/

Nikola Rubežić 32/20 Web programiranje 1

Sadržaj

1. Uvod

- 1.1. Korišćeni programski jezici i tehnologije
- 1.2. Template
- 1.3. Opis funkcionalnosti sajta

2. Organizacija

- 2.1. Organizaciona šema
- 2.2. Mapa sajta
- 2.3. Opis implementacije sadržaja

3. Kodovi i sintaksa

- 3.1. HTML
- 3.2. css
- 3.3. Javascript
 - 3.3.1. Jquery plugin

1. Uvod

1.1. Korišćeni programski jezici i tehnologije

Za izradu sajta korišćeni su HTML, CSS, JavaScript, Jquery, bootstrap i XML.

1.2. Template

Za izradu sajta je korišćen template:

https://www.free-css.com/free-css-templates/page267/delex

Iz template-a je korišćen HTML i CSS, koji su potom izmenjeni, dok je JavaScript originalan.

Korišćen je Jquery plugin za glatko vraćanje na vrh strane:

https://www.jqueryscript.net/animation/smooth-back-top-button.html

1.3. Opis funkcionalnosti sajta


- Slider na vrhu strane se može kontrolisati strelicama
- About u navigacionom meniju void do stranice o autoru
- Our services sekcija je dinamički ispisana
- Our team sekcija je takođe dinamički ispisana i uz pomoć strelica se može listati kroz zaposlene
- Contact us forma proverava regularne izraze za Ime i Email odgovarajućeg formata.
- Greške u Contact us formi se highlight-uju crvenom bojom
- Nakon klika na Submit, iskače Alert o greškama u unosu forme

- Ukoliko je čekiran "I wish to subscribe to Delex newsletter" napomenuto će biti da se korisnik pretplatio kada ispravno popuni formu
- Strelica u donjem desnom uglu vraća na početak strane


•


2. Organizacija

2.1. Organizaciona šema




Sajt je single-page, sa jednom spoljašnjom poveznicom – ka portfoliu.











2.2. Mapa sajta

2.3. Opis implementacije sadržaja




Navigacioni meni (gore desno) se dinamički ispisuje iz 2 niza elemenata. Jedan je za linkove, drugi za sam tekst linka.


Slajder se dinamički ispisuje iz 1 niza, a klikom na strelice se menja trenutni prikaz teksta. Svakim klikom na strelicu, event listner pomera index člana niza koji trenutno treba biti ispisan funkcijom koja se pritom poziva.



Usluge su dinamički ispisan niz objekata koji se sastoje od: ikone, naslova i opisa.



Deo o zaposlenim je prikaz objekta zaposlenog u vidu slajdera poput onog na vrhu strane. Objekat se sastoji od slike, koja je takođe objekat "src" i "alt" atributa, imena i zanimanja.



Forma proverava pravilnost unosa (regular Expression) imena i emaila u određen formatu. Ime mora sadržati 2 stringa koji počinju velikim slovima, dok email mora biti u standardnom email formatu.


Padajuća lista je default-no "neodabrana", i da ne bi došlo do greške, korisnik mora odabrati neku od realnih vrednosti.

Text box proverava da li je bilo šta uneto, a ukoliko jeste, da li ima veći od minimalnog broja karaktera.


Ukoliko bilo koji od ovih uslova nisu ispunjeni, forma prilikom Submita izbacuje Alert sa greškama, i boji polja u kojima su nastale greške crvenom bordurom.

Checkbox "I wish to subscribe to Delex newsletter." Je opcion i ukoliko se izabere, prilikom ispravno poslate forme vraća obaveštenje da je korisnik pretplaćen na Newsletter.


Primer neispravno popunjene forme:



Ukoliko se polja popune ispravno, polja gube svoju crvenu borduru.



Alert sa greškama.



Alert ispravno popunjene forme.



Na dnu strane je dokumentacija kao i strelica za glatki skrol na vrh strane. Strelica koristi Jquery plug-in:

https://www.jqueryscript.net/animation/smooth-back-top-button.html

3. Kodovi i sintaksa

3.1. HTML

```
> Users > WINDOWS 10 > Documents > GitHub > nikolarubezic96.github.io > 💠 index.html > 🔗 html
     <!DOCTYPE html>
4 v html lang="en"
       <meta name="author" content="Nikola Rubezic 32/20" />
       <meta name="description" content="Delex - an upcoming digital services enterprise." />
<meta name="keywords" content="Programming, Web, Web Design, Data, IT, Administration, Consulting, Analysis" />
       <title>Delex - digital services</title>
       <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1"/>
       k href='http://fonts.googleapis.com/css?family=Signika+Negative:300,400,600,700' rel='stylesheet' type='text/css'>
<link href='http://fonts.googleapis.com/css?family=Kameron:400,700' rel='stylesheet' type='text/css'>
       <link rel="stylesheet" href="delex/css/bootstrap.min.css"/>
       <link href="delex/css/owl.carousel.css" rel="stylesheet" type="text/css" media="screen">
       <link href="delex/css/owl.theme.css" rel="stylesheet" type="text/css" media="screen">
        <link rel="stylesheet" type="text/css" href="delex/css/green.css" media="screen" id="color-opt" />
```

```
<nav class="navbar navbar-default navbar-fixed-top navbar-custom">
   <div class="navbar-header">
     <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#bs-example-navbar</pre>
       <span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
     <a class="navbar-brand" href="#">Delex</a>
   <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
     <section class="main-home" id="home">
   <div class="home-page-photo"></div> <!-- Background image -->
       <div id="slajder" class="slide-div col-sm-12">
       <a id ="prosli" class="prev col-sm-6" >&#10094;</a>
  <!-- /End HOME -->
```

```
<h3 class="title text-center">Our Services</h3>
       <div id="usluge">
<section class="twitter_tweet parallax" id="twitter_tweet" data-stellar-background-ratio="0.5">
 <div class="container">
   <h2 class="nas-tim">Our Team</h2>
     <div class="row">
         <div id="osoblje" class="slide-div col-sm-12">
     <a id="prosli0soblje" class="prev col-sm-6">&#10094;</a>
<section id="contact">
```

```
<section id="contact">
     <div class="container"</pre>
 <div class="row">
<div class="row">
<div class="col-md-12">
<div class="col-md-12">
<div class="title text-center">Contact Us</h3>
<div class="titleHR"><span></span></div>
   div class="form-group col-xs-12 text-center">
  <input type="checkbox" id="newsletter" name="newsletter" value="1">
  <label for="newsletter">I wish to subscribe to Delex newsletter.</label><br/>br>
```

```
<button type="button" class="btn btn-custom" id="dugme" onclick="proveraRegEx()">Submit</button>
        <!-- FOOTER begings --> 
<footer id="footer">
          <div class="footer-widgets-wrap">
                  <h4>KEEP IN TOUCH</h4>
                   <a href="#"><i class="fa fa-facebook"></i></a>
<a href="#"><i class="fa fa-google-plus"></i></a>
<a href="#"><i class="fa fa-twitter"></i></a>
                     <a href="#"><i class="fa fa-pinterest"></i></a>
                  <h4>ADDRESS</h4>
                    464 Newesta St<br>
                  Othervilla AB 6007, Other
                   +0 123-456-7890<br
                    <a href="#">www.domain.com</a><br>
                   info@domain.com
250 ~
                              info@domain.com
                         <div class="col-sm-4 col-md-4">
                           <div class="footer-content">
                              <a href="" class="scrollup">
                                <img src="delex/images/up.png" alt="Arrow up">
                         </div> <!-- end col-sm-4 -->
                       </div> <!-- end row -->
                  <div class="footer-bottom text-center"> <!-- Footer-copyright -->
                   ©2016 Delex. Design By <a href="http://templatestock.co">TEMPLATE STOCK</a>
                <script src="delex/js/main.js"></script>
                <script src="https://code.jquery.com/jquery-1.12.4.min.js"></script>
                <script src="delex/js/jqueryTopScroll.js"></script>
```

3.2. CSS

```
/* moj css */
.slide-div {
    background: transparent;
.nas-tim{
 text-align: center;
font-size: 50px;
    padding: 50px;
    text-align: center;
    .slide p {
color: ■#d5d1e0;
    padding: 20px;
.slide-osoblje h4, h2 {
  color: ■rgb(247, 251, 252);
.slide-osoblje img {
border: 3px solid ■white;
    border: 0px 10px;
#osoblje{
    width: 100%;
.prev, .next {
    cursor: pointer;
    top: 50%;
    width: auto;
font-size: 20px;
    background-color: ☐rgba(0,0,0,0.4);
    color: ■white;
```

```
.prev {
 left: 5%;
#slajder p{
   font-size: 50px;
html,body {
height: 100%;
body {
 font-family: 'Signika Negative', sans-serif;
 font-weight: 400;
 color: □#535353;
*,*:before,*:after {
   -webkit-box-sizing: border-box;
   -moz-box-sizing: border-box;
   box-sizing: border-box;
:focus {
   outline: 0 !important
iframe {
   border: none;
   width:100%;
a {
 color: inherit;
a:hover,a:focus,a:active {
 text-decoration: none;
p {
color: □#737373;
img {
```

```
,*:petore,*:atter {
    -webkit-box-sizing: border-box;
    -moz-box-sizing: border-box;
    box-sizing: border-box;
:focus {
    outline: 0 !important
iframe {
    border: none;
    width:100%;
a {
color: inherit;
a:hover,a:focus,a:active {
text-decoration: none;
p {
color: □#737373;
img {
max-width: 100%;
h1,h2,h3,h4,h5,h6,p {
font-family: 'Signika Negative', sans-serif;
textarea {
max-width: 100%;
.btn {
 font-size: 14px;
  font-family: 'Signika Negative', sans-serif;
  text-transform: uppercase;
  border-radius: 0;
.btn:focus,.btn:active:focus {
  outline: none;
  color: □#ffffff;
.btn-custom,.btn-custom-sm{
    border-radius: 3px;
    padding: 0.8em 1.8em;
    color: □#fff;
    font-weight: 700;
    -webkit-transition: all .5s ease-out;
```

```
C: > Users > WINDOWS 10 > Documents > GitHub > nikolarubezic96.github.io > delex > css > # style.css > ...
Q
             .btn-custom,.btn-custom-sm{
                 border-radius: 3px;
                 padding: 0.8em 1.8em;
color: ■#fff;
                 font-weight: 700;
                 -webkit-transition: all .5s ease-out;
                 transition: all .5s ease-out;
                 text-transform: uppercase;
B
             .btn-custom:hover,.btn-custom:focus,.btn-custom-sm:hover,.btn-custom-sm:focus{
              color: ■#fff;
               background-color: □#6C6767;
               border-color: □#6C6767;
             .btn-custom-sm {
                 padding: 0.5em 1em;
                 box-shadow: none;
                  -webkit-box-shadow: none;
                 border-radius: 0px;
                 height: 38px;
             .form-control:focus {
                 box-shadow: none;
                  -webkit-box-shadow: none;
             .progress {
                 height: 10px;
                 margin-bottom: 10px;
                 overflow: hidden;
                 background-color: ■#fff;
                 border-radius: 4px;
                 box-shadow: none;
                 border: 1px solid ■#bbb;
             .progress-bar {
                 height: 6px;
                 box-shadow: none;
                 margin: 1px;
                 border-radius: 3px;
(8)
               padding-top: 80px;
```

```
> Users > WINDOWS 10 > Documents > GitHub > nikolarubezic96.github.io > delex > css > # style.css > ...
84 ∨ /* 2 Help-classes
86 v.no-padding {
87 padding: 0px;
88 }
89 🗸 .color-l-orange {
90 color: ■#ff8b8b;
91 }
92 v .color-1-blue {
93 color: ■#77afea;
95 ∨ .color-l-yellow {
96 color: ■#f4d382;
97
98 ∨ .color-l-purple {
99 color: ■#ad8ede;
99
01 ∨ .color-l-pink {
92
       color: ■#ff3e75;
93
04 ∨ .color-l-green {
       color: ■#77dfa2;
95
96
07 ∨ .bg-light-orange {
       background-color: #ff8b8b;
99
        color: #ffffff;
10
11 ∨ .bg-light-blue {
12
        background-color: ■#77afea;
13
       color: □#ffffff;
14
15 ∨ .bg-light-yellow {
       background-color: #f4d382;
17
        color: #ffffff;
18
19 ∨ .bg-light-purple {
        background-color: ■ #ad8ede;
        color: #ffffff;
21
22
23 v.bg-light-pink {
       background-color: ■#ff3e75;
25
        color: □#ffffff;
26
27 v.bg-light-green {
       background-color: ■#77dfa2;
     color: ■#ffffff;
```

```
C: > Users > WINDOWS 10 > Documents > GitHub > nikolarubezic96.github.io > delex > css > # style.css
           color: ■#ffffff;
230
       .title {
           font-family: 'Kameron', serif;
           font-weight: 700;
       .titleHR {
           background: none repeat scroll 0 0 ■#e1e1e1;
236
           height: 3px;
238
           margin: 20px auto 0;
           position: relative;
           text-align: center;
           width: 130px;
242
           margin-bottom: 20px;
       .titleHR span {
           border-left: 5px solid ■#f7f7f7;
           border-right: 5px solid ■#f7f7f7;
           display: inline-block;
           height: 3px;
           left: 0;
250
           margin: 0 auto;
           position: absolute;
           right: 0;
           top: 0px;
           width: 50px;
```

```
background-attachment: fixed;
.navbar-custom {
    background: transparent;
    margin-bottom: 0px;
   z-index: 1000;
   border: none;
   color: □#333;
   position: fixed;
   transition: background-color 1s ease-in-out, border 1s ease-in-out;
    -moz-transition: background-color 1s ease-in-out, border 1s ease-in-out;
    -webkit-transition: background-color 1s ease-in-out, border 1s ease-in-out;
    -o-transition: background-color 1s ease-in-out, border 1s ease-in-out;
.navbar-custom .navbar-brand,.navbar-custom .navbar-brand:hover {
   color: ■#6ad2f1;
    padding: 40px 15px;
   font-size: 22px;
    font-weight: 700;
    font-family: 'Kameron', serif;
.small .navbar-brand,.small .navbar-brand:hover {
    color: □#333;
.navbar-custom .nav {
   padding: 10px 0px;
    font-weight: 500;
.navbar-custom .navbar-nav>li>a {
   color: ■#6ad2f1;
    font-size: 14px;
    text-transform: uppercase;
.small .navbar-nav>li>a {
   color: □#000:
```

```
WINDOWS 10 > Documents > GitHub > nikolarubezic96.github.io > delex > css > # style.css
346
347
     .main-home {
348
         padding: 330px 0px 250px 0;
349
          z-index: 1;
         text-align: center;
351
          position: relative;
          font-size: 13px;
352
          color: □#fff;
353
354
          background: □#000;
355
          min-height: 400px;
         height: 75vh;
     .home-page-photo {
359
          background-image: url(../images/bg-5.jpg);
         background-size: cover;
360
361
         z-index: -1;
362
          top: 0;
          opacity: 0.50;
365
          right: 0;
366
          bottom: 0;
367
          left: 0;
368
     .home__header-content {
         -webkit-transform: translateY(-50%);
         -ms-transform: translateY(-50%);
         transform: translateY(-50%);
         position: absolute;
          top: 50%;
          left: 0;
         right: 0;
379
     .home__header-content h1{
          font-family: 'Kameron', serif;
382
      .home__header-content p{
383
          font-weight: 300;
384
          font-size: 16px;
385
          margin-top: 20px;
     .home__header-content a.btn-default {
          margin-top: 15px;
```

```
/* 7 Services
.services-item{
    padding: 40px 20px;
.services-item i{
    font-size: 48px;
    margin-bottom: 20px;
.services-item h5{
    font-weight: 700;
    font-size: 16px;
    margin-top: 20px;
    text-transform: uppercase;
#twitter_tweet {
    background: url(../images/pattern1.png), url(../images/bg-4.jpg);
.twitter_tweet h5{
    font-weight: 300;
    line-height: 20px;
    color: □rgba(255,255,255,0.77);
.twitter_tweet i{
   font-size: 30px;
.form-main {
    padding-top: 30px;
.error {
    margin: 8px 0px;
    display: none;
    color: ■red;
#ajaxsuccess {
   font-size: 16px;
```

```
footer p{
   margin-bottom: 20px;
#footer {
    padding: 40px 0px 0px 0px;
   background-color: #f7f7f7;
   border-top: 1px solid ■#e4e4e4;
.footer-content {
   padding: 40px 0px 80px;
.footer-bottom {
   background-color: □#000;
   color: ■#a1a1a1;
   padding: 20px 0px 1px;
.footer-socials {
   margin: 47px 0px 20px 0px;
   text-align: center;
.footer-socials a{
   display: inline-block;
.footer-socials i {
   width: 42px;
   height: 42px;
   line-height: 42px;
   background: transparent;
border: 2px solid ■#E7EBEF;
   margin: 0px auto;
   position: relative;
   display: inline-block;
   margin: 0px 5px;
   border-radius: 50%;
   text-align: center;
   font-size: 18px;
   color: □#282A2E;
```

```
497 ∨ /* 15 Responsive
498
499 \vee @media only screen and (max-width: 767px) {
          .navbar-custom {
            background-color: ■#ffffff;
          .navbar-custom .navbar-brand {
            color: □#000;
            padding: 15px;
          .work-list li {
              width: 100%;
              display: block;
515 v .back-to-top {
          width: 40px;
          height: 40px;
          position: fixed;
          bottom: 0px;
         right: 20px;
          display: none;
          text-align: center;
          z-index: 10000;
525 v .back-to-top i {
          color: □#fff;
          font-size: 15px;
          display: block;
          line-height: 33px;
```

3.3. JavaScript

```
C: > Users > WINDOWS 10 > Documents > GitHub > nikolarubezic96.github.io > delex > js > J5 main.js > [❷] osoblje
     var navNazivi = ["Home", "Services", "Contact", "About"];
var navLinkovi = ["index.html", "#services", "#contact", "https://nikolarubezic.github.io/mojportfolio/index.html"];
  6 ///ispis navigacionog menija
 8 var meniDiv = document.getElementById('meni');
 9 let html = '';
10 v for(let i=0; i < navNazivi.length; i++){
        html+=`<li class="nav navbar-nav"
                 <a href="${navLinkovi[i]}">${navNazivi[i]}</a>
      meniDiv.innerHTML = html;
21 var slides =
             "We are thorough.",
"We offer feedback.",
      var slajderDiv = document.getElementById("slajder");
      var slideIndex = 0;
      showSlides(slideIndex);
      var prosli = document.getElementById("prosli");
40 \vee prosli.addEventListener("click", function () {
           slideIndex--;
           if(slideIndex < 0)</pre>
              slideIndex = slides.length-1;
           showSlides(slideIndex);
```

```
var sledeci = document.getElementById("sledeci");
sledeci.addEventListener("click", function () {
    slideIndex++;
    if(slideIndex >= slides.length)
       slideIndex = 0;
    showSlides(slideIndex);
function showSlides(indeks){
    var slajd = slides[indeks];
htmlSlide = '';
    htmlSlide +=
        <div class="slide slidevrh col-sm-12">
             ${slajd}
     slajderDiv.innerHTML = htmlSlide;
var usluge =
            "ikona": "icon-design-graphic-tablet-streamline-tablet color-l-orange",
            "naslov": "Web design",
```

```
∨ var usluge =
             "ikona": "icon-design-graphic-tablet-streamline-tablet color-l-orange",
             "naslov": "Web design",
             "opis": "Modern websites for your business."
             "ikona": "icon-design-pencil-rule-streamline color-l-blue",
             "naslov": "Software development",
             "opis": "PC and mobile applications that fit your needs."
             "ikona": "icon-speech-streamline-talk-user color-l-yellow",
             "naslov": "IT consulting",
             "opis": "IT consulting about your existing software."
             "ikona": "icon-settings-streamline-2 color-l-purple",
             "naslov": "Software administration",
             "opis": "Full time administration for your systems."
             "ikona": "icon-streamline-umbrella-weather color-l-pink",
             "naslov": "Network security",
             "opis": "Improvement of your networks' security."
             "ikona": "icon-caddie-shopping-streamline color-l-green",
             "opis": "Report of any data your business possesses."
 var uslugeDiv = document.getElementById('usluge');
 let htmlUsluge = ';
```

```
var promenaRowa = 0
for (usluga of usluge)
    htmlUsluge +=
          <div class="col-12 col-sm-6 col-md-4">
            <div class="text-center services-item">
              <div class="col-wrapper">
                <div class="icon-border">
                <i class="${usluga.ikona}"></i></i>
                </div>
                <h5>${usluga.naslov}</h5>
                ${usluga.opis}
            </div>
          </div>
        promenaRowa++;
        if (window.screen.width < 980 && promenaRowa == 2)</pre>
            htmlUsluge+=
            <div class="row">
            </div>
            promenaRowa = 0;
uslugeDiv.innerHTML = htmlUsluge;
/// zaposleni
var osoblje = [
```

```
var osoblje = [
54
             "id": 1,
56
             "ime": "Anna Johnson",
58
             "zanimanje": "Software Engineer",
59
             "slika": {
70
                  "src": "delex/images/slika_anna.jpg",
                 "alt": "Anna Johnson"
         },
74
             "id": 2,
             "ime": "Mark Peterson",
78
             "zanimanje": "DevOps",
             "slika": {
79
30
                 "src": "delex/images/slika_mark.jpg",
31
                 "alt": "Mark Peterson"
32
33
         },
34
             "id": 3,
             "ime": "Mary Swanson",
             "zanimanje": "Statistician",
39
             "slika": {
                  "src":"delex/images/slika_mary.jpg",
1
                 "alt": "Mary Swanson"
)2
13
         },
)4
             "id": 4,
96
             "ime": "John Soprano",
             "zanimanje": "Software Engineer",
8
9
             "slika": {
90
                  "src": "delex/images/slika_john.jpg",
                 "alt": "John Soprano"
```

```
var osobljeDiv = document.getElementById('osoblje');
let htmlOsoblje = '';
var osobljeIndeks = 1;
showOsoblje(osobljeIndeks);
var prosliOsoblje = document.getElementById("prosliOsoblje");
prosliOsoblje.addEventListener("click", function () {
    osobljeIndeks--;
    if(osobljeIndeks < 0)</pre>
        osobljeIndeks = osoblje.length;
    showOsoblje(osobljeIndeks);
var sledeciOsoblje = document.getElementById("sledeciOsoblje");
sledeciOsoblje.addEventListener("click", function () {
    osobljeIndeks++;
    if(osobljeIndeks > osoblje.length)
        osobljeIndeks = 0;
    showOsoblje(osobljeIndeks);
function showOsoblje(indeks){
var zaposleni = osoblje[indeks];
htmlOsoblje = '';
    htmlOsoblje +=
    <div class="slide slide-osoblje col-sm-12">
        <img src="${zaposleni.slika.src}" alt="${zaposleni.alt}" />
```

```
htmlOsoblje +=
Source Control (Ctrl+Shift+G) = "slide slide-osoblje col-sm-12">
                 <img src="${zaposleni.slika.src}" alt="${zaposleni.alt}" />
                 <h2>${zaposleni.ime}</h2>
                 <h4>${zaposleni.zanimanje}</h4>
        osobljeDiv.innerHTML = htmlOsoblje;
        const regIme = /^[A-Z[\tilde{C}(\tilde{S}D\tilde{Z})]\{1\}[a-z[\tilde{C}(\tilde{S}D\tilde{Z})]\{2,15\}\[A-Z[\tilde{C}(\tilde{S}D\tilde{Z})]\{1\}[a-z[\tilde{C}(\tilde{S}D\tilde{Z})]\{2,15\}\];
        const regEmail = /^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,6}$/
        function proveraRegEx()
             var tekstGreske = 'Form has not been filled properly;';
             var brojacGreske = 0;
             var formalme = document.getElementById("formalme").value;
             var proveralme = regIme.test(formalme);
             if(proveraIme === false)
                 document.getElementById("formaIme").style.borderColor = "red";
                 tekstGreske += " Name"
                 brojacGreske++;
```

```
if(proveraIme === false)
    document.getElementById("formaIme").style.borderColor = "red";
   tekstGreske += " Name"
   brojacGreske++;
    document.getElementById("formalme").style.borderColor = "";
var formaEmail = document.getElementById("formaEmail").value;
var proveraEmail = regEmail.test(formaEmail);
if(proveraEmail === false)
    document.getElementById("formaEmail").style.borderColor = "red";
    if(brojacGreske == 0)
       tekstGreske += " Email"
        tekstGreske += ", Email"
   brojacGreske++
    document.getElementById("formaEmail").style.borderColor = "";
var padajucaLista = document.getElementById("padajucaLista").value;
if(padajucaLista == 0)
```

```
var padajucaLista = document.getElementById("padajucaLista").value;
 if(padajucaLista == 0)
     document.getElementById("padajucaLista").style.borderColor = "red";
     if(brojacGreske == 0)
         tekstGreske += " drop down list"
         tekstGreske += ", drop down list"
 brojacGreske++
     document.getElementById("padajucaLista").style.borderColor = "";
 var tekstPolje = document.getElementById("tekstPolje").value;
 if( tekstPolje == 'Message' || tekstPolje.length < 3)</pre>
     document.getElementById("tekstPolje").style.borderColor = "red";
     if(brojacGreske == 0)
         tekstGreske += " text area"
          tekstGreske += ", text area"
 brojacGreske++
     document.getElementById("tekstPolje").style.borderColor = "";
tekstGreske += " should be corrected."
if(brojacGreske > 0){
   alert(tekstGreske);
else if (document.getElementById("newsletter").checked == true)
   alert("Your form has been submitted successfully and you have subscribed to our newsletter.");
   document.getElementById("ajax-form").reset();
   alert("Your form has been submitted successfully.");
   document.getElementById("ajax-form").reset();
```

3.3.1. JQuery plugin