









UWB



Title		
Size	Number	Revision
A		
Date:	8/18/2026	Sheet of
File:	C:\Users\...\DWM3000.SchDoc	Drawn By:



Comment	Description	Designator	Footprint	LibRef	Quantity
Cap	Capacitor	C1, C6, C9, C10	CAPC1608X90	Cap	4
Cap	Capacitor	C2, C11	CAPC1005X55N	Cap	2
Cap	Capacitor	C3, C5	CAPC2012X94N	Cap	2
Cap	Capacitor	C7, C8	CAPC1608X87N	Cap	2
597-3326-607F	SMD LED 0603 INGAN GREEN Dialight 597-3326-607F	D1	LEDSC160X80X70L45N	597-3326-607F	1
SM02B-SRSS-TB (LF)(SN)	Description	J1	CONN_SM02B-SRSS-TB_JST	SM02B-SRSS-TB LFSN	1
USB4110GFA	USB-C (USB TYPE-C) USB 2.0 Receptacle Connector 24 (16+8 Dummy) Position Surface Mount, Right Angle	J2	GCT_USB4110GFA	USB4110GFA	1
BM05B-SRSS-TB(LF)(SN)		J3	JST_BM05B-SRSS-TB(LF)(SN)	BM05B-SRSS-TB(LF)(SN)	1
Res1	Resistor	R1, R2, R3, R7	RESC1005X40	Res1	4
Res1	Resistor	R4, R6	RESC1005X40N	Res1	2
SW-PB	Switch	SW1, SW2	SW_TL3342F160QG	SW-PB	2
ESP-WROOM-32	Transceptor serie ESP-WROOM-32; Placa de evaluaci3n 802.11 b/g/n (Wi-Fi, WiFi, WLAN), Bluetooth® Smart 4.x de bajo consumo (BLE)	U1	MODULE_ESP-WROOM-32	ESP-WROOM-32	1
AP2112K-3.3TRG1	Linear Voltage Regulator IC Positive Fixed 1 Output 600mA SOT-25	U2	SOT95P285X140-5N	AP2112K-3.3TRG1	1
TP4056	Complete single cell Li-Ion battery with a constant current / constant voltage linear charger	U3	SOP127P600X175-9N	TP4056	1
DWM3000TR13	802.15.4, Bluetooth, Cellular UWB, Zigbee® Transceiver Module 6.25GHz ~ 8.25GHz Integrated, Ceramic Patch Surface Mount	U4	XCVR_DWM3000TR13	DWM3000TR13	1