

Подготовка за контролно SQL – задачи:

1 зад: Запазете като изглед обединяването на трета, четвърта и пета-та най-къси реки и третият, четвърти и пети най-ниски върхове.

Name	Meters
Lower Tunguska	2989
Rio Grande	3057
Saint Lawrence	3058
Golyam Persenk	2091
Shirokolashki Snezhnik	2188
Golyam Perelik	2191

```
CREATE OR REPLACE VIEW v_rivers_peaks_union AS
```

```
(SELECT river_name AS Name, length AS Meters
FROM rivers
ORDER BY length ASC
-- LIMIT 2, 3
LIMIT 3 OFFSET 2)
```

```
UNION
```

```
(SELECT peak_name, elevation
FROM peaks
ORDER BY elevation ASC
-- LIMIT 2, 3
LIMIT 3 OFFSET 2);
```

2 зад: Намерете имената и височините на най-ниските върхове за всяка планина в България, подредени по възходящ ред според височината и името.

Peak	Elevation
Kom	2016
Batashki Snezhnik	2082
Orlovets	2685
Kamenitsa	2822
Malak Polezhan	2822

Решение:

Първи начин:

```

SELECT peak_name AS Peak, elevation AS Elevation
FROM peaks p
JOIN mountains_countries mc
ON p.mountain_id = mc.mountain_id
WHERE elevation =
(
SELECT elevation
FROM peaks
WHERE p.mountain_id = mountain_id
ORDER BY elevation ASC
LIMIT 1
)
AND mc.country_code = 'BG'
ORDER BY elevation ASC, peak_name;

```

Втори начин:

```

SELECT peak_name AS Peak, elevation AS Elevation
FROM peaks p
JOIN mountains_countries mc
ON p.mountain_id = mc.mountain_id
WHERE elevation IN
(
SELECT MIN(elevation)
FROM peaks
GROUP BY mountain_id
)
AND mc.country_code = 'BG'
ORDER BY elevation ASC, peak_name;

```

3 зад: За всяка планина в Азия да се преброят върховете в нея и да се изброят на един ред низходящо по височина

Mountain	Count	Peaks
Alborz	1	Damavand
Caucasus	3	Elbrus, Dykh-Tau, Shkhara
Himalayas	15	Everest, Everest, Everest, Kangchenjunga, Kangchenjunga, Kangchenjunga, Lhotse, Lhot.
Jayawijaya Mountains	1	Julianatop
Karakoram	2	K2, K2
Maoke Mountains	1	Puncak Trikora
The Sudirman Range	1	Carstensz Pyramid

Решение:

```

SELECT m.mountain_range AS Mountain, COUNT(p.peak_name) AS Count,
       GROUP_CONCAT(' ', p.peak_name ORDER BY p.elevation DESC) AS Peaks
FROM peaks p
JOIN
mountains m
ON p.mountain_id = m.id
JOIN
mountains_countries mc
ON m.id = mc.mountain_id
JOIN
countries c
ON mc.country_code = c.country_code
WHERE c.continent_code = 'AS'
GROUP BY m.id;

```

4 зад: Намерете валутите, които използват долари и в описанието и думата Dollar да се замени със знак \$ - 24 реда

Currency	Description
AUD	Australia \$
BBD	Barbados \$
BMD	Bermuda \$
BND	Brunei Darussalam \$
BSD	Bahamas \$
BZD	Belize \$
CAD	Canada \$
FJD	Fiji \$
GYD	Guyana \$
HKD	Hong Kong \$
JMD	Jamaica \$
KYD	Cayman Islands \$

Решение:

```

SELECT currency_code AS Currency,
       (CASE WHEN description LIKE '%dollar' THEN
            REPLACE(description, RIGHT(description,6), '$')
            ELSE description END) AS Description
FROM currencies
WHERE description LIKE '%dollar%';

```