




In a Business Context

- ☐ Calculate the costs on the black market.
 - ☐ \$250 per healthcare record
 - ☐ \$5.40 for a payment card
- ☐ Reputation and brand:
 - ☐ Customers understand what a data breach means to them. – Identity theft
 - ☐ Global economy
 - ☐ 24-hour news cycle and social media
- ☐ Ransomware

Data Governance

How to Manage Data?

Data Lifecycle Governance
Managing the creation, storage, retention, backups, and disposal of "no longer needed" data.

Data Stewardship

What data, where is it, who should access it; data policies?

Data Quality

Ensuring data is in a usable and reliable state for business operations, decision making, and planning.

Metadata Management

Cross-organizational agreement on how to define informational assets.

Master & Reference Data Management

Tools and processes to establish a single source of truth for all critical data.

Data Privacy

Policies and processes that dictate how to collect, share, and use data based on its relative importance or regulatory requirement.

DLP is part of
Data Security

Data Security
Protecting digital data from the unwanted actions of unauthorized users.

Data Loss Prevention (DLP)

- ❑ Definition: Set of tools and processes to detect and stop sensitive information (data) from being lost, misused, or accessed by unauthorized users or unintentionally by authorized users

DLP Within Cybersecurity Strategy

- ❑ The CIS (Center for Internet Security®) Controls are independent and trusted prescriptive, prioritized, and simplified cybersecurity best practices that provide a clear path to improve an organization's cyber defense program.
- ❑ In CIS Controls v8, Control 3 is "Data Protection" with 14 sub controls, such as:
 - ❑ 3.7 - Establish and maintain a data classification scheme.
 - ❑ 3.13 - Deploy a data loss prevention solution.

Additional information: <https://www.cisecurity.org/controls/>

Structured vs Unstructured

- ❑ Structured Data – Data divided into standardized pieces identifiable and accessible by humans and computers.
 - ❑ Examples: Database, SQL, Excel sheet, index
- ❑ Unstructured Data – No pre-defined model or organization; text-based or not (images, videos, etc.).
 - ❑ Example: Documents, Emails, Webpages, Social Media posts
- ❑ Semi-structured Data – Text-based, but with some tagging or categorization available
 - ❑ Examples: Email organized with folders such as Inbox, Sent, Drafts, etc.

80-90% от данните на компаниите са неструктурирани (не толкова подредени по предварителна структура за четене от ботове).

Data Terms

- ❑ Sensitive Data – Any data that, if exposed to the general public, would incur some form of cost to the organization who is entrusted with the data; made inaccessible to outside parties unless specifically granted permission.
 - ❑ Examples: Credit card numbers, Social Security Numbers (SSN), Protected Health Information (PHI), student records, secret recipes and formulas, customer information.
- ❑ Data Classification – Identifying and organizing data according to its type, sensitivity, criticality, and value to the organization.
 - ❑ Example: US Military uses "Top Secret", "Secret", "Confidential".
- ❑ Data Retention – Storing information for a specified period of time.

Frameworks

- ❑ Framework – A basic conceptual structure.
- ❑ NIST 800-53: Security & privacy controls for information systems & organizations.
- ❑ ISO/IEC 27001: Information Security Management
- ❑ Australian Cyber Security Centre (ACSC): Information Security Manual (ISM)
- ❑ MITRE ATT&CK® – Knowledge base of cyber adversary behavior and taxonomy for adversarial actions across their lifecycle.
- ❑ CIS Security Controls.

People

- ❑ End User – The intended person to whom the IT service is provided.
 - ❑ May be distinguished from “customer” – A person who uses IT but is not part of the organization.
- ❑ Stakeholder – A person with an interest or concern in something.
- ❑ Insider Threat – Threat to an organization that comes from insiders, such as employees, former employees, contractors, third-party vendors, or business partners, who have privileged information.
 - ❑ Unintentional Insider Threat Actor – A person who exposes data by accident or neglect.
 - ❑ Intentional Insider Threat Actor – A person who exposes data on purpose, becomes ↓.
- ❑ Malicious Actor – A person participating in an action intending to cause harm.

DLP Acronyms and Terms

- ❑ **API** = Application Programming Interface
- ❑ **OCR** = Optical Character Recognition
- ❑ **Fingerprinting** – Document Fingerprinting is a DLP feature that converts a standard form into a sensitive information type, which you can use in the rules of your DLP policies. These fingerprints are unique identifiers for their corresponding data and files, much like human fingerprints uniquely identify individual people.
- ❑ **EDM** = Exact Data Match
- ❑ **Regex** = Regular Expressions
- ❑ **ML** = Machine Learning

Regulatory Requirements

Why Does It Matter?



Reporting Deadlines

Some regulations state a data breach must be reported in a certain time frame (e.g., 72 hours).



Financial Penalties

Fines can be levied based on how many records lost or extent of a breach.



Goodwill with Other Entities

Other organizations may require certain practices so they can remain in compliance.



Lawsuits

Customers or business associates may have grounds for a legal case.

Health Information Technology for Economic and Clinical Health (HITECH) Act

- ❑ HITECH is from the American Recovery and Reinvestment Act of 2009.
- ❑ HITECH Act expands and fortifies HIPAA to include electronic PHI.
- ❑ Health Insurance Portability and Accountability Act of 1996 (HIPAA) created regulations protecting the privacy and security of certain health information.
- ❑ From the HHS.gov website:
 - ❑ "The Security rule applies to health plans, health care clearinghouses, and to any health care provider who transmits health information in electronic form in connection with a transaction for which the Secretary of HHS has adopted standards under HIPAA (the "covered entities") and to their business associates."

More information: <https://www.hhs.gov/hipaa/for-professionals/security/laws-regulations/index.html>

Family Educational Rights and Privacy Act (FERPA)

- ❑ Federal law protects the privacy of student education records. The law applies to all schools receiving funds under an applicable program of the U.S. Dept. of Education.
- ❑ Schools must have written permission from the parent or eligible student in order to release any information from a student's education record (with some exceptions).
- ❑ Schools may disclose, without consent, "directory" information such as a student's name, address, telephone number, date and place of birth, honors and awards, and dates of attendance. However, schools must tell parents and eligible students about directory information and allow parents and eligible students a reasonable amount of time to request that the school not disclose directory information about them.

More information: <https://studentprivacy.ed.gov/>

Personal Information Protection & Electronic Documents Act (PIPEDA)

- ❑ Applies to private-sector organizations across Canada that collect, use or disclose personal information in the course of commercial activity.
- ❑ Alberta, British Columbia, and Quebec have their own private-sector privacy laws that have been deemed substantially similar to PIPEDA.
- ❑ Ontario, New Brunswick, Nova Scotia and Newfoundland and Labrador have similar legislation regarding the collection, use and disclosure of PHI.

More Information: https://www.priv.gc.ca/en/privacy-topics/privacy-laws-in-canada/the-personal-information-protection-and-electronic-documents-act-pipeda/pipeda_brief/

- ❑ Under PIPEDA, personal information includes any factual or subjective information, recorded or not, about an identifiable individual. This includes information in any form, such as:
 - ❑ Age, name, ID numbers, income, ethnic origin, or blood type;
 - ❑ Opinions, evaluations, comments, social status, or disciplinary actions; and
 - ❑ Employee files, credit records, loan records, medical records, existence of a dispute between a consumer & a merchant, intentions (for example, to acquire goods or services, or change jobs).

General Data Protection Regulation (GDPR)

- ❑ The European Union (EU) and the European Economic Area (EEA) passed this law.
- ❑ Applicable to organizations that collect an EU resident's data or handle the data (such as a cloud service provider).
 - ❑ Also, if the data subject (person) is based in the EU.
- ❑ Data breaches have to be reported to authorities within 72 hours.
- ❑ Fines can be a maximum of €20 million or 4% of the annual worldwide turnover of the preceding financial year, whichever is greater.

More information: <https://eur-lex.europa.eu/eli/reg/2016/679>


Payment Card Industry (PCI) Data Security Standards (DSS)

- ❑ Set of security standards developed in 2004 by Visa, MasterCard, Discover Financial Services, JCB International and American Express.
- ❑ Governed by the Payment Card Industry Security Standards Council (PCI SSC), with the goal of securing credit and debit card transactions against data theft and fraud.
- ❑ 12 Requirements:
 - ❑ 3. Protect stored cardholder data.
 - ❑ 4. Encrypt transmission of cardholder data across open, public networks.
 - ❑ 7. Restrict access to cardholder data by business need-to-know.
 - ❑ 10. Track and monitor all access to network resources and cardholder data.

More information: <https://www.pcisecuritystandards.org/>

Generating Business Requirements

A Checklist to Follow



Stakeholder Communication

- ☐ Clarify who is ultimately responsible.
- ☐ Connect with key business units and establish a contact.
 - ☐ Common groups: legal, privacy, HR (human resources).
 - ☐ Information Technology, Procurement, Portfolio/Project Management.
- ☐ Make a communication plan for keeping all stakeholders informed.
- ☐ Ensure “buy-in” with all key stakeholders.
- ☐ Begin to outline a responsibility assignment matrix or RACI (Responsible, Approve, Consult, Inform) model for future approvals and alerts.

Normal vs. Abnormal Workflows

- ☐ Investigate normal business practices around data.
 - ☐ Who, in the organization, should be able to access it? And how?
 - ☐ Is it shared outside the organization? To whom?
 - ☐ What is key data to protect?
- ☐ Use this as baseline to decide what is abnormal.
 - ☐ What data is “off-limits” to other people? Who are those “other people”?
 - ☐ Should certain actions be blocked?

DLP Policy “On Paper”

- ☐ Data Element → Piece of sensitive data, classification label, etc.
- ☐ Trigger → Sending outside organization by emailing, public link, accessing more records than usual, copy to USB drive, etc.
- ☐ Reaction → Block copy, Deny view, remove link, encrypt email, etc.
- ☐ Alert → Email to stakeholder, SIEM notification, page to privacy officer, create ticket.
- ☐ Action → Employee reprimanded or fired, more training, application access revoked.

DLP Failure Alert!

DLP Program


Understand the Parameters Before Making a Plan



The Steps

- ☐ Create a project plan and roadmap.
- ☐ Establish internal governance.
- ☐ Identify data locations, file types, business processes, employee workflows, etc. (Section 3).
- ☐ Design a solution (Section 4).
- ☐ Implement a solution (Section 5).
- ☐ Validate with metrics (Section 5).
- ☐ Tune the solution (Section 5).

Where's Wally? (Or Where's Waldo?)



Where's Waldo? Deluxe Edition 2012

by Martin Handford (Author, Illustrator)

★★★★★ 7,424 ratings

Book 1 of 7: Where's Waldo?

Looking for Waldo? Search no more. The time has come and

7 книги от 1987 до 2009

Structured vs. Unstructured and EDM

- ❑ Structured Data – Data is divided into standardized pieces identifiable and accessible by humans and computers.
 - ❑ Examples: Database, SQL, Excel sheet, index
- ❑ Unstructured Data – No pre-defined model or organization; text-based or not (images, videos, etc.)
 - ❑ Example: Documents, Emails, Webpages, Social Media posts
- ❑ Semi-structured Data – Text-based, but with some tagging or categorization available.
 - ❑ Examples: email organized with folders such as Inbox, Sent, Drafts, etc.
- ❑ EDM = Exact Data Match

Luhn Algorithm


- ❑ Named after the person who created it, IBM scientist Hans Peter Luhn.
 - ❑ Also called the Modulus 10 or the Luhn Formula.
- ❑ Validates numbers within a given set of digits to check whether the sum of those numbers is aligned to expectations or contains an error.
 - ❑ Can detect a single-digit error.
- ❑ U.S. Patent No. 2,950,048, granted on August 23, 1960. – Now in the public domain.
- ❑ Can be used to determine valid numbers from similar looking numbers.
- ❑ Incorporated into some DLP solutions.

What Is a “Regular Expression”?

- ❑ Also referred to as “rational expression”, “regex” or “regexp”.
- ❑ Definition: Sequence of characters used to match a pattern in text or strings.
- ❑ Idea began in the 1950s with mathematician Stephen Cole Kleene.
- ❑ Today, it’s available in many programming languages.
 - ❑ It’s also available in many DLP programs.

Demonstration

- ❑ Website: <https://regexr.com/>
- ❑ Example: 5-character name that ends in the letter “y” followed by a phone number.
- ❑ Test text: Jenny 867-5309



Започваме с числата – тел номер с 3 числа, тире, 4 числа. Име с 5 букви, завършващо на у


\d = digit

{ } = group of

\w = word

[обхват/range]

\s = white space



Трябва да тестваме дали началните и крайни ограждения са ни необходими за съответния инструмент //g

Definition and Example

- ❑ Data Classification – Identifying and organizing data according to its type, sensitivity, criticality, and value to the organization.
 - ❑ Example: US Military uses “Top Secret”, “Secret”, “Confidential”.
- ❑ Data Classification Labels use the organization’s data classification framework, or policy.

Common Examples and Best Practice

What Label Goes on the Label?




Microsoft Purview

- ☐ Microsoft Purview Data Loss Prevention is a compliance solution and part of the Microsoft Security system.
 - ☐ It provides information protection across Office 365, One Drive, SharePoint, Microsoft Teams, and endpoints.
- ☐ Microsoft Purview Data Loss Prevention is available as a trial for subscribers of Microsoft 365.
 - ☐ If you do not currently have a subscription to Microsoft 365, you can trial both.

Microsoft 365 – Existing Customer

- ❑ Microsoft Purview Data Loss Prevention is available as a trial for existing subscribers of Microsoft 365.
- ❑ Look for the **Microsoft 365 E5 Compliance Trial** in your tenant, or through the Purview website:
 - ❑ <https://www.microsoft.com/en-us/security/business/information-protection/microsoft-purview-data-loss-prevention>



Microsoft


Thank you for choosing
Microsoft 365 E5 Compliance Trial

- 1 Let's set up your account
Enter your work or school email address, we'll check if you need to create a new account for Microsoft 365 E5 Compliance Trial.

Next
- 2 Tell us about yourself
- 3 Create your business identity
- 4 You're all set

Microsoft 365 – New Customer

- ❑ If you are not currently a subscriber to Microsoft 365, there is a trial available
- ❑ To easily trial the Microsoft Purview DLP, choose the Business Premium plan:
 - ❑ <https://www.microsoft.com/en-us/microsoft-365/business/>



Microsoft

Microsoft 365 Business Premium Trial
One month free with payment details

Microsoft 365 Business Premium Trial
Signing up for your trial
We'll set up 30 users during trial.
The features you'll get in the trial product.
Credit card required for future billing.
Your subscription starts when this trial ends, unless you cancel by 1/31/2023.

Tell us about yourself

First name Middle name (Optional)
Last name
Business phone number
Company name Company size
Country or Region Current Status
I agree that Microsoft may contact me about my trial.
I will provide information, tips, and offers about solutions for businesses and organizations and other Microsoft products and services. [Learn more](#) [Privacy](#) [Terms](#)
Next


Product highlights

- Get started quickly with documents, spreadsheets, presentations, and email
- Use Microsoft Teams for chat, video, and cloud security
- Help keep business data secure on your devices
- Get protection with ransomware protection to guard against ransomware
- Manage your PC and devices security and safety
- Back up and share files with a terabyte of cloud storage

Windows, Office, Teams, OneDrive, SharePoint, Exchange, Power BI, Dynamics 365, Azure, and more.

Microsoft Data Classification Labels

- ❑ Microsoft Purview Data Loss Prevention (DLP) is only one part of the information protection capabilities.
- ❑ Information protection extends across Office 365, One Drive, SharePoint, Microsoft Teams, and endpoints.
- ❑ Data Classification labels are included as part of this solution.
- ❑ Website: <https://compliance.microsoft.com>



The screenshot shows the Microsoft Purview compliance portal interface. The top navigation bar includes 'Home', 'Compliance Manager', 'Data classification', 'Data connections', 'Reports', 'Policies', and 'Remediations'. The left sidebar lists various solutions: 'Catalog', 'Communication compliance', 'Insider risk management', 'Risk Privacy Risk Management', 'Risk Subject Rights Requests', 'Settings', 'More resources', and 'Custom navigation'. The main content area is titled 'Welcome to the Microsoft Purview compliance portal' and features a 'Get started' button. Below the welcome message, there are four tiles: 'Compliance Manager' showing a 'Your compliance score: 0%', 'Solution catalog' for discovering solutions, 'Retention label usage' indicating data is not available, and a 'Microsoft Privacy trial' banner about data privacy rules.

<https://compliance.microsoft.com/>

Microsoft Purview

Home

Compliance Manager

Data classification

Data connectors

Reports

Policy

Permissions

Solutions

Catalog

Communication compliance

Insider risk management

Privacy Risk Management

Privacy Subject Rights Requests

Settings

More resources

Customize navigation

Home

Compliance Manager

Data classification

Data connectors

Reports

Policy

Permissions

Solutions

Catalog

Communication compliance

Insider risk management

Privacy Risk Management

Privacy Subject Rights Requests

Settings

More resources

Customize navigation

Compliance Manager

Overview

Improvement actions

Solutions

Assessments

Appointed reviewers

Compliance Manager measures your progress against regulatory requirements and helps you improve your compliance posture.

Overall compliance score

Your compliance score

0%

1185/2453 points achieved

8/12043

1185/2453

Compliance score measures your progress by comparing recommended actions that help reduce risk around data protection and regulatory standards.

Learn how your Compliance score is calculated

View all improvement actions

Discover solutions for your compliance needs

Discover new and relevant compliance solutions that help you meet your compliance needs.

Explore the catalog to view available solutions and their details. Select a solution to view its details and learn how to implement it.

View all solutions in the catalog

Data isn't as now

Discover new and relevant compliance solutions that help you meet your compliance needs.

Explore the catalog to view available solutions and their details. Select a solution to view its details and learn how to implement it.

View all solutions in the catalog

Customize your navigation pane

Show or hide navigation items in your navigation pane. Other admins won't see your changes.

Selected items appear in the navigation pane

Don't worry, you can find these hidden items by selecting **Show all** from the navigation pane.

Select all

Compliance Manager

Data classification

Data connectors

Reports

Policy

Permissions

Catalog

Communication compliance

Insider risk management

Privacy Risk Management

Privacy Subject Rights Requests

Settings

More resources

Compliance Manager

Compliance Manager settings

Remove from navigation

Find guidance and documentation



Find

Solutions that affect your score

Using this table, you can see which solutions are recommended to improve your overall score.

Solution type	Solution	Score contribution	Remaining actions
Assessment	Assess	120 points	0
Assessment	Assess	120 points	0
Assessment	Assess Active Directory	120 points	0
Assessment	Compliance Manager	120 points	0
Assessment	Data classification	120 points	0
Assessment	Data loss prevention	120 points	0
Assessment	Defender for Cloud	120 points	0
Assessment	Exchange Online	120 points	0

View all solutions



Проследява всичко, включително принтиране на документи и прехвърляне на данни. Важни данни, които да се запазват като статистика.

Microsoft Purview

Home

Compliance Manager

Data classification

Data connections

Reports

Policies

Permissions

Solutions

Catalog

Communication compliance

Insider risk management

Privacy Privacy Risk Management

Privacy Subject Rights Requests

Settings

More resources

Customize navigation

Data classification

Overview

Get insights of how sensitive info and labels are being used across your organization's locations. Learn more

Top sensitive info types

No data found with sensitive information

Learn more

Top sensitivity labels applied to content

No sensitivity labels detected

Learn more

Top retention labels applied to content

No retention labels detected

Learn more

Daily labeling activity by user

No activity detected

Learn how to turn on auditing

Top activities detected

No activity detected

Learn more

Locations where sensitivity labels are applied

No locations detected

Learn more

Locations where retention labels are applied

No locations detected

Learn more

Microsoft Purview

Home

Compliance Manager

Data classification

Data connections

Reports

Policies

Permissions

Solutions

Catalog

Communication compliance

Insider risk management

Privacy Privacy Risk Management

Privacy Subject Rights Requests

Settings

More resources

Customize navigation

Reports

View status and trends for the compliance of your Microsoft 365 devices, data, identities, apps, and infrastructure. Learn more

Labels

Retention label usage

Data isn't available right now

Sensitivity label usage

No audit data exists

Go to AP portal

Retention label changes

Data isn't available right now

Microsoft Purview

Home

Compliance Manager

Data classification

Data connections

Reports

Policies

Permissions

Solutions

Catalog

Communication compliance

Insider risk management

Privacy Privacy Risk Management

Privacy Subject Rights Requests

Settings

More resources

Customize navigation

Solution catalog

Discover, learn about, and start using the intelligent compliance and risk management solutions available to your organization.

Information protection & governance

Classify, protect, and retain your data where it lives and whenever it goes.

Data lifecycle management

Manages your content lifecycle using solutions to import, store, and classify business-critical data so you can keep what you need and delete what you don't.

View

Data loss prevention

Detects sensitive content as it's used and shared throughout your organization, in the cloud and on devices, and helps prevent accidental data loss.

View

Information protection


Discovers, classifies, and protects sensitive and business-critical content throughout its lifecycle across your organization.

View



Records management


Uses intelligent classification to automate and simplify the retention schedule for regulatory, legal, and business-critical records in your organization.

View



Кои устройства са били включвани





Sensitive info types > Create sensitive info type

- Name
- Patterns
- Recommended confidence level
- Finish

Name your sensitive info type

This name and description will appear in compliance policies that support sensitive info types, so be sure to enter text that helps admins easily understand what info will be detected.


Name *

Test1

Description *

This is a test





New sensitivity label

- ✓ Name & description
- Scope
- Files & emails
- Groups & sites
- Finish

Define the scope for this label

Labels can be applied directly to files, emails, containers like SharePoint sites and Teams, schematized data assets, and more. Let us know where you want this label to be used so you can configure the applicable protection settings. Learn more about label scopes

☒ Files & emails

Configure encryption and content marking settings to protect labeled emails and Office files. Also define auto-labeling conditions to automatically apply this label to sensitive content in Office, files in Azure, and more.

☐ Groups & sites

Configure privacy, access control, and other settings to protect labeled Teams, Microsoft 365 Groups, and SharePoint sites.

📘 To apply sensitivity labels to Teams, SharePoint sites, and Microsoft 365 Groups, you must first complete these steps to enable the feature.

☐ Schematized data assets (preview)

Apply labels to files and schematized data assets in Microsoft Purview Data Map. Schematized data assets include SQL, Azure SQL, Azure Synapse, Azure Cosmos, AWS RDS, and more.

📘 To apply this label to schematized data assets, you must first turn on labeling for Microsoft Purview Data Map. You can do this from the Labels page. Learn more about labeling for Microsoft Purview Data Map

Можем да криптираме файлове и имейли

Microsoft Purview

New sensitivity label

- ✓ Name & description
- ✓ Scope
- Files & emails
- Groups & sites
- Finish

Choose protection settings for files and emails

Configure encryption and content marking settings to protect labeled emails and Office files. Also define auto-labeling conditions to automatically apply this label to sensitive content in Office, files in Azure, and more.

- ☒ **Encrypt files and emails**
Control who can access files and emails that have this label applied.
- ☒ **Mark the content of files**
Add custom headers, footers, and watermarks to files and emails that have this label applied.

С достъп до ключа могат да се декриптират. При изтичане на срока, достъпът до криптираните файлове се прекратява.

Microsoft Purview

New sensitivity label

- ✓ Name & description
- ✓ Scope
- Files & emails
- Encryption
- Content marking
- Auto-labeling for files and emails
- Groups & sites
- Finish

Encryption

Control who can access files and email messages that have this label applied. Learn more about encryption settings

- ☐ Remove encryption if the file or email is encrypted
- ☒ **Configure encryption settings**

📘 Turning on encryption impacts Office files (Word, PowerPoint, Excel) that have this label applied. Because the files will be encrypted for security reasons, performance will be slow when the files are opened or saved, and some SharePoint and OneDrive features will be limited or unavailable. Learn more

Assign permissions now or let users decide?

Assign permissions now

The encryption settings you choose will be automatically enforced when the label is applied to email and Office files.

User access to content expires 📘

Never

Allow offline access 📘

Always

Assign permissions to specific users and groups * 📘

Assign permissions

0 items

Users and groups	Permissions
------------------	-------------

New sensitivity label

Name & description

Scope

Files & emails

Encryption

Content marking

Auto-labeling for files and emails

Groups & sites

Finish

Content marking

Add custom headers, footers, and watermarks to content that has this label applied. Learn more about content marking.

Document marking will be used as a document and any headers and footers will be applied to each message.

Content marking

Add a watermark

Customize text

Add a header

Customize text

Add a footer

Customize text

Customize watermark text

This text will appear as a watermark only on labeled documents. It won't be applied to email messages.

Watermark text *

Enter up to 255 characters

Please fill out this field.

Font size

10

Font color

Black

Text layout

Diagonal

New sensitivity label

New sensitivity label

Name & description

Scope

Files & emails

Encryption

Content marking

Auto-labeling for files and emails

Groups & sites

Finish

Auto-labeling for files and emails

When users edit Office files or compose, reply to, or forward emails from Outlook that contain content matching the conditions you choose here, we'll automatically apply this label or recommend that they apply it themselves. Learn more about auto-labeling for Microsoft Purview

To automatically apply this label to files that are already saved (in SharePoint and OneDrive) or emails that are already processed by Exchange, you must create an auto-labeling policy. Learn more about auto-labeling policies.

Auto-labeling for files and emails

^ Detect content that matches these conditions

+ Add condition

When content matches these conditions

Automatically apply the label

Automatic and recommended labeling works differently for items in Office 365 vs. files stored on Windows devices. Learn more

Display this message to users when the label is applied

Enter text or leave blank to display the default message

New sensitivity label

New sensitivity label

Name & description

Scope

Files & emails

Encryption

Content marking

Auto-labeling for files and emails

Groups & sites

Finish

Auto-labeling for files and emails

No recommendations apply to this policy or other rules and settings within this sensitivity label. Learn more about auto-labeling policies.

Auto-labeling for files and emails

^ Detect content that matches these conditions

Content contains

Default1

All of these

Sensitive info types

Credit Card Number

High confidence

Instance count

1

to

Any

ABA Routing Number

Medium confidence

Instance count

1

to

Any

Add

OR

Default2

All of these

Sensitive info types

Argentina National Identity (DNI) Number

Medium confidence

Instance count

1

to

Any

Add

Create group

Back

Next

New sensitivity label

- ✓ Name & description
- ✓ Scope
- ✓ Files & emails
- ✓ Groups & sites
- Finish

Review your settings and finish

Name
Top Secret
[Edit](#)

Display name
Top Secret
[Edit](#)

Description for users
This is for classified informations.
[Edit](#)

Description
This is for testing.
[Edit](#)

Scope
File, Email
[Edit](#)

Encryption
Encryption
[Edit](#)

Content marking
[Edit](#)

Auto-labeling for files and emails
Recommend that users apply the label
[Edit](#)

[Back](#) [Create label](#)

New sensitivity label

- ✓ Name & description
- ✓ Scope
- ✓ Files & emails
- ✓ Groups & sites
- ✓ Finish

✓ Your sensitivity label was created

Creating the label is just the first step in classifying and protecting content. To make this label available to users in your organization, you can auto-apply it to specific content and publish it to users' apps.

Next steps

- ☒ **Publish label to users' apps**
Create a label policy to make the label available in Office apps, SharePoint, Teams, and Microsoft 365 Groups. Once published, users will be able to apply it to protect their content. [Learn more about publishing labels](#)
- ☐ **Don't create a policy yet**
You can publish or auto-apply this label later.

Recommended resources based on your settings
[Review prerequisites to get the most out of your encryption settings](#)

Microsoft Purview

Information protection

Overview **Labels** Label policies

New feature in preview

Extend labeling to assets in the data map

When you turn this on, you'll be able to apply your sensitivity labels to files and schematized data assets in Microsoft Purview Data Map. [Learn more](#)

Turn on

ⓘ Your organization has not turned on the ability to process content in Office online files that have encrypted sensitivity labels applied and are stored in OneDrive and SharePoint. You can turn on here, but note that additional configuration is required.

ⓘ You can now create sensitivity labels with privacy and access control settings for Teams, SharePoint sites, and Microsoft 365 Groups. To do this, you must first [complete these steps](#) to enable the feature. Sensitivity labels are used to classify email messages, documents, sites, and more. When a label is applied (automatically or by the user), the content or site is protected based on the settings you choose. For example, you can control user access to specific sites. [Learn more about sensitivity labels](#)

+ Create a label Publish label Refresh

	Name	Order	Scope	Created by	Last modified
☐	Top Secret	0 - lowest	File, Email	Megan Guth	Jun 30, 2022 3:07:40 PM
☐	*	1	File, Email	Megan Guth	Jun 30, 2022 3:10:30 PM
☐	q	2 - highest	File, Email	Megan Guth	Jun 30, 2022 3:10:30 PM

Желателно е да имаме до 4-5 етикета максимум, като към всеки може да се добавят по същия начин подетикети.

Microsoft Purview

Sensitivity label policy > Create policy

Choose sensitivity labels to publish

When published, the labels you choose here will be available in specified user's Office apps (Word, Excel, PowerPoint) and Teams sites and Microsoft 365 Groups.

Sensitivity labels to publish
[Choose sensitivity labels to publish](#)

0 items

Search for specific labels

Label

Top Secret

Top Secretly

Top Secretly

Последният етап е публикуване – внимаваме кои етикети публикуваме, например Top secret не е желателно да бъде разпространен до всички потребители. Също, те не могат да променят приоритетите на документите.

* In the address bar, type <https://regexr.com/> and press **Enter**. The respective page will be shown.

* On the left side, we will find useful menu options. Click on the **Cheatsheet**. You can see some of the examples there.


Threat Modeling

- ☐ Process to identify potential threats or insufficient controls.
- ☐ Methodologies for IT Threat Modeling:
 - ☐ TRIKE
 - ☐ DREAD
 - ☐ OCTAVE
- ☐ If possible, start with a data flow diagram.
- ☐ Each organization has its own threat model, with possibly very unique threats.
- ☐ Exercises are essential to help uncover threats.
 - ☐ Elevation of Privilege: The threat modeling game.

MITRE ATT&CK® (Tactic: Exfiltration)

- ☐ Automated Exfiltration (T1020)
 - ☐ Traffic Duplication (T1020.001)
- ☐ Data Transfer Size Limits (T1030)
- ☐ Exfiltration Over Alternative Protocol (T1048)
 - ☐ Exfiltration Over Symmetric Encrypted Non-C2 Protocol (T1048.001)
 - ☐ Exfiltration Over Asymmetric Encrypted
 - ☐ Non-C2 Protocol (T1048.002)
 - ☐ Exfiltration Over Unencrypted Non-C2 Protocol (T1048.003)

- ❑ Exfiltration Over C2 Channel (T1041)
- ❑ Exfiltration Over Other Network Medium (T1011)
 - ❑ Exfiltration Over Bluetooth (T1011.001)
- ❑ Exfiltration Over Physical Medium (T1052)
 - ❑ Exfiltration over USB (T1052.001)
- ❑ Exfiltration Over Web Service (T1567)
 - ❑ Exfiltration to Code Repository (T1567.001)
 - ❑ Exfiltration to Cloud Storage (T1567.002)
- ❑ Scheduled Transfer (T1029)
- ❑ Transfer Data to Cloud Account (T1537)



Proof of Concept Tips

A Guide to Better PoCs



Protection Considerations

- ☐ Email body
- ☐ Email attachments
- ☐ Recall messages
- ☐ Forwarding rules
- ☐ Inline protection versus scanning existing data
- ☐ Integration with Data Classification tools
- ☐ Insider threat management tools

Detection Capabilities

- ☐ Keywords, phrases, lists, "dictionary".
- ☐ Regular Expressions (RegEx)
- ☐ OCR (Optical Character Recognition)
- ☐ Images – Looking for typed text on an image (file types .JPG, .PNG, .SVG etc.).
- ☐ EDM
- ☐ Fingerprinting
 - ☐ Document Fingerprinting is a DLP feature that indexes documents and files into a "fingerprint" for use in a DLP policy.

Controls

- ☐ Audit data
- ☐ Block from sending outside the organization
- ☐ Limit forwarding rules
- ☐ Encrypt
- ☐ Quarantine
- ☐ Coaching for end users
- ☐ Reporting to admin/owner

Protection Considerations

- ☐ LAN storage
- ☐ Cloud file storage
- ☐ Databases
- ☐ SaaS applications
- ☐ APIs (Application Programming Interface)
- ☐ Inline protection versus scanning existing data
- ☐ Integration with Data Classification tools
- ☐ Insider threat management tools

Detection Capabilities

- ☐ Keywords, phrases, lists, "dictionary".
- ☐ Regular Expressions (RegEx)
- ☐ OCR (Optical Character Recognition)
- ☐ Images – Looking for typed text on an image (file types .JPG, .PNG, .SVG etc.).
- ☐ EDM
- ☐ Fingerprinting
 - ☐ Document fingerprinting is a DLP feature that indexes documents and files into a "fingerprint" for use in a DLP policy.

Controls

- ☐ Audit Data
- ☐ Block data from download
- ☐ Block data from upload
- ☐ Encrypt
- ☐ Quarantine
- ☐ Coaching for end users
- ☐ Reporting to admin/owner

Encryption Concepts

- ☐ Encryption - Changing plain text into cipher text (no longer understandable).
- ☐ Cryptography – Ancient Greek origins, “Crypto” = hidden “graphy” = writing.
- ☐ Algorithm - Process or set of rules to be followed in calculations or other problem-solving operations, especially by a computer.
- ☐ Symmetric-key encryption – Same secret key used to encrypt/decrypt.
- ☐ Asymmetric-key encryption (public-key cryptography) – Paired keys, one public, and one private

Encryption for DLP

- ❑ Three states of digital data:
 - ❑ Data at rest
 - ❑ Data in use
 - ❑ Data in transit
- ❑ Types of data encryption:
 - ❑ File encryption – Encryption on a single file, typically used with data sharing/transfer needs (email, cloud storage, etc.) or external storage media.
 - ❑ Volume encryption – Entire logical volume is encrypted as one “chunk”.
 - ❑ Disk/drive encryption – The whole disk is encrypted as a single entity, nearly every sector.

Network Encryption


- ❑ SSL (Secure Sockets Layer) - Old protocol, version 3.0 deprecated in June 2015.
- ❑ TLS (Transport Layer Security) - Cryptographic protocol designed to secure communications over a network.
- ❑ Used in Cloud and SaaS applications.
- ❑ The negative about encryption. - SSL Decryption

Microsoft DLP

- ❑ Microsoft Purview Data Loss Prevention (DLP) is only one part of the information protection capabilities.
- ❑ Information protection extends across Office 365, One Drive, SharePoint, Microsoft Teams, and endpoints.
- ❑ Website: <https://compliance.microsoft.com>

Discover, learn about, and start using the intelligent compliance and risk management solutions available to your organization.

Classify, protect, and retain your data where it lives and wherever it goes.



Manages your content lifecycle using solutions to import, store, and classify business-critical data so you can keep what you need and delete what you don't.

View



Detects sensitive content as it's used and shared throughout your organization, in the cloud and on devices, and helps prevent accidental data loss.

View



Discovers, classifies, and protects sensitive and business-critical content throughout its lifecycle across your organization.

View



Uses intelligent classification to automate and simplify the retention schedule for regulatory, legal and business-critical records in your organization.

[Solution catalog](#) > [Data loss prevention](#)

[Open solution](#)
[Remove from navigation](#)
[Share](#)

Benefits

To comply with business standards and industry regulations, it's critical that your organization protect sensitive info (such as credit card numbers and health records) to prevent its inadvertent disclosure. To help with this, set up DLP policies to identify, monitor, and automatically protect sensitive info across Microsoft 365.

Data loss prevention capabilities were extended to include Microsoft Teams chat and channel messages. Applies only to users licensed for Office 365 Advanced Compliance.

Worth more than 162 points
Your compliance score increases based on actions you take. Data loss prevention contributes to your score based on the policies you set up.


[Go to Compliance Manager](#)

Subscriptions
To learn more about licensing requirements, see [Microsoft 365 Tenant-Level Services Licensing Guidance](#).

Overview of data loss prevention
Sensitive info types detected by DLP

Microsoft





Cratyc - OFF

Data loss prevention

Overview **Policies** Alerts Endpoint DLP settings Activity explorer


Use data loss prevention (DLP) policies to help identify and protect your organization's sensitive info. For example you can set up policies to help make sure information in email and docs isn't s

+ Create policy ↓ Export ↻ Refresh

☐	Name	Order	Last modified	Status
☐	Test DLP	0	Jun 30, 2022 4:42 PM	OFF

Exercise 01: Building Data Protection Strategies using Miro


- * In the address bar, type <https://miro.com> and press **Enter**. The respective page will be shown.
- * Now, we are going to use this website to sketch the parameters for a DLP. For that, click on the **Sign up free** to create an account. The Signup page will be shown.
- * Open another Chrome window and log in to your email. Enter your email on the signup page and click on the **Continue with email**. On the next page, enter your name and click on the **Continue**.
- * On the next page, enter the password of your choice, check the box to accept the terms, and click on the **Continue**. Now, it will ask for the code sent to your email.
- * Enter the code that you got in your mail. It will be redirected to the Miro app page. Here, you can create a new team. Enter the team name, fill in all the other details, and click on the **Continue**.
- * It will be redirected to the **Invite teammates** page. For that, click on the **Skip for now**. On the next page, click on the **Let's start**.
- * The sample flow chart will be shown. Select everything and press the **Delete** key to delete it.
- * We need some shapes to create a flowchart. For that, click on the **More apps** icon. Search for **diagram** and click on the **Diagramming shapes** from the results.
- * The Diagramming shapes will be displayed on the left side. Now, we can just drag and drop the required shapes.
- * First, we will start with the endpoint. For that, drag and drop the **Rectangle** icon and name it **Endpoint**.
- * For a clear view, click on the **Fullscreen** icon.



* For this, we need a desktop or laptop. We will start with printing documents. For that, drag and drop another Rectangle. Name it as the **Print Documents**.

* Now we have to decide whether to allow or disallow the printing of documents. For that, search for **line**, and drag and drop the **Straight line** to connect both processes. Name it as **Allow/Disallow?**.

* If you want to disallow the printing, change the name to **Disallowed**. Now, we have to decide whether to allow or disallow USB devices. For that, search for **rectangle**, drag and drop the rectangle, and name it **USB external media**. Refer to the Screenshot.



- * We will allow it only if there is a DLP scan. For that, search for a **line**, drag and drop the **Straight line**. Connect the Endpoint and the USB external drive. Name it as **Allowed?**.
- * We have to allow it only if there is a DLP scan. So, search for **rectangle**, drag and drop it below the USB external media. Name it as **Require DLP Scan**. Connect it with a **Straight line**.
- * We also need to have different controls on different operating systems. For that, drag and drop the two rectangles and place them below the endpoint. Name them as **Windows desktop/Laptop** and **Mac OS X desktop/Laptop**.
- * Remove the line between the endpoint and Print documents processes. Drag and drop the Print documents below the OS types. Refer to the screenshot.
- * Now, we have to connect all these. Search for a line, and make use of the **Angled arrow**. Connect the Endpoint and the OSes using it. Refer to the screenshot.
- * Now, we have to decide on the print documents for different OSes. We will disallow Windows OS and allow for Mac OS. For this, make use of a **Straight line** and name them as **Disallowed** and **Allowed**. Refer to the screenshot.
- * Along with the endpoint, we also have Mobile phones. So create a process beside it by using a rectangle. Name it as **Mobile Phone/Tablet**. Again for a mobile phone, we have Android and iOS types in it. Add three rectangles for each of them. Refer to the Screenshot.
- * Now, we have to connect these all. We will allow iOS devices and disallow Android devices. Also, connect the iOS with the Print Documents and Name it as **Disallow** to disallow printing documents through the iOS device. We make use of **Curved arrow** for all these. Refer to the Screenshot.
- * Cloud file storage and Email are the decision point that affects both mobile devices and endpoints. Make use of **Rectangle** shapes and name them **Cloud File Storage**, and **Email**. Place

them above the endpoint and mobile device. Refer to the screenshot.

* Now, we have to connect these. Make use of the **Angled arrow** and connect them. Refer to the screenshot.

* For email, we have additional considerations i.e. **Email body** and **Email Attachment**. These are the things to think through when you are planning a technical solution. Make use of **Rectangle** for them and place them beside the **Email**.

* Connect them by using **Curved arrow**.

* Like this, we can draw a data flow design to identify the sensitive information and who is accessing it. Now, we have some idea of how to start gathering the technical requirements based on the business requirements.

* We have mapped out all the technical pieces and features. Now, we will know the proof of concept Tips. These are as follows.

- Match Technical controls to product/tool features.
- Objective evaluations
- Test data & test plan
- Documents as you go

* This concludes the demonstration of **Building Data Protection Strategies using Miro**.



Detection Capabilities

- ☐ Keywords, phrases, lists, "dictionary".
- ☐ Regular Expressions (RegEx)
- ☐ OCR (Optical Character Recognition)
- ☐ Images – Looking for typed text on an image (file types .JPG, .PNG, .SVG etc.).
- ☐ EDM
- ☐ Fingerprinting
 - ☐ Document Fingerprinting is a DLP feature that indexes documents and files into a "fingerprint" for use in a DLP policy.

Controls

- ☐ Audit data
- ☐ Block from sending outside the organization
- ☐ Limit forwarding rules
- ☐ Encrypt
- ☐ Quarantine
- ☐ Coaching for end users
- ☐ Reporting to admin/owner

CASB = Clour Access Security Broker

Test Plan

How You Test Matters?



Documentation

Write down your test plan. This helps the project to stay organized and proceed in a timely manner.



Gather Test Data

Use real data, if possible. If not possible, get data as close to real as you can.



Declare Scope

Decide what is in scope for testing, and what is out of scope.



Define Test Steps

Keeps testing consistent with different tools and different people. May become support documentation later.



Create a Test Environment

Use endpoints with software installed, typically of the end users' setup.



Record What Happened

Note whether every test is a success or failure. Were the results expected or not?

Organizational Change Management

- ☐ Organizational Change Management (OCM) - Framework for directing a business' major transformation, to ensure the most successful adoption by people.
- ☐ Phases:
 - ☐ Preparation
 - ☐ Implementation
 - ☐ Follow-through
- ☐ Core areas:
 - ☐ Communication
 - ☐ Training
 - ☐ Change Readiness

Champions and Pilots

- ☐ Workplace/Employee Champions – The early adopters:
 - ☐ Can be temporary or permanent.
 - ☐ Must be willing to participate.
- ☐ Pilot – Testing before full launch:
 - ☐ Choose end users carefully.
- ☐ Offer training:
 - ☐ Help guides, knowledge articles, cheat sheets.
- ☐ Solicit feedback

Considerations While Planning

- ☐ Visibility and functionality of the labels themselves, from the end user's perspective
- ☐ Visibility and functionality of the labels within the document or email
 - ☐ Headers, footers, watermarks, cover pages
- ☐ Default label and behavior:
 - ☐ Will there be a default label for all documents/emails?
 - ☐ Will labeling be required as part of the workflow?
- ☐ Existing data repositories
- ☐ Integrations with other applications

Automated Labeling



Roll Out Strategy

- ☐ Three main strategies:
 - ☐ Per application
 - ☐ Per label
 - ☐ All at once
- ☐ Monitor the deployment, ensure accuracy, and consistency.

Why Train End-users?

Key Goals for Documentation and Support



Increase adoption and awareness of this organizational change.



Recognize the reasons behind the classification.



Be informed of regulations and compliance requirements in the



Make certain there is a consistent understanding of labels.



Locate resources for help and to support the implementation.

Key Considerations

When It Comes to Alerts and Triage



Roles in the Process

Which job role(s) in the organization is/are going to play a part?



Legal/Privacy/HR

When should the incident be transferred to other teams?




Too Many Alerts - Legit

How will the organization adapt?



Too Many Alerts - Error

How will the DLP solution adapt?



Security Operations

- ❑ SOC - Security Operations Center
- ❑ SecOps - Security Operations
- ❑ Playbook - List of required steps and actions to follow in the event of a security incident or threat.
- ❑ Runbook - Series of conditional steps to perform specific actions in response to an incident.
- ❑ SOAR - Security Orchestration, Automation, and Response
- ❑ Do not be confused by OPSEC. - Operations Security

Machine Learning

- ❑ Machine Learning (ML) – A computing system that can learn and adapt the rules it follows based on algorithms and statistical models gathered from examples and patterns in data.
- ❑ Supervised learning algorithms – Providing examples already classified.
- ❑ Unsupervised learning algorithms – Examples are not marked, and the algorithm must find the pattern.
- ❑ Data Selection – “Positive” examples and counterexamples (“negative” examples).
- ❑ Accuracy – False positives and false negatives

Behavioral Analytics


- ❑ Monitoring how people and systems interact with technology in the hopes of preventing data loss or threats by highlighting uncommon actions.
- ❑ User and Entity Behavior Analytics (UEBA) – Detecting abnormal behavior based on an established baseline, alert when patterns change.
- ❑ Insider Threat Management (ITM) – Managing threats to an organization originating from insiders (such as employees, former employees, contractors, third-party vendors, or business partners).

Data Security Posture Management

- ❑ Data Security Posture Management (DSPM) – Solutions to provide visibility and management of data stores and applications accessing data in cloud computing infrastructure (private, public, and hybrid)
- ❑ Goals:
 - ❑ Discover sensitive data
 - ❑ Inspect access to data
 - ❑ Monitor database activity
 - ❑ Check for misconfigurations

Zero Trust

- ❑ Zero Trust – Framework or design construct for information technology architectures based on the premise that every communication begins in an untrusted position.
- ❑ Term became popular in a 2010 Forrester Research report by John Kindervag.
- ❑ United States “Executive Order on Improving the Nation’s Cybersecurity”
 - ❑ Issued May 12, 2021.
 - ❑ “The Federal Government must adopt security best practices; advance toward Zero Trust Architecture.”
- ❑ DLP and Zero Trust: Data must be pre-categorized by sensitivity, or checked for sensitivity, before access is granted.



Ransomware

- ☐ Ransomware – a variant of malware engineered to block access to computer systems or files, until a sum of money (“ransom”) is paid
- ☐ Sometimes encrypts data/files
 - ☐ Often data is exfiltrated before it is encrypted
 - ☐ “Part 2” of the attack is to pay to prevent the data from being shared
- ☐ DLP tools can be used to detect the beginning of ransomware – is data leaving?

My organization has no offices in the European Union, therefore GDPR (General Data Protection Regulation) does not apply to my organization. True.

GDPR (General Data Protection Regulation) is the European Union regulation focused on protecting the privacy and personal data of individuals in the EU.

The other options are different regulations:

- **✗ HIPAA** – Protects healthcare information in the United States.
- **✗ PCI-DSS** – Security standard for handling payment card data.
- **✗ SOX (Sarbanes-Oxley Act)** – U.S. law focused on corporate financial reporting and controls.

BYOD

Asset – предимство (Асет)
Theft – кражба
Tangible – осезам, материален, конкретен
Stewardship – стопанисване
Guardrail – предпазен парапет
Deploy – разположи, разгръщам
Retention – задържане, запазване, запаметяване
Data retention
Exhibit – експонат, вещественно доказателство, излагам, показвам
Stipulation – клауза, условие, споразумение
Governance – управление
Robust – здрав, силен, як
Distinguished – изтъкнат, изискан, изящен
Stakeholder – заинтересована страна
Unintentional – непреднамерен, неумишлен, неволен
Neglect – пренебрегване
Staffer – служител
Contractor – изпълнител, доставчик
Executive – изпълнителен директор
Consideration – разглеждане, обсъждане, съобразяване
Deliberately – умишлено, съзнателно, преднамерено
Intention – намерение, цел
Expression – израз
Compliance – съответствие, съгласуваност, съгласие
Penalty – наказание, глоба
Fine – добре, глоба!!!
Breach – нарушение
Goodwill – добра воля, доброжелателност
Lawsuit – съдебен иск
Dispute – диспут, спор, конфликт
Your organization may fall under – Под които може да попадне
Safeguard – предпазна мярка
Provision – разпоредба, обезпечаване
Eligible – отговарящ на условията
Judicial – съдебни
Disclose – разкривам, издавам
Consent – съгласие
Directory – справочник, ръководство
Deemed – считан
Substantially – съществено, значително
Legislation – законодателство
Loan – заем
Merchant – търговец
Merchandiser – търговци
Annual – годишен, ежегоден
Turnover – оборот
Preceding – предходен, предишен
Comply – спазвам, отстъпвам, съгласявам се
Retain – задържам
Council – съвет
Outright – направо, открито, окончателно, изцяло
Revoke – отменям
Ramification – разклонение, подразделение, последица
Ramifications – последици
Circumstances – обстоятелства
Blend in – сливам се

Most of the time
Obfuscated – объркан
Deem – считам
Ideally – в идеалния случай
Benchmark – референтен показател
Tenant – наемател
Triage – триаж, сортировка
Adjustable – регулируем
Proximity – близост
Proxy – помощник
Affirm, reaffirm – потвърждавам
Divvy up – разделям
Sketch out - скицирам
Blurry – скицирам
Purview – обхват
Distunguish – разграничавам
Broker – посредник, агент
Supervisor – ръководител
Durable – издържлив
Ruggedized - здрав