



60 - Global exception handling


Сменяме средата, за да може в Development да използваме DeveloperExceptionPage. Както показва името ѝ, тя се използва в нея, т.к. предоставя много информация, което би било рисковано да се дава на потребителя в реална среда като Production.



Нека изкуствено направим грешка:



Details се зарежда, но когато дадем за подробности View btn:



An unhandled exception occurred while processing the request.

Exception: Error in Details View

EmployeeManagement.Controllers.HomeController.Details(Nullable<int> id) in HomeController.cs, line 29

Stack Query Cookies Headers Routing

Exception: Error in Details View

EmployeeManagement.Controllers.HomeController.Details(Nullable<int> id) in HomeController.cs

29. throw new Exception("Error in Details View");
lambda_method64(Closure, object, object[])

Ако сменим средата на Production, виждаме 404 error:

localhost:24077/home/details/2



This page isn't working

localhost is currently unable to handle this request.

HTTP ERROR 500

Reload

```
Startup.cs*
EmployeeManagement.Startup
if (env.IsDevelopment() // bool, IsStaging, IsProduct
{
    app.UseDeveloperExceptionPage();
}
else
{
    app.UseExceptionHandler("/Error");
    app.UseStatusCodePagesWithReExecute("/Error/{0}");
}
```

Извън Development, в другите среди като Staging, Production, е удачно да се използва ExceptionHandler, в който можем да зададем пътя до страница, която желаем.

В нашия случай, това е до ErrorController, който вече сме създали в предхония урок. В него виждаме само един метод, който отговаря за грешка 404, за останалите случаи трябва да създадем нов метод, който да бъде достъпен за всички потребители, независимо admin/user, затова е anonymous.

```
ErrorController.cs
HomeController.cs
Startup.cs*
EmployeeManagement.Controllers.ErrorController
Error()

[Route("Error")]
[AllowAnonymous]
0 references
public IActionResult Error()
{
    var exceptionDetails = HttpContext.Features.Get<IExceptionHandlerPathFeature>();

    ViewBag.ExceptionPath = exceptionDetails.Path;
    ViewBag.ExceptionMessage = exceptionDetails.Error.Message;
    ViewBag.Stacktrace = exceptionDetails.Error.StackTrace;

    return View("Error");
}
```

```
[Route("Error")]
[AllowAnonymous]
public IActionResult Error()
{
    var exceptionDetails =
HttpContext.Features.Get<IExceptionHandlerPathFeature>();

    ViewBag.ExceptionPath = exceptionDetails.Path;
    ViewBag.ExceptionMessage = exceptionDetails.Error.Message;
    ViewBag.Stacktrace = exceptionDetails.Error.StackTrace;

    return View("Error");
}
```

Съответно този създаваме този view Error, тип razor в папка Shared:

```

Error.cshtml | ErrorController.cs | HomeController.cs | Startup.cs
<h3>
    An occurred while processing your request.
    The support team is notified and we are working on the fix
</h3>
<h5>Please, contact us on support@abv.bg</h5>
<hr />
<h3>Exception Details:</h3>
<div class="alert alert-danger">
    <h5>Exception Path</h5>
    <hr />
    <p>@ViewBag.ExceptionPath</p>
</div>
<div class="alert alert-danger">
    <h5>Exception Message</h5>
    <hr />
    <p>@ViewBag.ExceptionMessage</p>
</div>
<div class="alert alert-danger">
    <h5>Exception Stack Trace</h5>
    <hr />
    <p>@ViewBag.StackTrace</p>
</div>


```

```


<h3>
    An occurred while processing your request.
    The support team is notified and we are working on the fix
</h3>
<h5>Please, contact us on support@abv.bg</h5>
<hr />
<h3>Exception Details:</h3>
<div class="alert alert-danger">
    <h5>Exception Path</h5>
    <hr />
    <p>@ViewBag.ExceptionPath</p>
</div>
<div class="alert alert-danger">
    <h5>Exception Message</h5>
    <hr />
    <p>@ViewBag.ExceptionMessage</p>
</div>
<div class="alert alert-danger">
    <h5>Exception Stack Trace</h5>
    <hr />
    <p>@ViewBag.StackTrace</p>
</div>

```

Изпробваме:



Като дадем на View бутон, виждаме персонализираното съобщение за грешка:



Трябва да запомним, че НИКОГА не даваме подобни подробни съобщения за грешки в Production environment, а тук е само за демонстрация!

В реално приложение само ще логнем грешката към БД или файл, за да може девелопъра да ги преразгледа и предостави fix.

Имаме 3 стъпки за съобщения за грешки:

Step 1 - Add the Exception Handling Middleware to the Request Processing Pipeline

```
public void Configure(IApplicationBuilder app, IHostingEnvironment env)
{
    if (env.IsDevelopment())
    {
        app.UseDeveloperExceptionPage();
    }
    else
    {
        app.UseExceptionHandler("/Error");
    }

    // Rest of the code
}
```


Step 2 : Implement ErrorController

```
public class ErrorController : Controller
{
    [AllowAnonymous]
    [Route("Error")]
    public IActionResult Error()
    {
        // Retrieve the exception Details
        var exceptionHandlerPathFeature =
            HttpContext.Features.Get<IExceptionHandlerPathFeature>();

        ViewBag.ExceptionPath = exceptionHandlerPathFeature.Path;
        ViewBag.ExceptionMessage = exceptionHandlerPathFeature.Error.Message;
        ViewBag.StackTrace = exceptionHandlerPathFeature.Error.StackTrace;

        return View("Error");
    }
}
```

Step 3 : Implement Error View

```
<h3>An occurred processing your request</h3>
<h5>Please contact us on pragim@pragimtech.com</h5>
<hr />
<h3>Exception Details:</h3>
<div class="alert alert-danger">
    <h5>Exception Path</h5><hr />
    <p>@ViewBag.ExceptionPath</p>
</div>

<div class="alert alert-danger">
    <h5>Exception Message</h5><hr />
    <p>@ViewBag.ExceptionMessage</p>
</div>

<div class="alert alert-danger">
    <h5>Exception Stack Trace</h5><hr />
    <p>@ViewBag.StackTrace</p>
</div>
```