



47 – DbContext in Entity Framework Core


Вграденият DbContext class служи за връзка с БД: Models -> Add -> Class -> по избор AppDbContext.cs

Искаме да извикаме вграден клас DbContext, но автоматичното namespace не ми е позволено, защото EntityFrameworkCore не е инсталиран. Решавам да инсталирам направо SqlServer, който го включва в себе си, като за целта проектът се изменя на .net 6.0, т.к. 5.0 вече е извън поддръжка.



С което вече успешно се извиква namespace.

За да бъде използваем този DbContext вграден клас, е необходимо да се извика DbContext options class, като неговата инстанция носи конфигурационната информация, като connection string, Db providers и т.н. Най-лесният начин е чрез ctor:



Entity Framework Core DbSet

- The *DbContext* class includes a *DbSet<TEntity>* property for each entity in the model.
- At the moment in our application we have, only one entity class - *Employee*.
- So in our *AppDbContext* class we only have one *DbSet<Employee>* property.

```
public AppDbContext(DbContextOptions<AppDbContext> options) : base(options)
{
}
}
class
prop public DbSet<Employee> Employees { get; set; } Tab to accept
}
type new property name
```

- We will use this *DbSet* property *Employees* to query and save instances of the *Employee* class.
- The LINQ queries against the *DbSet<TEntity>* will be translated into queries against the underlying database.

DbContext in Entity Framework Core

```
public class AppDbContext : DbContext
{
}
```

To use the **DbContext** class in our application, create a class that derives from the **DbContext** class

DbContext in Entity Framework Core

```
public class AppDbContext : DbContext
{
    public AppDbContext(DbContextOptions<AppDbContext> options) : base(options)
    {
    }
}
```

To pass configuration information to the **DbContext** use **DbContextOptions** instance

DbContext in Entity Framework Core

```
public class AppDbContext : DbContext
{
    public AppDbContext(DbContextOptions<AppDbContext> options) : base(options)
    {
    }

    public DbSet<Employee> Employees { get; set; }
}
```

- The **DbContext** class includes a **DbSet<TEntity>** property for each entity in the model
- We will use this **DbSet** property **Employees** to query and save instances of the **Employee** class
- The LINQ queries against the **DbSet<TEntity>** will be translated into queries against the underlying database

`using Microsoft.EntityFrameworkCore;`

```
namespace EmployeeManagement.Models
{
    public class AppDbContext : DbContext
    {
        public AppDbContext(DbContextOptions<AppDbContext> options)
            : base(options)
        {
        }

        public DbSet<Employee> Employees { get; set; }
    }
}
```