




■■■■■ · ■■■■■■■■ | 2025.04 — 2026.06



■■■■■■■■■ | ■■■■■■13113658167



AI 01

[illegible]

6 of 10

-
- Figure 1: Schematic representation of the four datasets. The figure shows four horizontal bars representing datasets: 'All' (top), 'ROI' (second), 'AI' (third), and 'B2B' (bottom). Each bar is composed of small black squares. The 'All' bar is the longest, followed by 'ROI', 'AI', and 'B2B'.



Diagram illustrating the sequence of operations for reversing an array:

- Initial array: $[1, 2, 3, 4, 5, 6, 7, 8, 9, 10]$. Pointer at index 0.
- Swap 1 and 10.
- Swap 2 and 9.
- Swap 3 and 8.
- Final array: $[10, 9, 8, 7, 6, 5, 4, 3, 2, 1]$. Pointer at index 0.

Phase 1 	6-7	A/B	3
Phase 2 	8-10		
Phase 3 	11-12	SOP	

[illegible]

	68%	¥450 ¥145
	88.9%	60%

██████	▲ 22.5%	████████████████████
██████	ROI 1.9	████1████████1.9████

████████████████

████████████████3██████████

1. ██████████
██A/B██████████████████'███/███'██████████████████3.2██

██CTR█CVR█

2. ██████████
████████████████+██████████████████

██████████████+█████+██42%█

3. ██████████
██████→██→██→██████→████████████████████
██35%██████88.9%█

████████████████

███	█████	██████
████████	██ █	██
SOP████	████→██→████████████████████ █	██
█████	████ROI████████████████████████████████ ██	████████████████