Introduction

Namespace ZeroRedact

Classes

[Redactor](#)
    Supports all classes in the .NET class hierarchy and provides low-level services to derived classes. This is the ultimate base class of all .NET classes; it is the root of the type hierarchy.

Structs

[CreditCardRedactorOptions](#)
    Credit card redactor options.

[DateRedactorOptions](#)
    Date redactor options.

[EmailAddressRedactorOptions](#)
    Email address redactor options.

[IPv4RedactorOptions](#)
    IPV4 redactor options.

[IPv6RedactorOptions](#)
    IPv6 redactor options.

[MACAddressRedactorOptions](#)
    MAC address redactor options.

[PhoneNumberRedactorOptions](#)
    Phone number redactor options.

[RedactorOptions](#)
    Provides options to be used with [Redactor](#)

[StringRedactorOptions](#)
    String redactor options.

Enums

[CreditCardRedaction](#)
    Defines the different types of redactions that can be applied to a credit card number.

[DateRedaction](#)
    Defines the different types of redactions that can be applied to a date.

[EmailAddressRedaction](#)

Defines the different types of redactions that can be applied to an email address.

[IPv4Redaction](#)

Defines the different types of redactions that can be applied to an IPv4 address.

[IPv6Redaction](#)

Defines the different types of redactions that can be applied to an IPv6 address.

[MACAddressRedaction](#)

Defines the different types of redactions that can be applied to a MAC address.

[PhoneNumberRedaction](#)

Defines the different types of redactions that can be applied to a phone number.

[StringRedaction](#)

Defines the different types of redactions that can be applied to a string.

404

File not found

The site configured at this address does not contain the requested file.

If this is your site, make sure that the filename case matches the URL as well as any file permissions.
For root URLs (like `http://example.com/`) you must provide an `index.html` file.

[Read the full documentation](#) for more information about using **GitHub Pages**.

[GitHub Status](#) — [@githubstatus](#)