
Q1. mkdir -p exercise/dir1/dir2/dir3



Q2.touch emptyfile{1..2}



Q3.vi file1.txt

In file1.txt

Firstly enter i for insert mode type "Hello World"

Then esc key then :wq to save


cat file1.txt




Q4.find /etc -iname passwd

cp /etc/passwd _copy


mv /etc/passwd_cop /etc/passwd_backup




Q5. less /etc/passwd backup




more /etc/passwd backup



cat /etc/passwd_backup





Q6.grep "bin/false" /etc/passwd_backup | wc -l

```
root@Nikhil-Sharma:~# grep "/bin/false" /etc/passwd_backup | wc -l

root@Nikhil-Sharma:~# []
```

Q7.head -n 5 /etc/passwd backup > output.txt


```
Activities Terminal Fig. 1 Terminal Fig. 1 Terminal Fig. 1 Terminal Fig. 2 Terminal Fig. 2 Terminal Fig. 2 Terminal Fig. 3 Ter
```

Q8.adduser test

Id test

Q9.touch -t 201902031712.45 emptyfile1.txt


touch -t 201902031714.54 emptyfile2.txt




Q11. alias nikhil="touch /tmp/aliastesting" nikhil

```
| ntkhil@Hikhil-Sharma:-/exercise/dir1/dir2$ alias ntkhil="touch /tmp/touchtesting" ntkhil@Hikhil-Sharma:-/exercise/dir1/dir2$ cat touchtesting cat: touchtesting: No such file or directory ntkhil@Hikhil-Sharma:-/exercise/dir1/dir2$ cat /tmp/touchtesting.txt ntkhil@Hikhil-Sharma:-/exercise/dir1/dir2$ alias ntkhil="touch /tmp/touchtesting.txt" ntkhil@Hikhil-Sharma:-/exercise/dir1/dir2$ cat touchtesting.txt cat: touchtesting.txt: No such file or directory ntkhil@Hikhil-Sharma:-/exercise/dir1/dir2$ cat /tmp/touchtesting.txt ntkhilmildeling.txt ntkhilmildeling.txt ntkhilmildeling.txt ntkhilmildeling.txt ntkhilmildeling.txt ntkhilmildeling.txt ntkhilmildeling.txt
```


```
Q12.su - test
vi ~/.bashrc
add echo "Welcome ${USER}" at last.
logout
su -test
```




Q13.sudo apt-get install zip




Q14.tar -cvzf zipped.tar.gz output.txt passwd_backup



Q18. By using man command we can find out the basic structure of any command Example: man Is




Q19. In -s /etc/services /tmp/ports-info




Q20. whereis xyz.


Q17. wget https://www.clipart.email/clipart/small-clipart-images-36981.html | mv small-clipart-images-36981.html DESKTOP



Q15. scp zipped.tar nikhil@test1



Q16.ssh mimansha@10.1.209.252 tar -xvzf zipped.tar



Q10.

