MariaDB [wingz]> use FlickHub; Database changed MariaDB [FlickHub] > create table Movies(MovieID int,Title varchar(50),Genre varchar(50),ReleaseDate date,Stock varchar(50)); Query OK, 0 rows affected (0.059 sec) MariaDB [FlickHub]> create table Customers(CustomerID int,FirstName varchar(50),LastName varchar(50),Email varchar(100),Phone bigint); Query OK, 0 rows affected (0.025 sec) MariaDB [FlickHub] > create table Rentals(RentalID int,CustomerID int,MovieID int,RentalDate date, Return Date date); Query OK, 0 rows affected (0.025 sec) MariaDB [FlickHub] > desc Movies; +----+ | Field | Type | Null | Key | Default | Extra | +----+ | MovieID | int(11) | YES | NULL | | | Title | varchar(50) | YES | NULL | | Genre | varchar(50) | YES | NULL | | ReleaseDate | date | YES | NULL | Stock | varchar(50) | YES | NULL | 5 rows in set (0.008 sec) MariaDB [FlickHub] > desc Customers; +----+ | Field | Type | Null | Key | Default | Extra |

+----+


| FirstName | varchar(50) | YES | NULL |

| CustomerID | int(11) | YES | NULL |

```
| LastName | varchar(50) | YES | NULL |
| Email | varchar(100) | YES | NULL |
| Phone | bigint(20) | YES | NULL |
+----+
5 rows in set (0.007 sec)
MariaDB [FlickHub] > desc Rentals;
+-----+
| Field | Type | Null | Key | Default | Extra |
+----+
| RentalID | int(11) | YES | NULL | |
| CustomerID | int(11) | YES | NULL |
| RentalDate | date | YES | NULL |
| ReturnDate | date | YES | NULL |
+----+
5 rows in set (0.007 sec)
MariaDB [FlickHub] > alter table Movies add AvailableStock varchar(50) after Stock;
Query OK, 0 rows affected (0.015 sec)
Records: 0 Duplicates: 0 Warnings: 0
MariaDB [FlickHub] > alter table Customers add Address varchar(50),add membership_status
varchar(50);
Query OK, 0 rows affected (0.014 sec)
Records: 0 Duplicates: 0 Warnings: 0
MariaDB [FlickHub]> alter table Rentals add RentalDuration time, add LateFees int;
Query OK, 0 rows affected (0.014 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

MariaDB [FlickHub] > desc Customers;

6 rows in set (0.007 sec)



7 rows in set (0.006 sec)

MariaDB [FlickHub]> desc Rentals;

```
| Field | Type | Null | Key | Default | Extra |
| Field | Type | Null | Key | Default | Extra |
| Field | Type | Null | Key | Default | Extra |
| Field | Type | Null | Key | Default | Extra |
| Field | Type | Null | |
| RentalID | Int(11) | YES | Null | |
| MovieID | Int(11) | YES | Null | |
| RentalDate | date | YES | Null | |
| ReturnDate | date | YES | Null | |
| RentalDuration | time | YES | Null | |
| LateFees | Int(11) | YES | Null | |
| Field | Type | Null | |
| RentalID | Field | Null | |
| RentalDuration | Time | YES | Null | |
| Type | Null | Field | Null | |
| Field | Type | Null | Field | Field
```

MariaDB [FlickHub]>