

# Операционные системы

Продвинутое использование git

---

Хаджилари Гешлаг Никта

23 июня 2025

Российский университет дружбы народов, Москва, Россия

## Цели и задачи работы

---

Получение навыков правильной работы с репозиториями git.

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

## Процесс выполнения лабораторной работы

---

```
niktahadzhilari@niktahadzhilari:~$  
niktahadzhilari@niktahadzhilari:~$ pnpm setup  
Appended new lines to /home/niktahadzhilari/.bashrc  
  
Next configuration changes were made:  
export PNPM_HOME="/home/niktahadzhilari/.local/share/pnpm"  
case ":$PATH:" in  
  *:$PNPM_HOME:*) ;;  
  *) export PATH="$PNPM_HOME:$PATH" ;;  
esac  
  
To start using pnpm, run:  
source /home/niktahadzhilari/.bashrc  
niktahadzhilari@niktahadzhilari:~$ source ~/.bashrc  
niktahadzhilari@niktahadzhilari:~$
```

Рис. 1: Node.js

```
niktahadzhilari@niktahadzhilari:~$ pnpm add -g commitizen
```

```
Update available! 9.13.0 → 10.12.2.  
Changelog: https://github.com/pnpm/pnpm/releases/tag/v10.12.2  
Run "pnpm self-update" to update.
```

```
Follow @pnpmjs for updates: https://x.com/pnpmjs
```

```
WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6  
Packages: +151
```

```
Progress: resolved 151, reused 0, downloaded 151, added 151, done
```

```
/home/niktahadzhilari/.local/share/pnpm/global/5:  
+ commitizen 4.3.1
```

```
Done in 3.3s
```

```
niktahadzhilari@niktahadzhilari:~$
```

Рис. 2: установка commitizen


```
niktahadzhilari@niktahadzhilari:~$ pnpm add -g standard-changelog
WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +34
+++++
Progress: resolved 185, reused 151, downloaded 34, added 34, done

/home/niktahadzhilari/.local/share/pnpm/global/5:
+ standard-changelog 7.0.1

Done in 3.9s
niktahadzhilari@niktahadzhilari:~$
```

Рис. 3: установка standard-changelog





The image shows a code editor window with a title bar that says "package.json" and the file path "~/git-extended". The editor contains the following JSON code:

```
1 {  
2   "name": "git-extended",  
3   "version": "1.0.0",  
4   "description": "Git repo for educational purposes",  
5   "main": "index.js",  
6   "repository": "git@github.com:niktahadzhilari/git-extended.git",  
7   "author": "niktahadzhilari",  
8   "license": "CC-BY-4.0",  
9   "config": {  
10    "commitizen": {  
11      "path": "cz-conventional-changelog"  
12    }  
13  }  
14 }  
15 |
```

Рис. 4: package.json

# Использование commitizen

```
niktahadzhilari@niktahadzhilari:~/git-extended$
niktahadzhilari@niktahadzhilari:~/git-extended$ git add .
niktahadzhilari@niktahadzhilari:~/git-extended$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:   Other changes that don't modify src or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
  (4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 326b18e] chore: test
 1 file changed, 15 insertions(+)
 create mode 100644 package.json
niktahadzhilari@niktahadzhilari:~/git-extended$ git push
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 1.12 КиБ | 1.12 МБ/с, готово.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:niktahadzhilari/git-extended.git
 9f4cbff..326b18e master -> master
niktahadzhilari@niktahadzhilari:~/git-extended$
```

Рис. 5: Отправка

```
niktahadzhilari@niktahadzhilari:~/git-extended$ git flow init

Which branch should be used for bringing forth production releases?
- master
Branch name for production releases: [master]
Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [/home/niktahadzhilari/git-extended/.git/hooks]
niktahadzhilari@niktahadzhilari:~/git-extended$ git branch
* develop
  master
niktahadzhilari@niktahadzhilari:~/git-extended$ git push --all
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/niktahadzhilari/git-extended/pull/new/develop
remote:
To github.com:niktahadzhilari/git-extended.git
 * [new branch]      develop -> develop
niktahadzhilari@niktahadzhilari:~/git-extended$
```

Рис. 6: Инициализация и загрузка изменений

Завершение релиза

**Рис. 7:** Завершение релиза

## Отправим данные на github

```
niktahadzhilari@niktahadzhilari:~/git-extended$ git flow release start 1.0.0
branch 'develop' set up to track 'origin/develop'.
niktahadzhilari@niktahadzhilari:~/git-extended$ git flow release start 1.0.0
Переключились на новую ветку «release/1.0.0»

Summary of actions:
- A new branch 'release/1.0.0' was created, based on 'develop'
- You are now on branch 'release/1.0.0'

Follow-up actions:
- Bump the version number now!
- Start committing last-minute fixes in preparing your release
- When done, run:

    git flow release finish '1.0.0'

niktahadzhilari@niktahadzhilari:~/git-extended$ standard-changelog --first-release
niktahadzhilari@niktahadzhilari:~/git-extended$ git add CHANGELOG.md
niktahadzhilari@niktahadzhilari:~/git-extended$ git commit -am 'chore(site): add changelog'
[release/1.0.0 dee2b04] chore(site): add changelog
1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
niktahadzhilari@niktahadzhilari:~/git-extended$ git flow release finish 1.0.0
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 +++
1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
Уже на «master»
Ваша ветка опережает «origin/master» на 2 коммита.
(используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 +++
```

Рис. 8: Отправка

```
niktahadzhilari@niktahadzhilari:~/git-extended$ git push --all
Перечисление объектов: 6, готово.
Подсчет объектов: 100% (6/6), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (4/4), готово.
Запись объектов: 100% (5/5), 2.68 КиБ | 2.68 МиБ/с, готово.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:niktahadzhilari/git-extended.git
   326b18e..e6930d3  develop -> develop
   326b18e..5ad1aa2  master -> master
niktahadzhilari@niktahadzhilari:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 159 байтов | 159.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:niktahadzhilari/git-extended.git
   * [new tag]       1.0.0 -> 1.0.0
niktahadzhilari@niktahadzhilari:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/niktahadzhilari/git-extended/releases/tag/v1.0.0
niktahadzhilari@niktahadzhilari:~/git-extended$
```

Рис. 9: Объединение веток

```
Summary of actions:
- Release branch 'release/1.2.3' has been merged into 'master'
- The release was tagged '1.2.3'
- Release tag '1.2.3' has been back-merged into 'develop'
- Release branch 'release/1.2.3' has been locally deleted
- You are now on branch 'develop'

niktahadzhilari@niktahadzhilari:~/git-extended$ git push --all
Перечисление объектов: 9, готово.
Подсчет объектов: 100% (9/9), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (6/6), готово.
Запись объектов: 100% (6/6), 2.79 КиБ | 2.79 МиБ/с, готово.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:niktahadzhilari/git-extended.git
   e6930d3..24d7682  develop -> develop
   5ad1aa2..aa80047  master -> master
niktahadzhilari@niktahadzhilari:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 160 байтов | 160.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:niktahadzhilari/git-extended.git
 * [new tag]           1.2.3 -> 1.2.3
niktahadzhilari@niktahadzhilari:~/git-extended$ gh release create v1.2.3 -F CHANGELOG.md
https://github.com/niktahadzhilari/git-extended/releases/tag/v1.2.3
niktahadzhilari@niktahadzhilari:~/git-extended$
```

Рис. 10: Завершение релиза

## Подготовка рабочего репозитория

```
niktahadzhilari@niktahadzhilari:~/work/study/2024-2025/Операционные системы/os-intro$ gedit package.json
niktahadzhilari@niktahadzhilari:~/work/study/2024-2025/Операционные системы/os-intro$ git add .
niktahadzhilari@niktahadzhilari:~/work/study/2024-2025/Операционные системы/os-intro$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:   Other changes that don't modify src or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
  (4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master edf20e6] chore: test
 1 file changed, 15 insertions(+)
 create mode 100644 package.json
niktahadzhilari@niktahadzhilari:~/work/study/2024-2025/Операционные системы/os-intro$ git push
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 1.11 КиБ | 1.11 МБ/с, готово.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:niktahadzhilari/os-intro.git
 1b6cdb5..edf20e6  master -> master
niktahadzhilari@niktahadzhilari:~/work/study/2024-2025/Операционные системы/os-intro$
```

Рис. 11: package.json и коммит



# Подготовка рабочего репозитория

```
niktahadzhilari@niktahadzhilari:~/work/study/2024-2025/Операционные системы/os-intro$ git add CHANGELOG.md
niktahadzhilari@niktahadzhilari:~/work/study/2024-2025/Операционные системы/os-intro$ git commit -am 'chore(site): add changelog'
[release/1.0.0 7e0aa69] chore(site): add changelog
1 file changed, 4 insertions(+), 119 deletions(-)
niktahadzhilari@niktahadzhilari:~/work/study/2024-2025/Операционные системы/os-intro$ git flow release finish 1.0.0
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
CHANGELOG.md | 123 +++++
1 file changed, 4 insertions(+), 119 deletions(-)
Уже на «master»
Ваша ветка опережает «origin/master» на 2 коммита.
(используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.
CHANGELOG.md | 123 +++++
1 file changed, 4 insertions(+), 119 deletions(-)
Ветка release/1.0.0 удалена (была 7e0aa69).

Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged '1.0.0'
- Release tag '1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

niktahadzhilari@niktahadzhilari:~/work/study/2024-2025/Операционные системы/os-intro$ git push --all
Перечисление объектов: 7, готово.
Подсчет объектов: 100% (7/7), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (5/5), готово.
Запись объектов: 100% (5/5), 2.82 КиБ | 2.82 МБ/с, готово.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:niktahadzhilari/os-intro.git
```

Рис. 12: Завершение релиза

## Выводы по проделанной работе

---

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.