

```
// SCSS Media query mixin usage
class {
@include sm-only() {
   background-color: pink;
```

```
@mixin sm-only {
 @media screen and (min-width: $small) and (max-width: #{$medium - 1}) {
   @content;
```

@mixin

```
// SCSS Media query mixin
$small: 640px;
$medium: 1024px;
```

@mixin

```
// SCSS Media query mixin
$small: 640px;
$medium: 1024px;
@mixin sm-only {
  @media screen and (min-width: $small) and (max-width: #{$medium - 1}) {
    @content;
// SCSS Media query mixin usage
class {
 @include sm-only() {
    background-color: pink;
```

@mixin

```
• HTML
   <div class="class"></div>
CSS (SCSS)
 1 $breakpoints: (xs: 480px, sm: 640px, md:
   1024px, lg: 1440px, xl: 1680px);
 3 → @mixin sm-only {
 4 ■ @media screen and (min-width: #{map-
   get($breakpoints, sm)}) and (max-width:
    #{map-get($breakpoints, md) - 1}) {
       @content;
 6
9 // SCSS Media query mixins usage
10 ▼ .class {
     margin: 10rem 2rem;
     width: calc(100% - 4rem);
     height: 72px;
13
     background-color: lightblue;
     @include sm-only() {
       background-color: pink;
16
17
18
```