

Contents

Introduction	xxvi
Part I	Fundamentals of Network Security
Chapter 1	Networking Security Concepts 3
“Do I Know This Already?” Quiz	3
Foundation Topics	6
Understanding Network and Information Security Basics	6
Network Security Objectives	6
Confidentiality, Integrity, and Availability	6
Cost-Benefit Analysis of Security	7
Classifying Assets	8
Classifying Vulnerabilities	10
Classifying Countermeasures	10
What Do We Do with the Risk?	11
Recognizing Current Network Threats	12
Potential Attackers	12
Attack Methods	13
Attack Vectors	14
Man-in-the-Middle Attacks	14
Other Miscellaneous Attack Methods	15
Applying Fundamental Security Principles to Network Design	16
Guidelines	16
Network Topologies	17
Network Security for a Virtual Environment	20
How It All Fits Together	22
Exam Preparation Tasks	23
Review All the Key Topics	23
Complete the Tables and Lists from Memory	23
Define Key Terms	23
Chapter 2	Common Security Threats 25
“Do I Know This Already?” Quiz	25
Foundation Topics	27
Network Security Threat Landscape	27
Distributed Denial-of-Service Attacks	27

Social Engineering Methods	28
Social Engineering Tactics	29
Defenses Against Social Engineering	29
Malware Identification Tools	30
Methods Available for Malware Identification	30
Data Loss and Exfiltration Methods	31
Summary	32
Exam Preparation Tasks	33
Review All the Key Topics	33
Complete the Tables and Lists from Memory	33
Define Key Terms	33
Part II	Secure Access
Chapter 3	Implementing AAA in Cisco IOS
“Do I Know This Already?” Quiz	35
Foundation Topics	38
Cisco Secure ACS, RADIUS, and TACACS	38
Why Use Cisco ACS?	38
On What Platform Does ACS Run?	38
What Is ISE?	39
Protocols Used Between the ACS and the Router	39
Protocol Choices Between the ACS Server and the Client (the Router)	40
Configuring Routers to Interoperate with an ACS Server	41
Configuring the ACS Server to Interoperate with a Router	51
Verifying and Troubleshooting Router-to-ACS Server Interactions	60
Exam Preparation Tasks	67
Review All the Key Topics	67
Complete the Tables and Lists from Memory	67
Define Key Terms	67
Command Reference to Check Your Memory	67
Chapter 4	Bring Your Own Device (BYOD)
“Do I Know This Already?” Quiz	71
Foundation Topics	73
Bring Your Own Device Fundamentals	73
BYOD Architecture Framework	74
BYOD Solution Components	74

Mobile Device Management	76
MDM Deployment Options	76
<i>On-Premise MDM Deployment</i>	77
<i>Cloud-Based MDM Deployment</i>	78
Exam Preparation Tasks	80
Review All the Key Topics	80
Complete the Tables and Lists from Memory	80
Define Key Terms	80

Part III Virtual Private Networks (VPN)

Chapter 5 Fundamentals of VPN Technology and Cryptography 83

“Do I Know This Already?” Quiz	83
Foundation Topics	87
Understanding VPNs and Why We Use Them	87
What Is a VPN?	87
Types of VPNs	88
<i>Two Main Types of VPNs</i>	88
Main Benefits of VPNs	89
Confidentiality	89
Data Integrity	90
Authentication	90
Antireplay Protection	90
Cryptography Basic Components	91
Ciphers and Keys	91
<i>Ciphers</i>	91
Keys	92
Block and Stream Ciphers	92
<i>Block Ciphers</i>	92
<i>Stream Ciphers</i>	92
Symmetric and Asymmetric Algorithms	92
<i>Symmetric</i>	93
<i>Asymmetric</i>	93
Hashes	94
Hashed Message Authentication Code	95
Digital Signatures	95
<i>Digital Signatures in Action</i>	95
Key Management	96
<i>Next-Generation Encryption Protocols</i>	97

IPsec and SSL	97
<i>IPsec</i>	97
<i>SSL</i>	98
Public Key Infrastructure	99
Public and Private Key Pairs	99
RSA Algorithm, the Keys, and Digital Certificates	99
<i>Who Has Keys and a Digital Certificate?</i>	100
<i>How Two Parties Exchange Public Keys</i>	100
<i>Creating a Digital Signature</i>	100
Certificate Authorities	100
Root and Identity Certificates	101
<i>Root Certificate</i>	101
<i>Identity Certificate</i>	102
<i>Using the Digital Certificates to Get the Peer's Public Key</i>	103
<i>X.500 and X.509v3 Certificates</i>	103
Authenticating and Enrolling with the CA	104
Public Key Cryptography Standards	105
Simple Certificate Enrollment Protocol	105
Revoked Certificates	105
Uses for Digital Certificates	106
PKI Topologies	106
<i>Single Root CA</i>	107
<i>Hierarchical CA with Subordinate CAs</i>	107
<i>Cross-Certifying CAs</i>	107
Putting the Pieces of PKI to Work	107
ASA's Default Certificate	108
Viewing the Certificates in ASDM	108
Adding a New Root Certificate	109
Easier Method for Installing Both Root and Identity Certificates	111
Exam Preparation Tasks	116
Review All the Key Topics	116
Complete the Tables and Lists from Memory	117
Define Key Terms	117
Command Reference to Check Your Memory	117

Chapter 6 Fundamentals of IP Security 119

- “Do I Know This Already?” Quiz 119
- Foundation Topics 122
- IPsec Concepts, Components, and Operations 122
 - The Goal of IPsec 122
 - The Internet Key Exchange (IKE) Protocol 123
 - The Play by Play for IPsec 124
 - Step 1: Negotiate the IKEv1 Phase 1 Tunnel* 124
 - Step 2: Run the DH Key Exchange* 125
 - Step 3: Authenticate the Peer* 126
 - What About the User’s Original Packet?* 126
 - Leveraging What They Have Already Built* 126
 - Now IPsec Can Protect the User’s Packets* 127
 - Traffic Before IPsec* 127
 - Traffic After IPsec* 127
 - Summary of the IPsec Story 128
- Configuring and Verifying IPsec 129
 - Tools to Configure the Tunnels 129
 - Start with a Plan 129
 - Applying the Configuration 129
 - Viewing the CLI Equivalent at the Router 137
 - Completing and Verifying IPsec 139
- Exam Preparation Tasks 146
- Review All the Key Topics 146
- Complete the Tables and Lists from Memory 146
- Define Key Terms 146
- Command Reference to Check Your Memory 147

Chapter 7 Implementing IPsec Site-to-Site VPNs 149

- “Do I Know This Already?” Quiz 149
- Foundation Topics 152
- Planning and Preparing an IPsec Site-to-Site VPN 152
 - Customer Needs 152
 - Planning IKEv1 Phase 1 154
 - Planning IKEv1 Phase 2 154
- Implementing and Verifying an IPsec Site-to-Site VPN in Cisco IOS Devices 155
- Troubleshooting IPsec Site-to-Site VPNs in Cisco IOS 164

Implementing and Verifying an IPsec Site-to-Site VPN in Cisco ASA	179
Troubleshooting IPsec Site-to-Site VPNs in Cisco ASA	193
Exam Preparation Tasks	199
Review All the Key Topics	199
Complete the Tables and Lists from Memory	199
Define Key Terms	199
Command Reference to Check Your Memory	199
Chapter 8 Implementing SSL VPNs Using Cisco ASA 203	
“Do I Know This Already?” Quiz	203
Foundation Topics	206
Functions and Use of SSL for VPNs	206
Is IPsec Out of the Picture?	206
SSL and TLS Protocol Framework	207
The Play by Play of SSL for VPNs	207
SSL VPN Flavors	208
Configuring Clientless SSL VPNs on ASA	209
Using the SSL VPN Wizard	209
Digital Certificates	211
Accessing the Connection Profile	211
Authenticating Users	211
Logging In	215
Seeing the VPN Activity from the Server	217
Using the Cisco AnyConnect Secure Mobility Client	217
Types of SSL VPNs	218
Configuring the Cisco ASA to Terminate the Cisco AnyConnect Secure Mobility Client Connections	218
Groups, Connection Profiles, and Defaults	225
One Item with Three Different Names	226
Split Tunneling	227
Troubleshooting SSL VPN	228
Troubleshooting SSL Negotiations	228
Troubleshooting AnyConnect Client Issues	228
<i>Initial Connectivity Issues</i>	228
<i>Traffic-Specific Issues</i>	230
Exam Preparation Tasks	231
Review All the Key Topics	231
Complete the Tables and Lists from Memory	231
Define Key Terms	231

Part IV Secure Routing and Switching

Chapter 9 Securing Layer 2 Technologies 233

“Do I Know This Already?” Quiz	233
Foundation Topics	236
VLAN and Trunking Fundamentals	236
What Is a VLAN?	236
Trunking with 802.1Q	238
Following the Frame, Step by Step	239
The Native VLAN on a Trunk	239
So, What Do You Want to Be? (Asks the Port)	239
Inter-VLAN Routing	240
The Challenge of Using Physical Interfaces Only	240
Using Virtual “Sub” Interfaces	240
Spanning-Tree Fundamentals	241
Loops in Networks Are Usually Bad	241
The Life of a Loop	241
The Solution to the Layer 2 Loop	242
STP Is Wary of New Ports	245
Improving the Time Until Forwarding	245
Common Layer 2 Threats and How to Mitigate Them	246
Disrupt the Bottom of the Wall, and the Top Is Disrupted, Too	246
Layer 2 Best Practices	246
Do Not Allow Negotiations	247
Layer 2 Security Toolkit	248
<i>BPDU Guard</i>	248
<i>Root Guard</i>	249
<i>Port Security</i>	250
CDP and LLDP	251
DHCP Snooping	253
Dynamic ARP Inspection	254
Exam Preparation Tasks	257
Review All the Key Topics	257
Complete the Tables and Lists from Memory	258
Review the Port Security Video Included with This Book	258
Define Key Terms	258
Command Reference to Check Your Memory	258

Chapter 10 Network Foundation Protection 261
“Do I Know This Already?” Quiz 261
Foundation Topics 264
Using Network Foundation Protection to Secure Networks 264
The Importance of the Network Infrastructure 264
The Network Foundation Protection Framework 264
Interdependence 265
Implementing NFP 265
Understanding the Management Plane 266
First Things First 266
Best Practices for Securing the Management Plane 267
Understanding the Control Plane 268
Best Practices for Securing the Control Plane 268
Understanding the Data Plane 270
Best Practices for Protecting the Data Plane 271
Additional Data Plane Protection Mechanisms 271
Exam Preparation Tasks 272
Review All the Key Topics 272
Complete the Tables and Lists from Memory 272
Define Key Terms 272
Chapter 11 Securing the Management Plane on Cisco IOS Devices 275
“Do I Know This Already?” Quiz 275
Foundation Topics 278
Securing Management Traffic 278
What Is Management Traffic and the Management Plane? 278
Beyond the Blue Rollover Cable 278
Management Plane Best Practices 278
Password Recommendations 281
Using AAA to Verify Users 281
AAA Components 282
<i>Options for Storing Usernames, Passwords, and Access Rules</i> 282
<i>Authorizing VPN Users</i> 283
<i>Router Access Authentication</i> 284
<i>The AAA Method List</i> 285
Role-Based Access Control 286
<i>Custom Privilege Levels</i> 287
<i>Limiting the Administrator by Assigning a View</i> 287

Encrypted Management Protocols	287
Using Logging Files	288
Understanding NTP	289
Protecting Cisco IOS Files	289
Implementing Security Measures to Protect the Management Plane	290
Implementing Strong Passwords	290
User Authentication with AAA	292
Using the CLI to Troubleshoot AAA for Cisco Routers	296
RBAC Privilege Level/Parser View	301
Implementing Parser Views	303
SSH and HTTPS	305
Implementing Logging Features	308
<i>Configuring Syslog Support</i>	308
SNMP Features	310
Configuring NTP	313
Secure Copy Protocol	315
Securing the Cisco IOS Image and Configuration Files	315
Exam Preparation Tasks	317
Review All the Key Topics	317
Complete the Tables and Lists from Memory	318
Define Key Terms	318
Command Reference to Check Your Memory	318
Chapter 12 Securing the Data Plane in IPv6 321	
“Do I Know This Already?” Quiz	321
Foundation Topics	324
Understanding and Configuring IPv6	324
Why IPv6?	324
The Format of an IPv6 Address	325
<i>Understanding the Shortcuts</i>	327
<i>Did We Get an Extra Address?</i>	327
<i>IPv6 Address Types</i>	327
Configuring IPv6 Routing	330
Moving to IPv6	331
Developing a Security Plan for IPv6	332
Best Practices Common to Both IPv4 and IPv6	332
Threats Common to Both IPv4 and IPv6	333
The Focus on IPv6 Security	334

	New Potential Risks with IPv6	334
	IPv6 Best Practices	336
	IPv6 Access Control Lists	337
	Exam Preparation Tasks	338
	Review All the Key Topics	338
	Complete the Tables and Lists from Memory	338
	Define Key Terms	338
	Command Reference to Check Your Memory	338
Chapter 13	Securing Routing Protocols and the Control Plane	341
	“Do I Know This Already?” Quiz	341
	Foundation Topics	344
	Securing the Control Plane	344
	Minimizing the Impact of Control Plane Traffic on the CPU	344
	Control Plane Policing	346
	Control Plane Protection	348
	Securing Routing Protocols	348
	Implement Routing Update Authentication on OSPF	348
	Implement Routing Update Authentication on EIGRP	349
	Implement Routing Update Authentication on RIP	350
	Implement Routing Update Authentication on BGP	351
	Exam Preparation Tasks	353
	Review All the Key Topics	353
	Complete the Tables and Lists from Memory	353
	Define Key Terms	353
Part V	Cisco Firewall Technologies and Intrusion Prevention System Technologies	
Chapter 14	Understanding Firewall Fundamentals	355
	“Do I Know This Already?” Quiz	355
	Foundation Topics	358
	Firewall Concepts and Technologies	358
	Firewall Technologies	358
	Objectives of a Good Firewall	358
	Firewall Justifications	359
	The Defense-in-Depth Approach	360
	Firewall Methodologies	361
	<i>Static Packet Filtering</i>	362
	<i>Application Layer Gateway</i>	363

<i>Stateful Packet Filtering</i>	363
<i>Application Inspection</i>	364
<i>Transparent Firewalls</i>	365
<i>Next-Generation Firewalls</i>	365
Using Network Address Translation	366
NAT Is About Hiding or Changing the Truth About Source Addresses	366
Inside, Outside, Local, Global	367
Port Address Translation	368
NAT Options	369
Creating and Deploying Firewalls	370
Firewall Technologies	370
Firewall Design Considerations	370
Firewall Access Rules	371
Packet-Filtering Access Rule Structure	372
Firewall Rule Design Guidelines	372
Rule Implementation Consistency	373
Exam Preparation Tasks	375
Review All the Key Topics	375
Complete the Tables and Lists from Memory	375
Define Key Terms	375
Chapter 15 Implementing Cisco IOS Zone-Based Firewalls	377
“Do I Know This Already?” Quiz	377
Foundation Topics	379
Cisco IOS Zone-Based Firewalls	379
How Zone-Based Firewall Operates	379
Specific Features of Zone-Based Firewalls	379
Zones and Why We Need Pairs of Them	380
Putting the Pieces Together	381
Service Policies	382
The Self Zone	384
Configuring and Verifying Cisco IOS Zone-Based Firewalls	385
First Things First	385
Using CCP to Configure the Firewall	386
Verifying the Firewall	399
Verifying the Configuration from the Command Line	400
Implementing NAT in Addition to ZBF	404
Verifying Whether NAT Is Working	407

Exam Preparation Tasks	409
Review All the Key Topics	409
Complete the Tables and Lists from Memory	409
Define Key Terms	409
Command Reference to Check Your Memory	409
Chapter 16 Configuring Basic Firewall Policies on Cisco ASA	413
“Do I Know This Already?” Quiz	413
Foundation Topics	416
The ASA Appliance Family and Features	416
Meet the ASA Family	416
ASA Features and Services	417
ASA Firewall Fundamentals	419
ASA Security Levels	419
The Default Flow of Traffic	420
Tools to Manage the ASA	422
Initial Access	422
Packet Filtering on the ASA	422
Implementing a Packet-Filtering ACL	423
Modular Policy Framework	424
Where to Apply a Policy	425
Configuring the ASA	425
Beginning the Configuration	425
Getting to the ASDM GUI	433
Configuring the Interfaces	435
IP Addresses for Clients	443
Basic Routing to the Internet	444
NAT and PAT	445
Permitting Additional Access Through the Firewall	447
Using Packet Tracer to Verify Which Packets Are Allowed	449
Verifying the Policy of No Telnet	453
Exam Preparation Tasks	454
Review All the Key Topics	454
Complete the Tables and Lists from Memory	454
Define Key Terms	454
Command Reference to Check Your Memory	455

Chapter 17 Cisco IDS/IPS Fundamentals 457

“Do I Know This Already?” Quiz	457
Foundation Topics	460
IPS Versus IDS	460
What Sensors Do	460
Difference Between IPS and IDS	460
Sensor Platforms	462
True/False Negatives/Positives	463
Positive/Negative Terminology	463
Identifying Malicious Traffic on the Network	463
Signature-Based IPS/IDS	464
Policy-Based IPS/IDS	464
Anomaly-Based IPS/IDS	464
Reputation-Based IPS/IDS	464
When Sensors Detect Malicious Traffic	465
Controlling Which Actions the Sensors Should Take	467
Implementing Actions Based on the Risk Rating	468
Circumventing an IPS/IDS	468
Managing Signatures	469
Signature or Severity Levels	470
Monitoring and Managing Alarms and Alerts	471
Security Intelligence	471
IPS/IDS Best Practices	472
Cisco Next-Generation IPS Solutions	472
Exam Preparation Tasks	474
Review All the Key Topics	474
Complete the Tables and Lists from Memory	474
Define Key Terms	474

Part VI Content and Endpoint Security

Chapter 18 Mitigation Technologies for E-mail-Based and Web-Based Threats 477

“Do I Know This Already?” Quiz	477
Foundation Topics	479
Mitigation Technology for E-mail-Based Threats	479
E-mail-Based Threats	479
Cisco Cloud E-mail Security	479
Cisco Hybrid E-mail Security	480

Cisco E-mail Security Appliance	480
Cisco ESA Initial Configuration	483
Mitigation Technology for Web-Based Threats	486
Cisco CWS	486
Cisco WSA	487
Cisco Content Security Management Appliance	491
Exam Preparation Tasks	493
Review All the Key Topics	493
Complete the Tables and Lists from Memory	493
Define Key Terms	493
Command Reference to Check Your Memory	493
Chapter 19 Mitigation Technologies for Endpoint Threats	495
“Do I Know This Already?” Quiz	495
Foundation Topics	497
Antivirus and Antimalware Solutions	497
Personal Firewalls and Host Intrusion Prevention Systems	498
Advanced Malware Protection for Endpoints	499
Hardware and Software Encryption of Endpoint Data	500
E-mail Encryption	500
Encrypting Endpoint Data at Rest	501
Virtual Private Networks	501
Exam Preparation Tasks	503
Review All the Key Topics	503
Complete the Tables and Lists from Memory	503
Define Key Terms	503
Part VII Final Preparation	
Chapter 20 Final Preparation	505
Tools for Final Preparation	505
Exam Engine and Questions on the CD	505
Install the Exam Engine	505
Activate and Download the Practice Exam	506
Activating Other Exams	506
Premium Edition	506
The Cisco Learning Network	507
Memory Tables	507
Chapter-Ending Review Tools	507

- Study Plan 507
- Recall the Facts 507
- Practice Configurations 508
- Using the Exam Engine 508

Part VIII Appendixes

Appendix A Answers to the “Do I Know This Already?” Quizzes 511

Appendix B CCNA Security 210-260 (IINS) Exam Updates 517

Glossary 521

Index 532

On the CD

Glossary

Appendix C Memory Tables

Appendix D Memory Tables Answer Key

Appendix E Study Planner

Command Syntax Conventions

The conventions used to present command syntax in this book are the same conventions used in the IOS Command Reference. The Command Reference describes these conventions as follows:

- **Boldface** indicates commands and keywords that are entered literally as shown. In actual configuration examples and output (not general command syntax), boldface indicates commands that are manually input by the user (such as a **show** command).
- *Italic* indicates arguments for which you supply actual values.
- Vertical bars (|) separate alternative, mutually exclusive elements.
- Square brackets ([]) indicate an optional element.
- Braces ({ }) indicate a required choice.
- Braces within brackets ({{ }}) indicate a required choice within an optional element.

Introduction

Congratulations! If you are reading this, you have in your possession a powerful tool that can help you to

- Improve your awareness and knowledge of network security
- Increase your skill level related to the implementation of that security
- Prepare for the CCNA Security certification exam

When writing this book, we did so with you in mind, and together we will discover the critical ingredients that make up the recipe for a secure network and work through examples of how to implement these features. By focusing on both covering the objectives for the CCNA Security exam and integrating that with real-world best practices and examples, we created this content with the intention of being your personal tour guides as we take you on a journey through the world of network security.

The CCNA Security Implementing Cisco Network Security (IINS) 210-260 exam is required for the CCNA Security certification. The prerequisite for CCNA Security is the CCNA Route/Switch certification (or any CCIE certification). The CCNA Security exam tests your knowledge of securing Cisco routers and switches and their associated networks, and this book prepares you for that exam. This book covers all the topics listed in Cisco's exam blueprint, and each chapter includes key topics and preparation tasks to assist you in mastering this information. The CD that accompanies this book also includes bonus videos to assist you in your journey toward becoming a CCNA in Security. Of course, the CD included with the printed book also includes several practice questions to help you prepare for the exam.

About the CCNA Security Implementing Cisco Network Security (IINS) 210-260 Exam

Cisco's objective of the CCNA Security exam is to verify the candidate's understanding, implementation, and verification of security best practices on Cisco hardware and software. The focus points for the exam (which this book prepares you for) are as follows:

- **Cisco routers and switches**
 - Common threats, including blended threats, and how to mitigate them
 - The lifecycle approach for a security policy
 - Understanding and implementing network foundation protection for the control, data, and management planes
 - Understanding, implementing, and verifying AAA (*authentication, authorization, and accounting*), including the details of TACACS+ and RADIUS
 - Understanding and implementing basic rules inside of Cisco *Access Control Server* (ACS) Version 5.x, including configuration of both ACS and a router for communications with each other

- Standard, extended, and named access control lists used for packet filtering and for the classification of traffic
- Understanding and implementing protection against Layer 2 attacks, including CAM table overflow attacks, and VLAN hopping
- **Cisco firewall technologies**
 - Understanding and describing the various methods for filtering implemented by firewalls, including stateful filtering. Compare and contrast the strengths and weaknesses of the various firewall technologies.
 - Understanding the methods that a firewall may use to implement *Network Address Translation (NAT)* and *Port Address Translation (PAT)*.
 - Understanding, implementing, and interpreting a zone-based firewall policy through *Cisco Configuration Professional (CCP)*.
 - Understanding and describing the characteristics and defaults for interfaces, security levels, and traffic flows on the *Adaptive Security Appliance (ASA)*.
 - Implementing and interpreting a firewall policy on an ASA through the GUI tool named the *ASA Security Device Manager (ASDM)*.
- **Intrusion prevention systems**
 - Comparing and contrasting *intrusion prevention systems (IPS)* versus *intrusion detection systems (IDS)*, including the pros and cons of each and the methods used by these systems for identifying malicious traffic
 - Describing the concepts involved with IPS included true/false positives/negatives
 - Configuring and verifying IOS-based IPS using CCP
- **VPN technologies**
 - Understanding and describing the building blocks used for *virtual private networks (VPNs)* today, including the concepts of symmetrical, asymmetrical, encryption, hashing, *Internet Key Exchange (IKE)*, *public key infrastructure (PKI)*, authentication, Diffie-Hellman, certificate authorities, and so on
 - Implementing and verifying IPsec VPNs on IOS using CCP and the *command-line interface (CLI)*
 - Implementing and verifying *Secure Sockets Layer (SSL)* VPNs on the ASA firewall using ASDM

As you can see, it is an extensive list, but together we will not only address and learn each of these, but we will also have fun doing it.

You can take the exam at Pearson VUE testing centers. You can register with VUE at <http://www.vue.com/cisco/>.

CCNA Security Exam

Table I-1 lists the topics of the CCNA Security exam and indicates the parts in the book where these topics are covered.

Table I-1 CCNA Security Exam Topics

Exam Topic	Part
1.0 Security Concepts	
<i>1.1 Common Security Principles</i>	
1.1.a Describe Confidentiality, Integrity, Availability (CIA)	Chapter 1
1.1.b Describe SIEM technology	Chapter 1
1.1.c Identify common security terms	Chapter 1
1.1.d Identify common network security zones	Chapter 1
<i>1.2 Common Security Threats</i>	
1.2.a Identify Common network attacks	Chapter 2
1.2.b Describe Social Engineering	Chapter 2
1.2.c Identify Malware	Chapter 2
1.2.d Classify the vectors of Data Loss/Exfiltration	Chapter 2
<i>1.3 Cryptography Concepts</i>	
1.3.a Describe Key Exchange	Chapter 5
1.3.b Describe Hash Algorithm	Chapter 5
1.3.c Compare & Contrast Symmetric and Asymmetric Encryption	Chapter 5
1.3.d Describe Digital Signatures, Certificates and PKI	Chapter 5
<i>1.4 Describe network topologies</i>	
1.4.a Campus Area Network (CAN)	Chapter 1
1.4.b Cloud, Wide Area Network (WAN)	Chapter 1
1.4.c Data Center	Chapter 1
1.4.d Small office/Home office (SOHO)	Chapter 1
1.4.e Network security for a virtual environment	Chapter 1
2.0 Secure Access	
<i>2.1 Secure management</i>	
2.1.a Compare In-band and out of band	Chapter 11
2.1.b Configure secure network management	Chapter 11
2.1.c Configure and verify secure access through SNMP v3 using an ACL	Chapter 11
2.1.d Configure and verify security for NTP	Chapter 11
2.1.e Use SCP for file transfer	Chapter 11

Exam Topic	Part
2.2 AAA Concepts	
2.2.a Describe RADIUS & TACACS+ technologies	Chapter 3
2.2.b Configure administrative access on a Cisco router using TACACS+	Chapter 3
2.2.c Verify connectivity on a Cisco router to a TACACS+ server	Chapter 3
2.2.d Explain the integration of Active Directory with AAA	Chapter 3
2.2.e Describe Authentication & Authorization using ACS and ISE	Chapter 3
2.3. 802.1X Authentication	
2.3.a Identify the functions 802.1X components	Chapter 4
2.4. BYOD	
2.4.a Describe the BYOD architecture framework	Chapter 4
2.4.b Describe the function of Mobile Device Management (MDM)	Chapter 4
3. VPN	
3.1. VPN Concepts	
3.1.a Describe IPSec Protocols and Delivery Modes (IKE, ESP, AH, Tunnel mode, Transport mode)	Chapter 6
3.1.b Describe Hairpinning, Split Tunneling, Always-on, NAT Traversal	Chapter 6
3.2. Remote Access VPN	
3.2.a Implement basic Clientless SSL VPN using ASDM	Chapter 8
3.2.b Verify clientless connection	Chapter 8
3.2.c Implement basic AnyConnect SSL VPN using ASDM	Chapter 8
3.2.d Verify AnyConnect connection	Chapter 8
3.2.e Identify Endpoint Posture Assessment	Chapter 8
3.3 Site-to-Site VPN	
3.3.a Implement an IPSec site-to-site VPN with pre-shared key authentication on Cisco routers and ASA firewalls	Chapter 7
3.3.b Verify an IPSec site-to-site VPN	Chapter 7
4.0. Secure Routing & Switching	
4.1 Security on Cisco Routers	
4.1.a Configure multiple privilege levels	Chapter 11
4.1.b Configure IOS Role-based CLI Access	Chapter 11
4.1.c Implement IOS Resilient Configuration	Chapter 11

Exam Topic	Part
4.2 <i>Securing Routing Protocols</i>	
4.2.a Implement routing update authentication on OSPF	Chapter 13
4.3 <i>Securing the Control Plane</i>	
4.3.a Explain the function of Control Plane Policing	Chapter 13
4.4 <i>Common Layer 2 Attacks</i>	
4.4.a Describe STP attacks	Chapter 9
4.4.b Describe ARP Spoofing	Chapter 9
4.4.c Describe MAC spoofing	Chapter 9
4.4.d Describe CAM Table (MAC Address Table) Overflows	Chapter 9
4.4.e Describe CDP/LLDP Reconnaissance	Chapter 9
4.4.f Describe VLAN Hopping	Chapter 9
4.4.g Describe DHCP Spoofing	Chapter 9
4.5 <i>Mitigation Procedures</i>	
4.5.a Implement DHCP Snooping	Chapter 9
4.5.b Implement Dynamic ARP Inspection	Chapter 9
4.5.c Implement Port Security	Chapter 9
4.5.d Describe BPDU Guard, Root Guard, Loop Guard	Chapter 9
4.5.e Verify mitigation procedures	Chapter 9
4.6 <i>VLAN Security</i>	Chapter 9
4.6.a Describe the security implications of a PVLAN	Chapter 9
4.6.b Describe the security implications of a Native VLAN	Chapter 9
5.0 Cisco Firewall Technologies	Chapter 14
<i>5.1 Describe operational strengths and weaknesses of the different firewall technologies</i>	Chapter 14
5.1.a Proxy firewalls	Chapter 14
5.1.b Application firewall	Chapter 14
5.1.c Personal firewall	Chapter 14
<i>5.2 Compare Stateful vs. Stateless Firewalls</i>	
5.2.a Operations	Chapter 16
5.2.b Functions of the state table	Chapter 16

Exam Topic	Part
<i>5.3 Implement NAT on Cisco ASA 9.x</i>	
5.3.a Static	Chapter 16
5.3.b Dynamic	Chapter 16
5.3.c PAT	Chapter 16
5.3.d Policy NAT	Chapter 16
5.3.e Verify NAT operations	Chapter 16
<i>5.4 Implement Zone Based Firewall</i>	
5.4.a Zone to zone	Chapter 15
5.4.b Self zone	Chapter 15
<i>5.5 Firewall features on the Cisco Adaptive Security Appliance (ASA) 9.x</i>	
5.5.a Configure ASA Access Management	Chapter 16
5.5.b Configure Security Access Policies	Chapter 16
5.5.c Configure Cisco ASA interface security levels	Chapter 16
5.5.d Configure Default Modular Policy Framework (MPF)	Chapter 16
5.5.e Describe Modes of deployment (Routed firewall, Transparent firewall)	Chapter 16
5.5.f Describe methods of implementing High Availability	Chapter 16
5.5.g Describe Security contexts	Chapter 16
5.5.h Describe Firewall Services	Chapter 16
6.0 IPS	
<i>6.1 Describe IPS Deployment Considerations</i>	Chapter 17
6.1.a Network Based IPS vs. Host Based IPS	Chapter 17
6.1.b Modes of deployment (Inline, Promiscuous - SPAN, tap)	Chapter 17
6.1.c Placement (positioning of the IPS within the network)	Chapter 17
6.1.d False Positives, False Negatives, True Positives, True Negatives	Chapter 17
<i>6.2 Describe IPS Technologies</i>	
6.2.a Rules/Signatures	Chapter 17
6.2.b Detection/Signature Engines	Chapter 17
6.2.c Trigger Actions/Responses (drop, reset, block, alert, monitor/log, shun)	Chapter 17
6.2.d Blacklist (Static & Dynamic)	Chapter 17

Exam Topic	Part
7.0 Content and Endpoint Security	Chapter 18
<i>7.1 Describe Mitigation Technology for Email-based Threats</i>	
7.1.a SPAM Filtering, Anti-Malware Filtering, DLP, Blacklisting, Email Encryption	Chapter 18
<i>7.2 Describe Mitigation Technology for Web-based Threats</i>	
7.2.a Local & Cloud Based Web Proxies	Chapter 18
7.2.b Blacklisting, URL-Filtering, Malware Scanning, URL Categorization, Web Application Filtering, TLS/SSL Decryption	Chapter 18
<i>7.3 Describe Mitigation Technology for Endpoint Threats</i>	
7.3.a Anti-Virus/Anti-Malware	Chapter 19
7.3.b Personal Firewall/HIPS	Chapter 19
7.3.c Hardware/Software Encryption of local data	Chapter 19

About the CCNA Security 210-260 Official Cert Guide

This book maps to the topic areas of the CCNA Security exam and uses a number of features to help you understand the topics and prepare for your exam.

Objectives and Methods

This book uses several key methodologies to help you discover the exam topics for which you need more review, to help you fully understand and remember those details, and to help you prove to yourself that you have retained your knowledge of those topics. So, this book does not try to help you pass the exams only by memorization, but by truly learning and understanding the topics. This book is designed to assist you in the exam by using the following methods:

- Using a conversational style that reflects the fact that we wrote this book as if we made it just for you, as a friend, discussing the topics with you, one step at a time
- Helping you discover which exam topics you may want to invest more time studying, to really “get it”
- Providing explanations and information to fill in your knowledge gaps
- Supplying three bonus videos (on the CD) to reinforce some of the critical concepts and techniques that you have learned from in your study of this book
- Providing practice questions to assess your understanding of the topics

Book Features

To help you customize your study time using this book, the core chapters have several features that help you make the best use of your time:

- **“Do I Know This Already?” quiz:** Each chapter begins with a quiz that helps you determine how much time you need to spend studying that chapter.
- **Foundation Topics:** These are the core sections of each chapter. They explain the concepts for the topics in that chapter.
- **Exam Preparation Tasks:** After the “Foundation Topics” section of each chapter, the “Exam Preparation Tasks” section lists a series of study activities that you should do when you finish the chapter. Each chapter includes the activities that make the most sense for studying the topics in that chapter:
 - **Review All the Key Topics:** The Key Topic icon appears next to the most important items in the “Foundation Topics” section of the chapter. The “Review All the Key Topics” activity lists the key topics from the chapter, along with their page numbers. Although the contents of the entire chapter could be on the exam, you should definitely know the information listed in each key topic, so you should review these.
 - **Complete the Tables and Lists from Memory:** To help you memorize some lists of facts, many of the more important lists and tables from the chapter are included in a document on the CD. This document lists only partial information, allowing you to complete the table or list.
 - **Define Key Terms:** Although the exam is unlikely to ask a “define this term” type of question, the CCNA exams do require that you learn and know a lot of networking terminology. This section lists the most important terms from the chapter, asking you to write a short definition and compare your answer to the glossary at the end of the book.
 - **Command Reference to Check Your Memory:** Review important commands covered in the chapter.
- **CD-based practice exam:** The companion CD contains an exam engine that enables you to review practice exam questions. Use these to prepare with a sample exam and to pinpoint topics where you need more study.

How This Book Is Organized

This book contains 19 core chapters. Chapter 20 includes some preparation tips and suggestions for how to approach the exam. Each core chapter covers a subset of the topics on the CCNA Security exam. The core chapters are organized into parts. They cover the following topics:

Part I: Fundamentals of Network Security

- **Chapter 1, “Networking Security Concepts”:** This chapter covers the need for and the building blocks of network and information security, threats to our networks today, and fundamental principles of secure network design.

- **Chapter 2, “Common Security Threats”:** This chapter covers the current state of network security in terms of the types of threats organizations face on behalf of malicious actors. It provides coverage of different threat landscape topics and common attacks such as distributed denial-of-service (DDoS) attacks, social engineering, malware identification tools, data loss, and exfiltration.

Part II: Secure Access

- **Chapter 3, “Implementing AAA in Cisco IOS”:** This chapter covers the role of Cisco Secure ACS and the Cisco Identity Services Engine (ISE), along with the two primary protocols used for authentication RADIUS and TACACS. It also covers configuration of a router to interoperate with an ACS server and configuration of the ACS server to interoperate with a router. The chapter also covers router tools to verify and troubleshoot router-to-ACS server interactions.
- **Chapter 4, “Bring Your Own Device (BYOD)”:** This chapter covers different subjects focused on the topic of BYOD. It provides a description of the BYOD concept and an overview of a BYOD architecture framework. This chapter covers the fundamentals of mobile device management (MDM), its function, and the deployment options.

Part III: Virtual Private Networks (VPN)

- **Chapter 5, “Fundamentals of VPN Technology and Cryptography”:** This chapter covers what VPNs are and why we use them and the basic ingredients of cryptography. This chapter also covers the concepts, components, and operations of the *public key infrastructure (PKI)* and includes an example of putting the pieces of PKI to work.
- **Chapter 6, “Fundamentals of IP Security”:** This chapter covers the concepts, components, and operations of IPsec and how to configure and verify IPsec.
- **Chapter 7, “Implementing IPsec Site-to-Site VPNs”:** This chapter covers planning and preparing to implement an IPsec site-to-site VPN and implementing and verifying the IPsec site-to-site VPN.
- **Chapter 8, “Implementing SSL VPNs Using Cisco ASA”:** This chapter covers the functions and use of SSL for VPNs, configuring SSL clientless VPN on the ASA, and configuring the full SSL AnyConnect VPN on the ASA.

Part IV: Secure Routing and Switching

- **Chapter 9, “Securing Layer 2 Technologies”:** This chapter covers VLANs and trunking fundamentals, spanning-tree fundamentals, and common Layer 2 threats and how to mitigate them.
- **Chapter 10, “Network Foundation Protection”:** This chapter covers securing the network using the network foundation protection (NFP) approach, the management plane, the control plane, and the data plane.
- **Chapter 11, “Securing the Management Plane on Cisco IOS Devices”:** This chapter covers management traffic and how to make it more secure and the implementation of security measures to protect the management plane.
- **Chapter 12, “Securing the Data Plane in IPv6”:** This chapter covers IPv6 (basics, configuring, and developing a security plan for IPv6).

- **Chapter 13, “Securing Routing Protocols and the Control Plane”:** This chapter covers different subjects focused on the control plane of the network device. It provides details on how to secure the control plane of network infrastructure devices. This chapter explains the function of control plane policing (CoPP), control plane protection (CPPr), and how to secure IP routing protocols.

Part V: Cisco Firewall Technologies and Intrusion Prevention System Technologies

- **Chapter 14, “Understanding Firewall Fundamentals”:** This chapter covers firewall concepts and the technologies used by them, the function of *Network Address Translation (NAT)*, including its building blocks, and the guidelines and considerations for creating and deploying firewalls.
- **Chapter 15, “Implementing Cisco IOS Zone-Based Firewalls”:** This chapter covers the operational and functional components of the IOS zone-based firewall and how to configure and verify the IOS zone-based firewall.
- **Chapter 16, “Configuring Basic Firewall Policies on Cisco ASA”:** This chapter covers the *Adaptive Security Appliance (ASA)* family and features, ASA firewall fundamentals, and configuring the ASA.
- **Chapter 17, “Cisco IPS Fundamentals”:** This chapter compares intrusion *prevention systems (IPS)* to *intrusion detection systems (IDS)* and covers how to identify malicious traffic on the network, manage signatures, and monitor and manage alarms and alerts.

Part VI: Content and Endpoint Security

- **Chapter 18, “Mitigation Technologies for E-Mail-Based and Web-Based Threats”:** This chapter covers the different mitigation technologies for e-mail-based and web-based threats. It covers the Cisco Email Security Appliances (ESA), Cisco cloud e-mail security, Cisco Cloud Web Security (CWS), the Cisco Web Security Appliance (WSA), and the Cisco Content Security Management Appliance (SMA). Cisco has added advanced malware protection (AMP) to the ESA and WSA to enable security administrators to detect and block malware and perform continuous analysis and retrospective alerting. Both the ESA and WSA use cloud-based security intelligence to allow protection before, during, and after an attack. This chapter covers these technologies and solutions in detail. It details mitigation technologies such as spam and antimalware filtering, data loss prevention (DLP), blacklisting, e-mail encryption, and web application filtering.
- **Chapter 19, “Mitigation Technology for Endpoint Threats”:** This chapter provides details of the different mitigation technologies available for endpoint threats. It covers introductory concepts of endpoint threats to advanced malware protection capabilities provided by Cisco security products. This chapter covers the different antivirus and antimalware solutions, personal firewalls and host intrusion prevention systems (HIPS), Cisco AMP for endpoints, and hardware and software encryption of endpoint data.

Part VII: Final Preparation

- **Chapter 20, “Final Preparation”:** This chapter identifies tools for final exam preparation and helps you develop an effective study plan.

Appendices

- **Appendix A, “Answers to the ‘Do I Know This Already?’ Quizzes”:** Includes the answers to all the questions from Chapters 1 through 19.
- **Appendix B, “CCNA Security 210-260 (IINS) Exam Updates”:** This appendix provides instructions for finding updates to the exam and this book when and if they occur.
- **Glossary:** The glossary contains definitions for all the terms listed in the “Define Key Terms” sections at the conclusions of Chapters 1 through 19.

CD-Only Appendixes

- **Appendix C, “Memory Tables”:** This CD-only appendix contains the key tables and lists from each chapter, with some of the contents removed. You can print this appendix and, as a memory exercise, complete the tables and lists. The goal is to help you memorize facts that can be useful on the exams. This appendix is available in PDF format on the CD; it is not in the printed book.
- **Appendix D, “Memory Tables Answer Key”:** This CD-only appendix contains the answer key for the memory tables in Appendix C. This appendix is available in PDF format on the CD; it is not in the printed book.
- **Appendix E, “Study Planner”:** This spreadsheet provides major study milestones where you can track your progress through your study.
- **Glossary:** The glossary contains definitions for all the terms listed in the “Define Key Terms” sections at the conclusions of Chapters 1 through 19.

Premium Edition eBook and Practice Test

This Cert Guide contains a special offer for a 70 percent discount off the companion CCNA Security 210-260 Official Cert Guide Premium Edition eBook and Practice Test. The Premium Edition combines an eBook version of the text with an enhanced Pearson IT Certification Practice Test. By purchasing the Premium Edition, you get access to two eBook versions of the text: a PDF version and an EPUB version for reading on your tablet, eReader, or mobile device. You also get an enhanced practice test that contains an additional two full practice tests of unique questions. In addition, all the practice test questions are linked to the PDF eBook, allowing you to get more detailed feedback on each question instantly. To take advantage of this offer, you need the coupon code included on the paper in the CD sleeve. Just follow the purchasing instructions that accompany the code to download and start using your Premium Edition today.



This chapter covers the following topics:

Mitigation technology for e-mail-based threats

Mitigation technology for web-based threats

Mitigation Technologies for E-mail-Based and Web-Based Threats

Efficient e-mail-based and web-based security requires a robust solution that is expanded beyond the traditional perimeter, as new threats are emerging on a daily basis. The Cisco *E-mail Security Appliances (ESA)* and the *Cisco Web Security Appliance (WSA)* provide a great solution designed to protect corporate users against these threats. Cisco has added *advanced malware protection (AMP)* to the ESA and WSA to allow security administrators to detect and block malware and perform continuous analysis and retrospective alerting. Both the ESA and WSA use cloud-based security intelligence to allow protection before, during, and after an attack. This chapter covers these technologies and solutions in detail. You will learn mitigation technologies such as spam and antimalware filtering, *data loss prevention (DLP)*, blacklisting, e-mail encryption, and web application filtering.

“Do I Know This Already?” Quiz

The “Do I Know This Already?” quiz helps you determine your level of knowledge of this chapter’s topics before you begin. Table 18-1 details the major topics discussed in this chapter and their corresponding quiz questions.

Table 18-1 “Do I Know This Already?” Section-to-Question Mapping

Foundation Topics Section	Questions
Mitigation Technology for E-mail-Based Threats	1–4
Mitigation Technology for Web-Based Threats	5–8

1. Which of the following features does the Cisco ESA provide? (Choose all that apply.)
 - a. Network antivirus capabilities
 - b. E-mail encryption
 - c. Threat outbreak prevention
 - d. Support for remote access SSL VPN connections
2. Which of the following Cisco ESA models are designed for mid-sized organizations? (Choose all that apply.)
 - a. Cisco C380
 - b. Cisco C670
 - c. Cisco C680
 - d. Cisco X1070

3. What is a spear phishing attack?
 - a. Unsolicited e-mails sent to an attacker.
 - b. A denial-of-service (DoS) attack against an e-mail server.
 - c. E-mails that are directed to specific individuals or organizations. An attacker may obtain information about the targeted individual or organization from social media sites and other sources.
 - d. Spam e-mails sent to numerous victims with the purpose of making money.
4. Which of the following e-mail authentication mechanisms are supported by the Cisco ESA? (Choose all that apply.)
 - a. Sender Policy Framework (SPF)
 - b. Sender ID Framework (SIDF)
 - c. DomainKeys Identified Mail (DKIM)
 - d. DomainKeys Mail Protection (DMP)
5. Which of the following is the operating system used by the Cisco WSA ?
 - a. Cisco AsyncOS operating system
 - b. Cisco IOS-XR Software
 - c. Cisco IOS-XE Software
 - d. Cisco IOS Software
 - e. Cisco ASA Software
6. Which of the following connectors are supported by the Cisco CWS service? (Choose all that apply.)
 - a. Cisco Security Manager (CSM)
 - b. Cisco ASA
 - c. Cisco ISR G2 routers
 - d. Cisco AnyConnect Secure Mobility Client
 - e. Cisco WSA
7. Which of the following features are supported by the Cisco WSA? (Choose all that apply.)
 - a. File reputation
 - b. File sandboxing
 - c. Layer 4 traffic monitor
 - d. Real-time e-mail scanning
 - e. Third-party DLP integration
8. Cisco WSA can be deployed using the Web Cache Communication Protocol (WCCP) configured in which of the following modes? (Choose all that apply.)
 - a. Multiple context mode
 - b. Explicit proxy mode
 - c. Transparent proxy mode
 - d. Virtualized mode

Foundation Topics

Mitigation Technology for E-mail-Based Threats

Users are no longer accessing e-mail from the corporate network or from a single device. Cisco provides cloud-based, hybrid, and on-premises ESA-based solutions that can help protect any dynamic environment. This section introduces these solutions and technologies explaining how users can use threat intelligence to detect, analyze, and protect against both known and emerging threats.

Key Topic

E-mail-Based Threats

There are several types of e-mail-based threats. The following are the most common:

- **Spam:** Unsolicited e-mail messages that can be advertising a service or (typically) a scam or a message with malicious intent. E-mail spam continues to be a major threat because it can be used to spread malware.
- **Malware attachments:** E-mail messages containing malicious software (malware).
- **Phishing:** An attacker's attempt to fool a user that such e-mail communication comes from a legitimate entity or site, such as banks, social media websites, online payment processors, or even corporate IT communications. The goal of the phishing e-mail is to steal user's sensitive information such as user credentials, bank accounts, and so on.
- **Spear phishing:** Phishing attempts that are more targeted. These phishing e-mails are directed to specific individuals or organizations. For instance, an attacker may perform a passive reconnaissance on the individual or organization by gathering information from social media sites (for example, Twitter, LinkedIn, Facebook) and other online resources. Then the attacker may tailor a more directed and relevant message to the victim increasing the probability of such user being fooled to follow a malicious link, click an attachment containing malware, or simply reply to the e-mail providing sensitive information. There is another phishing-based attack called *whaling*. These attacks specifically target executives and high-profile users within a given organization.

18

Key Topic

Cisco Cloud E-mail Security

Cisco cloud e-mail security provides a cloud-based solution that allows companies to outsource the management of their e-mail security management. The service provides e-mail security instances in multiple Cisco data centers to enable high availability. Figure 18-1 illustrates the Cisco cloud e-mail security solution.

In Figure 18-1, three organizations (a large enterprise, a university, and a small- to medium-size business) leverage the Cisco hosted (cloud) environment. The solution also supports mobile workers.




Figure 18-1 Cisco Cloud E-mail Security Architecture

Cisco Hybrid E-mail Security

The Cisco hybrid e-mail security solution combines both cloud-based and on-premises ESAs. This hybrid solution helps Cisco customers reduce their on-site e-mail security footprint, outsourcing a portion of their e-mail security to Cisco, while still allowing them to maintain control of confidential information within their physical boundaries. Many organizations need to stay compliant to many regulations that may require them to keep sensitive data physically on their premises. The Cisco hybrid e-mail security solution allows network security administrators to remain compliant and to maintain advanced control with encryption, *data loss prevention (DLP)*, and on-site identity-based integration.

Key Topic

Cisco E-mail Security Appliance

The following are the different ESA models:

- Cisco X-Series E-mail Security Appliances
 - **Cisco X1070:** High-performance ESA for service providers and large enterprises
- Cisco C-Series E-mail Security Appliances
 - **Cisco C680:** The high-performance ESA for service providers and large enterprises
 - **Cisco C670:** Designed for medium-size enterprises
 - **Cisco C380:** Designed for medium-size enterprises
 - **Cisco C370:** Designed for small- to medium-size enterprises
 - **Cisco C170:** Designed for small businesses and branch offices

The Cisco ESA runs the Cisco AsyncOS operating system. The Cisco AsyncOS supports numerous features that will help mitigate e-mail-based threats. The following are examples of the features supported by the Cisco ESA:

- **Access control:** Controlling access for inbound senders according to the sender's IP address, IP address range, or domain name.
- **Antispam:** Multilayer filters based on Cisco SenderBase reputation and Cisco antispam integration. The antispam reputation and zero-day threat intelligence are fueled by Cisco's security intelligence and research group named Talos.
- **Network Antivirus:** Network antivirus capabilities at the gateway. Cisco partnered with Sophos and McAfee, supporting their antivirus scanning engines.
- **Advanced malware protection (AMP):** Allows security administrators to detect and block malware and perform continuous analysis and retrospective alerting.
- **DLP:** The ability to detect any sensitive e-mails and documents leaving the corporation. The Cisco ESA integrates RSA e-mail DLP for outbound traffic.

NOTE If RSA e-mail DLP is configured on a Cisco ESA that is also running antispam and antivirus scanning on inbound traffic, it can cause a performance decrease of less than 10 percent. Cisco ESAs that are only running outbound messages and are not running antispam and antivirus may experience a significant performance decline.

- **E-mail encryption:** The ability to encrypt outgoing mail to address regulatory requirements. The administrator can configure an encryption policy on the Cisco ESA and use a local key server or hosted key service to encrypt the message.
- **E-mail authentication:** A few e-mail authentication mechanisms are supported, including Sender Policy Framework (SPF), Sender ID Framework (SIDF), and DomainKeys Identified Mail (DKIM) verification of incoming mail, as well as DomainKeys and DKIM signing of outgoing mail.
- **Outbreak filters:** Preventive protection against new security outbreaks and e-mail-based scams using Cisco's Security Intelligence Operations (SIO) threat intelligence information.

NOTE Cisco SenderBase is the world largest e-mail and web traffic monitoring network. It provides real-time threat intelligence powered by Cisco *Security Intelligence Operations (SIO)*. The Cisco SenderBase website is located at <http://www.senderbase.org>.

The Cisco ESA acts as the e-mail gateway to the organization, handling all e-mail connections, accepting messages, and relaying them to the appropriate systems. The Cisco ESA can service e-mail connections from the Internet to users inside your network, and from systems inside your network to the Internet. E-mail connections use *Simple Mail Transfer Protocol (SMTP)*. The ESA services all SMTP connections by default acting as the SMTP gateway.

NOTE Mail gateways are also known as a *mail exchangers* or *MX*.

The Cisco ESA uses listeners to handle incoming SMTP connection requests. A listener defines an e-mail processing service that is configured on an interface in the Cisco ESA. Listeners apply to e-mail entering the appliance from either the Internet or from internal systems.

The following listeners can be configured:

- Public listeners for e-mail coming in from the Internet.
- Private listeners for e-mail coming from hosts in the corporate (inside) network. These e-mails are typically from an internal groupware, Exchange, POP, or IMAP e-mail servers.

Figure 18-2 illustrates the concept of Cisco ESA listeners.




Figure 18-2 Cisco ESA Listeners

Cisco ESA listeners are often referred to as *SMTP daemons* running on a specific Cisco ESA interface. When a listener is configured, the following information must be provided:

- Listener properties such as a specific interface in the Cisco ESA and the TCP port that will be used. The listener properties must also indicate whether it is a public or a private listener.
- The hosts that are allowed to connect to the listener using a combination of access control rules. An administrator can specify which remote hosts can connect to the listener.
- The local domains for which public listeners accept messages.

Cisco ESA Initial Configuration

To perform the initial Cisco ESA configuration, complete the following steps:

- Step 1.** Log in to the Cisco ESA. The default username is admin, and the default password is ironport.
- Step 2.** Use the **systemsetup** command in the *command-line interface (CLI)* of the Cisco ESA to initiate the System Setup Wizard, as shown in Example 18-1.

Example 18-1 Initial Setup with the systemsetup Command

```
IronPort> systemsetup
WARNING: The system setup wizard will completely delete any existing
'listeners' and all associated settings including the 'Host Access Table' - mail
operations may be interrupted.

Are you sure you wish to continue? [Y] > Y

You are now going to configure how the IronPort C60 accepts mail by
creating a "Listener".

Please create a name for this listener (Ex: "InboundMail"):
[] > InboundMail

Please choose an IP interface for this Listener.
1. Management (192.168.42.42/24: mail3.example.com)
2. PrivateNet (192.168.1.1/24: mail3.example.com)
3. PublicNet (192.168.2.1/24: mail3.example.com)

[1] > 3
Enter the domains or specific addresses you want to accept mail for.
Hostnames such as "example.com" are allowed.

Partial hostnames such as ".example.com" are allowed.

Usernames such as "postmaster@" are allowed.

Full email addresses such as "joe@example.com" or "joe@[1.2.3.4]" are allowed.
Separate multiple addresses with commas

[] > securemeinc.org
Would you like to configure SMTP routes for example.com? [Y] > Y

Enter the destination mail server which you want mail for example.com to be delivered.

Separate multiple entries with commas.

[] > exchange.securemeinc.org
```

```
Do you want to enable rate limiting for this listener? (Rate limiting defines the
maximum

number of recipients per hour you are willing to receive from a remote domain.) [Y]> y

Enter the maximum number of recipients per hour to accept from a remote domain.
[]> 4500

Default Policy Parameters
=====
Maximum Message Size: 100M
Maximum Number Of Connections From A Single IP: 1,000
Maximum Number Of Messages Per Connection: 1,000
Maximum Number Of Recipients Per Message: 1,000
Maximum Number Of Recipients Per Hour: 4,500
Maximum Recipients Per Hour SMTP Response:
    452 Too many recipients received this hour
Use SenderBase for Flow Control: Yes
Virus Detection Enabled: Yes
Allow TLS Connections: No
Would you like to change the default host access policy? [N]> n
Listener InboundMail created.
Defaults have been set for a Public listener.

Use the listenerconfig->EDIT command to customize the listener.
*****


Do you want to configure the C60 to relay mail for internal hosts? [Y]> y

Please create a name for this listener (Ex: "OutboundMail"):
[]> OutboundMail

Please choose an IP interface for this Listener.
1. Management (192.168.42.42/24: mail3.example.com)
2. PrivateNet (192.168.1.1/24: mail3.example.com)
3. PublicNet (192.168.2.1/24: mail3.example.com)

[1]> 2

Please specify the systems allowed to relay email through the IronPort C60.

Hostnames such as "example.com" are allowed.

Partial hostnames such as ".example.com" are allowed.

IP addresses, IP address ranges, and partial IP addressed are allowed.
```

```
Separate multiple entries with commas.
[]> .securemeinc.org

Do you want to enable rate limiting for this listener? (Rate limiting defines the
maximum number of recipients per hour you are willing to receive from a remote
domain.)
[N]> n

Default Policy Parameters
=====
Maximum Message Size: 100M
Maximum Number Of Connections From A Single IP: 600
Maximum Number Of Messages Per Connection: 10,000
Maximum Number Of Recipients Per Message: 100,000
Maximum Number Of Recipients Per Hour: Disabled
Use SenderBase for Flow Control: No
Virus Detection Enabled: Yes
Allow TLS Connections: No
Would you like to change the default host access policy? [N]> n
Listener OutboundMAil created.
Defaults have been set for a Private listener.
Use the listenerconfig->EDIT command to customize the listener.
*****
Congratulations! System setup is complete. For advanced configuration, please refer to
the User Guide.
mail3.securemeinc.org >
```

In Example 18-1, the inside (private) and outside (public) listeners are configured. The domain name of securemeinc.org is used in this example.

To verify the configuration, you can use the **mailconfig** command to send a test e-mail containing the system configuration data that was entered in the System Setup Wizard, as shown in Example 18-2.

Example 18-2 Verifying the Configuration with the mailconfig Command

```
mail3.securemeinc.org> mailconfig

Please enter the email address to which you want to send
the configuration file. Separate multiple addresses with commas.

[]> admin@securemeinc.org

The configuration file has been sent to admin@securemeinc.org.

mail3.securemeinc.org>
```

In Example 18-2, the e-mail is sent to the administrator (admin@securemeinc.org).

Key Topic

Mitigation Technology for Web-Based Threats

For any organization to be able to protect its environment against web-based security threats, the security administrators need to deploy tools and mitigation technologies that go far beyond traditional blocking of known bad websites. Nowadays, you can download malware through compromised legitimate websites, including social media sites, advertisements in news and corporate sites, gaming sites, and many more. Cisco has developed several tools and mechanisms to help their customers combat these threats. The core solutions for mitigating web-based threats are the Cisco *Cloud Web Security (CWS)* offering and the integration of *advanced malware protection (AMP)* to the Cisco *Web Security Appliance (WSA)*. Both solutions enable malware detection and blocking, continuous monitoring, and retrospective alerting. The following sections cover the Cisco CWS and Cisco WSA in detail.

Key Topic

Cisco CWS

Cisco CWS is a cloud-based security service from Cisco that provides worldwide threat intelligence, advanced threat defense capabilities, and roaming user protection. The Cisco CWS service uses web proxies in Cisco's cloud environment that scan traffic for malware and policy enforcement. Cisco customers can connect to the Cisco CWS service directly by using a *proxy autoconfiguration (PAC)* file in the user endpoint or through connectors integrated into the following Cisco products:

- Cisco ISR G2 routers
- Cisco ASA
- Cisco WSA
- Cisco AnyConnect Secure Mobility Client

Organizations using the transparent proxy functionality through a connector can get the most out of their existing infrastructure. In addition, the scanning is offloaded from the hardware appliances to the cloud, reducing the impact to hardware utilization and reducing network latency. Figure 18-3 illustrates how the transparent proxy functionality through a connector works.

In Figure 18-3, the Cisco ASA is enabled with the Cisco CWS connector at a branch office. The following steps explain how Cisco CWS protects the corporate users at the branch office:

1. An internal user makes an HTTP request to an external website (securemeinc.org).
2. The Cisco ASA forwards the request to Cisco CWS global cloud infrastructure.
3. It notices that securemeinc.org had some web content (ads) that were redirecting the user to a known malicious site.
4. Cisco CWS blocks the request to the malicious site.




Figure 18-3 Cisco ASA with Cisco CWS Connector Example

Key Topic

Cisco WSA

The Cisco WSA uses cloud-based intelligence from Cisco to help protect the organization before, during, and after an attack. This “lifecycle” is what is referred to as the *attack continuum*. The cloud-based intelligence includes web (URL) reputation and zero-day threat intelligence from Cisco’s security intelligence and research group named Talos. This threat intelligence helps security professionals to stop threats before they enter the corporate network, while also enabling file reputation and file sandboxing to identify threats during an attack. Retrospective attack analysis allows security administrators to investigate and provide protection after an attack when advanced malware might have evaded other layers of defense.

The Cisco WSA can be deployed in explicit proxy mode or as a transparent proxy using the *Web Cache Communication Protocol (WCCP)*. WCCP is a protocol originally developed by Cisco, but several other vendors have integrated it in their products to allow clustering and transparent proxy deployments on networks using Cisco infrastructure devices (routers, switches, firewalls, and so on).

Figure 18-4 illustrates a Cisco WSA deployed as an explicit proxy.




Figure 18-4 *Explicit Proxy Configuration*

The following are the steps illustrated in Figure 18-4:

1. An internal user makes an HTTP request to an external website. The client browser is configured to send the request to the Cisco WSA.
2. The Cisco WSA connects to the website on behalf of the internal user.
3. The firewall (Cisco ASA) is configured to only allow outbound web traffic from the Cisco WSA, and it forwards the traffic to the web server.

Figure 18-5 shows a Cisco WSA deployed as a transparent proxy.




Figure 18-5 *Transparent Proxy Configuration*


The following are the steps illustrated in Figure 18-5:

1. An internal user makes an HTTP request to an external website.
2. The internal router (R1) redirects the web request to the Cisco WSA using WCCP.
3. The Cisco WSA connects to the website on behalf of the internal user.
4. Also in this example, the firewall (Cisco ASA) is configured to only allow outbound web traffic from the WSA. The web traffic is sent to the Internet web server.

Figure 18-6 demonstrates how the WCCP registration works. The Cisco WSA is the WCCP client, and the Cisco router is the WCCP server.

**Figure 18-6** WCCP Registration

During the WCCP registration process, the WCCP client sends a registration announcement (“Here I am”) every 10 seconds. The WCCP server (the Cisco router in this example) accepts the registration request and acknowledges it with an “I See You” WCCP message. The WCCP server waits 30 seconds before it declares the client as “inactive” (engine failed). WCCP can be used in large-scale environments. Figure 18-7 shows a cluster of Cisco WSAs, where internal Layer 3 switches redirect web traffic to the cluster.

**Figure 18-7** Cisco WSA Cluster Example

The Cisco WSA comes in different models. The following are the different Cisco WSA models:

- Cisco WSA S680
 - It is a high-performance WSA designed for large organizations with 6000 to 12,000 users.
 - A 2 *rack-unit (RU)* appliance with 16 (2 octa core) CPUs, 32 GB of memory, and 4.8 TB of disk space.
- Cisco WSA S670
 - A high-performance WSA designed for large organizations with 6000 to 12,000 users
 - A 2 RU appliance with 8 (2 octa core) CPUs, 8 GB of memory, and 2.7 TB of disk space.
- Cisco WSA S380
 - Designed for medium-size organizations with 1500 to 6000 users.
 - A 2 RU appliance with 6 (1 hexa core) CPUs, 16 GB of memory, and 2.4 TB of disk space.
- Cisco WSA S370
 - Designed for medium-size organizations with 1500 to 6000 users.
 - A 2 RU appliance with 4 (1 quad core) CPUs, 4 GB of memory, and 1.8 TB of disk space.
- Cisco WSA S170
 - Designed for small- to medium-size organizations with up to 1500 users.
 - A 1 RU appliance with 2 (1 dual core) CPUs, 4 GB of memory, and 500 GB of disk space.

The Cisco WSA runs Cisco AsyncOS operating system. The Cisco AsyncOS supports numerous features that will help mitigate web-based threats. The following are examples of these features:

- **Real-time antimalware adaptive scanning:** The Cisco WSA can be configured to dynamically select an antimalware scanning engine based on URL reputation, content type, and scanner effectiveness. Adaptive scanning is a feature designed to increase the “catch rate” of malware that is embedded in images, JavaScript, text, and Adobe Flash files. Adaptive scanning is an additional layer of security on top of Cisco WSA Web Reputation Filters that include support for Sophos, Webroot, and McAfee.
- **Layer 4 traffic monitor:** Used to detect and block spyware. It dynamically adds IP addresses of known malware domains to a database of sites to block.
- **Third-party DLP integration:** Redirects all outbound traffic to a third-party DLP appliance, allowing deep content inspection for regulatory compliance and data exfiltration protection. It enables an administrator to inspect web content by title, metadata, and size and to even prevent users from storing files to cloud services, such as Dropbox, Google Drive, and others.
- **File reputation:** Using threat information from Cisco Talos. This file reputation threat intelligence is updated every 3 to 5 minutes.

- **File sandboxing:** If malware is detected, the Cisco AMP capabilities can put files in a sandbox to inspect its behavior, combining the inspection with machine-learning analysis to determine the threat level. Cisco Cognitive Threat Analytics (CTA) uses machine-learning algorithms to adapt over time.
- **File retrospection:** After a malicious attempt or malware is detected, the Cisco WSA continues to cross-examine files over an extended period of time.
- **Application visibility and control:** Allows the Cisco ASA to inspect and even block applications that are not allowed by the corporate security polity. For example, an administrator can allow users to use social media sites like Facebook but block micro-applications such as Facebook games.

Cisco Content Security Management Appliance

Cisco Security Management Appliance (SMA) is a Cisco product that centralizes the management and reporting for one or more Cisco ESAs and Cisco WSAs. Cisco SMA has consistent enforcement of policy, and enhances threat protection. Figure 18-8 shows a Cisco SMA that is controlling Cisco ESA and Cisco WSAs in different geographic locations (New York, Raleigh, Chicago, and Boston).




Figure 18-8 Cisco SMA Centralized Deployment

The Cisco SMA comes in different models. These models are physical appliances or the *Cisco Content Security Management Virtual Appliance (SMAV)*. The following are the different Cisco SMA models:

- **Cisco SMA M680:** Designed for large organizations with over 10,000 users
- **Cisco SMAV M600v:** Designed for large enterprises or service providers
- **Cisco SMA M380:** Designed for organizations with 1000 to 10,000 users
- **Cisco SMAV M300v:** Designed for organizations with 1000 to 5000 users
- **Cisco SMA M170:** Designed for small business or branch offices with up to 1000 users
- **Cisco SMAV M100v:** Designed for small business or branch offices with up to 1000 users

NOTE Cisco also has a Cisco SMAV M000v that is used for evaluations only.

Exam Preparation Tasks

Review All the Key Topics

Review the most important topics from this chapter, denoted with a Key Topic icon. Table 18-2 lists these key topics.

Key Topic

Table 18-2 Key Topics

Key Topic Element	Description	Page Number
Section	E-mail-Based Threats	479
Section	Cisco Cloud E-mail Security	479
Section	Cisco E-mail Security Appliance	480
Section	Mitigation Technology for Web-Based Threats	486
Section	Cisco CWS	486
Section	Cisco WSA	487

18

Complete the Tables and Lists from Memory

Print a copy of Appendix C, “Memory Tables,” (found on the CD) or at least the section for this chapter, and complete the tables and lists from memory. Appendix D, “Memory Tables Answer Key,” also on the CD, includes completed tables and lists so that you can check your work. There are no applicable tables in this specific chapter.

Define Key Terms

Define the following key terms from this chapter, and check your answers in the glossary:


antispam filters, network antivirus, advanced malware protection (AMP), file sandboxing, file retrospection

Command Reference to Check Your Memory

This section includes the most important configuration and EXEC commands covered in this chapter. To see how well you have memorized the commands as a side effect of your other studies, cover the left side of Table 18-3 with a piece of paper, read the descriptions on the right side, and see whether you remember the commands.

Table 18-3 Command Reference

Command	Description
systemsetup	Launch the System Setup Wizard to initially configure the Cisco ESA.
mailconfig	Verify the Cisco ESA configuration by sending a test e-mail that contains the system configuration data that was entered in the system setup wizard.



Index

Numbers

3DES (Triple Digital Encryption Standard), 94, 124
802.1AB, 252
802.1Q, 238-239
802.1w, 245-246

A

AAA (authentication, authorization, and accounting)
ACS (Access Control Server)
 ACS configuration, 51-60
 benefits of, 38
 ISE (Identity Services Engine), 39
 RADIUS (Remote Authentication Dial-In User Service), 39-40
 router configuration, 41-50
 supported platforms, 38
TACACS+ (Terminal Access Control Access Control Server), 39-40, 45
 troubleshooting, 60-66
Cisco Secure ACS Solution Engine, 283
components, 282
IPv4/IPv6, 332
method lists, 285-286, 292-296
overview, 35, 75, 106, 279-286, 359
router access authentication, 284-285

self-contained AAA, 283
troubleshooting, 296-301
verifying, 43-45
VPN user authentication, 283-284
aaa authentication command, 318
aaa authentication login command, 42, 68
aaa authentication login default local command, 318
aaa authorization exec command, 42, 68
aaa new-model command, 41, 45, 68, 292, 303, 318
acceptable use policy (AUP), 11
access-class command, 374
access control. *See also ACS (Access Control Server)*
access rules
 ASA (Adaptive Security Appliance), 447-449
 firewalls, 371
ACE (access control entry), 345, 374
ACLs (access control lists), 136, 270, 360
 ACL logging, 345
 firewalls, 374
 IPv6 security, 337
 packet filtering ACLs, 423
Cisco ESA (E-mail Security Appliance), 481
access control entry (ACE), 345, 374
access control lists. *See ACLs*

Access Control Server. *See ACS (Access Control Server)*

access-list 2 permit command, 407

access rules

- ASA (Adaptive Security Appliance), 447-449
- firewalls, 371

accounting. *See AAA (authentication, authorization, and accounting)*

ACE (access control entry), 345, 374

ACLs (access control lists), 136, 270, 360

- ACL logging, 345
- firewalls, 374
- IPv6 security, 337
- packet filtering ACLs, 423

ACS (Access Control Server)

- ACS configuration, 51-52
 - authorization policies*, 56-57
 - authorization profiles*, 58-60
 - identity groups*, 56
 - network device groups*, 53-54
 - user groups*, 54
- benefits of, 38
- ISE (Identity Services Engine), 39
- overview, 14, 35, 38

RADIUS (Remote Authentication Dial-In User Service), 39-40

router configuration

- AAA verification*, 43-45
- CCP (Cisco Configuration Professional)*, 45-50
- CLI (command line interface)*, 41-43
- overview*, 41
- TACACS+, 45

supported platforms, 38

TACACS+ (Terminal Access Control Access Control Server), 39-40, 45

troubleshooting

- basic connectivity*, 60
- debug command*, 62-66
- ping command*, 60
- test command*, 60-62

activating Pearson Cert Practice Test (PCPT) software, 506

Active Directory (AD), 76

Adaptive Security Appliance. *See ASA (Adaptive Security Appliance)*

Adaptive Security Device Manager. *See ADSM (Adaptive Security Device Manager)*

Address Resolution Protocol. *See ARP (Address Resolution Protocol)*

addresses

- ARP (Address Resolution Protocol), 325
 - DAI (Dynamic ARP Inspection)*, 254-256
 - overview*, 233
 - poisoning*, 14, 271
 - spoofing*, 271
- bogon addresses, 336
- IPv6, 325
 - all-nodes multicast addresses*, 328
 - all-routers multicast addresses*, 328
 - anycast addresses*, 328
 - configuring*, 326-327
 - conversion between decimal, binary, and hexadecimal*, 326
 - length*, 325
 - link-local addresses*, 327
 - loopback addresses*, 327

- solicited-node multicast addresses*, 328
 - unicast addresses*, 328
 - Network Address Translation.
 - See NAT (Network Address Translation)*
 - administrative controls, 11
 - ADSM (Adaptive Security Device Manager), 107-108, 422
 - Advanced Encryption Standard (AES), 94, 124
 - advanced malware protection (AMP), 419, 473, 477, 481, 499
 - AMP for Endpoints, 31, 499-500
 - AES (Advanced Encryption Standard), 94, 124
 - agents (SNMP), 310
 - Aggregation Services Routers (ASR), 75
 - AH (Authentication Header), 97
 - alarms
 - monitoring, 471
 - security intelligence, 471-472
 - alerts, 466
 - monitoring, 471
 - security intelligence, 471-472
 - algorithms, 91. *See also* cryptography
 - asymmetric algorithms, 93-94
 - Cipher Block Chaining Data Encryption Standard (DES-56) algorithm, 311
 - encryption algorithms, 124
 - hash algorithms, 124
 - RSA algorithm, 99-100
 - symmetric algorithms, 93
 - all-nodes multicast addresses, 328
 - all-routers multicast addresses, 328
 - AMBER classification level (TLP), 9
 - AMP (advanced malware protection), 419, 473, 477, 481, 499
 - AMP for Endpoints, 31, 499-500
 - amplification attacks, 28
 - annotations (STP), 242-245
 - anomaly-based IPS/IDS, 464-465
 - antimalware solutions, 497-498
 - antimalware adaptive scanning, 490
 - antivirus solutions, 29, 497-498
 - Cisco ESA (E-mail Security Appliance), 481
 - antiphishing defenses, 29
 - antireplay protection
 - IPsec, 122
 - VPNs (virtual private networks), 90
 - antispam, 481
 - antivirus solutions, 29, 497-498
 - anycast addresses, 328
 - AnyConnect Secure Mobility Client.
 - See Cisco AnyConnect Secure Mobility Client*
 - application inspection, 417
 - application inspection firewalls, 364-365
 - application layer attacks, 333
 - application layer gateways, 363
 - AR (attack relevancy), 468
 - architecture
 - BYOD (bring your own device), 74
 - security guidelines, 16-17
 - topologies
 - CAN (*Campus Area Network*), 17
 - Cloud/WAN (*Wide Area Network*), 18
 - Data Center network, 18-19
 - SOHO (*small office/home office*), 18
 - virtual environments, 20-21

- ARP (Address Resolution Protocol),** 325
- DAI (Dynamic ARP Inspection),** 254-256
- overview, 233
- poisoning, 14, 271
- spoofing, 271
- ASA (Adaptive Security Appliance)**
- access rules, 447-449
 - ASDM GUI, 433-435
 - basic routing, 444-445
 - default traffic flow, 420-422
 - DHCP service, 443-444
 - digital certificate installation, 107
 - default certificate*, 108
 - identity certificates*, 111-114
 - root certificates*, 109-114
 - features/services, 417-419
 - ICMP echo requests, 433
 - initial access, 422
 - initial boot, 425-431
 - initial setup script, 432-433
 - interface configuration, 435-443
 - IPsec site-to-site VPN implementation, 179-192
 - commands sent to Cisco ASA*, 184-189
 - connection profiles*, 189-191
 - IKE policy*, 191
 - IKEv1 policies*, 191
 - IKEv2 settings*, 192
 - IPsec proposals (transform sets)*, 192
 - local/remote networks*, 181-182
 - NAT Exempt policy*, 183
 - peer device identification*, 180
 - security options*, 182
 - traffic to protect*, 180-181
- IPsec site-to-site VPN
 - troubleshooting, 193-198
 - debug command*, 198
 - show crypto ipsec sa command*, 195-196
 - show crypto isakmp stats command*, 193
 - show isakmp sa detail command*, 196-197
 - show isakmp stats command*, 193-195
 - show vpn-sessiondb command*, 197
- models, 416
- MPF (Modular Policy Framework), 424
- NAT (Network Address Translation), 445-447
- No Telnet policy, 453
- overview, 75, 413
- packet filtering, 422-423
- Packet Tracer, 449-453
- PAT (Port Address Translation), 445-447
- policy application, 425
- security levels, 419-420
- SSL clientless VPN configuration
 - CLI (command line interface)*, 214-215
 - connection profile access*, 211
 - digital certificates*, 211
 - login*, 215-216
 - SSL VPN Wizard*, 209-210
 - user authentication*, 211-214
 - VPN statistics*, 217
- tools to manage, 422
- ASA Security Device Manager (ASDM),** 433-435
- ASA with FirePOWER services,** 473

- ASDM (ASA Security Device Manager), 433-435**
- ASR (Aggregation Services Routers), 75**
- ASR (attack severity rating), 467, 470**
- assets**
 - classifying, 8-10
 - defined, 7-8
- asymmetric algorithms, 93-94**
- asymmetric key cryptography, 99**
- atomic micro-engine, 470**
- attack relevancy (AR), 468**
- attack severity rating (ASR), 467, 470**
- attacks**
 - AR (attack relevancy), 468
 - attack vectors, 14
 - back doors, 13
 - botnets, 15
 - brute-force attacks, 15
 - code execution attacks, 13
 - covert channel, 15
 - data loss and exfiltration methods, 31-32
 - DDoS (distributed denial-of-service) attacks, 16, 27-28
 - DoS (denial-of-service) attacks, 16, 27-28
 - e-mail-based threats
 - Cisco cloud e-mail security*, 479
 - Cisco ESA (E-mail Security Appliance)*, 480-485
 - Cisco hybrid e-mail security*, 480
 - malware attachments*, 479
 - phishing*, 479
 - spam*, 479
 - spear phishing*, 479
 - IPv4/IPv6 threats, 333-336
- malware identification tools, 30-31**
- Cisco AMP (Advanced Malware Protection)*, 31**
- IPS events*, 31**
- NetFlow*, 30**
- NGIPS (next-generation intrusion prevention system)*, 31**
- packet captures*, 30**
- Snort*, 30**
- man-in-the-middle attacks, 14-15**
- motivation behind, 27**
- pharming, 13**
- phishing, 13**
- potential attackers, 12**
- privilege escalation, 13**
- reconnaissance, 13**
- social engineering, 13, 28-30**
 - defenses against*, 29-30
 - malvertising*, 29
 - phishing*, 29
 - phone scams*, 29
- trust exploitation, 15**
- web-based threats**
 - Cisco CWS (Cloud Web Security)*, 486
 - Cisco SMA (Security Management Appliance)*, 491-492
 - Cisco WSA (Web Security Appliance)*, 487-491
- auditing, 17**
- AUP (acceptable use policy), 11**
- authentication, 125. *See also AAA (authentication, authorization, and accounting)***
- CAs (certificate authorities), 104**
- defined, 96**
- e-mail, 481**

- IPsec site-to-site VPNs, 122, 153
 peer authentication, 126
 routing update authentication
 on OSPF, 348-350
 on RIP, 350-352
 SNMP (Simple Network Management Protocol), 312
 SSL clientless VPN configuration, 211-214
 two-factor authentication, 29
 VPNs (virtual private networks), 90
- Authentication Header (AH)**, 97
authentication keyword, 349
authNoPriv security level, 311
authorization. *See also AAA*
 (authentication, authorization, and accounting)
 authorization policies (ACS), 56-57
 authorization profiles (ACS), 58-60
authPriv security level, 311
auto secure command, 266
autoconfiguration, 335
availability, 6
AxCrypt, 501

B

- back doors**, 13, 497
Basic Firewall Wizard, 386-388
Basic NAT Wizard, 405-407
BCP (best common practices), 74
best practices
 BCP (best common practices), 74
 IPS/IDS, 472
 IPv4 security, 332-333
 IPv6 security, 332-336
 Layer 2 security, 246-247
 management plane security, 278-280

- NFP (Network Foundation Protection)**
 control plane security, 268-269
 data plane security, 271
 management plane security, 267-268
BGP routing update authentication, 351-352
binary, converting to decimal/hexadecimal, 326
BitLocker, 501
block ciphers, 92
blocking connections, 466
blue rollover cable, 278
bogon addresses, 336
botnets, 15, 419
BPDU (bridge protocol data units), 242
BPDU Guard, 248-249
bridge protocol data units (BPDU), 242
bring your own device. *See BYOD*
 (bring your own device)
brute-force attacks, 15
buffer, 288
BYOD (bring your own device)
 architecture framework, 74
 as attack vector, 14
 business reasons for, 73
MDM (mobile device management)
 cloud-based deployment, 78-79
 on-premise deployment, 77-78
 overview, 76
 solution components, 74-76

C

- C3PL (Cisco Common Classification Policy Language)**, 381
CA (certificate authority), 76, 96, 208
 authenticating and enrolling with, 104
 explained, 100-101

- cables, blue rollover cable, 278
- cache, neighbor cache resource starvation, 334
- Call Manager Express (CME), 388
- CAM (content-addressable memory), 250, 271, 333
- CAM table overflow attack, 250
- Campus Area Network (CAN), 17
- CAN (Campus Area Network), 17
- CBAC (context-based access control), 270
- CCNA Security**
 - BPDU Guard, 248-249
 - port security, 250-251
 - Root Guard, 249
- CCP (Cisco Configuration Professional)**, 41, 129
 - router configuration with ACS (Access Control Server), 45-50
- ZBF (Zone-Based Firewall) configuration, 385-391
 - CLI commands created by CCP*, 391-399
 - CME (Call Manager Express)*, 388-389
 - DNS servers, 390
 - interfaces, 387-388
 - security level, 388-389
 - verifying, 399-400
- CDP (Cisco Discovery Protocol)**
 - disabling, 252
 - overview, 251-252
- CEF (Cisco Express Forwarding)-Exception traffic**, 269
- CEF (Cisco Express Forwarding) table**, 344
- certificate authority**. *See CA (certificate authority)*
- certificate revocation list (CRL), 106, 208
- certificates. *See digital certificates*
- Certification Path Answer (CPA), 336
- Certification Path Solicitation (CPS), 336
- change management, 29
- CIFS (Common Internet File System), 215
- Cipher Block Chaining Data Encryption Standard (DES-56) algorithm**, 311
- cipher digit stream, 92
- ciphers, 91
 - block ciphers, 92
 - defined, 91
 - polyalphabetic, 91
 - stream ciphers, 92
 - substitution, 91
 - symmetric ciphers, 93
 - transposition, 91
- circumventing IPS/IDS, 468-469
- Cisco Access Control Server**. *See ACS (Access Control Server)*
- Cisco AMP (Advanced Malware Protection) for Endpoints**, 31, 499-500
- Cisco AnyConnect Secure Mobility Client**
 - Cisco AnyConnect Secure Mobility Client Wizard, 218
 - authentication method*, 220-221
 - connection profiles*, 218-219
 - DNS entries, 221-222
 - exemptions from NAT*, 222-223
 - IP address pool information*, 220-221
 - protocols to support*, 219
 - software packages to deploy*, 220

- Summary screen*, 223-224
Welcome screen, 218
overview, 75
troubleshooting
 initial connectivity issues, 228-229
 traffic-specific issues, 230
Cisco ASA (Adaptive Security Appliance). *See ASA (Adaptive Security Appliance)*
Cisco ASR (Aggregation Services Routers), 75
Cisco cloud e-mail security, 479
Cisco Common Classification Policy Language (C3PL), 381
Cisco Configuration Professional.
 See CCP (Cisco Configuration Professional)
Cisco CWS (Cloud Web Security), 75, 486
Cisco Discovery Protocol. *See CDP (Cisco Discovery Protocol)*
Cisco E-mail Security Appliance. *See ESA (E-mail Security Appliance)*
Cisco Express Forwarding (CEF)-Exception traffic, 269
Cisco Express Forwarding (CEF) table, 344
Cisco FirePOWER, 31
Cisco FireSIGHT Management Center, 31
Cisco hybrid e-mail security, 480
Cisco IDS. *See IDS (intrusion detection systems)*
Cisco ISE (Identity Services Engine), 75
Cisco IOS devices
 IPsec site-to-site VPN implementation, 155-164
 crypto policy, 162-164
 digital certificates, 158-159
 NTP configuration, 156
 NTP status verification, 157
 Site-to-Site VPN Wizard, 159-162
IPsec site-to-site VPN
 troubleshooting, 164-178
 debug command, 165-166
 IKEv1 Phase 1 policy, 170-174
 IKEv1 Phase 2 policy, 174-178
 ping command, 165-170
 verification of IPsec configuration, 164-168
file protection
 configuring, 315-316
 overview, 289-290
management plane security. *See management plane security*
Zone-Based Firewalls. *See ZBFs (Zone-Based Firewalls)*
Cisco IPS. *See IPS (intrusion prevention systems)*
Cisco ISR (Integrated Services Routers), 75
Cisco Learning Network, 507
Cisco NGIPS (Next-Generation IPS), 472-473
Cisco Secure ACS Solution Engine, 283
Cisco Security Manager (CSM), 266, 471
Cisco SenderBase, 481
Cisco SIO (Security Intelligence Operations), 472, 481
Cisco SMA (Security Management Appliance), 491-492
Cisco Sourcefire, 498
Cisco WSA (Web Security Appliance), 477, 487-491
ClamAV, 498
class maps, 381

- class-map type inspect match-any command, 410**
- class type inspect command, 410**
- classic IOS, 289**
- classifying**
 - assets, 8-10
 - countermeasures, 10-11
 - information classification policies, 29
 - vulnerabilities, 10
- CLI (command-line interface), 129. *See also* individual commands**
 - crypto policy implementation, 162-164
 - IPsec configuration, 137-139
 - router configuration for ACS (Access Control Server), 41-43
 - SSL clientless VPN configuration, 214-215
 - ZBFs (Zone-Based Firewalls)
 - commands created by CCP, 391-399*
 - verifying, 400-404*
- client. *See* Cisco AnyConnect Secure Mobility Client**
- cloud-based MDM (mobile device management) deployment, 78-79**
- Cloud/WAN (Wide Area Network), 18**
- Cloud Web Security (CWS), 75, 486**
- CME (Call Manager Express), 388**
- code execution attacks, 13**
- collision resistance, 94**
- command-line interface. *See* CLI (command-line interface)**
- Common Internet File System (CIFS), 215**
- Common Vulnerabilities and Exposures (CVE), 10**
- community strings, 311**
- confidentiality, 6**
- IPsec site-to-site VPNs, 122, 152**
- VPNs (virtual private networks), 89-90**
- configuration**
 - ACS (Access Control Server), 51-52
 - authorization policies, 56-57*
 - authorization profiles, 58-60*
 - identity groups, 56*
 - network device groups, 53-54*
 - user groups, 54*
 - ASA (Adaptive Security Appliance)**
 - access rules, 447-449*
 - ASDM GUI, 433-435*
 - basic routing, 444-445*
 - DHCP service, 443-444*
 - ICMP echo requests, 433*
 - initial boot, 425-431*
 - initial setup script, 432-433*
 - interfaces, 435-443*
 - NAT (Network Address Translation), 445-447*
 - No Telnet policy, 453*
 - Packet Tracer, 449-453*
 - PAT (Port Address Translation), 445-447*
 - BPDU Guard, 248**
 - Cisco AnyConnect Secure Mobility Client, 217**
 - connection profiles, 225-226*
 - full-tunnel SSL VPN configuration, 218-225*
 - groups, 225-226*
 - split tunneling, 227-228*
 - troubleshooting, 228-230*
 - tunnel groups, 226*
 - types of SSL VPNs, 218*
 - Cisco ESA (E-mail Security Appliance), 483-485**

- CoPP (control plane policing), 346-347
- DAI (Dynamic ARP Inspection), 256
- DHCP (Dynamic Host Configuration Protocol) snooping, 254
- IPsec
 - CLI (command-line interface)* equivalent comments, 137-139
 - completing and verifying, 139-145
 - planning, 129
 - Quick Setup Wizard*, 129-130
 - Step by Step VPN Wizard*, 130-137
 - tools, 129
- IPv6
 - addresses, 326-327
 - routing, 330-331
- MD5 authentication
 - on BGP, 352
 - on EIGRP, 350
 - on OSPF, 349
 - on RIPv2, 351
- NAT (Network Address Translation), 404-408
- NTP (Network Time Protocol), 313-315
- NTP services, 156
- port security, 250-251
- PortFast, 245-246
- recovery of err-disabled ports, 249
- router configuration with ACS (Access Control Server)
 - AAA verification*, 43-45
 - CCP (Cisco Configuration Professional)*, 45-50
 - CLI (command line interface)*, 41-43
- overview, 41
- TACACS+, 45
- RST (Rapid Spanning Tree), 245-246
- SCP (Secure Copy Protocol), 315
- secure bootset, 315-316
- SNMP (Simple Network Management Protocol), 312-313
- SSL clientless VPN
 - CLI (command line interface)*, 214-215
 - connection profile access, 211
 - digital certificates, 211
 - login, 215-216
 - SSL VPN Wizard*, 209-210
 - user authentication, 211-214
 - VPN statistics, 217
- Syslog, 308-310
- trunk ports, 238-239
- ZBFs (Zone-Based Firewalls)
 - verifying from command line, 400-404
 - verifying with CCP, 385-400
- connection profiles
 - Cisco AnyConnect Secure Mobility Client, 225-226
 - IPsec site-to-site VPNs, 189-191
 - SSL clientless VPN configuration, 211
- content-addressable memory (CAM), 250, 271, 333
- context-based access control (CBAC), 270
- control plane policing. *See CoPP (control plane policing)*
- control plane protection (CPPr), 269, 348

- control plane security**
 - CoPP (control plane policing),
 - 346-347
 - configuration*, 346-347
 - verification*, 347
 - CPPr (control plane protection), 269, 348
 - impact of control plane traffic on CPU, minimizing, 344-345
 - overview, 264, 268, 344
 - routing update authentication
 - on BGP*, 351-352
 - on EIGRP*, 349-350
 - on OSPF*, 348-349
 - on RIP*, 350-351
 - security best practices, 268-269
 - threat control and mitigation strategy, 265
 - conversion between decimal, binary, and hexadecimal, 326
 - coordinated universal time (UTC), 156
 - CoPP (control plane policing), 269, 346-347
 - configuration, 346-347
 - verification, 347
 - Core module (BYOD), 78
 - cost-benefit analysis of security, 7
 - countermeasures
 - classifying, 10-11
 - defined, 7-8
 - covert channel, 15
 - CPA (Certification Path Answer), 336
 - CPPr (control plane protection), 269, 348
 - CPS (Certification Path Solicitation), 336
 - crackers, 12
 - credit cards, 32
- CRL (certificate revocation list)**, 106, 208
- cross-certifying CAs (certificate authorities)**, 107
- crypto ACL**, 136
- crypto ca authenticate command**, 113, 117
- crypto ca enroll command**, 113, 117
- crypto ikev1 policy command**, 200
- crypto ikev2 policy command**, 200
- crypto ipsec ikev1 transform-set command**, 200
- crypto ipsec ikev2 transform-set command**, 200
- crypto ipsec security-association lifetime command**, 155
- crypto ipsec transform-set command**, 138, 147, 163, 200
- crypto isakmp policy command**, 137, 147, 154, 162, 200
- crypto key generate rsa command**, 117, 158, 318
- Crypto Locker**, 498
- crypto map command**, 139, 147, 163-164, 175, 200
- crypto maps**, 136
- crypto pki authenticate command**, 158
- crypto pki enroll command**, 158
- crypto policy**, 162-164
- cryptography**
 - algorithms, 91
 - asymmetric algorithms*, 93-94
 - Cipher Block Chaining Data Encryption Standard (DES-56) algorithm*, 311
 - encryption algorithms*, 124
 - hash algorithms*, 124
 - RSA algorithm*, 99-100
 - symmetric algorithms*, 93

ciphers, 91
block ciphers, 92
defined, 91
polyalphabetic, 91
stream ciphers, 92
substitution, 91
symmetric ciphers, 93
transposition, 91
 digital signatures, 95-96
 Hashed Message Authentication Code (HMAC), 95
 hashes, 94-95
 IPsec. *See* IPsec
 key management, 92, 96-97
keyspace, 96
next-generation encryption protocols, 97
 SSL (Secure Sockets Layer), 98
CryptoWall, 498
CSM (Cisco Security Manager), 266, 471
 custom privilege levels (RBAC), 287, 301-303
 customer needs for IPsec site-to-site VPNs, 152-153
CVE (Common Vulnerabilities and Exposures), 10
CWS (Cloud Web Security), 75, 486

D

DAI (Dynamic ARP Inspection), 14, 253-256, 271, 333
Data Center network, 18-19
 data centers, 77-78
 data integrity, 90, 122, 152
 data location, 3
 data loss and exfiltration methods, 31-32

data loss prevention (DLP), 76, 477, 480-481
data plane (NFP). *See also* IPv6
 additional protection mechanisms, 271
 defined, 264
 explained, 270
 security best practices, 271
 threat control and mitigation strategy, 266
DDoS (distributed denial-of-service)
 attacks, 16, 27-28, 335
 debit cards, 32
 debug aaa accounting command, 296
 debug aaa authentication command, 296-297
 debug aaa authorization command, 296-297
 debug command, 62-66, 165-166, 198
 debug crypto condition peer command, 201
 debug crypto ikev1|ikev2 command, 198
 debug crypto ikev2 platform 2 command, 198
 debug crypto ikev2 protocol 2 command, 198
 debug crypto ipsec command, 198, 201
 debug crypto isakmp command, 201
 debug webvpn anyconnect command, 229
 debug webvpn svc command, 228-229
 decimal, converting to binary/hexadecimal, 326
 default traffic flow (ASA), 420-422
 defense-in-depth approach, 16, 360-361
demilitarized zone (DMZ), 15, 359, 369, 420

- denial-of-service (DoS) attacks**, 6, 16, 27-28, 267, 332-333
- deny ipv6 any command**, 337
- deployment**
 - firewalls
 - access rules*, 371
 - ACLs (access control lists)*, 374
 - design guidelines*, 370-372
 - packet-filtering access rule structure*, 372
 - rule implementation consistency*, 373-374
 - technologies*, 370
 - MDM (mobile device management)
 - cloud-based deployment*, 78-79
 - on-premise deployment*, 77-78
 - NAT (Network Address Translation), 369-370
- DES (Digital Encryption Standard)**, 124
 - design of firewalls, 370-372
 - designated ports, 245
 - device groups (ACS), 53-54
 - device hardening, 332
 - DH (Diffie-Hellman) key exchange protocol, 94, 97, 124-126
- DHCP (Dynamic Host Configuration Protocol)**, 271, 324, 328, 418
 - ASA (Adaptive Security Appliance) configuration, 443-444
 - DHCPv6, 335
 - snooping, 253-254
- differentiated services code point (DSCP)**, 424
- Diffie-Hellman (DH) key exchange protocol**, 94, 97, 124-126
- digests**, 94
- digital certificates**
 - identity certificates, 102
 - installing on ASA, 107
 - default certificate*, 108
 - identity certificates*, 111-114
 - root certificates*, 109-114
 - obtaining, 158-159
 - revoked certificates, 105-106
 - root certificates, 101-102
 - SSL clientless VPN configuration, 211
 - uses for, 106
 - X.500 certificates, 103
 - X.509 certificates, 103-104
- Digital Encryption Standard (DES)**, 124
- Digital Signature Algorithm (DSA)**, 94
- digital signatures**, 95-96, 100, 122, 469
 - micro-engines, 470
 - severity levels, 471
- digital subscriber line (DSL)**, 87
- direct DoS (denial-of-service) attacks**, 27
- disabling CDP (Cisco Discovery Protocol)**, 252
- Disk Utility**, 501
- disruptive motivations behind threats**, 27
- distributed denial-of-service (DDoS) attacks**, 16, 27-28
- distributed DoS (DDoS) attacks**, 335
- DKIM (DomainKeys Identified Mail)**, 481
- DLP (data loss prevention)**, 76, 477, 480-481
- DMVPN (Dynamic Multipoint VPN)**, 178
- DMZ (demilitarized zone)**, 15, 359, 369, 420

DNS (Domain Name System), 215, 324, 359
do show ipv6 interface brief command, 326
do show vlan brief command, 237
 document handling and destruction, 29
 Domain Name System (DNS), 215, 324, 359
 DomainKeys Identified Mail (DKIM), 481
 DoS (denial-of-service) attacks, 6, 16, 27-28, 267, 332-333
 downloaders, 497
 downloading Pearson Cert Practice Test (PCPT) software, 506
 drop action, 382
 DSA (Digital Signature Algorithm), 94
 DSCP (differentiated services code point), 424
 DSL (digital subscriber line), 87
 dual stacks, 335
 duties, separation of, 16
 Dynamic ARP Inspection (DAI), 14, 254-256, 271, 333
 Dynamic Host Configuration Protocol. *See* DHCP (Dynamic Host Configuration Protocol)
 Dynamic Multipoint VPN (DMVPN), 178
 dynamic NAT (Network Address Translation), 369

E

eavesdropping, 333
 ECC (Elliptic Curve Cryptography), 94, 97
 Edit IPsec Site-to-Site Connection Profile dialog box, 191
 egress, 382
 EIGRP (Enhanced Interior Gateway Routing Protocol), 268, 349-350
 ElGamal, 94
 Elliptic Curve Cryptography (ECC), 94, 97
 e-mail security
 Cisco cloud e-mail security, 479
 Cisco ESA (E-mail Security Appliance), 480-482
initial configuration, 483-485
models, 480
supported features, 481-482
 Cisco hybrid e-mail security, 480
 e-mail authentication, 481
 e-mail encryption, 481, 500-501
 malware attachments, 479
 overview, 477
 phishing, 479
 spam, 479
 spear phishing, 479
 E-mail Security Appliance. *See* ESA (E-mail Security Appliance)
 enable password, 286
 enable view command, 304, 318
 Encapsulating Security Payload (ESP), 97, 128, 153
 encrypted management protocols, 279, 287-288
 encryption, 469. *See also* cryptography
 algorithms, 124
 asymmetric algorithms, 93-94
 e-mail, 481, 500-501
 encrypted management protocols, 279, 287-288
 endpoint data at rest, 501
 next-generation encryption protocols, 97

SNMP (Simple Network Management Protocol), 312
 symmetric algorithms, 93
endpoint threat mitigation techniques, 495
 antivirus/antimalware solutions, 497-498
 Cisco AMP (Advanced Malware Protection) for Endpoints, 31, 499-500
 e-mail encryption, 500-501
 encryption of endpoint data at rest, 501
 HIPS (host intrusion prevention systems), 498
 personal firewalls, 498-499
 VPNs (virtual private networks), 501-502
Enhanced Interior Gateway Routing Protocol (EIGRP), 268
enrolling with CAs (certificate authorities), 104
errdisable recovery cause bpduguard command, 249
ESA (E-mail Security Appliance), 477, 480-482
 initial configuration, 483-485
 models, 480
 supported features, 481-482
ESP (Encapsulating Security Payload), 97, 128, 153
evading IPS/IDS, 468-469
exam engine
 installing, 505
 practice exam mode, 508-509
 study mode, 508
exam preparation tools
 Cisco Learning Network, 507
 memory tables, 507
PCPT (Pearson Cert Practice Test)
 software, 506

Pearson Cert Practice Test engine
installing, 505
practice exam mode, 508-509
study mode, 508
 study plan, 507-509
exam engine, 508-509
practice configurations, 508
recalling the facts, 507-508
exfiltration, 31-32
exploits, 497

F

FIFO (first in, first out), 288
file reputation, 490
file retrospection, 491
files
 file protection (Cisco IOS)
configuring, 315-316
overview, 289-290
 file sandboxing, 491
 logging
overview, 288-289
Syslog configuration, 308-310
syslog security levels, 289
FileVault, 501
filtering
 botnet traffic filtering, 419
 packet filtering
explained, 417
stateful packet filtering, 363-364
static packet filtering, 362
 stateful filtering, 417
 URL (uniform resource locator)
 filtering, 379
financial motivations behind threats, 27
FirePOWER, 31

- FireSIGHT Management Center, 31, 473
- Firewall Wizard**, 386
- firewalls**
 - access rules, 371
 - ACLs (access control lists), 374
 - ASA (Adaptive Security Appliance)
 - access rules*, 447-449
 - ASDM GUI*, 433-435
 - basic routing*, 444-445
 - default traffic flow*, 420-422
 - DHCP service*, 443-444
 - features/services*, 417-419
 - ICMP echo requests*, 433
 - initial access*, 422
 - initial boot*, 425-431
 - initial setup script*, 432-433
 - interface configuration*, 435-443
 - models*, 416
 - MPF (Modular Policy Framework)*, 424
 - NAT (Network Address Translation)*, 445-447
 - No Telnet policy*, 453
 - overview*, 413
 - packet filtering ACLs*, 423
 - packet filtering on ASA*, 422-423
 - Packet Tracer*, 449-453
 - PAT (Port Address Translation)*, 445-447
 - policy application*, 425
 - security levels*, 419-420
 - tools to manage*, 422
 - benefits of, 359
 - common properties, 358-359
 - defense-in-depth approach, 360-361
 - design guidelines, 370-372
 - IOS firewall support, 270
 - limitations of, 359-360
 - methodologies, 361
 - application inspection firewalls*, 364-365
 - application layer gateways*, 363
 - NGFW (next-generation firewalls)*, 365
 - stateful packet filtering*, 363-364
 - static packet filtering*, 362
 - transparent firewalls*, 365
 - NAT (Network Address Translation)
 - deployment options*, 369-370
 - dynamic NAT*, 369
 - NAT with overload*, 368
 - overview*, 366-367
 - PAT (Port Address Translation)*, 368-369
 - policy NAT*, 370
 - static NAT*, 369
 - terminology*, 367-368
 - objectives of, 358-359
 - overview, 355, 358
 - packet-filtering access rule structure, 372
 - personal firewalls, 498-499
 - proxy firewalls, 363
 - rule implementation consistency, 373-374
 - technologies, 370
 - ZBFs (Zone-Based Firewalls), 377
 - C3PL (Cisco Common Classification Policy Language)*, 381
 - class maps*, 381
 - components*, 383-384
 - configuring with CCP (Cisco Configuration Professional)*, 385-399
 - features*, 379

how they work, 379
NAT (Network Address Translation), 404-408
policy maps, 381-382
self zones, 380, 384-385
service policies, 382-384
traffic interaction between zones, 383
verifying from command line, 400-404
verifying with CCP (Cisco Configuration Professional), 399-400
zones, 380

first in, first out (FIFO), 288

FlexVPN, 178

FQDN (fully qualified domain name), 100

frame forwarding, 239

framework (NFP), 264

full-tunnel SSL VPN configuration, 218-225

fully qualified domain name (FQDN), 100

G

Galois/Counter Mode (GCM), 97
gateways, application layer, 363
GCM (Galois/Counter Mode), 97
Generate Mirror button, 139
generic routing encapsulation (GRE), 469
geopolitical motivations behind threats, 27
GET message, 310
global correlation, 468
PGP, 501

GRE (generic routing encapsulation), 469

GREEN classification level (TLP), 10

group-policy command, 200

groups

Cisco AnyConnect Secure Mobility Client, 225-226

identity groups (ACS), 56

network device groups (ACS), 53-54

user groups (ACS), 54

H

hackers, 12

hactivists, 12

hash algorithms, 124

Hashed Message Authentication Code (HMAC), 95, 122, 152, 311

hashes, 94-95

hexadecimal, converting to decimal/binary, 326

hierarchical PKI (public key infrastructure) topology, 107

high availability, 419

HIPS (host intrusion prevention systems), 498

HMAC (Hashed Message Authentication Code), 95, 122, 152, 311

hop-by-hop extension headers, 335

host ID, 325

host intrusion prevention systems (HIPS), 498

HTTP (Hypertext Transfer Protocol), 360

HTTPS (Hypertext Transfer Protocol Secure), 15, 279, 307-308, 332, 360

-
- ICMP (Internet Control Message Protocol),** 15, 153, 271, 325, 384
- ASA (Adaptive Security Appliance),** 433
- echo requests, 433
- ICMPv6,** 335
- unreachable messages, 345
- identity certificates,** 102, 111-114
- identity groups (ACS),** 56
- Identity Services Engine (ISE),** 14, 39, 75
- IDS (intrusion detection systems).**
See also IPS (intrusion prevention systems)
- alarms/alerts, 471-472
 - best practices, 472
 - compared to IPS (intrusion protection systems), 460-462
 - evasion techniques, 468-469
 - identification of malicious traffic, 463
 - anomaly-based IPS/IDS,* 464-465
 - policy-based IPS/IDS,* 464-465
 - reputation-based IPS/IDS,* 464-465
 - RR (risk rating),* 467-468
 - sensor responses to detected attacks,* 465-467
 - signature-based IPS/IDS,* 464-465
 - overview, 30, 457
 - sensors
 - defined,* 460
 - responses to detected attacks,* 465-467
 - sensor platforms,* 462
- signatures, 469
- micro-engines,* 470
- severity levels,* 470-471
- true/false negatives, 463
- true/false positives, 463
- IETF (Internet Engineering Task Force),** 207
- IKE (Internet Key Exchange),** 97, 123
- IKEv1,** 191
- explained,* 123
- IKEv1 Phase 1 planning,* 154, 170-174
- IKEv1 Phase 1 tunnel negotiation,* 124-125
- IKEv1 Phase 2 planning,* 154-155
- IKEv1 Phase 2 policy,* 174-178
- IKEv2,** 123, 192
- IPsec site-to-site VPNs, 191
- IME (IPS Manager Express),** 471
- Immunet,** 498
- information classification, 29
- ingress, 382
- initial boot (ASA),** 425-431
- initial setup script (ASA),** 432-433
- inside global NAT (Network Address Translation),** 367
- inside local NAT (Network Address Translation),** 367
- inspect action,** 382
- inspect keyword,** 424
- installing Pearson Cert Practice Test engine,** 505
- Integrated Services Routers (ISR),** 75
- integrity,** 6, 312
- intellectual property (IP),** 31
- interdependence (NFP),** 265

- interfaces, 447
 - configuring
 - on ASA (Adaptive Security Appliance)*, 435-443
 - as trunk ports*, 238-239
 - IPv6, 328-329
- Internet Control Message Protocol (ICMP), 15, 153, 271, 325, 384
- Internet edge, 77
- Internet Engineering Task Force (IETF), 207
- Internet Key Exchange. *See* IKE (Internet Key Exchange)
- Internet Security Association and Key Management Protocol (ISAKMP), 123
- Internet service providers (ISPs), 11
- inter-VLAN routing, 240
- intrusion detection systems. *See* IDS (intrusion detection systems)
- intrusion prevention systems. *See* IPS (intrusion prevention systems)
- IOS devices. *See* Cisco IOS devices
- IOS firewall support, 270
- IP (intellectual property), 31
- ip access-group command, 374
- IP addresses, assigning with ASA (Adaptive Security Appliance), 443-444
- ip arp inspection trust command, 259
- ip arp inspection vlan 10 command, 256, 259
- ip dhcp snooping command, 254, 259
- ip dhcp snooping trust command, 259
- ip dhcp snooping vlan 10 command, 259
- ip ospf authentication-key command, 348
- ip ospf message-digest-key command, 348
- ip scp server enable command, 318
- IP Source Guard, 271
- IPS (intrusion prevention systems).
 - See also* IDS (intrusion detection systems)
- alarms/alerts
 - monitoring*, 471
 - security intelligence*, 471-472
- best practices, 472
- Cisco NGIPS (Next-Generation IPS), 472-473
 - compared to IDS (intrusion detection systems), 460-462
 - evasion techniques, 468-469
 - identification of malicious traffic, 463
 - anomaly-based IPS/IDS*, 464-465
 - policy-based IPS/IDS*, 464-465
 - reputation-based IPS/IDS*, 464-465
 - RR (risk rating)*, 467-468
 - sensor responses to detected attacks*, 465-467
 - signature-based IPS/IDS*, 464-465
 - overview, 7, 75, 227, 270, 359, 424, 457
- sensors
 - defined*, 460
 - responses to detected attacks*, 465-467
 - sensor platforms*, 462
- signatures, 469
 - micro-engines*, 470
 - severity levels*, 470-471
- true/false negatives, 463
- true/false positives, 463
- IPS events, 31

IPS Manager Express (IME), 471

IPsec (Internet security)

- AH (Authentication Header), 97
- compared to SSL (Secure Sockets Layer), 206
- configuration
 - CLI (command-line interface)*
 - equivalent comments, 137-139*
 - completing and verifying, 139-145*
 - planning, 129*
 - Quick Setup Wizard, 129-130*
 - Step by Step VPN Wizard, 130-137*
 - tools, 129*
- defined, 88, 97
- ESP (Encapsulating Security Payload), 97
- goals of, 122-123
- IKE (Internet Key Exchange), 123-125
- overview, 119
- site-to-site VPNs
 - alternatives to, 178*
 - customer needs, 152-153*
 - IKEv1 Phase 1 planning, 154*
 - IKEv1 Phase 2 planning, 154-155*
 - implementing in Cisco ASA, 179-192*
 - implementing in Cisco IOS devices, 155-164*
 - overview, 149*
 - required protocols, 153*
 - troubleshooting in Cisco ASA, 193-198*
 - troubleshooting in Cisco IOS devices, 164-178*

steps of

- DH key exchange, 125-126*
- IKEv1 Phase 1 tunnel negotiation, 124-125*
- packet protection, 126-127*
- peer authentication, 126*
- summary, 128-129*
- traffic after IPsec, 127-128*
- traffic before IPsec, 127*
- verifying, 164-168

IPv4

- compared to IPv6, 324-325
- security
 - best practices, 332-333*
 - common threats, 333-334*

IPv6, 321

- address format, 325
 - all-nodes multicast addresses, 328*
 - all-routers multicast addresses, 328*
 - anycast addresses, 328*
 - configuring, 326-327*
 - conversion between decimal, binary, and hexadecimal, 326*
 - length, 325*
 - link-local addresses, 327*
 - loopback addresses, 327*
 - solicited-node multicast addresses, 328*
 - unicast addresses, 328*
- advantages of, 324
- compared to IPv4, 324-325
- interface information, 328-329
- routing, 330-331
- security, 332
 - ACLs (access control lists), 337*
 - advantages of IPv6, 334*

- best practices*, 332-333, 336
- common threats*, 333-334
- potential risks*, 334-336
- ipv6 access-list command**, 337, 339
- ipv6 address command**, 326, 339
- ipv6 ospf 1 area 0 command**, 339
- ipv6 traffic-filter command**, 337-339
- ipv6 unicast-routing command**, 330, 339
- ISAKMP (Internet Security Association and Key Management Protocol)**, 123
- ISE (Identity Services Engine)**, 14, 39, 75
- ISPs (Internet service providers)**, 11
- ISR (Integrated Services Routers)**, 75

K

- key loggers**, 498
- key management**
 - DH key exchange, 125-126
 - IKE (Internet Key Exchange), 123
 - key pairs, 93, 99
 - keyspace, 96
 - next-generation encryption protocols, 97
 - overview, 92, 96-97
 - PKI (public key infrastructure)**, 99
 - CAs (certificate authorities)*, 100-101, 104
 - components*, 114-115
 - digital signatures*, 100
 - identity certificates*, 102
 - installing digital certificates on ASA*, 107-114
 - key pairs*, 99
 - PKCS (Public Key Cryptography Standards)**, 105

- revoked certificates*, 105-106
- root certificates*, 101-102
- RSA algorithm*, 99-100
- SCEP (Simple Certificate Enrollment Protocol)*, 105
- topologies*, 106-107
- uses for digital certificates*, 106
- X.500 certificates*, 103
- X.509 certificates*, 103-104
- private keys, 93
- PSK (pre-shared keys), 122
- public keys, 93, 103

keyspace, 96

L

- latent threats**, 7
- Layer 2 security**. *See also VLANs (virtual LANs)*
 - best practices, 246-247
 - CCNA Security**
 - BPDU Guard*, 248-249
 - port security*, 250-251
 - Root Guard*, 249
 - CDP (Cisco Discovery Protocol)**
 - disabling*, 252
 - overview*, 251-252
 - DAI (Dynamic ARP Inspection)**, 254-256
 - DHCP (Dynamic Host Configuration Protocol) snooping**, 253-254
 - Layer 2 security toolkit**, 248
 - negotiations**, 247
 - STP (Spanning Tree Protocol)**
 - learning state*, 245
 - listening state*, 245
 - overview*, 241-242

- Rapid Spanning Tree*, 245-246
 - verification and annotations*, 242-245
 - toolkit, 248
 - Layer 4 Protocol** 50, 153
 - Layer 4 protocol** 51, 153
 - layered approach to security**, 360-361
 - LDAP (Lightweight Directory Access Protocol)**, 103
 - learning state (STP), 245
 - learningnetwork.cisco.com, 507
 - least privilege, rule of, 16
 - length of IPv6 addresses, 325
 - Lightweight Directory Access Protocol (LDAP)**, 103
 - line console 0login authentication
bubba command, 318
 - Link Layer Discovery Protocol (LLDP)**, 252
 - link-local addresses, 327
 - Linux, encryption of endpoint data at rest, 501
 - listeners, 482
 - listening state (STP), 245
 - LLDP (Link Layer Discovery Protocol)**, 252
 - LLDP-MED**, 252
 - location of data, 3
 - locking switch ports, 247
 - log action, 382
 - logging
 - ACL logging, 345
 - IPS/IDS, 466
 - overview, 280, 288-289
 - policy maps, 382
 - SVC logging, 229
 - Syslog
 - configuring*, 308-310
 - security levels*, 289
 - logic bombs, 497
 - logical controls, 11
 - login, SSL clientless VPN configuration, 215-216
 - Login Password Retry Lockout**, 279
 - loopback addresses, 327
-
- ## M
- mail exchangers (MX), 482
 - mailconfig command, 485, 493
 - mailers, 497
 - malicious traffic, identifying, 463
 - anomaly-based IPS/IDS, 464-465
 - policy-based IPS/IDS, 464-465
 - reputation-based IPS/IDS, 464-465
 - RR (risk rating), 467-468
 - sensor responses to detected attacks, 465-467
 - signature-based IPS/IDS, 464-465
 - malvertising**, 29
 - malware**, 13, 479
 - antivirus/antimalware solutions, 497-498
 - Cisco AMP (Advanced Malware Protection) for Endpoints, 31, 499-500
 - malware identification tools
 - Cisco AMP (Advanced Malware Protection)*, 31
 - IPS events*, 31
 - NetFlow*, 30
 - NGIPS (next-generation intrusion prevention system)*, 31
 - packet captures*, 30
 - Snort*, 30
 - man-in-the-middle attacks**, 14-15, 333

- Management Information Base (MIB), 310**
- management plane security**
 - AAA (authentication, authorization, and accounting), 279-286
 - Cisco Secure ACS Solution Engine*, 283
 - components*, 282
 - enabling with method lists*, 292-296
 - method lists*, 285-286
 - overview*, 279-281
 - router access authentication*, 284-285
 - self-contained AAA*, 283
 - troubleshooting*, 296-301
 - VPN user authentication*, 283-284
- best practices, 278-280
- encrypted management protocols, 288
- HTTPS, 307-308
- logging
 - overview*, 288-289
 - Syslog configuration*, 308-310
 - syslog security levels*, 289
- NTP (Network Time Protocol)
 - configuring*, 313-315
 - defined*, 264
 - overview*, 289
 - security best practices*, 267-268
 - threat control and mitigation strategy*, 265
- overview*, 275, 278
- password recommendations, 281, 290-292
- RBAC (role-based access control)
 - custom privilege levels*, 287, 301-303
 - overview*, 279, 286
 - parser views*, 287, 303-305
- SCP (Secure Copy Protocol), 315
- secure bootset
 - creating*, 315-316
 - overview*, 289-290
- SNMP (Simple Network Management Protocol), 310-313
 - authentication*, 312
 - components*, 310
 - configuration*, 312-313
 - encryption*, 312
 - GET message*, 310
 - integrity*, 312
 - security levels*, 311-312
 - security model*, 311
 - SET message*, 310
 - trap message*, 311
- SSH (Secure Shell)
 - overview*, 287
 - preparing for*, 305-307
- management traffic, 278
- managers (SNMP), 310
- maps
 - class maps, 381
 - policy maps, 381-382
- mass-mailer worms, 497
- match address command, 200
- match statements, 381
- match-all condition, 381
- match-any condition, 381
- maximum transmission unit (MTU), 336, 345
- MD5 (message digest 5) algorithm
 - overview*, 94-95, 124, 311, 348
 - routing update authentication
 - on BGP*, 351-352
 - on EIGRP*, 349-350
 - on OSPF*, 348-349
 - on RIP*, 350-351

- MDM (mobile device management)**
- cloud-based deployment, 78-79
 - on-premise deployment, 77-78
 - overview, 76
- Media Endpoint Device**, 252
- memory tables**, 507
- message digest 5 algorithm.** *See MD5 (message digest 5) algorithm*
- message-digest keyword**, 348
- message digests**, 94
- method lists**, 285-286, 292-296
- MIB (Management Information Base)**, 310
- micro-engines**, 470
- minimizing impact of control plane traffic on CPU**, 344-345
- mirrored VPN configuration**, 139
- mitigating endpoint threats**, 495
- antivirus/antimalware solutions, 497-498
- Cisco AMP (Advanced Malware Protection) for Endpoints**, 31, 499-500
- e-mail encryption, 500-501
- encryption of endpoint data at rest, 501
- HIPS (host intrusion prevention systems)**, 498
- personal firewalls, 498-499
- VPNs (virtual private networks), 501-502
- mobile device management.** *See MDM (mobile device management)*
- Modular Policy Framework (MPF)**, 424
- monitoring alarms/alerts, 471
- motivations behind threats, 27
- MPF (Modular Policy Framework)**, 424
- MPLS (Multiprotocol Label Switching)**, 88, 178
- MTU (maximum transmission unit)**, 336, 345
- Multiprotocol Label Switching (MPLS)**, 88, 178
- multistring micro-engine**, 470
- MX (mail exchangers)**, 482
-
- N**
-
- NAC (Network Admission Control)**, 14
- nameif bubba command**, 455
- nat command**, 200
- NAT (Network Address Translation)**
- ASA (Adaptive Security Appliance)**, 445-447
 - configuring, 404-407
 - deployment options, 369-370
 - dynamic NAT, 369
 - NAT Exempt policy, 183
 - NAT with overload, 368
 - overview, 324, 360, 366-367, 418
 - PAT (Port Address Translation)**, 368-369
 - policy NAT, 370
 - static NAT, 369
 - terminology, 367-368
 - verifying, 407-408
- National Vulnerability Database (NVD)**, 10
- native VLAN on trunk**, 239
- NDP (Neighbor Discovery Protocol)**, 325, 334
- negatives, true/false**, 463
- negotiations**, 228, 247
- neighbor cache resource starvation**, 334

- Neighbor Discovery Protocol (NDP),** 325, 228
- NetFlow,** 30
- Network Address Translation.** *See NAT (Network Address Translation)*
- Network Admission Control (NAC),** 14
- network antivirus,** 481
- network architecture**
 - security guidelines, 16-17
 - topologies
 - CAN (Campus Area Network),* 17
 - Cloud/WAN (Wide Area Network),* 18
 - Data Center network,* 18-19
 - SOHO (small office/home office),* 18
 - virtual environments, 20-21
- network device groups (ACS),** 53-54
- Network File System (NFS),** 15
- Network Foundation Protection.** *See NFP (Network Foundation Protection)*
- network security**
 - cost-benefit analysis, 7
 - security terms, 8
- network threats.** *See threats*
- Network Time Protocol.** *See NTP (Network Time Protocol)*
- network topologies,** 17-18
 - CAN (Campus Area Network),* 17
 - Cloud/WAN (Wide Area Network),* 18
 - Data Center network,* 18-19
 - SOHO (small office/home office),* 18
- next-generation encryption (NGE),** 97, 124
- next-generation firewalls (NGFW),** 365
- next-generation intrusion prevention system (NGIPS),** 31, 472-473
- NFP (Network Foundation Protection)**
 - control plane
 - defined,* 264
 - explained,* 268
 - security best practices,* 268-269
 - threat control and mitigation strategy,* 265
 - data plane
 - additional protection mechanisms,* 271
 - defined,* 264
 - explained,* 270
 - security best practices,* 271
 - threat control and mitigation strategy,* 266
 - framework, 264
 - importance of, 264
 - interdependence, 265
 - management plane
 - defined,* 264
 - security best practices,* 267-268
 - threat control and mitigation strategy,* 265
 - overview, 261, 264
 - threat control and mitigation strategy, 265-266
- NFS (Network File System),** 15
- NGE (next-generation encryption),** 97, 124
- NGFW (next-generation firewalls),** 365
- NGIPS (next-generation intrusion prevention system),** 31, 472-473
- no cdp enable command,** 259
- no cdp run command,** 259
- no debug aaa authentication command,** 296
- no shutdown command,** 330, 420, 455
- No Telnet policy, verifying,** 453
- noAuthNoPriv security level,** 311

nondesignated ports, 245
NTP (Network Time Protocol), 28, 102, 267, 280, 289, 332
 configuring, 156, 313-315
 verifying status of, 157
NVD (National Vulnerability Database), 10

O

Oakley, 123
object groups, 418
object network command, 200
 obtaining digital certificate, 158-159
OCSP (Online Certificate Status Protocol), 106
on-premise MDM (mobile device management) deployment, 77-78
one-time password (OTP), 76, 92
Online Certificate Status Protocol (OCSP), 106
OOB (out-of-band) management, 267, 279
Open Shortest Path First (OSPF), 268, 348-349
orphaned rules, 373
OSPF (Open Shortest Path First), 268, 348-349
Other micro-engine, 470
OTP (one-time password), 76, 92
out-of-band (OOB) management, 267, 279
outbreak filters, 481
outside global NAT (Network Address Translation), 367
outside local NAT (Network Address Translation), 367
overload, NAT (Network Address Translation) with, 368

P

PAC (proxy autoconfiguration), 486
packet amplification attacks, 335
packet captures, 30
packet filtering
 access rule structure, 372
ASA (Adaptive Security Appliance)
packet-filtering ACLs, 423
packet filtering on ASA, 422-423
 explained, 417
 stateful packet filtering, 363-364
 static packet filtering, 362
packet mode, 284
packet protection (IPsec), 126-127
Packet Tracer, 449-453
pads, 92
parser views, 287, 303-305
pass action, 382
password-guessing attacks, 15
passwords, 29
 management plane security, 281, 290-292
 password-guessing attacks, 15
 strong passwords, 279-281, 290-292
PAT (Port Address Translation), 209, 368-369, 445-447
PCPT (Pearson Cert Practice Test) software, 506
Pearson Cert Practice Test engine
 installing, 505
 practice exam mode, 508-509
 study mode, 508
Pearson Cert Practice Test (PCPT) software, 506
peer authentication, 126
peer device identification, 180
personal firewalls, 355, 498-499

- personally identifiable information (PII), 31
- pharming, 13
- phishing, 13, 29, 479
- phone scams, 29
- physical controls, 11
- physical security, 30, 332
- PII (personally identifiable information), 31
- ping command, 60, 165-170
- PIX, 413
- PKCS (Public Key Cryptography Standards), 94, 105
- PKI (public key infrastructure), 99, 207, 434
 - CAs (certificate authorities)
 - authenticating and enrolling with*, 104
 - explained*, 100-101
 - digital signatures, 100
 - identity certificates, 102
 - installing digital certificates on ASA, 107
 - default certificate*, 108
 - identity certificates*, 111-114
 - root certificates*, 109-114
 - key pairs, 99
- PKCS (Public Key Cryptography Standards), 105
- revoked certificates, 105-106
- root certificates, 101-102
- RSA algorithm, 99-100
- SCEP (Simple Certificate Enrollment Protocol), 105
- topologies, 106-107
- uses for digital certificates, 106
- X.500 certificates, 103
- X.509 certificates, 103-104
- planning IPsec site-to-site VPNs, 129
 - customer needs, 152-153
 - IKEv1 Phase 1 planning, 154
 - IKEv1 Phase 2 planning, 154-155
 - required protocols, 153
- point-of-sale (PoS) systems, 27
- poisoning (ARP), 271
- policies
 - ASA (Adaptive Security Appliance)
 - MPF (Modular Policy Framework)*, 424
 - policy application*, 425
 - authorization policies, 56-57
 - MPF (Modular Policy Framework), 424
 - policy-based IPS/IDS, 464-465
 - policy maps, 381-382
 - service policies, 333, 382-384
 - policy-map type inspect command, 410
 - policy maps, 381-382
 - policy NAT (Network Address Translation), 370
 - polyalphabetic ciphers, 91
 - Port Address Translation (PAT), 209, 368-369, 445-447
 - PortFast, 245-246
 - ports
 - PAT (Port Address Translation), 209, 368-369, 445-447
 - root ports, 244
 - security, 250-251
 - switch ports
 - BPDU Guard*, 248
 - locking down*, 247
 - recovery of err-disabled ports*, 249
 - trunk ports, 238-239

PoS (point-of-sale) systems, 27
 positives, true/false, 463
 potential attackers, 12
 practice configurations, 508
 practice exam
 activating and downloading, 506
 practice exam mode (Pearson Cert Practice Test engine), 508-509
 Premium Edition, 506
Premium Edition, 506
 preparation
 for HTTPS, 307-308
 for SSH (Secure Shell), 305-307
 pre-shared keys (PSK), 122, 125
 private keys, 93
 private listeners, 482
 privilege escalation, 13
 privilege exec level command, 302, 318
 privilege levels (RBAC), 287, 301-303
 profiles
 authorization profiles, 58-60
 connection profile access, 211
 connection profiles
 Cisco AnyConnect Secure Mobility Client, 225-226
 IPsec site-to-site VPNs, 189-191
 protocol level misinterpretation, 469
 proxy autoconfiguration (PAC), 486
 proxy firewalls, 363
 PSK (pre-shared keys), 122, 125
 Public Key Cryptography Standards (PKCS), 94, 105
 public key infrastructure. *See PKI*
 (public key infrastructure)
 public keys, 93, 103
 public listeners, 482

Q-R

QoS (quality of service), 269
 Quick Setup Wizard (IPsec), 129-130

RADIUS (Remote Authentication Dial-In User Service), 39-40
 ransomware, 498
 Rapid Spanning Tree (RSTP), 245-246
 RBAC (role-based access control), 267, 287
 custom privilege levels, 287, 301-303
 overview, 279, 286
 parser views, 287, 303-305
 RDoS (reflected DDoS) attack, 16
 Real-time Transport Protocol (RTP), 424
 realized threats, 7
 reconnaissance, 13
 recovery of err-disabled ports, 249
 RED classification level (TLP), 9
 redundant rules, 373
 reflected DDoS (RDoS) attack, 16
 reflected DoS (denial-of-service) attacks, 28
 remote-access VPNs (virtual private networks), 88, 502
 Remote Authentication Dial-In User Service (RADIUS), 39-40
 reputation-based IPS/IDS, 464-465
 resetting TCP connections, 467
 resource exhaustion, 469
 revoked certificates, 105-106
 RH0, 336
 RIP routing update authentication, 350-351

- risk management**
 - defined, 7-8
 - overview, 11
 - RR (risk rating), 467-468
 - role-based access control.** *See* RBAC (role-based access control)
 - root bridge**, 242
 - root certificates**, 101-102, 109-114
 - Root Guard**, 249
 - root ports**, 244
 - rootkits**, 498
 - route processor (RP)**, 269
 - router-on-a-stick**, 240-241
 - routers.** *See also* routing
 - access authentication, 284-285
 - configuration for ACS
 - AAA verification*, 43-45
 - CCP (Cisco Configuration Professional)*, 45-50
 - CLI (command line interface)*, 41-43
 - overview*, 41
 - TACACS+, 45
 - control plane security
 - CoPP (control plane policing)*, 346-347
 - CPPr (control plane protection)*, 348
 - impact of control plane traffic on CPU, minimizing*, 344-345
 - overview*, 344
 - routing update authentication on BGP*, 351-352
 - routing update authentication on EIGRP*, 349-350
 - routing update authentication on OSPF*, 348-349
 - routing update authentication on RIP*, 350-351
 - router-on-a-stick**, 240-241
 - router-to-ACS interactions**, 60
 - basic connectivity*, 60
 - debug command*, 62-66
 - ping command*, 60
 - test command*, 60-62
 - routing.** *See also* routers
 - ASA (Adaptive Security Appliance), 444-445
 - IPv6, 330-331
 - routing protocols authentication, 269
 - routing update authentication
 - on BGP*, 351-352
 - on EIGRP*, 349-350
 - on OSPF*, 348-349
 - on RIP*, 350-351
 - RP (route processor)**, 269
 - RR (risk rating)**, 467-468
 - RSA algorithm, 94, 99-100
 - RSA SecurID, 76
 - rsa-signatures, 96
 - RSP (Rapid Spanning Tree), 245-246
 - RTP (Real-time Transport Protocol), 424
 - rule implementation**
 - access rules, 447-449
 - firewalls, 373-374
 - rule of least privilege**, 16
-
- ## S
-
- SA (security associations)**, 129
 - sandboxing**, 491
 - SCEP (Simple Certificate Enrollment Protocol)**, 105
 - SCP (Secure Copy Protocol)**, 315
 - script-kiddies**, 12

SDEE (Security Device Event Exchange), 471
 secure boot-config command, 316
 secure boot-image command, 316-318
 secure bootset
 creating, 315-316
 overview, 289-290
 Secure Copy Protocol (SCP), 315
 Secure Hash Algorithm (SHA), 124, 311
 Secure Hash Algorithm 1 (SHA-1), 95
 Secure Hash Algorithm 2 (SHA-2), 95
 Secure Key Exchange Mechanism (SKEME), 123
 Secure/Multipurpose Internet Mail Extensions (S/MIME), 500
 Secure Neighbor Discovery in IPv6 (SeND), 336
 Secure Shell. *See* SSH (Secure Shell)
 Secure Sockets Layer. *See* SSL (Secure Sockets Layer)
 security associations (SA), 129
 Security Device Event Exchange (SDEE), 471
 security intelligence, 471-472
 Security Intelligence Operations (SIO), 472, 481
 security-level 50 command, 455
 security levels (ASA), 419-420
 Security Management Appliance (SMA), 491-492
 security model, 311
 security passwords min-length command, 281
 security policies. *See* policies
 security terms, 8
 Selective Packet Discard (SPD), 269
 self-contained AAA, 283
 self zones, 380, 384-385
 SeND (Secure Neighbor Discovery in IPv6), 336
 Sender ID Framework (SIDF), 481
 Sender Policy Framework (SPF), 481
 SenderBase, 481
 sensors
 defined, 460
 responses to detected attacks, 465-467
 sensor platforms, 462
 separation of duties, 16
 serial numbers (digital certificates), 102-103
 servers. *See* ACS (Access Control Server)
 service micro-engine, 470
 service password-encryption command, 291, 318
 service policies, 382-384
 SET message, 310
 set peer command, 200
 setup script (ASA), 432-433
 severity levels, 470-471
 SFR (signature fidelity rating), 467, 471
 SHA (Secure Hash Algorithm), 124, 311
 SHA-1 (Secure Hash Algorithm 1), 95
 SHA-2 (Secure Hash Algorithm 2), 95
 shadowed rules, 373
 show class-map type inspect command, 401, 410
 show command, 327
 show crypto ikev1 stats command, 193
 show crypto ikev2 stats command, 193
 show crypto ipsec sa command, 177, 193-196, 200
 show crypto ipsec sa detail command, 193

show crypto isakmp policy command, 142, 162
show crypto isakmp sa command, 176
show crypto isakmp sa detail command, 176
show crypto isakmp stats command, 193
show crypto map command, 142, 147, 175, 200
show errdisable recovery command, 249
show interfaces command, 258
show interfaces trunk command, 244
show ip cef command, 344
show ip nat translations command, 408-410
show ipv6 interface command, 329
show ipv6 protocol command, 331
show isakmp sa command, 193
show isakmp sa detail command, 193, 196-197, 200
show isakmp stats command, 193-195, 200
show ntp association command, 157, 314
show ntp status command, 157, 314
show policy-map control-plane command, 346-347
show policy-map type inspect command, 410
show policy-map type inspect zone-pair ccp-zp-in-out sessions command, 402
show secure bootset command, 316
show spanning-tree vlan 10 command, 242-243, 246
show vpn-sessiondb command, 193, 197, 201
SIDF (Sender ID Framework), 481
signature-based IPS/IDS, 464-465
signature fidelity rating (SFR), 467, 471
signatures. *See* digital signatures
Simple Certificate Enrollment Protocol (SCEP), 105
Simple Mail Transfer Protocol (SMTP), 481
Simple Network Management Protocol. *See* SNMP (Simple Network Management Protocol)
single root CA (certificate authority), 107
SIO (Security Intelligence Operations), 472, 481
site-to-site VPN (virtual private network)
alternatives to, 178
customer needs, 152-155
implementing in Cisco ASA, 179-192
commands sent to Cisco ASA, 184-189
connection profiles, 189-191
IKE policy, 191
IKEv1 policies, 191
IKEv2 settings, 192
IPsec proposals (transform sets), 192
local/remote networks, 181-182
NAT Exempt policy, 183
peer device identification, 180
security options, 182
traffic to protect, 180-181
implementing in Cisco IOS devices, 155-164
crypto policy, 162-164
digital certificates, 158-159
NPT configuration, 156
NPT status verification, 157
Site-to-Site VPN Wizard, 159-162

overview, 88, 149, 502
required protocols, 153
troubleshooting in Cisco ASA,
193-198
debug command, 198
show crypto ipsec sa command,
195-196
*show crypto isakmp stats
command*, 193
show isakmp sa detail command,
196-197
show isakmp stats command,
193-195
show vpn-sessiondb command,
197
troubleshooting in Cisco IOS devices,
164-178
debug command, 165-166
IKEv1 Phase 1 policy, 170-174
IKEv1 Phase 2 policy, 174-178
ping command, 165-170
*verification of IPsec
configuration*, 164-168
Site-to-Site VPN Wizard, 159-162,
179-184
SKEME (Secure Key Exchange
Mechanism), 123
SMA (Security Management
Appliance), 491-492
small office/home office (SOHO), 18
S/MIME (Secure/Multipurpose
Internet Mail Extensions), 500
SMTP (Simple Mail Transfer Protocol),
481
sniffing, 333
SNMP (Simple Network Management
Protocol), 288, 310-313
authentication, 312
components, 310
configuration, 312-313
encryption, 312
GET message, 310
integrity, 312
security levels, 311-312
security model, 311
SET message, 310
traps, 311, 467
snmp-server group command, 319
snmp-server host command, 319
snmp-server user command, 319
snooping (DHCP), 253-254
Snort, 30
social engineering, 13, 28-30
defenses against, 29-30
malvertising, 29
phishing, 29
phone scams, 29
SOHO (small office/home office), 18
solicited-node multicast addresses, 328
spam, 479, 497
spanning-tree bpduGuard enable
command, 258
spanning-tree guard root command,
249, 259
spanning-tree mode rapid-pvst
command, 246
spanning-tree portfast command, 245
spanning-tree portfast default
command, 245
Spanning Tree Protocol. *See* STP
(Spanning Tree Protocol)
SPD (Selective Packet Discard), 269
spear phishing, 479
SPF (Sender Policy Framework), 481
split tunneling, 227-228
spoofing
ARP spoofing, 271
spoofed packets, 334

- SSH (Secure Shell)**
 - overview, 15, 287, 332
 - preparing for, 305-307
- SSL (Secure Sockets Layer)**
 - Cisco AnyConnect Secure Mobility Client, 217
 - connection profiles*, 225-226
 - full-tunnel SSL VPN configuration*, 218-225
 - groups*, 225-226
 - split tunneling*, 227-228
 - tunnel groups*, 226
 - types of SSL VPNs*, 218
 - compared to IPsec (IP security), 206
 - compared to TLS (Transport Layer Security), 207
 - defined, 88
 - how it works, 207-208
 - overview, 98, 203
 - SSL clientless VPN configuration
 - CLI (command line interface)*, 214-215
 - connection profile access*, 211
 - digital certificates*, 211
 - login*, 215-216
 - SSL VPN Wizard*, 209-210
 - user authentication*, 211-214
 - VPN statistics*, 217
 - SSL VPN access methods, 208-209
 - troubleshooting
 - initial connectivity issues*, 228-229
 - negotiations*, 228
 - traffic-specific issues*, 230
 - SSL VPN Wizard**, 209-210
 - stateful database, 364
 - stateful filtering 363-364, 417
- states**
 - stateful database, 364
 - stateful filtering 363-364, 417
- STP (Spanning Tree Protocol)**, 245
- static NAT (Network Address Translation)**, 369
- static packet filtering**, 362
- statistics (VPN)**, viewing, 217
- status (NTP)**, verifying, 157
- Step by Step VPN Wizard (IPsec)**, 130-137
- STP (Spanning Tree Protocol)**
 - learning state, 245
 - listening state, 245
 - overview, 14, 241-242, 333
 - RSP (Rapid Spanning Tree), 245-246
 - verification and annotations, 242-245
- stream ciphers**, 92
- string micro-engine**, 470
- strong passwords**, 290-292
- study mode (Pearson Cert Practice Test engine)**, 508
- study plan**, 507-509
 - exam engine, 508-509
 - practice configurations, 508
 - recalling the facts, 507-508
- subinterfaces**, 348
- substitution**, 91
- Summary screen (Cisco AnyConnect Secure Mobility Client Wizard)**, 223-224
- SVC logging**, 229
- switch ports**
 - BPDU Guard, 248
 - locking down, 247
 - recovery of err-disabled ports, 249
- switchport access vlan command**, 237, 247, 258

switchport mode access command, 237, 247, 258
 switchport mode trunk command, 247, 258
 switchport nonegotiate command, 247, 258
 switchport port-security command, 250, 259
 switchport trunk encapsulation dot1q command, 247, 258
 switchport trunk native vlan command, 247, 258
 symmetric algorithms, 93
 symmetric ciphers, 93
 symmetrical access lists, 136
 syslog, 267
 configuring, 308-310
 overview, 288
 security levels, 289
 systemsetup command, 483-485, 493

T

tacacs-server host command, 42, 45, 68
TACACS+ (Terminal Access Control Access Control Server), 39-40, 45
 tags, 238
 target value rating (TVR), 467
 TCP (Transfer Control Protocol), 360, 384
 resetting connections, 467
 TCP Intercept, 270-271
 technical controls, 11
 Terminal Access Control Access Control Server (TACACS+), 39-40, 45
 test aaa command, 298
 test aaa group tacacs+ command, 68

test command, 60-62
 threat agents, 7
 threat control and mitigation strategy
 threat vector, 7
 ThreatGRID, 500
 threats, 27
 attacks
 attack vectors, 14
 back doors, 13
 botnets, 15
 brute-force attacks, 15
 code execution attacks, 13
 covert channel, 15
 data loss and exfiltration methods, 31-32
 DDoS (distributed denial-of-service) attacks, 16, 27-28
 DoS (denial-of-service) attacks, 16, 27-28
 malware identification tools, 30-31
 man-in-the-middle attacks, 14-15
 NFP (Network Foundation Protection), 265-266
 pharming, 13
 phishing, 13
 potential attackers, 12
 privilege escalation, 13
 reconnaissance, 13
 social engineering, 13, 28-30
 trust exploitation, 15
 defined, 7-8
 e-mail-based threats
 Cisco cloud e-mail security, 479
 Cisco ESA (E-mail Security Appliance), 480-485
 Cisco hybrid e-mail security, 480
 malware attachments, 479

- phishing*, 479
- spam*, 479
- spear phishing*, 479
- IPv4/IPv6 threats, 333-336
- latent threats, 7
- motivation behind, 27
- realized threats, 7
- threat agents, 7
- threat vector, 7
- web-based threats
 - Cisco CWS (Cloud Web Security)*, 486
 - Cisco SMA (Security Management Appliance)*, 491-492
 - Cisco WSA (Web Security Appliance)*, 487-491
- Time-To-Live (TTL), 335, 345
- timing attacks, 469
- TLP (Traffic Light Protocol), 9-10
- TLS (Transport Layer Security), 98, 207
- topologies, 17-18
 - CAN (Campus Area Network), 17
 - Cloud/WAN (Wide Area Network), 18
 - Data Center network, 18-19
 - PKI (public key infrastructure), 106-107
 - SOHO (small office/home office), 18
- ToS (type of service), 30
- traffic
 - ASA (Adaptive Security Appliance), 420-422
 - before/after IPsec, 127-128
 - fragmentation, 468
 - impact of control plane traffic on CPU, 344-345
 - management traffic, 278
- substitution and insertion, 468
- troubleshooting, 230
- Traffic Light Protocol (TLP), 9-10
- Transfer Control Protocol (TCP), 360, 384
- transform sets, 126, 192
- transparent firewalls, 365
- Transport Layer Security. *See* TLS (Transport Layer Security)
- transposition, 91
- trap messages, 311
- Triple DES (3DES), 124
- Triple Digital Encryption Standard (3DES), 94
- Trojan horses, 497
- troubleshooting
 - AAA (authentication, authorization, and accounting), 296-301
 - ACS (Access Control Server)
 - basic connectivity*, 60
 - debug command*, 62-66
 - ping command*, 60
 - test command*, 60-62
 - IPsec site-to-site VPNs in Cisco ASA, 193-198
 - debug command*, 198
 - show crypto ipsec sa command*, 195-196
 - show crypto isakmp stats command*, 193
 - show isakmp sa detail command*, 196-197
 - show isakmp stats command*, 193-195
 - show vpn-sessiondb command*, 197
 - IPsec site-to-site VPNs in Cisco IOS, 164-178
 - debug command*, 165-166
 - IKEv1 Phase 1 policy*, 170-174

- IKEv1 Phase 2 policy*, 174-178
ping command, 165-170
verification of IPsec configuration, 164-168
- SSL (Secure Sockets Layer)
initial connectivity issues, 228-229
negotiations, 228
traffic-specific issues, 230
- TrueCrypt, 501
- true/false negatives, 463
- true/false positives, 463
- trunk ports, 238-239
- trunking
 802.1Q, 238-239
 inter-VLAN routing, 240
 native VLAN on trunk, 239
 negotiating trunks between switches, 239
 virtual sub interfaces, 240
- trust exploitation, 15
- TTL (Time-To-Live), 335, 345
- tunnel-group command, 200
- tunneling, 335, 469
 IKEv1 Phase 1 tunnels, 124-125
 split tunneling, 227-228
 tunnel groups, 226
- TVR (target value rating), 467
- two-factor authentication, 29
- type of service (ToS), 30
-
- U**
-
- UDP (User Datagram Protocol), 267, 384
 UDP port 500, 153
 UDP port 4500, 153
- unauthorized access, 333
- undebug all command, 296
- unicast addresses, 328
- Unicast Reverse Path Forwarding (uRPF), 270
- Unicast RPF, 345
- URL (uniform resource locator)
 filtering, 379
- uRPF (Unicast Reverse Path Forwarding), 270
- user authentication. *See AAA (authentication, authorization, and accounting)*
- User Datagram Protocol (UDP), 267, 384
- user groups (ACS), 54
- username command, 284
- users, 35
- UTC (coordinated universal time), 156
-
- V**
-
- verbose alerts, 466
- verification
 AAA (authentication, authorization, and accounting), 43-45
 ASA (Adaptive Security Appliance), 453
 CoPP (control plane policing), 347
 IPsec configuration, 139-145, 164-168
 NAT (Network Address Translation), 407-408
 NTP status, 157
 STP (Spanning Tree Protocol), 242-245
 ZBFs (Zone-Based Firewalls)
with CCP (Cisco Configuration Professional), 399-400
from command line, 400-404
- views (parser), 287, 303-305

- virtual environments**, 20-21
- virtual LANs**. *See* **VLANs (virtual LANs)**
- Virtual Next-Generation IPS (NGIPSV) for VMware**, 473
- virtual private networks**. *See* **VPNs (virtual private networks)**
- virtual sub interfaces**, 240
- virtual terminal line (vty)**, 374, 288
- viruses**, 13, 497-498
- VLANs (virtual LANs)**
 - creating, 237
 - defined, 236-237
 - frame forwarding, 239
 - inter-VLAN routing, 240
 - native VLAN on trunk, 239
 - negotiating trunks between switches, 239
 - overview, 236, 358
 - router-on-a-stick, 240-241
 - trunking with 802.1Q, 238-239
 - virtual sub interfaces, 240
- VPNs (virtual private networks)**
 - benefits of VPNs
 - antireplay protection*, 90
 - authentication*, 90
 - confidentiality*, 89-90
 - data integrity*, 90
 - components, 99
 - cryptography
 - algorithms*, 91-94
 - ciphers*, 91-93
 - digital signatures*, 95-96
 - Hashed Message Authentication Code (HMAC)*, 95
 - hashes*, 94-95
 - IPsec*. *See* **IPsec**
 - key management*, 96-97
 - keys, 92
 - SSL (Secure Sockets Layer)*, 98
 - defined, 87
 - IPsec site-to-site VPNs
 - alternatives to*, 178
 - customer needs*, 152-153
 - IKEv1 Phase 1 planning*, 154
 - IKEv1 Phase 2 planning*, 154-155
 - implementing in Cisco ASA*, 179-192
 - implementing in Cisco IOS devices*, 155-164
 - overview*, 149
 - required protocols*, 153
 - troubleshooting in Cisco ASA*, 193-198
 - troubleshooting in Cisco IOS devices*, 164-178
 - method lists, 285-286
 - mirrored VPN configuration, 139-141
 - overview, 8, 73, 119, 501-502
 - PKI (public key infrastructure)**
 - CAs (certificate authorities)*, 100-101, 104
 - components*, 114-115
 - digital signatures*, 100
 - identity certificates*, 102
 - installing digital certificates on ASA*, 107-114
 - key pairs*, 99
 - PKCS (Public Key Cryptography Standards)*, 105
 - revoked certificates*, 105-106
 - root certificates*, 101-102
 - RSA algorithm*, 99-100
 - SCEP (Simple Certificate Enrollment Protocol)*, 105
 - topologies*, 106-107

- uses for digital certificates*, 106
 - X.500 certificates, 103
 - X.509 certificates, 103-104
 - remote-access VPNs, 88, 502
 - router access authentication, 284-285
 - SSL (Secure Sockets Layer)
 - Cisco AnyConnect Secure Mobility Client, 217-228
 - compared to IPsec (IP Security)*, 206
 - compared to TLS (Transport Layer Security)*, 207
 - full-tunnel SSL VPN configuration, 218
 - how it works, 207-208
 - overview, 203
 - SSL clientless VPN configuration, 209-217
 - SSL VPN access methods, 208-209
 - troubleshooting, 228-230
 - tunnel groups, 226
 - types of SSL VPNs, 218
 - TLS (Transport Layer Security), 207
 - types of VPNs, 88
 - user authentication, 283-284
 - vty (virtual terminal line), 288, 374
 - vulnerabilities
 - classifying, 10
 - defined, 7-8
-
- ## W
- WAN (Wide Area Network), 18
 - WAN edge, 79
 - WAN module (BYOD), 78
 - WCCP (Web Cache Communication Protocol), 487
 - web-based threats, 477, 486
 - Cisco CWS (Cloud Web Security), 486
 - Cisco SMA (Security Management Appliance), 491-492
 - Cisco WSA (Web Security Appliance), 487-491
 - Web Cache Communication Protocol (WCCP), 487
 - Web Security Appliance (WSA), 477, 487-491
 - Welcome screen (Cisco AnyConnect Secure Mobility Client Wizard), 218
 - whaling, 479
 - WHITE classification level (TLP), 10
 - Wide Area Network (WAN), 18
 - wireless access points (APs), 75
 - wireless WLAN controllers (WLC), 75
 - wizards
 - Basic Firewall Wizard, 386-388
 - Basic NAT Wizard, 405-407
 - Cisco AnyConnect Secure Mobility Client Wizard
 - authentication method*, 220-221
 - connection profiles*, 218-219
 - DNS entries, 221-222
 - exemptions from NAT*, 222-223
 - IP address pool information*, 220-221
 - protocols to support*, 219
 - software packages to deploy*, 220
 - Summary screen, 223-224
 - Welcome screen, 218
 - Firewall Wizard, 386
 - IPsec Quick Setup Wizard, 129-130
 - IPsec Step by Step VPN Wizard, 130-137
 - Site-to-Site VPN Wizard, 159-162, 179-184

SSL VPN Wizard, 209-210
 ZBF Wizard, 389-391
WLAN controllers (WLC), 75
WLC (WLAN controllers), 75
 worms, 13, 497
WSA (Web Security Appliance), 477, 487-491

X-Y-Z

X.500 certificates, 103
X.509 certificates, 103-104

ZBFs (Zone-Based Firewalls), 377
 C3PL (Cisco Common Classification Policy Language), 381
 class maps, 381
 components, 383-384
 configuring with CCP (Cisco Configuration Professional), 385-391
CLI commands created by CCP, 391-399
CME (Call Manager Express), 388-389
DNS servers, 390

interfaces, 387-388
security level, 388-389
 features, 379
 how they work, 379
NAT (Network Address Translation)
configuring, 404-407
verifying, 407-408
 policy maps, 381-382
 self zones, 380, 384-385
 service policies, 382-384
 traffic interaction between zones, 383
 verifying
from command line, 400-404
with CCP (Cisco Configuration Professional), 399-400
 zones, 380
ZBF Wizard, 389-391
Zone-Based Firewalls. *See also ZBFs (Zone-Based Firewalls)*
zone-pair security in-to-out source inside destination outside command, 410
zones, 380-381. *See also ZBFs (Zone-Based Firewalls)*
 self zones, 380, 384-385
 zone pairs, 380